

The essential products that trade professionals rely on every day.





Screws

Timber Construction Screws		
Premium Woodscrews	9	
Multi-Purpose Woodscrews	17	
Woodscrews	21	
Mirror & Decorative Screws	27	
Screw Caps & Covers	28	
Decking & Timber Screws	29	
Coach Screws	35	
Dry-Lining & Collated Screws		
Drywall Screws	36	
Cement Board Screws	37	
Collated Drywall Screws	38	
Collated Screws	39	

Metal			

Self-Drilling Screws	41
Fibre Cement Board Screws	43
Slash Point Screws	43
Wing-Tip Self-Drilling Screws	44
Washers, Caps & Sheet Fixings	45
Metal Framing Screws	46
Self-Tapping Screws	47
Machine Screws	49
Window Fabrication Screws	
Specialist Window Screws	51

Specialist Window Screws	51
Screws for Reinforced Frames	52
Screws for Unreinforced Frames	53

Fasteners & Fixings

Fasteners

Carriage Bolts & Hex Nuts	55
Stainless Steel Carriage Bolts	56
Exterior Carriage Bolts	56
Cable Tray Bolts & Threaded Bars	57
Roofing Bolts	57
Set Screws	58
Nuts	59
Washers	60
Grab Packs	62
Stainless Steel Socket Screws	63
Rivets	64
Harris C. Haller Flore	
Hanging & Utility Fixings	

Hooks & Picture Hangers	64
Storage Hooks & Tool Clips	66
Clips & Pins	66
Cable Management	67

Plumbing Fittings & Fixings

Plumbing Accessories	68
Pipe Fittings	69
Pipe Clips	71
Intumescent Pipe Collars	72
Intumescent Pipe Wraps	72
Hose & Jubilee Clips	73
Jubilee Packs, Kits, Dispensers & Tools	74

Assorted Trays

Mixed Trays 75

Masonry & Cavity Fixings

86

86

86

87

87

Cavity Fixings

Wirehangers

Discs & Covers

Ceiling Anchors & Brackets

Vertical Flange Clips

Metal Insulation Fixings

Plastic Insulation Fixings

Corefix	80
Zip-Fix	8:
Stella-Fix	82
Spring Toggles	83
Metal Cavity Anchors	83
Speed Plugs	83
Hammer-In Fixings	84
Masonry & Insulation Fixings	
Plastic, Nylon & Metal Plugs	84
Express Nails	9.6

Concrete & Masonry Fixings

Zamac Nail In Anchors	88
Nylon Fixings	88
Masonry Screws	89
Concrete Screws	90
Masonry Bolts	92
Throughbolts	94
Drop In Anchors	94
Shield Anchors	95
Forged Hooks & Eyes	96
Chemical Anchor Studs	96

Chemical Resin & Accessories

Chemical Resin	97
Accessories	98







Nails

Cares			
irmaHold Clipped Head Nails	101	Bright & Galvanised Loose Nails	107
irmaHold Brad Nails	102	Sherardised Loose Nails	109
irmaHold Fuel Cells	103	Copper & Aluminium Loose Nails	109
aslode Fuel Cells	103	Stainless Steel Loose Nails	110
aslode Collated Nails	104	Zinc Masonry Nails	110
aslode Brad Nails	104	Upholstery Nails & Cut Tacks	110
aslode Twisted Shank Nails	104	HallClips® & HallHooks®	110
irmaHold Staples & Staplers	105	Polymer Headed Nails & Pins	111
Powertool Acc	essori	es	

		C: 1 C B! 1	400
Drilling		Circular Saw Blades	129
SDS Plus & Max Hammer Bits	113	Jigsaw Blades	130
Rebar Cutters	114	Reciprocating Saw Blades	132
Masonry Drill Bits	115	Multi-Tool Blades & Sets	133
Tile & Glass Drill Bits	115	Powertool Sanding	135
Wood Auger & Wood Bits	116	Hand Sanding	136
HSS Drill Bits	118	Powertool Wire Brushes	137
Step Drills & Countersinks	120	Flap Discs & Preparation Discs	138
Broaching Cutters	121		
Drill Sets	122		
21 0013		Chucks, Keys & Adaptors	139
		Impact Driver Bits, Sockets & Adaptors	140
Holesaws & Accessories	124	Driver Bits, Holders & Sets	142
Dry Diamond Core Bits	126		
Diamond Blades	127		
Bonded Abrasives	128	Mixing Paddles	143
Bolided Abiasives	120	3	

Hand Tools

		Screwariver Sets	159
Hammers & Axes	145	Bradawl	160
Mallets	147	Hex Key Sets	161
Bolsters & Chisels	147		
Pry Bars	148		
		Files & Rasps	162
Trowels	149		
Aluminium Hawk	150	Bar Clamps	163
Brick Jointers	151	F & G Clamps	163
Grouting Float	151	Quick Corner Clamps	163
		Spring Clamps	163
Wood Saws	152		
Mitre Boxes	152	Spirit Levels	164
Plasterers Jab Saw	153	Measuring Wheels & Tapes	166
Rasp Planes	153	Squares & Rulers	167
Knives & Blades	153	Chalk, Brick Lines & Ropes	168
		Stationery	169
Scissors & Wire Strippers	154		
Pipe Shears & Tin Snips	155	Riveters	170
Pliers, Cutters & Wrenches	156	Staplers	170
Bolt Croppers	157		
		Wire Brushes	171
		Levelling Tools	171
Spanner Sets	158	Tile & Glass Scraper	171
Wood Chisels	158	Applicator Guns	172



Painting & Decorating

Brushes & Rollers	
Professional Synthetic Paint Brushes	175
Contractors Paint Brushes	175
Masonry Paint Brushes	175
Multi-Purpose Block Brush	176
General Purpose Brushes	176
Mini Rollers	176
Professional Rollers	177
Masonry & Contractors Rollers	177
Painting Accessories	
Professional Roller Frame	178
Paint Roller Extension Poles	178
Mini Roller Frames	178
Roller Plastic Trays	178
Paint Scuttles	178
Paint Kettle	178
Preparation & Finishing	
Protective Films	179
Dust Sheets	179

Plastic Sheets & Accessories	180
Decorators Knives Set	181
Stripping Knife	181
Surface Preparation Filling Knives Set	181
Fillers	181
Instant Paintable Caulk	182
Acrylic Caulks	182
Tile & Glass Scraper	182
Sealant Remover & Profiler Sets	182
Cleaning	
Paint Panther Paint & Varnish Remover	183
Sugar Soap	183
White & Methylated Spirits	183
Paint Brush Cleaner	183
Low Odour Turps Substitute	183

184

184

184

Adhesives & Chemicals

Tapes	
General Purpose Tapes	186
Building Tapes	187
Plumbing & Electrical Tapes	187
Safety & Hazard Tapes	188
Adhesives, Sealants & Fillers	
Contact Adhesives & Superglue	189
Admixtures	189
Wood Adhesives	190
Grip & Fill	190
Adhesive Sealants	191
Sealants & Sealant Remover	192
Acrylic Sealants & Applicator Guns	193
Expanding Foams	194
Applicator Guns	195
Fillers	195
Matalini	
Metolux	
Decor & Wood Fillers	196
Metoset Liquid Mortar	196
Briwax Woodcare	
Finishing Wax & Spray	197
Spray Wax & Sticks	197
opidy make decide	-57
Lubricants	
Multi-Purpose Lubricant	198
Silicone Lubricant	198
Copper Anti-Seize	198
Cutting & Tapping Lubricant	198
Chain Lubricant	198
Graphite Lock Lubricant	198
Greases & Oils	
Lithium Greases	199

2 Stroke & 4 Stroke Engine Oil

Chainsaw Oil

199

199

Cleaning & Maintenance Sprays

Jumbo Sponges

Rolls, Rags & Cloths

Wipes

Oil & Grease Remover	200
Adhesive Residue Remover	200
Label Remover	200
Welder's Anti-Spatter	200
Air & Gas Leak Detector	200
Cordless Nail Gun Cleaner	200

Paints

Galvanising & Metal Paint	20
Finishing Paint	20
Very High Temperature Paint	20
Primer	20
Stain Concealing Paint	20
Survey & Spot Marker	20

Barrettine

Barrettine Wood Treatment 203

Cleaners

Exterior Multi-Purpose Cleaner	206
Brick, Masonry & Patio Cleaner	206
Path, Patio & Driveway Sealer	206
Wood / PVCU / Glass Cleaners	207
Cleaner & Degreaser	207
Grout Cleaner	207
Calcium, Lime & Rust Remover	207





Workwear, PPE & Safety

Workwear		Gloves	221
Trousers & Shorts	209	Coveralls & Shoe Covers	224
Overalls	210	First Aid	
T-Shirts, Fleeces & Hoodies	211	First Aid Kits	225
Jackets & Bodywarmers	211		
Waterproof Clothing	212	Eye Care & Plasters	225
Accessories	213	Cleaning	
Hi-Vis Clothing		Hand Cleaners, Soaps & Sanitisers	226
		Hand Cleaners, Soaps & Sanitisers	220
Vests, Fleeces & Polo Shirts	214		
Jackets & Trousers	215	Safety	
		Tarpaulins & Tie Downs	227
PPE		Barrier Fencing	227
Ear Protection	216	Safety Signs	227
Knee Pads	216	Ratchet Straps	228
Eye Protection	217	Bungee Cords	228
Safety Goggles & Face Shield	219	Lifting Slings	228
Safety Masks	220		
Building Hardware			

Building Hardware

Masonry Hangers Timber Hangers Restraints & Wall Starter Kits Structural Fixings Cramps & Ties	230 231 232 233 235	Weeps & Drill Vents Underfloor Ventilation Through-Wall Ventilation Internal Grille Vents Access Doors & Panels	239 240 240 241 241
Damp Proof Membrane	236	Builders Bulk Bags	242
Builders Tape	236	Rubble Sacks	242
Spacers	237	Sandbags	242
Roof-line & Above	239		

Security & Ironmongery

Ironmongery		Door Stops & Hooks	267
Fire Door Hinges & Accessories	244	Hanging Rails & Systems	268
Door & Cabinet Hinges	246	Storage & Shelving	269
Specialist Hinges	250		
Door Furniture & Handles	252	Security	
Door Latches & Catches	260	Padlocks	270
Door Locks	261	Chains & Cables	271
Door Bolts	263	Key Storage & Accessories	271
Door & Window Security	264	Squire Security	272
Furniture Fixings, Plates & Braces	265		

Gate & Fence Hardware

Gate Hardware		Field Gate Hinge Sets	297
ocks & Handles	281	Field Gate Catches	299
_atches & Catches	283	Throw-Over Loops	300
Bolts	285	Field Gate Wheels	300
Hasps & Staples Exterior Gate & Door Hinges	289 291	Fence Hardware	
Gate Kits	295	Fence Post Supports	301
		Fencing Accessories	303
Field Gate Hardware		Chains & Accessories	304
Field Gate Hooks & Eves	296		



Recess Style



Pozi / Cross Recess

Standard recess for woodscrews, chipboard screws etc.



Phillips Recess

Standard recess for self-drilling, drywall and window screws.



Combi Recess

A combination of a traditional slotted recess with a more common pozi recess.



TX Drive Recess

High performance recess on C2 Clamp-Fix and TIMCO concrete/masonry screws.



Square Recess

Recess on square drive pan self-drilling and Solo screws.

Head Types



Countersunk

Designed for countersinking into timber for a flush or recessed finish. May have ribs to assist countersinking.



Double Countersunk

Improved design on the countersunk head to give additional head strength and assist countersinking.



Double Countersunk with Ribs

Ribs under head to assist with countersinking



Shallow Pan Countersunk

A special head design to assist with clamping and countersinking.



Wafer / Flange / Pancake

Low profile head with a flat underside for applications where a large clamping area and a nonobstrusive finish is required.



Pan / Round

Head with a flat underside. Designed for application fixing against metal surfaces.



Hexagon

Positive drive hex head with an integral washer to increase clamping effectiveness.



Bugle

A curved surface under the head to prevent damage or tearing to the plasterboard paper.



Socket Button

Designed for a raised finish with a flat underside to aid clamping.



Socket Cap

An industry standard, requiring a hex key to loosen or tighten.

Thread Types



Self-Tapping Thread

A common thread design, mainly used in steel applications (1-5mm).



Twin Thread

Also known as twin lead threads, they are designed to give a fast insertion time in soft material.



Coarse Thread (up to 16 TPI)

Also known as spaced threads, they are normally used for all timber applications.



Fine Thread (over 16 TPI)

Also known as metric threads, they are only used in steel applications. Fine threads are for use with thicker steels (5 - 12mm thickness).



Serrated Thread

Reduces the torque required to install the fastener as well as assisting with the speed of insertion.



Hi-Lo Thread

Used in soft timbers, plastics and thin sheet sections. Hi-Lo threads have superior holding power compared to a low TPI coarse thread in these types of material.

Point Styles



AB Point

For use in pre-drilled sheet material applications.



Needle / Gimlet and Super Sharp Point (SS)

Designed for piercing timber, MDF, plastic and light gauge metal up to 0.6mm without pre-drilling.



B POINT

For use in pre-drilled shallow holes.



Self-Drill Point

For drilling into metals without the need for pre-drilling.



C2 Slash

Twin cut for rapid "pick up" and reduced splitting.




Type 17 Point

Also known as slash point, they are used for fixing timber without the need to pre-drill. The cutting edge helps reduces splitting of the timber.




Gauge / Diameter

The gauge of the screw is determined by the size of the outside thread diameter.




Gauge	Metric (mm)
0g	1.5
0g 1g 2g 3g 4g 5g 6g 7g 8g 9g 10g 12g 13g	1.9
2g	2.25
3g	2.5
4g	3.0
5g	3.3
6g	3.5
7g	3.9
8g	4.2
9g	4.5
10g	4.8
12g	5.5
13g	6.1
14g	6.3
15g	6.5
16g	6.8
15g 16g 18g 20g 24g	7.5
20g	8.1
24g	9.4

Thread Length



Threads Per Inch (TPI)

The TPI is the number of thread crests that can be counted within 1" (25.4mm). The coarser the thread the faster the insertion time but lower the holding power. TDI



Measuring Length

Screws with the following head types are measured from the top of the countersunk to the noint of the screw













Screws with the following head types are measured from the underside of the head to the point of the screw









WAFER/FLANGE



Metric/Imperial Size Comparison Chart

Listed beside the common imperial sizes are the metric equivalents. Also listed are common 'even' approximate metric equivalents in brackets.

Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)
1/64"	0.40	21/64"	8.33	21/32"	16.67	31/32"	24.61	4"	101.60 (100)
1/32"	0.79	11/32"	8.73	43/64"	17.06	63/64"	25.00	4 1/2"	114.30 (115)
3/64"	1.19	23/64"	9.13	11/16"	17.46	1"	25.40 (25.0)	5"	127.00 (125)
1/16"	1.59	3/8"	9.52 (10.0)	45/64"	17.86	11/16"	26.99	5 ½"	139.70 (140)
5/64"	1.98	25/64"	9.92	23/32"	18.26	13/32"	27.78	6"	152.40(150)
3/32"	2.38	13/32"	10.32	47/64"	18.65	11/8"	28.58 (28.0)	61/2"	165.10 (165)
7/64"	2.78	27/64"	10.72	3/4"	19.05 (19.0)	15/32"	29.37	7"	177.80 (175)
1/8"	3.17 (3.0)	7/16"	11.11	49/64"	19.45	13/16"	30.16 (30.0)	71/2"	190.50 (190)
9/64"	3.5	29/64"	11.51	25/32"	19.84	17/32"	30.96	8"	203.20 (200)
5/32"	3.97 (4.0)	15/32"	11.91	51/64"	20.24	11/4"	31.75 (32.0)	81/2"	215.90 (215)
11/64"	4.5	31/64"	12.30	13/16"	20.64	11/2"	38.10 (38.0)	9"	228.60 (230)
3/16"	4.76 (5.0)	1/2"	12.70 (13.0)	53/64"	21.03	1¾"	45.45 (45.0)	91/2"	241.30 (240)
13/64"	5.16	17/32"	13.49	27/32	21.43	2"	50.80 (50.0)	10"	254.00 (250/255)
7/32"	5.5	35/64"	13.89	55/64"	21.83	21/4"	57.15 (57.0)	11"	279.40 (280)
15/64"	5.95	9/16"	14.29 (14.0)	7/8"	22.23 (22.0)	21/2"	63.50 (65.0)	12"	304.80 (305)
1/4"	6.35 (6.0)	37/64"	14.68	57/64"	22.62	23/4"	69.85 (70.0)	13"	330.20 (330)
17/64"	6.75	19/32"	15.08	29/32"	23.02	3"	76.20 (75.0)	14"	355.60 (350/355)
9/32"	7.14	39/64"	15.48	59/64"	23.42	31/4"	82.55 (82.0)	15"	381.00 (380)
19/64"	7.54	5%"	15.88 (16.0)	15/16"	23.81	3 1/2"	88.90 (90.0)	16"	406.40 (400/405)
5/16"	7.94 (8.0)	41/64"	16.27	61/64"	24.21	3¾"	95.25 (95.0)	18"	457.20 (455/460)

Plating Guide

Bright - Polished only

Zinc (CR3) - A bright Zinc electrolytic plating with a clear toxin free finish. Complies with restrictions of hazardous substances in electrical/ electronic equipment (ROHS) directive (2002/95/EC).

Yellow - Zinc electrolytic plating and yellow passivated after treatment for enhanced corrosion resistance.

Black - A zinc electrolytic plating with a black passivation after treatment to enhance corrosion resistance

Black Phos. - An immersed black phosphate plating for corrosion resistance and lubrication.

Nickel - An electroplated, high lustre, corrosion resistant finish.

Exterior - A superior organic finish which is environmentally friendly and offers excellent resistance to corrosion in outdoor applications Exterior includes; nano technology, silver, green, black and white finishes.

Sherardised - A dry galvanised, zinc bonded plating.

Galv. - A post-manufacturing electro-galvanic plating applied to the product.

Pre Galv. - A pre-manufacturing electro-galvanic plating applied to the product.

FirmaGalv - An electro-galvanic plating.

FirmaGalv+ - Similar to the electrogalvanic plating on FirmaGalv. This plating provides better corrosion resistance

Hot Dipped - A galvanised zinc plating which gives excellent corrosion resistance

Mart. SS + Rusp. - A magnetic. martensitic stainless steel with

moderate heat resistance, with silver ruspert plating.

A2 SS - A non-magnetic austenitic stainless steel suitable for many day to day external or corrosive applications offering excellent resistance to corrosion.

A4SS - Very similar to the A2 SS but more suitable for extremely corrosive applications, including coastal environments.

Corrosion Ratings













Screws

Timber Construction Screws

9-1
17-19
21-20
2
28
29
35

Dry-Lining, Collated & Roofing Screws

Drywaii Screws	36
Cement Board Screws	37
Collated Drywall Screws	38
Collated Screws	39

Metal Construction Screws

Self-Drilling Screws	41-43
Fibre Cement Board Screws	43
Slash Point Screws	43
Wing-Tip Self-Drilling Screws	44
Washers, Caps & Sheet Fixings	45
Metal Framing Screws	46
Self-Tapping Screws	47-48
Machine Screws	10

Window Fabrication Screws

Specialist Window Screws	51
Screws for Reinforced Frames	52
Screws for Unreinforced Frames	53



STRONG-FIX PREMIUM SCREW

FOR ALL ROUND FINISHING STRENGTH



PULL-OUT RESISTANCE



DESIGNED FOR SUPERIOR HOLD



PRECISION PZ DRIVE PREVENTS "CAM-OUT"

43% 52% LESS TORQUE



1ST CUT FOR RAPID "PICK-UP" **AND QUICK** INSERTION TIME

2ND CUT HELPS **PREVENT WOOD** SPLITTING WHEN SCREWING CLOSE TO THE EDGE

*Compared against a standard woodscrew





Precision PZ Drive Recess

prevents cam-out, giving a precise and positive drive control on every screw.

Double Countersunk with Ribs

helps improve countersinking, giving a smooth and flush finish whilst also preventing splitting and substrate damage.

Helix Shank

helps remove debris and improve clamping. (From 100mm and above only)



Unique Synthetic Lubrication

reduces insertion torque and increases rust protection up to 20x longer than a standard zinc plating.

Dual Angle Thread

for ultimate performance and exceptionally high pull out resistance. (Partially threaded from 80mm)





C2 Strong-Fix Premium Screw











MAN MADE BOARDS HARD & SOFT WOODS



THIN METAL PLASTIC

Using the most modern manufacturing methods and

design techniques, the C2 is a revolutionary high performance multi-purpose screw.

Designed to give ultimate performance in a multitude of materials, the patented twin-cut point gives a consistent and rapid pick-up and reduces timber splitting.

NOTE: Partially threaded from 80mm. Helix from 100mm and above. Twin cut tip on 3.5 gauge from 20mm.

Industry Boxes





Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)			
INDUSTRY PACK (1,000 PCS)								
40030C2IND	4.0 x 30	PZ2	1,000	12	288			
40040C2IND	4.0 x 40	PZ2	1,000	12	288			
40050C2IND	4.0 x 50	PZ2	1,000	6	144			
40060C2IND	4.0 x 60	PZ2	1,000	6	144			
40080C2IND	4.0 x 80	PZ2	1,000	6	144			
50050C2IND	5.0 x 50	PZ2	1,000	6	144			
50060C2IND	5.0 x 60	PZ2	1,000	3	81			
50070C2IND	5.0 x 70	PZ2	1,000	3	81			
50080C2IND	5.0 x 80	PZ2	1,000	3	81			
50100C2IND	5.0 x 100	PZ2	1,000	3	81			
					CC202			



Boxes

	٥.	Driver	Pack	Carton	Pallet
Product	Size	Bit	Qty	Qty	Qty
Code	(mm)	Size	(pcs)	(packs)	(packs)
		вох			
35012C2	3.5 x 12	PZ2	200	140	5040
35016C2	3.5 x 16	PZ2	200	140	5040
35020C2	3.5×20	PZ2	200	75	2700
35025C2	3.5×25	PZ2	200	75	2700
35030C2	3.5×30	PZ2	200	75	1800
35040C2	3.5 x 40	PZ2	200	50	1200
35050C2	3.5×50	PZ2	200	35	840
40025C2	4.0 x 25	PZ2	200	75	1800
40030C2	4.0×30	PZ2	200	75	1800
40035C2	4.0 x 35	PZ2	200	50	1200
40040C2	4.0×40	PZ2	200	50	1200
40045C2	4.0 x 45	PZ2	200	35	840
40050C2	4.0 x 50	PZ2	200	35	840
40060C2	4.0 x 60	PZ2	200	15	540
40070C2	4.0 x 70	PZ2	200	15	540
40080C2	4.0 x 80	PZ2	200	16	384
45030C2	4.5 x 30	PZ2	200	50	1200
45040C2	4.5 x 40	PZ2	200	35	840
45050C2	4.5 x 50	PZ2	200	15	540
45060C2	4.5 x 60	PZ2	200	15	540
45070C2	4.5 x 70	PZ2	200	16	384
45080C2	4.5 x 80	PZ2	200	16	384
50030C2	5.0 x 30	PZ2	200	50	1200
50040C2	5.0 x 40	PZ2	200	35	840
50045C2	5.0 x 45	PZ2	200	15	540
50050C2	5.0 x 50	PZ2	200	15	540
50060C2	5.0×60	PZ2	200	16	384
50070C2	5.0 x 70	PZ2	200	16	384
50075C2	5.0 x 75	PZ2	200	16	384
50080C2	5.0 x 80	PZ2	200	16	384
50090C2	5.0 x 90	PZ2	100	15	540
50100C2	5.0 x 100	PZ2	100	15	540
50120C2	5.0 x 120	PZ2	100	15	540
60050C2	6.0×50	PZ3	200	16	384
60060C2	6.0×60	PZ3	200	16	384
60070C2	6.0×70	PZ3	200	12	288
60080C2	6.0 x 80	PZ3	200	12	288
60090C2	6.0 x 90	PZ3	100	15	540
60100C2	6.0 x 100	PZ3	100	15	540
60120C2	6.0 x 120	PZ3	100	16	384
60130C2	6.0 x 130	PZ3	100	12	288
60150C2	6.0 x 150	PZ3	100	12	288
60180C2	6.0 x 180	PZ3	100	8	192
60200C2	6.0 x 200	PZ3	100	8	192
					CC201

Tubs





Driver Pack Carton Pallet

Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)
TU	B (DRIVE	R BIT II	NCLU	DED)	
35025C2TUB	3.5 x 25	PZ2	2,000	4	180
35030C2TUB	3.5 x 30	PZ2	1,800	4	180
40025C2TUB	4.0 x 25	PZ2	1,700	4	180
40030C2TUB	4.0 x 30	PZ2	1,500	4	180
40040C2TUB	4.0 x 40	PZ2	1,200	4	180
40050C2TUB	4.0 x 50	PZ2	800	4	180
40060C2TUB	4.0 x 60	PZ2	600	4	180
40070C2TUB	4.0 x 70	PZ2	500	4	180
45040C2TUB	4.5 x 40	PZ2	1,000	4	180
45050C2TUB	4.5 x 50	PZ2	700	4	180
45080C2TUB	4.5 x 80	PZ2	375	4	180
50040C2TUB	5.0 x 40	PZ2	800	4	180
50050C2TUB	5.0×50	PZ2	600	4	180
50060C2TUB	5.0 x 60	PZ2	400	4	180
50070C2TUB	5.0 x 70	PZ2	375	4	180
50080C2TUB	5.0 x 80	PZ2	350	4	180
50090C2TUB	5.0 x 90	PZ2	325	4	180
50100C2TUB	5.0 x 100	PZ2	300	4	180
60100C2TUB	6.0 x 100	PZ3	225	4	180 CCT01

Industry Tubs





Driver Pack Carton

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Pallet Qty (packs)
INDUSTR	Y TUB (DRIV	ER BIT IN	ICLUD	ED)
50050C2LT	5.0 x 50	PZ2	1,600	64
50070C2LT	5.0 x 70	PZ2	1,200	64
50080C2LT	5.0 x 80	PZ2	1,000	64
50100C2LT	5.0 x 100	PZ2	800	64
				CCT02

Grab Pack

A selection of popular C2 Strong-Fix screw sizes in a handy and reusable storage pack with clip-shut lid.



Product Code	Size (mm)	Driver Bit Size	Qty	Carton Qty (packs)	Pallet Qty (packs)				
GRAB PACK (600 PCS)									
C2GPACK	-	-	600	5	150				
	4.0 x 30	PZ2	140						
	4.0 x 40	PZ2	100						
	4.0 x 50	PZ2	70						
	4.0 x 60	PZ2	60						
	5.0 x 40	PZ2	80						
	5.0 x 50	PZ2	55						
	5.0 x 60	PZ2	45						
	5.0 x 70	PZ2	30						
	5.0 x 80	PZ2	20						
	38mm Power Bits	PZ2	3						
					CC201				





Trade Case

The C2 trade case contains 9 of the most popular sizes in a robust portable case.

Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty (packs)
MIX	ED TRADE CASE	(1,80	OPCS)	
C2SC	-	-	1,798	10
	3.5 x 16	PZ2	480	
	3.5 x 25	PZ2	350	
	4.0 x 30	PZ2	250	
	4.0 x 40	PZ2	350	
	4.0 x 50	PZ2	100	
	5.0 x 60	PZ2	65	
	5.0 x 70	PZ2	55	
	5.0 x 80	PZ2	100	
	5.0 x 100	PZ2	45	
	38mm Power Bits	PZ2	3	



CC201



CLAMP-FIX PREMIUM SCREW

ADVANCED CLAMPING **PERFORMANCE**



STOPS THE TIMBER **JACKING APART**



DESIGNED FOR SUPERIOR HOLD



PRECISION TX DRIVE **PREVENTS** "CAM-OUT"

52% LESS TORQUE



1ST CUT FOR RAPID "PICK-UP" **AND QUICK** INSERTION TIME

2ND CUT HELPS **PREVENT WOOD**

SPLITTING WHEN SCREWING CLOSE **TO THE EDGE**





prevents 'cam-out', giving a precise and positive drive control on every screw.

Double Countersunk with Ribs

helps improve countersinking, giving a smooth and flush finish whilst also preventing splitting and substrate damage.

Partially Threaded Shank with Helix



stops the timber from jacking apart, whilst helping remove debris. Partially threaded from 40mm Helix shank on 100mm & above

Unique Synthetic Lubrication

reduces insertion torque and increases rust protection up to 20x longer than a standard zinc plating.

Dual Angle Thread

for ultimate performance and exceptionally high pull out resistance.





C2 Clamp-Fix Premium Screw

Yellow





MAN MADE BOARDS HARD & SOFT WOODS

THIN METAL PLASTIC A premium multi-

material screw featuring the award winning C2 twin-cut technology. The dual

angle partial thread and high torque TX drive ensures maximum clamping strength on every fixing. Designed to prevent the timber from 'jacking' apart when fastening timber to timber. Ideal for applications such as timber studwork, panelling, roof and decking framework.

NOTE: Partially threaded from 40mm and above. Helix shank from 100mm and above

Advanced Clamping Performance





Prevents the timber 'jacking' apart

Boxes



Product	Size	Max. CFT	Driver Bit	Pack Qty	Carton Qtv	Pallet Qty
Code	(mm)	(mm)		(pcs)		(packs)
		ВС	ЭX	.,		
40025C2C	4.0 x 25	0	TX20	200	75	1,800
40030C2C	4.0 x 30	0	TX20	200	75	1.800
40035C2C	4.0 x 35	0	TX20	200	50	1,200
40040C2C	4.0 x 40	10	TX20	200	50	1,200
40045C2C	4.0 x 45	15	TX20	200	35	840
40050C2C	4.0 x 50	20	TX20	200	35	840
40060C2C	4.0 x 60	20	TX20	200	15	540
40070C2C	4.0 x 70	30	TX20	200	15	540
40080C2C	4.0 x 80	30	TX20	200	16	384
45070C2C	4.5 x 70	30	TX25	200	16	384
45080C2C	4.5 x 80	30	TX25	200	16	384
50030C2C	5.0 x 30	0	TX25	200	50	1.200
50040C2C	5.0 x 40	10	TX25	200	35	840
50050C2C	5.0 x 50	20	TX25	200	15	540
50060C2C	5.0 x 60	20	TX25	200	16	384
50070C2C	5.0 x 70	30	TX25	200	16	384
50075C2C	5.0 x 75	35	TX25	200	16	384
50080C2C	5.0 x 80	30	TX25	200	16	384
50090C2C	5.0 x 90	30	TX25	100	15	540
50100C2C	5.0 x 100	40	TX25	100	15	540
60050C2C	6.0 x 50	20	TX30	200	16	384
60060C2C	6.0 x 60	20	TX30	200	16	384
60070C2C	6.0 x 70	30	TX30	200	12	288
60080C2C	6.0 x 80	30	TX30	200	12	288
60090C2C	6.0 x 90	30	TX30	100	15	540
60100C2C	6.0 x 100	30	TX30	100	15	540
60120C2C	6.0 x 120	50	TX30	100	16	384
60130C2C	6.0 x 130	60	TX30	100	16	384
60150C2C	6.0 x 150	80	TX30	100	12	324
60180C2C	6.0 x 180	110	TX30	100	8	216
60200C2C	6.0 x 200	130	TX30	100	8	216
80080C2C	8.0 x 80	40	TX40	100	16	384
80100C2C	8.0 x 100	20	TX40	100	12	288
80120C2C	8.0 x 120	40	TX40	50	12	288
80150C2C	8.0 x 150	70	TX40	50	12	288
80200C2C	8.0 x 200	120	TX40	50	8	216
80225C2C	8.0 x 225	145	TX40	50	8	216
80250C2C	8.0 x 250	170	TX40	50	9	216
80275C2C	8.0 x 275	195	TX40	25	9	216
80300C2C	8.0 x 300	220	TX40	25	9	216
80360C2C	8.0 x 360	280	TX40	25	9	270
80420C2C	8.0 x 420	340	TX40	25	9	270
CFT = CLAMPING					•	CF201

Tubs



C2 Impact Power Bit Included

Designed to handle the most demanding impact driving applications with optimum durability and unbeatable break resistance.



Max. Driver Pack Carton Pallet Product Size CFT Bit Qty Qty (mm) Size (pcs) (packs) (packs) Code (mm)

TUB (DRIVER BIT INCLUDED)									
40040C2CTUB	4.0 x 40	10	TX20	1,200	20	180			
40050C2CTUB	4.0 x 50	20	TX20	800	20	180			
50050C2CTUB	5.0×50	20	TX25	600	20	180			
50070C2CTUB	5.0×70	30	TX25	375	20	180			
50080C2CTUB	5.0 x 80	30	TX25	350	20	180			
50100C2CTUB	5.0 x 100	40	TX25	300	20	180			
CFT = CLAMPING FIX	TURE THICKN	ESS				CFT01			



Exterior



NEW





NOTE: Partially threaded from 80mm. Twin cut tip on 3.5 gauge from 20mm Helix from 100mm and ahove

All the features and superior performance of the C2 screw complete with an organic plating for optimal corrosion resistance when used in the harshest of environments. Silver colour to match commonly used ironmongery. Ideal for many general external applications

- Ribs under head for improved countersinking
- Special plating to give 1,000 hours salt spray resistance
- Multi-layer coating consisting of organic top coat barrier and a zinc base layer
- Dual angle thread for ultimate performance and exceptionally high pull-out resistance
- · Patented twin cut technology for rapid "pick-up" and reduces timber splitting



Product Size Bit Qty Qty C	llet							
	lty 、							
Code (mm) Size (pcs) (packs) (pa	cks)							
BOX								
40030C2SBX 4.0 x 30 PZ2 200 75 18	300							
	200							
40050C2SBX 4.0 x 50 PZ2 200 35 8	40							
40060C2SBX 4.0 x 60 PZ2 200 15 5	40							
	40							
50040C2SBX 5.0 x 40 PZ2 200 35 8	40							
	40							
50060C2SBX 5.0 x 60 PZ2 200 16 3	84							
	84							
	84							
	40							
	40							
	84							
	88							
60100C2SBX 6.0 x 100 PZ3 100 15 5	40							
TUB (C2 IMPACT POWER BIT INCLUDE	D)							
40030C2S 4.0 x 30 PZ2 400 12 3	60							
40040C2S 4.0 x 40 PZ2 350 12 3	60							
40050C2S 4.0 x 50 PZ2 300 12 3	60							
40060C2S 4.0 x 60 PZ2 200 12 3	60							
40070C2S 4.0 x 70 PZ2 170 12 3	60							
50040C2S 5.0 x 40 PZ2 200 12 3	60							
50050C2S 5.0 x 50 PZ2 180 12 3	60							
50060C2S 5.0 x 60 PZ2 150 12 3	60							
50070C2S 5.0 x 70 PZ2 120 12 3	60							
50080C2S 5.0 x 80 PZ2 110 12 3	60							
50100C2S 5.0 x 100 PZ2 80 12 3	60							
60040C2S 6.0 x 40 PZ3 150 12 3	60							
60050C2S 6.0 x 50 PZ3 120 12 3	60							
60070C2S 6.0 x 70 PZ3 90 12 3	60							
60100C2S 6.0 x 100 PZ3 60 12 3	60							
GRAB PACK (600 PCS)								
C2SGPACK 600 5 1:	50							
4.0 x 30 PZ2 140								
4.0 x 40 PZ2 100	1							
4.0 x 50 PZ2 70								
40.00.070.00								
4.0 x 60 PZ2 60								
4.0 x 60 PZ2 60 5.0 x 40 PZ2 80	к.							
	ı.							
5.0 x 40 PZ2 80								
5.0 x 40 PZ2 80 5.0 x 50 PZ2 55								

Impact 38mm

Driver Bits

P72



Exterior



•					
Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BO	X (DRIVE	R BIT II	NCLU	DED)	
50C2D250BX	4.5 x 50	TX20	250	15	540
65C2D250BX	4.5 x 65	TX20	250	18	432
75C2D250BX	4.5 x 75	TX20	250	18	432
85C2D250BX	4.5 x 85	TX20	250	18	432
					IDD04
TU	B (DRIVE	R BIT II	NCLU	DED)	
50C2D250	4.5 x 50	TX20	250	8	288
65C2D250	4.5 x 65	TX20	250	8	288
65C2D1000	4.5 x 65	TX20	1,000	1	72
75C2D250	4.5 x 75	TX20	250	8	216

					IDD04
	Т	IMBAG			
50C2DB	4.5 x 50	TX20	175	5	500
65C2DB	4.5 x 65	TX20	145	5	500
75C2DB	4.5 x 75	TX20	120	5	500 BAG01
	INDUSTRY	PACK (1	1.000 F	CS)	

65C2DIND 4.5 x 65 TX20 1,000 A premium decking screw using the C2 twin-cut technology.

- Strengthened head to prevent shearing when installed with an impact tool
- Ribs under the head for improved countersinkina
- Helix shank for removing debris and to improve clamping
- Coated with a patented multi-layer corrosion resistant plating to withstand 1,000 hours salt spray
- · Patented twin cut technology for rapid "pick-up" and reduces timber splitting







CC205









PREMIUM SCREW **DESIGNED FOR FIXING TONGUE & GROOVE** FLOORBOARDS & PANELLING Ideal for: Hardwood | Chipboard | Softwood HIDDEN DESIGNED **PRECISION TX FIXING** FOR SUPERIOR **DRIVE PREVENTS** SYSTEM "CAM-OUT HOLD

Yellow













HARD & SOFT WOODS

MAN MADE

· Specifically designed dual action head finishing teeth and self-countersinking ribs

Designed for use in

man-made boards such

The C2 twin-cut tip gives

rapid pick up and reduces

the likelihood of splitting,

design with finishing teeth

whilst the steep head

and self countersinking

ribs ensure a flush finish

as MDF and chipboard.



- · Coated with a highmolecular polymer lubricant that reduces the insertion torque by up to 52% and increases rust protection up to 20 times longer than a standard zinc plating
- Dual angle thread for ultimate performance and exceptionally high pull-out resistance
- · Patented twin cut technology for rapid "pick-up" and reduces timber splitting

Yellow









Driver Pack Carton Pallet

Qty

Bit

Size

BOX (C2 IMPACT POWER BIT INCLUDED)

3.5 x 45 TX10 200

TUB (C2 IMPACT POWER BIT INCLUDED)

Qty

(pcs) (packs) (packs)

Qtv

1200

600





next board.

· Plain shank for pulling the two substrates together without manual clamping

Specially designed for

attaching tongue and

panelling. Provides a

secure hidden fixture

groove floorboards and

without causing damage,

allowing a flush fit with the

- · Coated with a highmolecular polymer lubricant that reduces the insertion torque by up to 52% and increases rust protection up to 20 times longer than a standard zinc plating
- · Dual angle thread for ultimate performance and exceptionally high pull-out resistance
- Patented twin cut technology for rapid "pick-up" and reduces timber splitting



Driver Pack Carton Pallet Qty Product Size Qtv Qtv Code (mm) Size (pcs) (packs) (packs)

BOX (C2 IMPACT POWER BIT INCLUDED) 42055C2MDFBX 4.2 x 55 TX20 200 540

TUB (C2 IMPACT POWER BIT INCLUDED) 42055C2MDF 4.2 x 55 TX20 250 360

NEW

Product

Code

35045C2TGBX

Size

(mm)

35045C2TG 3.5 x 45 TX10 350



VELOCITY Premium Multi-Use Screw

FOR ALL ROUND DRIVE & CLAMPING PERFORMANCE

The unique patented TIMCO Velocity screw has been specifically designed to give rapid installation into many different materials whilst achieving exceptional pull out resistance.

The Velocity screw is designed and manufactured using the most advanced technology giving the user a consistent and reliable product that can be used in a variety of applications.

For: Wood | Man-Made Board | Thin Metal | Plastic



Dual Angle Thread Designed For Superior Hold



Partially Threaded Stops The Timber Jacking



Rapid Drive Twist Cut Enhances Drive Performance





Available in:

Yellow





Double countersunk with ribs

Helps improve countersinking, giving a smooth and flush finish whilst also preventing splitting and substrate damage.

Superior corrosion resistance

Special plating to give over 504 hours salt spray resistance in accordance to BS EN 9227:2012.

Partially threaded from 40mm

To assist clamping of material.

Anti-friction lubrication

Lubricated with XXS5 to enhance screw insertion time and reduce driving torque.

Dual angle thread

Designed for superior hold.

Twist cut thread

To give rapid drive & performance.

Single slash tip from 25mm

Helps prevent the timber splitting when screwing close to the edge, whilst also helping to reduce torque.



Driver Pack Carton Pallet

180

VEL02



Velocity Premium Multi-Use Screw - Pozi



Industry Boxes





Code	(mm)	Size	(pcs)	(packs)	(packs)					
INDUSTRY PACK (1,000 PCS)										
40030VYIND	4.0 x 30	PZ2	1,000	12	288					
40040VYIND	4.0 x 40	PZ2	1,000	12	288					
40050VYIND	4.0 x 50	PZ2	1,000	6	144					
50040VYIND	5.0 x 40	PZ2	1,000	6	144					
50050VYIND	5.0 x 50	PZ2	1,000	6	144					
50060VYIND	5.0 x 60	PZ2	1,000	3	81					
50070VYIND	5.0 x 70	PZ2	1,000	3	81					
50080VYIND	5.0 x 80	PZ2	1,000	3	81					
50090VYIND	5.0 x 90	PZ2	1,000	3	81					
50100VYIND	5.0 x 100	PZ2	1,000	3	81					

Driver Pack Carton Pallet

Boxes



Size Code	Product	Size	Longth	Bit	Pack	Carton	Qty
BOX			Length		Qty (pcs)	Qty (nacks)	
30016VY 3.0 x 16 16 PZ1 200 140 5,040	Coue	(111111)	, ,		(pcs)	(packs)	(packs)
30020VY 3.0 x 20 20 P21 200 140 5,040 30030VY 3.0 x 30 30 P21 200 75 2,700 35012VY 3.5 x 16 16 P22 200 140 5,040 35012VY 3.5 x 16 16 P22 200 140 5,040 35020VY 3.5 x 20 20 P22 200 75 2,700 35025VY 3.5 x 25 25 P22 200 75 2,700 35035VY 3.5 x 30 30 P22 200 75 1,800 35035VY 3.5 x 30 30 P22 200 50 1,200 35045VY 3.5 x 45 30 P22 200 50 1,200 35045VY 3.5 x 45 30 P22 200 35 840 35065VY 3.5 x 45 30 P22 200 35 840 40016VY 4.0 x 16 6 P22 200 75 2,700 40025VY 4.0 x 25 25 P22 200 75 2,700 40025VY 4.0 x 25 25 P22 200 75 2,700 40025VY 4.0 x 25 25 P22 200 75 1,800 40035VY 4.0 x 30 P22 200 75 1,800 40035VY 4.0 x 30 P22 200 75 1,800 40045VY 4.0 x 30 P22 200 75 1,800 40045VY 4.0 x 30 P22 200 75 1,800 40045VY 4.0 x 40 30 P22 200 50 1,200 40045VY 4.0 x 40 30 P22 200 50 1,200 40045VY 4.0 x 40 30 P22 200 50 1,200 40045VY 4.0 x 40 30 P22 200 35 840 40050VY 4.0 x 50 30 P22 200 35 840 40050VY 4.0 x 50 30 P22 200 35 840 40050VY 4.0 x 50 30 P22 200 35 840 40050VY 4.0 x 50 30 P22 200 35 840 40050VY 4.0 x 50 30 P22 200 35 840 40500VY 4.5 x 50 30 P22 200 35 840 45050VY 4.5 x 60 30 P22 200 35 840 45050VY 4.5 x 60 30 P22 200 35 840 45050VY 4.5 x 60 40 P22 200 15 540 45060VY 4.5 x 60 40 P22 200 15 540 45060VY 4.5 x 60 40 P22 200 15 540 45060VY 4.5 x 60 40 P22 200 15 540 50050VY 5.0 x 60 40 P22 200 15 540 50050VY 5.0 x 60 40 P22 200 16 384 50030VY 5.0 x 60 40 P22 200 16 384 50030VY 5.0 x 60 60 P22 100 15 540 50060VY 5.0 x 60 60 P22 200 16 384 50050VY 5.0 x 60 60 P22 200 16 384 50050VY 5.0			BC	ΟX			
30030VY 3.0 x 30 30 PZ1 200 75 2,700 30040VY 3.0 x 40 40 PZ1 200 50 1,200 35016VY 3.5 x 16 16 PZ2 200 140 5,040 35020VY 3.5 x 20 20 PZ2 200 75 2,700 35025VY 3.5 x 25 25 PZ2 200 75 2,700 35030VY 3.5 x 35 30 PZ2 200 75 1,800 35030VY 3.5 x 35 35 PZ2 200 50 1,200 35030VY 3.5 x 40 30 PZ2 200 50 1,200 35040VY 3.5 x 40 30 PZ2 200 35 840 40016VY 4.0 x 16 16 PZ2 200 75 2,700 40020VY 4.0 x 16 16 PZ2 200 75 2,700 40020VY 4.0 x 30 PZ2 200 35 840 40016VY 4.0 x 16 16 PZ2 200 75 2,700 40020VY 4.0 x 30 30 PZ2 200 75 2,700 40025VY 4.0 x 30 30 PZ2 200 75 1,800 40035VY 4.0 x 30 30 PZ2 200 75 1,800 40035VY 4.0 x 30 30 PZ2 200 75 1,800 40045VY 4.0 x 40 30 PZ2 200 50 1,200 40045VY 4.0 x 40 30 PZ2 200 50 1,200 40045VY 4.0 x 40 30 PZ2 200 35 840 40060VY 4.0 x 40 30 PZ2 200 35 840 40060VY 4.0 x 50 30 PZ2 200 35 840 40060VY 4.0 x 50 30 PZ2 200 35 840 40060VY 4.0 x 50 30 PZ2 200 35 840 40060VY 4.0 x 50 30 PZ2 200 35 840 40080VY 4.0 x 50 30 PZ2 200 35 840 45030VY 4.5 x 40 30 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 16 384 45080VY 4.5 x 60 40 PZ2 200 16 384 45080VY 4.5 x 60 40 PZ2 200 16 384 45080VY 5.0 x 40 30 PZ2 200 35 840 50045VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060	30016VY	3.0 x 16	16	PZ1	200	140	5,040
30040VY 3.0 x 40 40 PZ1 200 50 1,200 35016VY 3.5 x 12 12 PZ2 200 140 5,040 35016VY 3.5 x 16 16 PZ2 200 75 2,700 35025VY 3.5 x 25 25 PZ2 200 75 2,700 35035VY 3.5 x 35 35 PZ2 200 50 1,200 35035VY 3.5 x 35 35 PZ2 200 50 1,200 35040VY 3.5 x 40 30 PZ2 200 35 840 35050VY 3.5 x 45 30 PZ2 200 35 840 40016VY 4.0 x 16 16 PZ2 200 75 2,700 40020VY 4.0 x 20 20 PZ2 200 75 2,700 40020VY 4.0 x 20 20 PZ2 200 75 2,700 40025VY 4.0 x 25 25 PZ2 200 75 2,700 40025VY 4.0 x 35 35 PZ2 200 75 2,700 40035VY 4.0 x 35 35 PZ2 200 75 2,700 40035VY 4.0 x 35 35 PZ2 200 75 1,800 40040VY 4.0 x 40 30 PZ2 200 50 1,200 40040VY 4.0 x 40 30 PZ2 200 50 1,200 40040VY 4.0 x 45 30 PZ2 200 50 1,200 40040VY 4.0 x 45 30 PZ2 200 35 840 40050VY 4.0 x 60 40 PZ2 200 35 840 40050VY 4.0 x 60 40 PZ2 200 35 840 40060VY 4.0 x 60 40 PZ2 200 35 840 40060VY 4.0 x 60 40 PZ2 200 35 840 40060VY 4.0 x 60 40 PZ2 200 15 540 40070VY 4.5 x 30 30 PZ2 200 35 840 45050VY 4.5 x 60 40 PZ2 200 15 540 45050VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 16 384 45060VY 4.5 x 60 40 PZ2 200 16 384 45060VY 4.5 x 60 40 PZ2 200 16 384 45060VY 5.0 x 60 40 PZ2 200 16 384 50070VY 5.0 x 60 40 PZ2 200 16 384 50070VY 5.0 x 60 40 PZ2 200 16 384 50070VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50	30020VY	3.0 x 20	20	PZ1	200	140	5,040
35012VY 3.5x12 12	30030VY	3.0 x 30	30	PZ1	200	75	2,700
35016VY 3.5 x 16 16 P22 200 140 5,040	30040VY	3.0 x 40	40	PZ1	200	50	1,200
35020VY 3.5 x 20 20 PZ2 200 75 2,700 35035VY 3.5 x 30 30 PZ2 200 75 1,800 35035VY 3.5 x 35 35 PZ2 200 50 1,200 35036VY 3.5 x 40 30 PZ2 200 50 1,200 35045VY 3.5 x 40 30 PZ2 200 35 840 350565VY 3.5 x 40 30 PZ2 200 35 840 40016VY 4.0 x 16 16 PZ2 200 75 2,700 40020VY 4.0 x 20 20 PZ2 200 75 2,700 40025VY 4.0 x 25 PZ2 200 75 1,800 40035VY 4.0 x 35 35 PZ2 200 75 1,800 40035VY 4.0 x 35 35 PZ2 200 75 1,800 40035VY 4.0 x 35 35 PZ2 200 50 1,200 40045VY 4.0 x 45 30 PZ2 200 75 1,800 40045VY 4.0 x 45 30 PZ2 200 35 840 40050VY 4.0 x 50 30 PZ2 200 50 1,200 40045VY 4.0 x 45 30 PZ2 200 35 840 40060VY 4.0 x 40 30 PZ2 200 35 840 40060VY 4.0 x 40 30 PZ2 200 35 840 40060VY 4.0 x 40 30 PZ2 200 35 840 40060VY 4.0 x 50 30 PZ2 200 35 840 40070VY 4.0 x 50 30 PZ2 200 35 840 40080VY 4.0 x 50 30 PZ2 200 35 840 4050VY 4.5 x 50 30 PZ2 200 35 840 45030VY 4.5 x 30 30 PZ2 200 15 540 40080VY 4.5 x 30 30 PZ2 200 15 540 40080VY 4.5 x 50 30 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 16 384 45030VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 16 384 45080VY 4.5 x 80 30 PZ2 200 16 384 45080VY 4.5 x 80 30 PZ2 200 16 384 45080VY 5.0 x 40 30 PZ2 200 16 384 45080VY 5.0 x 40 30 PZ2 200 15 540 50050VY 5.0 x 50 30 PZ2 200 16 384 50030VY 5.0 x 30 PZ2 200 15 540 50050VY 5.0 x 40 30 PZ2 200 15 540 50050VY 5.0 x 60 40 PZ2 200 16 384 50070VY 5.0 x 60 40 PZ2 200 16 384 50070VY 5.0 x 80 50 PZ2 200 16 384 50070VY 5.0 x 80 50 PZ2 200 16 384 50070VY 5.0 x 60 40 PZ2 200 16 384 50070VY 5.0 x 60 40 PZ2 200 16 384 50070VY 5.0 x 80 50 PZ2 200 16 384 50070VY 5.0 x 80 50 PZ2 200 16 384 50090VY 5.0 x 80 50 PZ2 200 16 384 50090VY 5.0 x 80 50 PZ2 200 16 384 50090VY 5.0 x 80 50 PZ2 200 16 384 50090VY 5.0 x 80 50 PZ2 200 16 384 50090VY 5.0 x 80 50 PZ2 200 16 384 50090VY 5.0 x 80 50 PZ2 200 16 384 50090VY 5.0 x 80 50 PZ2 200 16 384 50090VY 6.0 x 80 50 PZ3 200 15 540 60040VY 6.0 x 80 50 PZ3 200 15 540 60040VY 6.0 x 80 50 PZ3 200 15 540 60040VY 6.0 x 80 50 PZ3 200 12 28	35012VY	3.5 x 12	12	PZ2	200	140	5,040
35025VY 3.5 x 25 25 PZ2 200 75 2,700	35016VY	3.5 x 16	16	PZ2	200	140	5,040
35030VY 3.5 x 30 30 P22 200 75 1,800	35020VY	3.5 x 20	20	PZ2	200	75	2,700
35030VY 3.5 x 30 30 P22 200 75 1,800	35025VY	3.5 x 25	25	PZ2	200	75	2,700
35035VY 3.5 x 35 35 PZ2 200 50 1,200 35 840 35045VY 3.5 x 45 30 PZ2 200 35 840 30505VY 3.5 x 45 30 PZ2 200 35 840 30505VY 3.5 x 50 30 PZ2 200 75 2,700 40020VY 4.0 x 16 16 PZ2 200 75 2,700 40020VY 4.0 x 20 PZ2 200 75 1,800 40035VY 4.0 x 30 PZ2 200 75 1,800 40035VY 4.0 x 30 PZ2 200 75 1,800 40035VY 4.0 x 30 PZ2 200 50 1,200 40040VY 4.0 x 40 30 PZ2 200 50 1,200 40040VY 4.0 x 50 30 PZ2 200 35 840 40065VY 4.0 x 50 30 PZ2 200 35 840 40065VY 4.0 x 50 30 PZ2 200 50 1,200 40040VY 4.0 x 50 30 PZ2 200 35 840 40065VY 4.0 x 50 30 PZ2 200 35 840 40065VY 4.0 x 50 30 PZ2 200 35 840 40060VY 4.0 x 50 30 PZ2 200 35 840 40060VY 4.0 x 50 30 PZ2 200 15 540 40070VY 4.0 x 50 30 PZ2 200 15 540 45030VY 4.5 x 40 PZ2 200 15 540 45050VY 4.5 x 40 PZ2 200 15 540 45050VY 4.5 x 60 40 PZ2 200 15 540 45050VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 5.0 x 60 9Z2 200 15 540 45060VY 5.0 x 60 9Z2 200 15 540 45060VY 5.0 x 60 9Z2 200 15 540 560 50040VY 5.0 x 60 9Z2 200 15 540 50040VY 5.0 x 60 9Z2 200 15 540 50050VY 5.0 x 60 9Z2 200 16 384 50070VY 5.0 x 60 9Z2 200 16 384 50060VY 5.0 x 60 9Z2 200 16 384 50060VY 5.0 x 60 9Z2 200 16 384 50060VY 5.0 x 60 9Z2 200 16 384 50070VY 5.0 x 60 9Z2 200 16 384 50060VY 5.0 x 60 9Z2 200 16 384 50070VY 5.0 x 60 9Z2 200 16 384 50060VY 5.0 x 60 9Z2 200 16 384 50070VY 6.0 x 60 9Z2 200 16 384 50060VY 6.0 x 60 9Z2 200 16 384 60060VY 6.0 x 60 9Z2 200 16 384 60	35030VY	3.5 x 30	30	PZ2	200	75	
35040VY 3.5 x 40 30 PZ2 200 50 1,200 35045VY 3.5 x 45 30 PZ2 200 35 840 35056VY 3.5 x 50 30 PZ2 200 35 840 40016VY 4.0 x 16 16 PZ2 200 75 2,700 40025VY 4.0 x 25 25 PZ2 200 75 1,800 40030YY 4.0 x 35 35 PZ2 200 75 1,800 40035VY 4.0 x 35 35 PZ2 200 50 1,200 40040VY 4.0 x 45 30 PZ2 200 50 1,200 40050VY 4.0 x 45 30 PZ2 200 35 840 40050VY 4.0 x 60 40 PZ2 200 15 540 40070VY 4.0 x 80 50 PZ2 200 15 540 40080VY 4.5 x 30 30 PZ2 200	35035VY					50	
35045VY 3.5 x 45 30 PZ2 200 35 840 35050VY 3.5 x 50 30 PZ2 200 35 840 40016VY 4.0 x 16 16 PZ2 200 75 2,700 40020VY 4.0 x 20 20 PZ2 200 75 2,700 40020VY 4.0 x 30 30 PZ2 200 75 1,800 40030VY 4.0 x 30 30 PZ2 200 50 1,200 40040VY 4.0 x 40 30 PZ2 200 50 1,200 40040VY 4.0 x 40 30 PZ2 200 35 840 40060VY 4.0 x 60 40 PZ2 200 15 540 40070VY 4.0 x 60 40 PZ2 200 15 540 40080VY 4.0 x 80 50 PZ2 200 15 540 40080VY 4.5 x 30 30 PZ2 200 <	35040VY	3.5 x 40	30	PZ2	200	50	
35050VY 3.5 x 50 30 PZ2 200 35 840 40016VY 4.0 x 16 16 PZ2 200 75 2,700 40020VY 4.0 x 20 PZ2 200 75 1,800 40025VY 4.0 x 30 30 PZ2 200 75 1,800 40030VY 4.0 x 30 30 PZ2 200 50 1,200 40040VY 4.0 x 40 30 PZ2 200 35 840 40040VY 4.0 x 45 30 PZ2 200 35 840 40060VY 4.0 x 60 30 PZ2 200 35 840 40060VY 4.0 x 60 30 PZ2 200 15 540 40070VY 4.0 x 60 40 PZ2 200 15 540 40070VY 4.0 x 60 30 PZ2 200 15 540 40070VY 4.5 x 60 30 PZ2 200 15 540 40070VY 4.5 x 60 30 PZ2 200 16 384 45030VY 4.5 x 60 40 PZ2 200 15 540 45050VY 4.5 x 60 40 PZ2 200 15 540 45050VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45070VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 5.0 x 60 40 PZ2 200 15 540 45060VY 5.0 x 60 40 PZ2 200 15 540 45060VY 5.0 x 60 40 PZ2 200 15 540 45060VY 5.0 x 60 40 PZ2 200 16 384 50030VY 5.0 x 30 PZ2 200 16 384 50030VY 5.0 x 30 PZ2 200 16 384 50030VY 5.0 x 30 PZ2 200 16 384 50040VY 5.0 x 60 PZ2 200 16 384 50040VY 5.0 x 60 PZ2 200 16 384 50040VY 5.0 x 60 PZ2 200 16 384 50060VY 6.0 x 60 PZ2 200 16 384 60060VY 6.0 x 60 PZ2 200 16 384 60160VY 6.0 x 100 PZ3 200 12 288 60090VY 6.0 x 100 PZ3 200 12 288 60090VY 6.0 x 100 PZ3 100 15 540 60160VY 6.0 x 100 PZ3 100 16 384 60160VY 6.0 x 100 PZ3 100 16 384 60160VY 6.0 x 100 PZ3 100 16 384 60160VY 6.0 x 100 PZ3 100 12 384 6016	35045VY	3.5 x 45	30	PZ2	200		
40016VY 4.0 x 16 16 PZ2 200 75 2,700 40020VY 4.0 x 20 20 PZ2 200 75 2,700 40025VY 4.0 x 20 20 PZ2 200 75 1,800 40035VY 4.0 x 35 35 PZ2 200 75 1,800 40035VY 4.0 x 35 35 PZ2 200 50 1,200 400404VY 4.0 x 40 30 PZ2 200 50 1,200 40040VY 4.0 x 50 30 PZ2 200 35 840 40050VY 4.0 x 60 40 PZ2 200 15 540 40070VY 4.0 x 70 40 PZ2 200 15 540 40080VY 4.0 x 80 50 PZ2 200 15 540 45030VY 4.5 x 30 30 PZ2 200 50 1,200 45060VY 4.5 x 60 40 PZ2 200							
40020VY 4.0 x 20 20 PZ2 200 75 2,700 40025VY 4.0 x 25 25 PZ2 200 75 1,800 40030VY 4.0 x 30 30 PZ2 200 75 1,800 40035VY 4.0 x 35 35 PZ2 200 50 1,200 40040VY 4.0 x 45 30 PZ2 200 35 840 40050VY 4.0 x 60 40 PZ2 200 15 540 40060VY 4.0 x 60 40 PZ2 200 15 540 40070VY 4.0 x 80 50 PZ2 200 15 540 40080VY 4.0 x 80 50 PZ2 200 15 540 40080VY 4.5 x 30 30 PZ2 200 15 540 45030VY 4.5 x 80 30 PZ2 200 15 540 45050VY 4.5 x 80 30 PZ2 200 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>							
40025VY 4.0 x 25 25 PZ2 200 75 1,800 40030VY 4.0 x 30 30 PZ2 200 75 1,800 40035VY 4.0 x 30 30 PZ2 200 50 1,200 40040VY 4.0 x 40 30 PZ2 200 35 840 40050VY 4.0 x 50 30 PZ2 200 35 840 40060VY 4.0 x 60 40 PZ2 200 15 540 40060VY 4.0 x 70 40 PZ2 200 15 540 40070VY 4.0 x 80 50 PZ2 200 16 384 45030VY 4.5 x 40 30 PZ2 200 15 540 45040VY 4.5 x 60 30 PZ2 200 35 840 45050VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 80 30 PZ2 200							
40030VY 4.0 x 30 30 PZ2 200 75 1,800 40035VY 4.0 x 35 35 PZ2 200 50 1,200 40045VY 4.0 x 40 30 PZ2 200 50 1,200 40045VY 4.0 x 50 30 PZ2 200 35 840 40050VY 4.0 x 50 30 PZ2 200 35 840 40060VY 4.0 x 60 40 PZ2 200 15 540 40070VY 4.0 x 80 50 PZ2 200 16 384 45030VY 4.5 x 30 30 PZ2 200 50 1,200 45040VY 4.5 x 40 30 PZ2 200 16 384 45050VY 4.5 x 60 30 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 50 PZ2 200 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>							
40035VY 4.0 x 35 35 P22 200 50 1,200 40040VY 4.0 x 40 30 P22 200 50 1,200 40040VY 4.0 x 45 30 P22 200 35 840 40050VY 4.0 x 60 30 P22 200 15 540 40060VY 4.0 x 60 40 P22 200 15 540 40070VY 4.0 x 80 50 P22 200 15 540 40080VY 4.0 x 80 50 P22 200 15 540 45030VY 4.5 x 30 30 P22 200 35 840 45050VY 4.5 x 60 40 P22 200 15 540 45060VY 4.5 x 60 40 P22 200 15 540 45080VY 4.5 x 80 50 P22 200 16 384 45060VY 4.5 x 80 50 P22 200 16<							
40040VY 4.0 x 40 30 PZ2 200 50 1,200 40045VY 4.0 x 45 30 PZ2 200 35 840 40050VY 4.0 x 50 30 PZ2 200 35 840 40060VY 4.0 x 60 40 PZ2 200 15 540 40080VY 4.0 x 80 50 PZ2 200 15 540 40080VY 4.0 x 80 50 PZ2 200 15 540 45030VY 4.5 x 40 30 PZ2 200 35 840 45030VY 4.5 x 80 30 PZ2 200 35 840 45040VY 4.5 x 60 30 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 16 384 45070VY 4.5 x 80 50 PZ2 200 16 384 50030VY 5.0 x 45 30 PZ2 200 15 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
40045VY 4.0 x 45 30 PZ2 200 35 840 40050VY 4.0 x 50 30 PZ2 200 35 840 40060VY 4.0 x 60 40 PZ2 200 15 540 40070VY 4.0 x 80 50 PZ2 200 15 540 40080VY 4.0 x 80 50 PZ2 200 16 384 45030VY 4.5 x 30 30 PZ2 200 50 1,200 45040VY 4.5 x 60 30 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 60 40 PZ2 200 15 540 45060VY 4.5 x 80 50 PZ2 200 16 384 45070VY 4.5 x 80 50 PZ2 200 16 384 50030VY 5.0 x 30 30 PZ2 200 15 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
40050VY 4.0 x 50 30 P22 200 35 840 40060VY 4.0 x 60 40 P22 200 15 540 40070VY 4.0 x 70 40 P22 200 15 540 40080VY 4.0 x 80 50 P22 200 16 384 45030VY 4.5 x 40 30 P22 200 50 1,200 45050VY 4.5 x 40 30 P22 200 15 540 45060VY 4.5 x 60 40 P22 200 15 540 45060VY 4.5 x 60 40 P22 200 16 384 45080VY 4.5 x 80 50 P22 200 16 384 50030VY 5.0 x 30 30 P22 200 16 384 50040VY 5.0 x 40 30 P22 200 35 840 50040VY 5.0 x 40 30 P22 200 15 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
40060VY 4.0 x 60 40 P22 200 15 540 40070VY 4.0 x 70 40 P22 200 15 540 40080VY 4.0 x 80 50 P22 200 15 540 40080VY 4.5 x 30 30 P22 200 50 1,200 45030VY 4.5 x 50 30 P22 200 35 840 45050VY 4.5 x 50 40 P22 200 15 540 45060VY 4.5 x 60 40 P22 200 16 384 45060VY 4.5 x 80 50 P22 200 16 384 45080VY 5.0 x 30 30 P22 200 16 384 50030VY 5.0 x 30 30 P22 200 15 540 50040VY 5.0 x 40 30 P22 200 15 540 50050VY 5.0 x 40 30 P22 200 15 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
40070VY 4.0 x 70 40 P22 200 15 540 40080VY 4.0 x 80 50 P22 200 16 384 45030VY 4.5 x 30 30 P22 200 35 840 45040VY 4.5 x 50 30 P22 200 15 540 45050VY 4.5 x 60 40 P22 200 15 540 45060VY 4.5 x 60 40 P22 200 16 384 45080VY 4.5 x 80 50 P22 200 16 384 45080VY 4.5 x 80 50 P22 200 16 384 50030VY 4.5 x 80 50 P22 200 50 1056 50040VY 5.0 x 40 30 P22 200 50 1056 50050VY 5.0 x 50 30 P22 200 15 540 50050VY 5.0 x 50 30 P22 200 16 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
40080VY 4.0 x 80 50 P22 200 16 384 45030VY 4.5 x 30 30 P22 200 50 1,200 45040VY 4.5 x 40 30 P22 200 35 840 45050VY 4.5 x 60 40 P22 200 15 540 45060VY 4.5 x 60 40 P22 200 16 384 45080VY 4.5 x 70 40 P22 200 16 384 50030VY 5.0 x 30 30 P22 200 16 384 50030VY 5.0 x 30 30 P22 200 50 1056 50040VY 5.0 x 40 30 P22 200 35 840 50040VY 5.0 x 45 30 P22 200 15 540 50060VY 5.0 x 60 40 P22 200 16 384 50075VY 5.0 x 60 40 P22 200 16 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
45030VY 4.5x30 30 PZ2 200 50 1,200 45040VY 4.5x40 30 PZ2 200 35 840 45050VY 4.5x50 30 PZ2 200 15 540 45060VY 4.5x60 40 PZ2 200 15 540 45060VY 4.5x70 40 PZ2 200 16 384 45080VY 4.5x80 50 PZ2 200 50 1056 50030VY 5.0x30 30 PZ2 200 50 1056 50040VY 5.0x40 30 PZ2 200 15 540 50050VY 5.0x40 30 PZ2 200 15 540 50050VY 5.0x60 40 PZ2 200 15 540 50050VY 5.0x50 30 PZ2 200 15 540 50050VY 5.0x60 40 PZ2 200 16 384 50070VY 5.0x70 40 PZ2 200 16 384 50080VY 5.0x80 50 PZ2 200 16 384 50080VY 5.0x80 50 PZ2 200 16 384 50080VY 5.0x80 50 PZ2 200 16 384 50090VY 5.0x00 60 PZ2 100 15 540 60040VY 6.0x80 50 PZ2 200 16 384 60050VY 6.0x60 40 PZ2 100 15 540 60045VY 6.0x60 30 PZ3 200 15 540 60045VY 6.0x60 40 PZ3 200 16 384 60050VY 6.0x60 40 PZ3 200 15 540 60050VY 6.0x60 40 PZ3 200 16 384 60050VY 6.0x60 40 PZ3 200 16 384 60150VY 6.0x100 70 PZ3 100 15 540 60100VY 6.0x100 70 PZ3 100 15 540 60120VY 6.0x100 70 PZ3 100 15 540 60130VY 6.0x1100 70 PZ3 100 15 540 60130VY 6.0x1100 70 PZ3 100 12 384 60130VY 6.0x1100 70 PZ3 100 18 192							
45040VY 4.5x 40 30 PZ2 200 35 840 45050VY 4.5x 50 30 PZ2 200 15 540 45060VY 4.5x 60 40 PZ2 200 15 540 45070VY 4.5x 70 40 PZ2 200 16 384 45080VY 4.5x 80 50 PZ2 200 16 384 50030VY 5.0x 30 30 PZ2 200 50 1056 50040VY 5.0x 40 30 PZ2 200 15 540 50040VY 5.0x 40 30 PZ2 200 15 540 50040VY 5.0x 40 9Z2 200 15 540 50060VY 5.0x 60 40 PZ2 200 16 384 50070VY 5.0x 60 30 PZ2 200 15 540 50060VY 5.0x 60 40 PZ2 200 16 384 50070VY 5.0x 60 40 PZ2 200 16 384 50070VY 5.0x 60 40 PZ2 200 16 384 50070VY 5.0x 70 40 PZ2 200 16 384 50070VY 5.0x 70 40 PZ2 200 16 384 50080VY 5.0x 80 50 PZ2 200 16 384 60080VY 6.0x 40 30 PZ2 100 15 540 60045VY 6.0x 40 30 PZ3 200 15 540 60045VY 6.0x 40 30 PZ3 200 15 540 60050VY 6.0x 60 40 PZ3 200 16 384 60050VY 6.0x 60 40 PZ3 200 16 384 60060VY 6.0x 60 40 PZ3 200 15 540 60060VY 6.0x 60 40 PZ3 200 16 384 60060VY 6.0x 50 30 PZ3 200 15 540 60060VY 6.0x 50 30 PZ3 200 15 540 60060VY 6.0x 50 30 PZ3 200 15 540 60060VY 6.0x 50 30 PZ3 200 16 384 60080VY 6.0x 50 50 PZ3 200 12 288 60080VY 6.0x 60 PZ3 100 15 540 60100VY 6.0x 100 70 PZ3 100 15 540 60100VY 6.0x 100 70 PZ3 100 15 540 60120VY 6.0x 120 70 PZ3 100 15 540 60120VY 6.0x 120 70 PZ3 100 15 540 60180VY 6.0x 150 70 PZ3 100 12 384 60180VY 6.0x 150 70 PZ3 100 18 192							
45050VY 4.5x50 30 PZ2 200 15 540 45060VY 4.5x60 40 PZ2 200 15 540 45070VY 4.5x70 40 PZ2 200 16 384 45080VY 4.5x80 50 PZ2 200 16 384 50030VY 5.0x30 30 PZ2 200 50 1056 50040VY 5.0x40 30 PZ2 200 15 540 50050VY 5.0x50 30 PZ2 200 15 540 50050VY 5.0x60 40 PZ2 200 16 384 50075VY 5.0x70 40 PZ2 200 16 384 50075VY 5.0x70 40 PZ2 200 16 384 50080VY 5.0x80 50 PZ2 200 15 540 60050VY 6.0x50 30 PZ2 200 16 384 50075VY 5.0x70 40 PZ2 200 16 384 50080VY 5.0x80 50 PZ2 200 16 384 50080VY 6.0x80 50 PZ2 100 15 540 60050VY 6.0x60 40 PZ2 100 15 540 60040VY 6.0x80 50 PZ2 100 15 540 60050VY 6.0x60 40 PZ2 100 15 540 60050VY 6.0x60 40 PZ2 100 15 540 60050VY 6.0x80 50 PZ2 200 16 384 60060VY 6.0x80 50 PZ2 200 15 540 60050VY 6.0x80 50 PZ2 200 15 540 60050VY 6.0x80 70 PZ3 200 15 540 60050VY 6.0x80 70 PZ3 200 15 540 60050VY 6.0x80 70 PZ3 200 15 540 60100VY 6.0x80 70 PZ3 100 15 540 60100VY 6.0x100 70 PZ3 100 15 540 60120VY 6.0x100 70 PZ3 100 15 540 60130VY 6.0x150 70 PZ3 100 12 384 60130VY 6.0x150 70 PZ3 100 12 384 60180VY 6.0x150 70 PZ3 100 8 192							
45060VY 4.5x60 40 PZ2 200 15 540 45070VY 4.5x70 40 PZ2 200 16 384 45080VY 4.5x80 50 PZ2 200 16 384 50030VY 5.0x30 30 PZ2 200 50 1056 50040VY 5.0x40 30 PZ2 200 35 840 50045VY 5.0x45 30 PZ2 200 15 540 50050VY 5.0x50 30 PZ2 200 15 540 50060VY 5.0x60 40 PZ2 200 16 384 50070VY 5.0x60 40 PZ2 200 16 384 50075VY 5.0x60 40 PZ2 200 16 384 50075VY 5.0x50 50 PZ2 200 16 384 50080VY 5.0x80 50 PZ2 200 16 384 50080VY 6.0x80 50 PZ2 200 16 384 50080VY 6.0x80 50 PZ2 200 16 384 50090VY 6.0x80 50 PZ2 200 16 384 60040VY 6.0x60 40 PZ2 200 16 384 60040VY 6.0x60 40 PZ3 200 15 540 60045VY 6.0x60 40 PZ3 200 16 384 60060VY 6.0x60 40 PZ3 200 16 384 60080VY 6.0x60 40 PZ3 200 16 384 60080VY 6.0x60 40 PZ3 200 12 288 60090VY 6.0x80 50 PZ3 200 12 288 60090VY 6.0x100 70 PZ3 100 15 540 60100VY 6.0x100 70 PZ3 100 15 540 60120VY 6.0x100 70 PZ3 100 15 344 60150VY 6.0x130 70 PZ3 100 12 384 60150VY 6.0x150 70 PZ3 100 12 384 60180VY 6.0x180 70 PZ3 100 12 384 60180VY 6.0x150 70 PZ3 100 12 384 60180VY 6.0x150 70 PZ3 100 18 192 60200VY 6.0x200 70 PZ3 100 8 192							
45070VY 4.5x70 40 PZ2 200 16 384 45080VY 4.5x80 50 PZ2 200 16 384 50030VY 5.0x30 30 PZ2 200 50 1056 50040VY 5.0x40 30 PZ2 200 15 540 50050VY 5.0x50 30 PZ2 200 15 540 50050VY 5.0x50 30 PZ2 200 16 384 50070VY 5.0x50 40 PZ2 200 16 384 50070VY 5.0x70 40 PZ2 200 16 384 50080VY 5.0x80 50 PZ2 200 16 384 50080VY 5.0x80 50 PZ2 200 16 384 50080VY 5.0x80 30 PZ2 200 16 384 50080VY 5.0x80 50 PZ2 200 16 384 50080VY 5.0x80 50 PZ2 200 16 384 60080VY 6.0x80 30 PZ2 100 15 540 60040VY 6.0x40 30 PZ2 100 15 540 60045VY 6.0x60 30 PZ2 100 15 540 60045VY 6.0x60 40 PZ2 100 15 540 60050VY 6.0x60 40 PZ3 200 16 384 60060VY 6.0x60 40 PZ3 200 16 384 60060VY 6.0x60 40 PZ3 200 16 384 60060VY 6.0x60 40 PZ3 200 12 288 60080VY 6.0x80 50 PZ3 200 12 288 60080VY 6.0x80 50 PZ3 100 15 540 60100VY 6.0x100 70 PZ3 100 15 540 60100VY 6.0x100 70 PZ3 100 15 540 60120VY 6.0x100 70 PZ3 100 15 540 60120VY 6.0x120 70 PZ3 100 15 384 60130VY 6.0x130 70 PZ3 100 16 384 60130VY 6.0x130 70 PZ3 100 12 384 60180VY 6.0x150 70 PZ3 100 12 384 60180VY 6.0x150 70 PZ3 100 12 324 60180VY 6.0x150 70 PZ3 100 12 324 60180VY 6.0x150 70 PZ3 100 8 192 60200VY 6.0x200 70 PZ3 100 8 192							
45080VY 4.5 x 80 50 PZ2 200 16 384 50030VY 5.0 x 30 30 PZ2 200 50 1056 50040VY 5.0 x 40 30 PZ2 200 15 540 50050VY 5.0 x 50 30 PZ2 200 15 540 50050VY 5.0 x 50 30 PZ2 200 16 384 50070VY 5.0 x 70 40 PZ2 200 16 384 50075VY 5.0 x 75 40 PZ2 200 16 384 50080VY 5.0 x 80 50 PZ2 200 16 384 50080VY 5.0 x 80 50 PZ2 200 16 384 50080VY 5.0 x 80 60 PZ2 100 15 540 60040VY 5.0 x 100 60 PZ2 100 15 540 60045VY 6.0 x 45 30 PZ3 200 15 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
50030VY 5.0 x 30 30 PZ2 200 50 1056 50040VY 5.0 x 40 30 PZ2 200 35 840 50045VY 5.0 x 45 30 PZ2 200 15 540 50050VY 5.0 x 50 30 PZ2 200 16 384 50070VY 5.0 x 70 40 PZ2 200 16 384 50075VY 5.0 x 75 40 PZ2 200 16 384 50080VY 5.0 x 80 50 PZ2 200 16 384 50080VY 5.0 x 80 50 PZ2 200 16 384 50090VY 5.0 x 80 50 PZ2 100 15 540 60040VY 6.0 x 40 30 PZ3 200 15 540 60045VY 6.0 x 45 30 PZ3 200 15 540 60060VY 6.0 x 60 40 PZ3 200 16 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
50040VY 5.0 x 40 30 PZ2 200 35 840 50045VY 5.0 x 45 30 PZ2 200 15 540 50050VY 5.0 x 50 30 PZ2 200 16 384 50060VY 5.0 x 60 40 PZ2 200 16 384 50070VY 5.0 x 70 40 PZ2 200 16 384 50080VY 5.0 x 80 50 PZ2 200 16 384 50080VY 5.0 x 90 60 PZ2 100 15 540 50100VY 5.0 x 100 60 PZ2 100 15 540 60045VY 6.0 x 40 30 PZ3 200 15 540 60050VY 6.0 x 50 30 PZ3 200 16 384 60060VY 6.0 x 50 30 PZ3 200 16 384 60060VY 6.0 x 50 30 PZ3 200 16 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
50045VY 5.0 x 45 30 PZ2 200 15 540 50050VY 5.0 x 50 30 PZ2 200 15 540 50060VY 5.0 x 60 40 PZ2 200 16 384 50070VY 5.0 x 70 40 PZ2 200 16 384 50075VY 5.0 x 80 50 PZ2 200 16 384 50080VY 5.0 x 90 60 PZ2 100 15 540 50100VY 5.0 x 100 60 PZ2 100 15 540 60045VY 6.0 x 40 30 PZ3 200 15 540 60050VY 6.0 x 50 30 PZ3 200 16 384 60050VY 6.0 x 50 30 PZ3 200 16 384 60050VY 6.0 x 50 30 PZ3 200 16 384 60060VY 6.0 x 50 30 PZ3 200 12 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
50050VY 5.0 x 50 30 PZ2 200 15 540 50060VY 5.0 x 60 40 PZ2 200 16 384 50070VY 5.0 x 70 40 PZ2 200 16 384 50075VY 5.0 x 75 40 PZ2 200 16 384 50080VY 5.0 x 80 50 PZ2 200 16 384 50080VY 5.0 x 80 60 PZ2 100 15 540 60040VY 6.0 x 10 60 PZ2 100 15 540 60045VY 6.0 x 45 30 PZ3 200 15 540 60045VY 6.0 x 65 30 PZ3 200 16 384 60060VY 6.0 x 60 40 PZ3 200 16 384 60070VY 6.0 x 80 50 PZ3 200 12 288 60080VY 6.0 x 80 50 PZ3 200 12							
50060VY 5.0 x 60 40 P22 200 16 384 50070VY 5.0 x 70 40 P22 200 16 384 50075VY 5.0 x 75 40 P22 200 16 384 50080VY 5.0 x 80 50 P22 200 16 384 50080VY 5.0 x 90 60 P22 100 15 540 50100VY 5.0 x 90 60 P22 100 15 540 60045VY 6.0 x 45 30 P23 200 15 540 60045VY 6.0 x 65 30 P23 200 16 384 60060VY 6.0 x 60 40 P23 200 16 384 60070VY 6.0 x 60 40 P23 200 12 288 60080VY 6.0 x 80 50 P23 200 12 288 60080VY 6.0 x 80 50 P23 100 15							
50070VY 5.0 x 70 40 P22 200 16 384 50075VY 5.0 x 75 40 P22 200 16 384 50080VY 5.0 x 80 50 P22 200 16 384 50090VY 5.0 x 90 60 P22 100 15 540 50100VY 5.0 x 100 60 P22 100 15 540 60045VY 6.0 x 40 30 P23 200 15 540 60050VY 6.0 x 50 30 P23 200 16 384 60050VY 6.0 x 50 30 P23 200 16 384 60070VY 6.0 x 70 40 P23 200 16 384 60080VY 6.0 x 80 50 P23 200 12 288 60080VY 6.0 x 80 50 P23 200 15 540 60100VY 6.0 x 100 70 P23 100 15 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
50075VY 5.0 x 75 40 P22 200 16 384 50080VY 5.0 x 80 50 P22 200 16 384 50090VY 5.0 x 90 60 P22 200 15 540 50100VY 5.0 x 100 60 P22 100 15 540 60040VY 6.0 x 40 30 P23 200 15 540 60040VY 6.0 x 40 30 P23 200 15 540 60050VY 6.0 x 50 30 P23 200 16 384 60060VY 6.0 x 60 40 P23 200 16 384 60060VY 6.0 x 70 40 P23 200 12 288 60090VY 6.0 x 90 60 P23 100 15 540 60100VY 6.0 x 100 70 P23 100 15 540 60120VY 6.0 x 120 70 P23 100 16 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
50080VY 5.0 x 80 50 PZ2 200 16 384 50090VY 5.0 x 90 60 PZ2 100 15 540 50100VY 5.0 x 100 60 PZ2 100 15 540 60040VY 6.0 x 45 30 PZ3 200 15 540 60045VY 6.0 x 45 30 PZ3 200 16 384 60060VY 6.0 x 60 40 PZ3 200 16 384 60070VY 6.0 x 70 40 PZ3 200 12 288 60080VY 6.0 x 80 50 PZ3 200 12 288 60080VY 6.0 x 80 50 PZ3 100 15 540 60100VY 6.0 x 100 70 PZ3 100 15 540 60120VY 6.0 x 120 70 PZ3 100 16 384 60130VY 6.0 x 130 70 PZ3 100 16<							
50090VY 5.0 x 90 60 P22 100 15 540 50100VY 5.0 x 100 60 P22 100 15 540 60045VY 6.0 x 40 30 P23 200 15 540 60045VY 6.0 x 50 30 P23 200 16 384 60050VY 6.0 x 60 40 P23 200 16 384 60070VY 6.0 x 70 40 P23 200 12 288 60080VY 6.0 x 80 50 P23 200 12 288 60080VY 6.0 x 80 50 P23 100 15 540 60100VY 6.0 x 100 70 P23 100 15 540 60120VY 6.0 x 120 70 P23 100 15 384 60130VY 6.0 x 130 70 P23 100 12 384 60130VY 6.0 x 150 70 P23 100 12							
50100VY 5.0 x 100 60 P22 100 15 540 60040VY 6.0 x 40 30 P23 200 15 540 60045VY 6.0 x 45 30 P23 200 15 540 60050VY 6.0 x 50 30 P23 200 16 384 60060VY 6.0 x 60 40 P23 200 12 288 60070VY 6.0 x 70 40 P23 200 12 288 60090VY 6.0 x 90 60 P23 100 15 540 60100VY 6.0 x 100 70 P23 100 15 540 60120VY 6.0 x 120 70 P23 100 16 384 60130VY 6.0 x 130 70 P23 100 16 384 60150VY 6.0 x 150 70 P23 100 12 324 60180VY 6.0 x 150 70 P23 100 1							
60040VY 6.0 x 40 30 PZ3 200 15 540 60045VY 6.0 x 45 30 PZ3 200 15 540 60050VY 6.0 x 50 30 PZ3 200 16 384 60060VY 6.0 x 60 40 PZ3 200 12 288 60060VY 6.0 x 70 40 PZ3 200 12 288 60090VY 6.0 x 90 60 PZ3 100 15 540 60100VY 6.0 x 100 70 PZ3 100 15 540 60120VY 6.0 x 120 70 PZ3 100 16 384 60130VY 6.0 x 130 70 PZ3 100 16 384 60130VY 6.0 x 130 70 PZ3 100 12 384 60180VY 6.0 x 180 70 PZ3 100 12 324 60180VY 6.0 x 180 70 PZ3 100 8							
60045VY 6.0 x 45 30 PZ3 200 15 540 60050VY 6.0 x 50 30 PZ3 200 16 384 60060VY 6.0 x 60 40 PZ3 200 12 288 60070VY 6.0 x 80 50 PZ3 200 12 288 60080VY 6.0 x 80 50 PZ3 100 15 540 60100VY 6.0 x 100 70 PZ3 100 15 540 60120VY 6.0 x 120 70 PZ3 100 16 384 60130VY 6.0 x 130 70 PZ3 100 12 384 60130VY 6.0 x 150 70 PZ3 100 12 384 60180VY 6.0 x 180 70 PZ3 100 12 324 60180VY 6.0 x 180 70 PZ3 100 8 192 60200VY 6.0 x 200 70 PZ3 100 8							
60050VY 6.0 x 50 30 PZ3 200 16 384 60060VY 6.0 x 60 40 PZ3 200 16 384 60070VY 6.0 x 70 40 PZ3 200 12 288 60080VY 6.0 x 80 50 PZ3 200 12 288 60080VY 6.0 x 90 60 PZ3 100 15 540 60100VY 6.0 x 100 70 PZ3 100 15 540 60120VY 6.0 x 120 70 PZ3 100 16 384 60130VY 6.0 x 130 70 PZ3 100 12 384 60180VY 6.0 x 180 70 PZ3 100 12 324 60180VY 6.0 x 180 70 PZ3 100 8 192 60200VY 6.0 x 200 70 PZ3 100 8 192							
60060VY 6.0 x 60 40 P23 200 16 384 60070VY 6.0 x 70 40 P23 200 12 288 60080VY 6.0 x 80 50 P23 200 12 288 60090VY 6.0 x 90 60 P23 100 15 540 60100VY 6.0 x 100 70 P23 100 15 540 60120VY 6.0 x 120 70 P23 100 16 384 60130VY 6.0 x 130 70 P23 100 12 384 60150VY 6.0 x 150 70 P23 100 12 324 60180VY 6.0 x 180 70 P23 100 8 192 60200VY 6.0 x 200 70 P23 100 8 192							
60070VY 6.0 x 70 40 P23 200 12 288 60080VY 6.0 x 80 50 P23 200 12 288 60090VY 6.0 x 90 60 P23 100 15 540 60100VY 6.0 x 100 70 P23 100 15 540 60120VY 6.0 x 120 70 P23 100 16 384 60130VY 6.0 x 130 70 P23 100 12 384 60150VY 6.0 x 150 70 P23 100 12 324 60180VY 6.0 x 180 70 P23 100 8 192 60200VY 6.0 x 200 70 P23 100 8 192							
60080VY 6.0 x 80 50 P23 200 12 288 60090VY 6.0 x 90 60 P23 100 15 540 60100VY 6.0 x 100 70 P23 100 15 540 60120VY 6.0 x 120 70 P23 100 16 384 60130VY 6.0 x 130 70 P23 100 12 384 60150VY 6.0 x 150 70 P23 100 12 324 60180VY 6.0 x 180 70 P23 100 8 192 60200VY 6.0 x 200 70 P23 100 8 192							
60090VY 6.0 x 90 60 P23 100 15 540 60100VY 6.0 x 100 70 P23 100 15 540 60120VY 6.0 x 120 70 P23 100 16 384 60130VY 6.0 x 130 70 P23 100 12 384 60150VY 6.0 x 150 70 P23 100 12 324 60180VY 6.0 x 180 70 P23 100 8 192 60200VY 6.0 x 200 70 P23 100 8 192							
60100VY 6.0 x 100 70 PZ3 100 15 540 60120VY 6.0 x 120 70 PZ3 100 16 384 60130VY 6.0 x 130 70 PZ3 100 12 384 60150VY 6.0 x 150 70 PZ3 100 12 324 60180VY 6.0 x 180 70 PZ3 100 8 192 60200VY 6.0 x 200 70 PZ3 100 8 192							
60120VY 6.0 x 120 70 PZ3 100 16 384 60130VY 6.0 x 130 70 PZ3 100 12 384 60150VY 6.0 x 150 70 PZ3 100 12 324 60180VY 6.0 x 180 70 PZ3 100 8 192 60200VY 6.0 x 200 70 PZ3 100 8 192							
60130VY 6.0 x 130 70 PZ3 100 12 384 60150VY 6.0 x 150 70 PZ3 100 12 324 60180VY 6.0 x 180 70 PZ3 100 8 192 60200VY 6.0 x 200 70 PZ3 100 8 192							
60150VY 6.0×150 70 PZ3 100 12 324 60180VY 6.0×180 70 PZ3 100 8 192 60200VY 6.0×200 70 PZ3 100 8 192							
60180VY 6.0 x 180 70 PZ3 100 8 192 60200VY 6.0 x 200 70 PZ3 100 8 192			70	PZ3	100		
60200VY 6.0 x 200 70 PZ3 100 8 192	60150VY	6.0 x 150	70	PZ3	100	12	324
	60180VY	6.0 x 180	70	PZ3	100	8	192
VEL01	60200VY	6.0×200	70	PZ3	100	8	192
							VEL01

Tubs



Size ΤI

50100VYTUB 5.0 x 100 60 PZ2 300

Product TL Bit Qty Qty Qty (mm) Size (pcs) (packs) (packs) Code (mm) TUB (DRIVER BIT INCLUDED) 40030VYTUB 4.0 x 30 30 PZ2 1,500 180 40040VYTUB 4.0 x 40 30 PZ2 1,200 180 40050VYTUB P72 180 4.0×50 30 800 50040VYTUB 5.0 x 40 30 PZ2 800 180 50050VYTUB 5.0×50 30 P72 600 180 50060VYTUB 5.0 x 60 40 PZ2 400 180 50070VYTUB 5.0 x 70 375 180 50080VYTUB 5.0 x 80 50 PZ2 350 180 50090VYTUB 5.0 x 90 60 P72 325 180

Grab Pack

TL = THREAD LENGTH

 $\hbox{A selection of popular Velocity screw sizes in}\\$ a handy and reusable storage pack with clip-shut lid.



Driver Pack Carton Pallet Qty Product Qty Qty Size Bit Code (mm) Size (pcs) (packs) GRAB PACK (600 PCS) VYGPACK 150 4.0 x 30 PZ2 140 4.0 x 40 PZ2 100 4.0 x 50 PZ2 70

> P72 60

> P72 80

PZ2 55

PZ2 45

PZ2 30 PZ2

4.0 x 60

5.0 x 40

 5.0×50

5.0 x 60

5.0 x 70

25mm Driver Bits PZ2

CORROSION RATING



Exceptional Reliability & Strength

The TIMCO Multi-Purpose Classic Screw enables the user to rely on one product for a variety of applications.

Specifically designed as a multi-purpose product, the 25° sharp point, special thread design, lubrication and corrosion resistant plating ensures the screw will consistently perform efficiently in hardwood, chipboard, MDF, plastic and thin sheet metal, while offering exceptional holding power.

Corrosion Rating





Occasionally damp/wet, rural and sheltered areas.

Available in:

Yellow

Black

Nickel

A2 Stainless

A4 Stainless

Countersunk Head











Double Countersunk

Reduces the likelihood of head shear and assists completion of countersinking.

Fully Threaded up to and including 75mm

Partially threaded thereafter (with 70mm thread length).

Molecular Lubrication

Patented lubrication, designed to enhance screw insertion time and provides greater resistance to corrosion.

40° Deep Single Thread

To provide a secure fixing with high pull-out resistance.

Surface Hardened

Up to 750 HV to prevent torque shearing under load and a core hardness of up to 450 HV for improved ductility.

Type 17 Single Slash

*Single slash on 25mm

To reduce torque and the likelihood of the timber splitting when the screw is inserted close to the edge.





Classic Multi-Purpose Screw - Double Countersunk



NOTE: Partially threaded from 80mm. Single slash from 25mm.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
30012CLAF	3.0 x 12	PZ1	200	140	5,040
30016CLAF	3.0 x 16	PZ1	200	140	5,040
30020CLAF	3.0 x 20	PZ1	200	140	5,040
30025CLAF	3.0 x 25	PZ1	200	75	2,700
30030CLAF	3.0 x 30	PZ1	200	75	2,700
30035CLAF	3.0 x 35	PZ1	200	50	1,200
30040CLAF	3.0 x 40	PZ1	200	50	1,200
35012CLAF	3.5 x 12	PZ2	200	140	5,040
35016CLAF	3.5 x 16	PZ2	200	140	5,040
35020CLAF	3.5 x 20	PZ2	200	75	2,700
35025CLAF	3.5 x 25	PZ2	200	75	2,700
35030CLAF	3.5 x 30	PZ2	200	75	1,800
35035CLAF	3.5 x 35	PZ2	200	50	1,200
35040CLAF	3.5 x 40	PZ2	200	50	1,200
35045CLAF	3.5 x 45	PZ2	200	35	840
35050CLAF	3.5 x 50	PZ2	200	35	840
40012CLAF	4.0 x 12	PZ2	200	140	5,040
40016CLAF	4.0 x 16	PZ2	200	75	2,700
40020CLAF	4.0 x 20	PZ2	200	75	2,700
40025CLAF	4.0 x 25	PZ2	200	75	1,800
40030CLAF	4.0 x 30	PZ2	200	75	1,800 CLA01

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
40035CLAF	4.0 x 35	PZ2	200	50	1,200
40040CLAF	4.0 x 40	PZ2	200	50	1,200
40045CLAF	4.0 x 45	PZ2	200	35	840
40050CLAF	4.0 x 50	PZ2	200	35	840
40055CLAF	4.0 x 55	PZ2	200	15	540
40060CLAF	4.0 x 60	PZ2	200	15	540
40070CLAF	4.0 x 70	PZ2	200	15	540
40080CLAF	4.0 x 80	PZ2	200	16	384
45016CLAF	4.5 x 16	PZ2	200	75	1,800
45020CLAF	4.5 x 20	PZ2	200	75	1,800
45025CLAF	4.5 x 25	PZ2	200	50	1,200
45030CLAF	4.5 x 30	PZ2	200	50	1,200
45035CLAF	4.5 x 35	PZ2	200	35	840
45040CLAF	4.5 x 40	PZ2	200	35	840
45045CLAF	4.5 x 45	PZ2	200	35	840
45050CLAF	4.5 x 50	PZ2	200	15	540
45055CLAF	4.5 x 55	PZ2	200	15	540
45060CLAF	4.5 x 60	PZ2	200	15	540
45070CLAF	4.5 x 70	PZ2	200	16	384
45080CLAF	4.5 x 80	PZ2	200	16	384
50020CLAF	5.0 x 20	PZ2	200	50	1,200
50025CLAF	5.0 x 25	PZ2	200	50	1,200
50030CLAF	5.0 x 30	PZ2	200	50	1,200
50035CLAF	5.0 x 35	PZ2	200	35	840
50040CLAF	5.0 x 40	PZ2	200	35	840
50045CLAF	5.0 x 45	PZ2	200	15	540
50050CLAF	5.0 x 50	PZ2	200	15	540
50055CLAF	5.0 x 55	PZ2	200	15	540
50060CLAF	5.0 x 60	PZ2	200	16	384
50070CLAF	5.0 x 70	PZ2	200	16	384
50075CLAF	5.0 x 75	PZ2	200	16	384
50080CLAF	5.0 x 80	PZ2	200	16	384
50090CLAF	5.0 x 90	PZ2	100	15	540
50100CLAF	5.0 x 100	PZ2	100	15	540
50120CLAF	5.0 x 120	PZ2	100	15	540
60040CLAF	6.0 x 40	PZ3	200	15	540
60045CLAF	6.0 x 45	PZ3	200	15	540
60050CLAF 60060CLAF	6.0 x 50	PZ3	200	16	384
60070CLAF	6.0 x 60	PZ3	200	16 12	384 288
60070CLAF	6.0 x 70	PZ3 PZ3	200	12	288
60080CLAF	6.0 x 80 6.0 x 90	PZ3 PZ3	200 100	15	288 540
60100CLAF	6.0 x 100	PZ3		15	540
60120CLAF	6.0 x 100	PZ3	100	16	384
60130CLAF 60150CLAF	6.0 x 130 6.0 x 150	PZ3 PZ3	100	12 12	288 288
60180CLAF	6.0 x 180	PZ3	100	8	192
60200CLAF	6.0 x 200	PZ3 PZ3	100	8	192
UUZUUULAF	0.U X 2UU	۳۷۵	100	0	CLA01

Classic Multi-Purpose Screw - Pan Head



NOTE: Single slash from 25mm.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
35012CLAP	3.5 x 12	PZ2	200	140	5,040
35016CLAP	3.5 x 16	PZ2	200	75	2,700
35020CLAP	3.5 x 20	PZ2	200	75	2,700
35025CLAP	3.5 x 25	PZ2	200	75	1,800
40016CLAP	4.0 x 16	PZ2	200	75	2,700
40020CLAP	4.0 x 20	PZ2	200	75	1,800
40025CLAP	4.0 x 25	PZ2	200	75	1,800
40030CLAP	4.0 x 30	PZ2	200	50	1,200
40035CLAP	4.0 x 35	PZ2	200	50	1,200
40040CLAP	4.0 x 40	PZ2	200	35	840
40050CLAP	4.0 x 50	PZ2	200	35	840
50030CLAP	5.0 x 30	PZ2	200	35	840
50050CLAP	5.0 x 50	PZ2	200	15	540 CLA01

Mixed Tray

The Classic screw mixed tray contains 12 of the most popular sizes.



Product Code	Size (mm)	Driver Bit Size	Qty	Carton Qty (packs)	Pallet Qty (packs)
1	MIXED T	RAY (89	95 PC	S)	
CLASSICTRAY	-	-	895	6	108
	3.5 x 16	PZ2	200		
	3.5 x 25	PZ2	100		
	3.5 x 30	PZ2	100		
	4.0 x 20	PZ2	100		
	4.0 x 25	PZ2	60		
	4.0 x 30	PZ2	50		
	4.0 x 40	PZ2	70		
	4.0 x 50	PZ2	60		
	4.0 x 60	PZ2	50		
	5.0 x 40	PZ2	30		
	5.0 x 50	PZ2	40		
	5.0 x 60	PZ2	35		
					CLA01

CORROSION RATING

Yellow

1



Classic Multi-Purpose Screw - Double Countersunk

A2 Stainless Stee HARD & SOFT MAN MADE WOODS BOARDS

NOTE: Partially threaded from 80mm. Single slash from 25mm.

THIN METAL



Please note a pilot hole is recommended for all stainless steel screws

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)
	TIMPAC			
35030CHSSP	3.5 x 30	PZ2	30	10
40025CHSSP	4.0 x 25	PZ2	25	10
40030CHSSP	4.0 x 30	PZ2	20	10
40040CHSSP	4.0 x 40	PZ2	15	10
40050CHSSP	4.0 x 50	PZ2	14	10
50030CHSSP	5.0 x 30	PZ2	10	10
50040CHSSP	5.0 x 40	PZ2	10	10
50050CHSSP	5.0 x 50	PZ2	10	10
50060CHSSP	5.0 x 60	PZ2	8	10
50070CHSSP	5.0 x 70	PZ2	7	10
50080CHSSP	5.0 x 80	PZ2	6	10
50100CHSSP	5.0 x 100	PZ2	4	10
				PAK01

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
30012CLASS	3.0 x 12	PZ1	200	140	5,040
30016CLASS	3.0 x 16	PZ1	200	140	5,040
30020CLASS	3.0 x 20	PZ1	200	140	5,040
30025CLASS	3.0 x 25	PZ1	200	75	2,700
35012CLASS	3.5 x 12	PZ2	200	140	5,040
35016CLASS	3.5 x 16	PZ2	200	140	5,040
35020CLASS	3.5 x 20	PZ2	200	75	2,700
35025CLASS	3.5 x 25	PZ2	200	75	2,700
35030CLASS	3.5 x 30	PZ2	200	75	1,800
35035CLASS	3.5 x 35	PZ2	200	50	1,200
35040CLASS	3.5 x 40	PZ2	200	35	840
35050CLASS	3.5 x 50	PZ2	200	35	840
40016CLASS	4.0 x 16	PZ2	200	75	2,700
40020CLASS	4.0 x 20	PZ2	200	75	2,700
40025CLASS	4.0 x 25	PZ2	200	75	1,800
40030CLASS	4.0 x 30	PZ2	200	75	1.800
40035CLASS	4.0 x 35	PZ2	200	50	1,200
40040CLASS	4.0 x 40	PZ2	200	50	1,200
40045CLASS	4.0 x 45	PZ2	200	35	840
40050CLASS	4.0 x 50	P72	200	35	840
40060CLASS	4.0 x 60	PZ2	200	15	540
40070CLASS	4.0 x 70	PZ2	200	15	540
45025CLASS	4.5 x 25	PZ2	200	50	1,200
45030CLASS	4.5 x 30	PZ2	200	50	1,200
45040CLASS	4.5 x 40	PZ2	200	35	840
45050CLASS	4.5 x 50	PZ2	200	15	540
45060CLASS	4.5 x 60	PZ2	200	15	540
50025CLASS	5.0 x 25	PZ2	200	50	1,200
50030CLASS	5.0 x 30	PZ2	200	35	1,200
50035CLASS	5.0 x 35	PZ2	200	35	840
50040CLASS	5.0 x 40	PZ2	200	35	840
50050CLASS	5.0 x 50	PZ2	200	15	540
50060CLASS	5.0 x 60	PZ2	200	16	384
50070CLASS	5.0 x 70	PZ2	200	16	384
50080CLASS	5.0 x 80	PZ2	200	16	384
50090CLASS	5.0 x 90	PZ2	100	15	540
50100CLASS	5.0 x 100	PZ2	100	15	540
60040CLASS	6.0 x 40	PZ3	200	15	540
60050CLASS	6.0 x 50	PZ3	200	16	384
60060CLASS	6.0 x 60	PZ3	200	16	384
60070CLASS	6.0 x 70	PZ3	200	12	288
60080CLASS	6.0 x 80	PZ3	200	12	288
60100CLASS	6.0 x 100	PZ3	100	15	540
60130CLASS	6.0 x 130	PZ3	100	12	384
60150CLASS	6.0 x 150	PZ3	100	12	288
					CSS01

Classic Multi-Purpose Screw - Pan Head



NOTE: Single slash from 25mm.



Please note a pilot hole is recommended for all stainless steel screws

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
35016CLAPSS	3.5 x 16	PZ2	200	75	2,700
35020CLAPSS	3.5×20	PZ2	200	75	1,800
35025CLAPSS	3.5×25	PZ2	200	75	1,800
35030CLAPSS	3.5×30	PZ2	200	50	1,800
40020CLAPSS	4.0 x 20	PZ2	200	75	1,800
40025CLAPSS	4.0 x 25	PZ2	200	75	1,800
40030CLAPSS	4.0 x 30	PZ2	200	50	1,200
40040CLAPSS	4.0 x 40	PZ2	200	50	1,200
40050CLAPSS	4.0 x 50	PZ2	200	15	540
50025CLAPSS	5.0 x 25	PZ2	200	50	1,200
50030CLAPSS	5.0×30	PZ2	200	35	840
50040CLAPSS	5.0 x 40	PZ2	200	35	840
50050CLAPSS	5.0×50	PZ2	200	15	540
60040CLAPSS	6.0×40	PZ3	200	15	540
60050CLAPSS	6.0 x 50	PZ3	200	16	384 CSS01

Mixed Tray

The Classic stainless steel screw mixed tray contains 12 of the most popular sizes.



Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty (pcs)	Qty (packs)
	MIXED T	RAY (8	95 PCS	5)	
STSTTRAY	-	-	-	6	108
	3.5 x 16	PZ2	200		
	3.5 x 25	PZ2	100		
	3.5 x 30	PZ2	100		
	4.0 x 20	PZ2	100		
	4.0 x 25	PZ2	60		
	4.0 x 30	PZ2	50		
	4.0 x 40	PZ2	70		
	4.0 x 50	PZ2	60		
	4.0 x 60	PZ2	50		
	5.0 x 40	PZ2	30		
	5.0 x 50	PZ2	40		
	5.0 x 60	PZ2	35		
					CSS01























Classic Multi-Purpose Screw - Double Countersunk

A4 Stainless Stee HARD & SOFT WOODS MAN MADE BOARDS

THIN METAL

PLASTIC

NOTE: Partially threaded from 80mm. Single slash from 25mm.



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
30016CLA4	3.0 x 16	PZ1	200	140	5,040
35020CLA4	3.5 x 20	PZ2	200	75	2,700
35025CLA4	3.5 x 25	PZ2	200	75	2,700
35030CLA4	3.5 x 30	PZ2	200	75	1,800
40025CLA4	4.0 x 25	PZ2	200	75	1,800
40030CLA4	4.0 x 30	PZ2	200	75	1,800
40035CLA4	4.0 x 35	PZ2	200	50	1,200
40040CLA4	4.0 x 40	PZ2	200	50	1,200
40050CLA4	4.0×50	PZ2	200	35	840
40060CLA4	4.0 x 60	PZ2	200	15	540
40070CLA4	4.0 x 70	PZ2	200	15	540
50030CLA4	5.0 x 30	PZ2	200	50	1,200
50040CLA4	5.0 x 40	PZ2	200	35	840
50050CLA4	5.0 x 50	PZ2	200	15	540
50060CLA4	5.0 x 60	PZ2	200	16	384
50070CLA4	5.0 x 70	PZ2	200	16	384
50080CLA4	5.0 x 80	PZ2	200	16	384
50100CLA4	5.0 x 100	PZ2	100	15	540
60080CLA4	6.0 x 80	PZ3	200	12	288
60100CLA4	6.0 x 100	PZ3	100	15	540
60130CLA4	6.0 x 130	PZ3	100	16	288
60150CLA4	6.0 x 150	PZ3	100	12	288

Classic Multi-Purpose Screw - Double Countersunk

Exterior (Black Organic) MAN MADE BOARDS HARD & SOFT WOODS THIN METAL PLASTIC

NOTE: Single slash from 25mm.



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
35016CLAB	3.5 x 16	PZ2	200	140	5,040
35025CLAB	3.5 x 25	PZ2	200	75	2,700
40025CLAB	4.0 x 25	PZ2	200	75	1,800
40030CLAB	4.0 x 30	PZ2	200	75	1,800
40040CLAB	4.0 x 40	PZ2	200	50	1,200
50030CLAB	5.0 x 30	PZ2	200	35	840
50040CLAB	5.0 x 40	PZ2	200	15	540 CLA04

Classic Hinge Screws











Reduced 5mm head for specific use in continuous/ piano hinges.

Driver Pack Carton Pallet

Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)					
		вох								
	Y	'ellow								
30012CLAH	3.0 x 12	PZ1	200	140	5,040					
30016CLAH	3.0 x 16	PZ1	200	140	5,040					
30020CLAH	3.0 x 20	PZ1	200	140	5,040					
30025CLAH	3.0 x 25	PZ1	200	75	2,700 CLA01					
BOX										

		вох			
	N	lickel			
30012CLAHN	3.0 x 12	PZ1	200	140	5,040
30016CLAHN	3.0 x 16	PZ1	200	140	5,040
30020CLAHN	3.0 x 20	PZ1	200	140	5,040
					OL AGO









Solo Woodscrews

Ideal for:

Softwood Chipboard Plastic and some hardwoods

For general applications

An economic single thread woodscrew designed to be consistently reliable in softwood, chipboard, plastic and some hardwoods.

The Solo range is an ideal fixing for today's tradesman when fixing into low density substrates.





Corrosion Rating



Clean, dry & low humidity environments

Available in:

Yellow

Zinc

Double Countersunk



Pan Head



Double Countersunk

Reduces the likelihood of head shear and assists completion of countersinking.

Fully Threaded up to and including 75mm

Partially threaded thereafter (with 70mm thread length).

Wax Lubricated

To enhance screw insertion time, reduced driving torque and resistance to corrosion.

40° Deep Single Thread

To provide a secure fixing with high pull-out resistance.

25° Sharp Point

Sharp point and single lead for a fast start and improved thread acceptance.





Solo - Double Countersunk

SOFTWOOD CHIPBOARD **Boxes**

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
30012SOLOC	3.0 x 12	PZ1	200	140	5,040
30015SOLOC	3.0 x 15	PZ1	200	140	5,040
30017SOLOC	3.0 x 17	PZ1	200	140	5,040
30020SOLOC	3.0 x 20	PZ1	200	140	5,040
30025SOLOC	3.0 x 25	PZ1	200	75	2,700
30030SOLOC	3.0×30	PZ1	200	75	2,700
35012SOLOC	3.5 x 12	PZ2	200	140	5,040
35015SOLOC	3.5 x 15	PZ2	200	140	5,040
35017SOLOC	3.5 x 17	PZ2	200	140	5,040
35020SOLOC	3.5×20	PZ2	200	75	2,700
35025SOLOC	3.5×25	PZ2	200	75	2,700
35030SOLOC	3.5 x 30	PZ2	200	75	1,800
35035SOLOC	3.5×35	PZ2	200	50	1,200
35040S0L0C	3.5 x 40	PZ2	200	50	1,200
35050SOLOC	3.5×50	PZ2	200	35	840
40015SOLOC	4.0 x 15	PZ2	200	75	2,700
40017SOLOC	4.0 x 17	PZ2	200	75	2,700
40020S0L0C	4.0 x 20	PZ2	200	75	2,700
40025SOLOC	4.0 x 25	PZ2	200	75	1,800
40030SOLOC	4.0 x 30	PZ2	200	75	1,800
40035SOLOC	4.0 x 35	PZ2	200	50	1,200
40040SOLOC	4.0 x 40	PZ2	200	50	1,200
40045SOLOC	4.0 x 45	PZ2	200	35	840
40050SOLOC	4.0×50	PZ2	200	35	840
40060SOLOC	4.0 x 60	PZ2	200	15	540
40070SOLOC	4.0 x 70	PZ2	200	15	540
40080SOLOC	4.0 x 80	PZ2	200	15	540
45020S0L0C	4.5 x 20	PZ2	200	75	1,800
45030S0L0C	4.5 x 30	PZ2	200	50	1,200
45035SOLOC	4.5 x 35	PZ2	200	35	840
45040S0L0C	4.5 x 40	PZ2	200	35	840
45045SOLOC	4.5 x 45	PZ2	200	35	840
45050S0L0C	4.5 x 50	PZ2	200	15	540
45060SOLOC	4.5 x 60	PZ2	200	15	540
45070S0L0C	4.5 x 70	PZ2	200	16	384

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		ВОХ			
45080SOLOC	4.5 x 80	PZ2	200	16	384
50025SOLOC	5.0 x 25	PZ2	200	50	1,200
50030SOLOC	5.0 x 30	PZ2	200	50	1,200
50035SOLOC	5.0 x 35	PZ2	200	35	840
50040S0L0C	5.0 x 40	PZ2	200	35	840
50045SOLOC	5.0 x 45	PZ2	200	15	540
50050SOLOC	5.0 x 50	PZ2	200	15	540
50060SOLOC	5.0 x 60	PZ2	200	16	384
50070SOLOC	5.0 x 70	PZ2	200	16	384
50075SOLOC	5.0 x 75	PZ2	200	16	384
50080SOLOC	5.0 x 80	PZ2	200	16	384
50090SOLOC	5.0 x 90	PZ2	100	15	540
50100SOLOC	5.0 x 100	PZ2	100	15	540
50120S0L0C	5.0 x 120	PZ2	100	15	540
60040SOLOC	6.0×40	PZ3	200	15	540
60050SOLOC	6.0×50	PZ3	200	16	384
60060SOLOC	6.0×60	PZ3	200	16	384
60070SOLOC	6.0 x 70	PZ3	200	12	288
60080SOLOC	6.0 x 80	PZ3	200	12	288
60090SOLOC	6.0×90	PZ3	100	15	540
60100SOLOC	6.0 x 100	PZ3	100	15	540
60120S0L0C	6.0 x 120	PZ3	100	16	384
60130SOLOC	6.0 x 130	PZ3	100	12	384
60150SOLOC	6.0 x 150	PZ3	100	12	324
60180S0L0C	6.0 x 180	PZ3	100	8	216
60200SOLOC	6.0 x 200	PZ3	100	8	192
					SOC01





Code	(mm)	Size	(pcs)	(packs)	(packs)
IND	USTRY P	ACK (1,000	PCS)	
40030SOLOIND	4.0 x 30	PZ2	1,000	12	288
40040SOLOIND	4.0 x 40	PZ2	1,000	12	288
40050SOLOIND	4.0 x 50	PZ2	1,000	6	144
40060SOLOIND	4.0 x 60	PZ2	1,000	6	144
40080SOLOIND	4.0 x 80	PZ2	1,000	6	144
50050SOLOIND	5.0×50	PZ2	1,000	6	144
50060SOLOIND	5.0 x 60	PZ2	1,000	3	81
50070SOLOIND	5.0 x 70	PZ2	1,000	3	81
50080SOLOIND	5.0 x 80	PZ2	1,000	3	81
50100SQLQIND	5.0 x 100	P72	1 000	3	81

Tubs



		Driver	Pack	Carton	Pallet
Product	Size	Bit	Qty	Qty	Qty
Code	(mm)	Size	(pcs)	(packs)	(packs)
		TUB			
40040STUBY	4.0 x 40	PZ2	1,000	4	20
40050STUBY	4.0 x 50	PZ2	800	4	20
50050STUBY	5.0 x 50	PZ2	525	4	20
50060STUBY	5.0 x 60	PZ2	400	4	20
50070STUBY	5.0 x 70	PZ2	375	4	20
50080STUBY	5.0 x 80	PZ2	325	4	20
50100STUBY	5.0 x 100	PZ2	250	4	20
					SOC01
	TI	MBAG			
35015CHYB	3.5 x 15	PZ2	750	5	870
35030CHYB	3.5 x 30	PZ2	500	5	870
40025CHYB	4.0 x 25	PZ2	470	5	870
40030CHYB	4.0 x 30	PZ2	430	5	870
40035CHYB	4.0 x 35	PZ2	380	5	600
40040CHYB	4.0 x 40	P72	350	5	600
40050CHYB	4.0 x 50	P72	280	5	600
40060CHYB	4.0 x 60	PZ2	230	5	600
50040CHYB	5.0 x 40	PZ2	220	5	600
50040CHYB	5.0 x 40 5.0 x 50	PZ2	180	5	600
50050CHYB	5.0 x 60	PZ2	160	5	600
50070CHYB	5.0 x 70	PZ2	140	5	600
50070CHTB		PZ2	120	5	600
	5.0 x 80				
50100CHYB 60080CHYB	5.0 x 100	PZ2	90	5	600
	6.0 x 80	PZ3	90	5	600
60120CHYB 60150CHYB	6.0 x 120	PZ3 PZ3	50 35	5 5	600
DOIDOCHIB	6.0 x 150	PZ3	33	э	600 BAG02
	-				BAGUZ
		IMPAC			
35015CHYP	3.5 x 15	PZ2	45	10	-
35030CHYP	3.5 x 30	PZ2	35	10	-
40025CHYP	4.0 x 25	PZ2	30	10	-
40030CHYP	4.0 x 30	PZ2	25	10	-
40035CHYP	4.0 x 35	PZ2	22	10	-
40040CHYP	4.0 x 40	PZ2	20	10	-
40050CHYP	4.0 x 50	PZ2	16	10	-
40060CHYP	4.0 x 60	PZ2	12	10	-
50040CHYP	5.0 x 40	PZ2	10	10	-
50050CHYP	5.0×50	PZ2	12	10	-
50060CHYP	5.0×60	PZ2	10	10	-
50070CHYP	5.0 x 70	PZ2	8	10	-
50080CHYP	5.0 x 80	PZ2	6	10	-
50100CHYP	5.0 x 100	PZ2	4	10	-
60080CHYP	6.0 x 80	PZ3	4	10	-
60120CHYP	6.0 x 120	PZ3	2	10	-
60150CHYP	6.0 x 150	PZ3	2	10	-
					PAK02

Mixed Pack



The Solo woodscrew mixed pack contains 9 of the most popular sizes in 200 & 100 quantities.

Product Code	Size (mm)	Driver Bit Size	Qty (pcs)	Qty (pcs) (Qty packs)
	MIXED P	ACK (1,1	40 PCS	5)	
SOLOMP	-	-	-	1,400	10
	3.5 x 25	PZ2	200		
	4.0 x 30	PZ2	200		
	4.0 x 40	PZ2	200		
	4.0 x 50	PZ2	200		
	5.0 x 50	PZ2	200		
	5.0 x 60	PZ2	100		
	5.0 x 70	PZ2	100		
	5.0 x 80	PZ2	100		
	5.0 x 100	PZ2	100		
					S0C01

Grab Pack



The Solo woodscrew grab pack contains 9 of the most popular sizes.

Product Code	Size (mm)	Driver Bit Size	Qty	Carton Qty (packs)	Qty
G	RAB PAC	K (1,20	O PCS	5)	
TRAY1200	-	-	1,200	5	135
	3.5 x 16	PZ2	150		
	3.5 x 20	PZ2	130		
	3.5 x 25	PZ2	220		
	4.0 x 30	PZ2	350		
	4.0×40	PZ2	120		
	4.0 x 50	PZ2	80		
	5.0 x 50	PZ2	65		
	5.0 x 60	PZ2	55		
	5.0 x 80	PZ2	30		
					S0001

Screw Pack Carton



Solo - Double Countersunk




4	5				
Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
30012SOLOZ	3.0 x 12	PZ1	200	140	5,040
30015SOLOZ	3.0 x 15	PZ1	200	140	5,040
30020SOLOZ	3.0×20	PZ1	200	140	5,040
30025SOLOZ	3.0 x 25	PZ1	200	75	2,700
35015SOLOZ	3.5 x 15	PZ2	200	140	5,040
35020S0L0Z	3.5 x 20	PZ2	200	75	2,700
35025SOLOZ	3.5×25	PZ2	200	75	2,700
35030S0L0Z	3.5×30	PZ2	200	75	1,800
35035SOL0Z	3.5 x 35	PZ2	200	50	1,200
35040S0L0Z	3.5 x 40	PZ2	200	50	1,200
35050S0L0Z	3.5×50	PZ2	200	35	840
40015SOLOZ	4.0 x 15	PZ2	200	75	2,700
40020SOLOZ	4.0×20	PZ2	200	75	2,700
40025SOLOZ	4.0 x 25	PZ2	200	75	1,800
40030SOLOZ	4.0 x 30	PZ2	200	75	1,800
40035SOLOZ	4.0 x 35	PZ2	200	50	1,200
40040S0L0Z	4.0 x 40	PZ2	200	50	1,200
40045SOLOZ	4.0 x 45	PZ2	200	35	840
40050SOLOZ	4.0 x 50	PZ2	200	35	840

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
40060SOLOZ	4.0 x 60	PZ2	200	15	540
40070SOLOZ	4.0 x 70	PZ2	200	15	540
40080SOLOZ	4.0 x 80	PZ2	200	15	540
45025S0L0Z	4.5 x 25	PZ2	200	35	1,200
45030S0L0Z	4.5 x 30	PZ2	200	50	1,200
45035S0L0Z	4.5 x 35	PZ2	200	50	840
45040S0L0Z	4.5 x 40	PZ2	200	35	840
45050S0L0Z	4.5 x 50	PZ2	200	15	540
45060S0L0Z	4.5 x 60	PZ2	200	15	540
45070S0L0Z	4.5 x 70	PZ2	200	16	384
45080S0L0Z	4.5 x 80	PZ2	200	16	384
50025SOLOZ	5.0 x 25	PZ2	200	50	1,200
50030SOLOZ	5.0 x 30	PZ2	200	50	1,200
50035SOLOZ	5.0 x 35	PZ2	200	35	840
50040SOLOZ	5.0 x 40	PZ2	200	35	840
50045SOLOZ	5.0 x 45	PZ2	200	15	540
50050SOLOZ	5.0 x 50	PZ2	200	15	540
50060SOLOZ	5.0 x 60	PZ2	200	16	384
50070SOLOZ	5.0 x 70	PZ2	200	16	384
50080SOLOZ	5.0 x 80	PZ2	200	16	384
50090SOLOZ	5.0 x 90	PZ2	100	15	540
50100SOLOZ	5.0 x 100	PZ2	100	15	540
50120S0L0Z	5.0 x 120	PZ2	100	15	540
60040SOLOZ	6.0 x 40	PZ3	200	15	540
60050SOLOZ	6.0×50	PZ3	200	16	384
60060SOLOZ	6.0×60	PZ3	200	16	384
60070SOLOZ	6.0×70	PZ3	200	12	288
60080SOLOZ	6.0 x 80	PZ3	200	12	288
60100SOLOZ	6.0 x 100	PZ3	100	15	540
60120SOLOZ	6.0 x 120	PZ3	100	16	384
60150SOLOZ	6.0 x 150	PZ3	100	12	324
60200SOLOZ	6.0×200	PZ3	100	8	192
TU	B (DRIVE	RBITIN	NCLUI	DED)	
40030STUBZ	4.0 x 30	PZ2	1,250	4	20 SOC03

	Exterior (Black (Organ	ic)	
9			•	3	CE
- 1	}		PO	ZI EN	I 14592:2008
1	}		1		
-			SOFTW	/00D (CHIPBOARD
Product Code	Size (mm)	Driver Bit Size	Qty		
	Т	IMPAC			
40030CHBP	4.0 x 30	PZ2	25	10	PAK02

Solo Square Recess A single thread woodscrew mainly used in various types of timber and man-made boards or into masonry





Solo - Pan Head


















with the use of a plastic plug.

Twin-Threaded Woodscrews

Ideal for:

Softwood & masonry with a plastic plug

For general applications

A traditional woodscrew designed to give rapid installation into softwoods.

This fixing is also ideal for use with a plastic plug when fixing into masonry.



Corrosion Rating



Clean, dry & low humidity environments

Available in:

Zinc

Double Countersunk









Double Countersunk

Reduces the likelihood of head shear and assists completion of countersinking.

Partially Threaded

1-1¼" twin-thread woodscrews and above are part threaded.

60° Twin-Thread

60° Twin-threads with parallel shank for faster insertion and greater pull out resistance.

Surface Hardened

Up to 750 HV to prevent torque shearing under load and a core hardness of up to 450 HV for improved ductility.

25° Sharp Point

Sharp point and single lead for a fast start and improved thread acceptance.





Twin-Threaded - Double Countersunk

Zinc

EN 14592:2008

SOFTWOOD

A traditional twin-thread woodscrew with single lead start for a fast installation. Mainly used in soft timber applications or masonry with a plastic plug.

CHIPBOARD

Note: Partially threaded from 11/4"

Product Code	Size (imp.)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
00412CWZ	4 x ½	PZ1	200	140	5,040
00458CWZ	4 x %	PZ1	200	140	5,040
00434CWZ	4 x 3/4	PZ1	200	140	5,040
00041CWZ	4x1	PZ1	200	75	2,700
00558CWZ	5x%	PZ2	200	140	5,040
00534CWZ	5 x 3/4	PZ2	200	140	5,040
00612CWZ	6 x ½	PZ2	200	140	5,040
00658CWZ	6x%	PZ2	200	140	5,040
00634CWZ	6 x 3/4	PZ2	200	75	2,700
00061CWZ	6x1	PZ2	200	75	2,700
06114CWZ	6x11/4	PZ2	200	50	1,200
06112CWZ	6 x 1 ½	PZ2	200	50	1,200
06134CWZ	6 x 1 ¾	PZ2	200	35	840
00062CWZ	6x2	PZ2	200	35	840
00758CWZ	7 x %	PZ2	200	75	2,700
00734CWZ	7 x 3/4	PZ2	200	75	1,800
00734CWZ	7 x 1	PZ2	200	75	1,800
07114CWZ	7 x 11/4	PZ2	200	50	1,200
07112CWZ	7 x 1½	P72	200	35	840
00812CWZ	8 x ½	PZ2	200	140	5,040
00812CWZ	8 x 5%	PZ2	200	75	2,700
00834CWZ	8 x 3/4	PZ2	200	75	2,700
00034CWZ	8 x 1	PZ2	200	75	1,800
08114CWZ	8 x 11/4	PZ2	200	50	
08114CWZ 08112CWZ		PZ2 PZ2			1,200
08112CWZ 08134CWZ	8 x 1½ 8 x 1¾	PZ2	200	50 35	1,200 840
00082CWZ			200		
00082CWZ 08214CWZ	8x2	PZ2 PZ2	200	35	540 540
08214CWZ 08212CWZ	8 x 21/4	PZ2 P72		15	
	8 x 2½		200	16	384
00083CWZ	8x3	PZ2	200	16	384
00083CWZ100	8x3	PZ2	100	50	1,200
01034CWZ	10 x ¾	PZ2	200	50	1,200
00101CWZ	10 x 1	PZ2	200	50	1,200
10114CWZ	10 x 11/4	PZ2	200	50	1,200
10112CWZ	10 x 1½	PZ2	200	35	840
10134CWZ	10 x 1¾	PZ2	200	15	540
00102CWZ	10 x 2	PZ2	200	15	540
10214CWZ	10 x 2 1/4	PZ2	200	16	384
10212CWZ	10 x 2 ½	PZ2	200	16	384
00103CWZ	10 x 3	PZ2	200	16	384
00103CWZ100	10 x 3	PZ2	100	15	540
10312CWZ	10 x 3 ½	PZ2	100	15	540
00104CWZ	10 x 4	PZ2	100	15	540
00121CWZ	12 x 1	PZ3	200	35	840
12114CWZ	12 x 11/4	PZ3	200	35	840
12112CWZ	12 x 1½	PZ3	200	15	540
00122CWZ	12 x 2	PZ3	200	16	384
12212CWZ	12 x 2 ½	PZ3	200	16	384
00123CWZ	12 x 3	PZ3	200	12	288
00123CWZ100	12 x 3	PZ3	100	15	540
12312CWZ	12 x 3 ½	PZ3	100	15	540



Driver Pack Carton Pallet

Product	Size	Bit	Qty	Qty	Qty
Code	(imp.)	Size	(pcs)	(packs)	(packs)
	Т	IMBAG			
00658CWZB	6 x 5%	PZ2	700	5	870
00634CWZB	6 x 3/4	PZ2	620	5	870
00061CWZB	6 x 1	PZ2	500	5	870
00834CWZB	8 x 3/4	PZ2	540	5	870
00081CWZB	8 x 1	PZ2	470	5	870
08114CWZB	8 x 11/4	PZ2	390	5	600
08112CWZB	8 x 1½	PZ2	350	5	600
00082CWZB	8x2	PZ2	270	5	600
08212CWZB	8 x 21/2	PZ2	200	5	600
00083CWZB	8x3	PZ2	180	5	600
10112CWZB	10 x 1½	PZ2	250	5	600
00102CWZB	10 x 2	PZ2	190	5	600
10212CWZB	10 x 21/2	PZ2	160	5	600
00103CWZB	10 x 3	PZ2	140	5	600
00104CWZB	10 x 4	PZ2	90	5	600
					BAG02
	Т	IMPAC			
00658CWZP	6 x 5%	PZ2	45	10	-
00634CWZP	6 x 3/4	PZ2	40	10	-
00061CWZP	6 x 1	PZ2	35	10	-
00834CWZP	8 x 3/4	PZ2	35	10	-
00081CWZP	8 x 1	PZ2	30	10	-
08114CWZP	8 x 11/4	PZ2	25	10	-
08112CWZP	8 x 1½	PZ2	20	10	-
00082CWZP	8 x 2	PZ2	16	10	-
08212CWZP	8 x 21/2	PZ2	12	10	-
00083CWZP	8x3	PZ2	10	10	-
10112CWZP	10 x 1½	PZ2	15	10	-
00102CWZP	10 x 2	PZ2	12	10	-
10212CWZP	10 x 21/2	PZ2	10	10	-
00103CWZP	10 x 3	PZ2	8	10	-
00104CWZP	10 x 4	PZ2	6	10	-
					PAK02

Mixed Tray



The twin-thread woodscrew mixed tray contains 12 of the most popular

Product Code	Size (imp.)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (pcs)	Pallet Qty (pcs)
I	MIXED TR	AY (1,1	40 PC	CS)	
WOODTRAY	6 x ½	PZ2	180	6	108
	6x%	PZ2	190		
	6 x 3/4	PZ2	130		
	6 x 1	PZ2	100		
	6 x 1 1/4	PZ2	110		
	8 x 3/4	PZ2	100		
	8 x 1 1/4	PZ2	85		
	8 x 1 ½	PZ2	65		
	8 x 1	PZ2	60		
	8x2	PZ2	50		
	10 x 2	PZ2	35		
	10 x 2 ½	PZ2	35		
					W0001

Twin-Threaded - Roundhead

Zinc









Roundhead zinc and clear woodscrew used for clamping to flat surfaces or to achieve a high aesthetic appearance. Note: Partially threaded from 11/4"

Product Code	Size (imp.)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
00412CRWZ	4 x ½	PZ1	200	140	5,040
00458CRWZ	4 x 1/8	PZ1	200	140	5,040
00612CRWZ	6 x ½	PZ2	200	140	5,040
00658CRWZ	6 x 5/8	PZ2	200	75	2,700
00634CRWZ	6 x 3/4	PZ2	200	75	1,800
00061CRWZ	6 x 1	PZ2	200	75	1,800
06114CRWZ	6 x 11/4	PZ2	200	50	1,200
00812CRWZ	8 x ½	PZ2	200	75	2,700
00858CRWZ	8 x 5/8	PZ2	200	75	2,700
00834CRWZ	8 x 3/4	PZ2	200	50	1,200
00081CRWZ	8 x 1	PZ2	200	50	1,200
08114CRWZ	8 x 11/4	PZ2	200	50	1,200
08112CRWZ	8 x 1½	PZ2	200	35	840
00082CRWZ	8x2	PZ2	200	35	540
00101CRWZ	10 x 1	PZ2	200	50	1,200
10114CRWZ	10 x 11/4	PZ2	200	35	840
10112CRWZ	10 x 1½	PZ2	200	35	840
00102CRWZ	10 x 2	PZ2	200	15	540
10212CRWZ	10 x 21/2	PZ2	200	16	384
00103CRWZ	10 x 3	PZ2	200	16	384
00122CRWZ	12 x 2	PZ3	200	16	384 W0001

540

W0001







12 x 4 PZ3 100 15

00124CWZ



Brown Plugs & Twin-Threaded Screws









Zinc

Premium brown premium plastic plugs made from high density polyethylene material (HDPE) to fit screw diameter 4.8, 5.5, 6.3mm.

Note: It may be beneficial to reduce drill diameter in soft materials.

Product Code	Contents	Size	Qty (pcs)	Qty (packs)
	tub			
778254	-	-	-	20
	Woodscrews	10 x 2"	400	
	Brown Plastic Plugs	7.0 x 42	400	
	Masonry Drill Bit	7.0 x 100	1	
	Impact Driver Bits	PZ2 x 25	5	
				DI LIN1



Rainwater Screws

Exterior (Black or White Organic)









Driver Pack Carton Pallet Bit Qty Qty Qty Size (pcs) (packs) (packs) Product Size Code (mm) TUB (DRIVER BIT INCLUDED) Black Organic

40040CLARB	4.0 x 40	PZ2	300	12	360
50025CLARB	5.0 x 25	PZ2	400	12	360
60040CLARB	6.0 x 40	PZ3	200	12	360
	White	e Orga	nic		
40040CLARW	4.0 x 40	PZ2	300	12	360
50025CLARW	5.0 x 25	PZ2	400	12	360
60040CLARW	6.0 x 40	PZ3	200	12	360
					RWS01
	50025CLARB 60040CLARB 40040CLARW 50025CLARW	50025CLARB 5.0 x 25 60040CLARB 6.0 x 40 White 40040CLARW 4.0 x 40 50025CLARW 5.0 x 25	50025CLARB 5.0 x 25 PZ2 60040CLARB 6.0 x 40 PZ3 White Orga 40040CLARW 4.0 x 40 PZ2 50025CLARW 5.0 x 25 PZ2	50025CLARB 5.0 x 25 PZ2 400 60040CLARB 6.0 x 40 PZ3 200 White Organic 40040CLARW 4.0 x 40 PZ2 300 50025CLARW 5.0 x 25 PZ2 400	50025CLARB 5.0 x 25 PZ2 400 12 60040CLARB 6.0 x 40 PZ3 200 12 White Organic 40040CLARW 4.0 x 40 PZ2 300 12 50025CLARW 5.0 x 25 PZ2 400 12





Blackjax

Black Organic



Note: Partially threaded

from 11/4"

Product Code	Size (imp.)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
00658BJC	6x%	PZ2	200	75	2,700
00634BJC	6 x 3/4	PZ2	200	75	1,800
00061BJC	6 x 1	PZ2	200	75	1,800
00858BJC	8 x 5/8	PZ2	200	75	2,700
00834BJC	8 x 3/4	PZ2	200	50	1,200
00081BJC	8 x 1	PZ2	200	35	840
08114BJC	8 x 11/4	PZ2	200	35	840
08112BJC	8 x 1½	PZ2	200	35	840
00082BJC	8 x 2	PZ2	200	15	540
00101BJC	10 x 1	PZ2	200	35	840
10114BJC	10 x 11/4	PZ2	200	35	840
10112BJC	10 x 1½	PZ2	200	15	540
00102BJC	10 x 2	PZ2	200	15	540
					W0002
	Т	IMPAC			
00061BJCP	6 x 1	PZ2	20	10	-
00081BJCP	8 x 1	PZ2	15	10	-

8 x 1½ PZ2

PZ2 8 10

10 x 11/2

10 10

Carcass Screw

Carcass Screw



Product Code	Size (mm)	Driver Bit Size	Qty	Qty (packs)	Qty (packs)		
BOX							
40033CARC	4.0 x 33	PZ2	500	16	384		
40045CARC	4.0 x 45	PZ2	500	16	384		
					OADO4		



Solid Brass Screws





A range of traditional polished solid brass slotted woodscrews. Ideal for applications where a traditional cosmetic finish is required or for use in corrosive environments.

Product Code	Head Type	Size (imp.)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
00238CBS	Countersunk	2x3/8	200	140	5,040
00412CBS	Countersunk	4 x ½	200	140	5,040
00458CBS	Countersunk	4 x %	200	140	5,040
00434CBS	Countersunk	4 x 3/4	200	140	5,040
00612CBS	Countersunk	6 x ½	200	140	5,040
00634CBS	Countersunk	6 x 3/4	200	75	2,700
00061CBS	Countersunk	6 x 1	200	75	2,700
06112CBS	Countersunk	6 x 1½	200	50	1,200
00071CBS	Countersunk	7 x 1	200	75	1,800
00834CBS	Countersunk	8 x 3/4	200	75	2,700
00081CBS	Countersunk	8 x 1	200	75	1,800
08114CBS	Countersunk	8 x 11/4	200	75	1,800
08112CBS	Countersunk	8 x 1½	200	50	1,200
00082CBS	Countersunk	8 x 2	200	15	540
10114CBS	Countersunk	10 x 11/4	200	50	1200
10112CBS	Countersunk	10 x 11/2	200	15	840
00102CBS	Countersunk	10 x 2	100	15	840
10212CBS	Countersunk	10 x 21/2	100	15	540
12212CBS	Countersunk	12 x 21/2	100	15	540
00412RBS	Roundhead	4 x ½	200	140	540
00634RBS	Roundhead	6 x 3/4	200	75	5,040
00061RBS	Roundhead	6 x 1	200	75	2,700
06112RBS	Roundhead	6 x 1½	200	50	1,800
00834RBS	Roundhead	8 x 3/4	200	75	1,200
00081RBS	Roundhead	8 x 1	200	50	2,700
08112RBS	Roundhead	8 x 1½	200	35	1,200
00061RRBS	Raised Head	6 x 1	200	75	1,800
00082RRBS	Raised Head	8 x 2	200	15	540
					WOB01

PAK03















08112BJCP

10112BJCP

Nickel



Mirror & Decorative Screws & Accessories







Mirror Screw

For hanging a mirror where an aesthetic finish is required. Solid head with rubber washer to protect the mirror from cracking. Includes screws with a slotted recess.





Dome Head

Flat Head

Product Code	Head Type	Finish	Screw Size (imp.)	Pack Qty (pcs)	Carton Qty (packs)
		BOX			
00834CMIR200	Dome	Chrome	8 x 3/4	200	10
00081CMIR200	Dome	Chrome	8 x 1	200	10
08112CMIR200	Dome	Chrome	8 x 1½	200	10
00082CMIR200	Dome	Chrome	8x2	200	10
					MIR01
		TIMPAC			
08114CMIRP	Dome	Chrome	8 x 11/4	10	10
08112CMIRP	Dome	Chrome	8 x 1½	8	10
08114FCMIRP	Flat	Chrome	8 x 11/4	10	10
08112FCMIRP	Flat	Chrome	8 x 1½	8	10
					PAK06

Knurled Brass Inset Screw Cup



Made from Solid Brass

Solid brass screw cups for a highly professional and flush finish. Commonly used with brass countersunk screws for decorative finish or for panels where

frequent removal and replacement may be required.

Drill hole \varnothing size provided is a guide only and may vary in woods with varying hardness. We recommend cups are covered before gently tapping into place to avoid damage to both brass and timber.



Product Code	To Fit Screw Ø (mm)	To Fit Screw G (imp.)	Drill Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)		
TIMPAC							
725221	3.5	6	8	8	10		
725584	4.0 - 4.5	8	8.5	8	10		
725174	4.8 - 5.0	10	11	8	10		
725569	5.5-6.0	12	12	8	10		
G - GAUGE					PAK07		

Screw Cup





A surface screw cup designed to allow the head of the screw to sit proud giving a decorative finish

Product Code	Finish	To Fit Screw Ø (mm)		Qty	Carton Qty (packs)
	7	IMBAG			
8BCUPB	Electro Brass	4.0	8	800	5
8NCUPB	Nickel	4.0	8	800	5
					BAG03
	7	ГІМРАС			
6BCUPP	Electro Brass	3.5	6	60	10
8BCUPP	Electro Brass	4.0	8	55	10
10BCUPP	Electro Brass	5.0	10	50	10
6NCUPP	Nickel	3.5	6	60	10
8NCUPP	Nickel	4.0	8	55	10
10NCUPP	Nickel	5.0	10	50	10
G - GAUGE					PAK07

Electro Brass

Brass Threaded Screw Cap



Made from Solid Brass

A range of two piece solid brass screw caps, available in 5 finishes and 4 sizes. Used for mirrors, signs, plaques or acrylic poster holders.











Polished Chrome

TSC14PC

TSC16PC

TSC14SC

Satin

Polished Chrome

Polished Chrome

Satin Chrome

Polished

Satin

Nickel

Chrome **Brass** Brass

Product Code	Finish	Ø (mm)	To Fit Screw Ø. (mm)	To Fit Screw Gauge (imp.)	Pack Qty (pcs)	Carton Qty (packs)
		TIMPA	.c			
TSC12PCP	Polished Chrome	12	3.5	6	4	5
TSC14PCP	Polished Chrome	14	4.0	8	4	5
TSC16PCP	Polished Chrome	16	5.0	10	4	5
TSC18PCP	Polished Chrome	18	6.0	12	4	5
TSC12SCP	Satin Chrome	12	3.5	6	4	5
TSC14SCP	Satin Chrome	14	4.0	8	4	5
TSC16SCP	Satin Chrome	16	5.0	10	4	5
TSC18SCP	Satin Chrome	18	6.0	12	4	5
TSC12PBP	Polished Brass	12	3.5	6	4	5
TSC14PBP	Polished Brass	14	4.0	8	4	5
TSC16PBP	Polished Brass	16	5.0	10	4	5
TSC18PBP	Polished Brass	18	6.0	12	4	5
TSC12SBP	Satin Brass	12	3.5	6	4	5
TSC14SBP	Satin Brass	14	4.0	8	4	5
TSC16SBP	Satin Brass	16	5.0	10	4	5
TSC18SBP	Satin Brass	18	6.0	12	4	5
TSC12SNP	Satin Nickel	12	3.5	6	4	5
TSC14SNP	Satin Nickel	14	4.0	8	4	5
TSC16SNP	Satin Nickel	16	5.0	10	4	5
TSC18SNP	Satin Nickel	18	6.0	12	4	5
						PAK07
		BULK B	ОХ			

14

16

14

40

5.0

4.0

5.0

8

10

10

40 18

40

40 15





15

18

BSC01



Screw Caps & Covers







Hinged Screw Cap



For cosmetic use to conceal screws. Hinged to aid cap retention during and after installation.

9			
Whit	te	9	











Blue Yellow

Product Code	Colour	To Fit Screw Ø (mm)	To Fit Screw G (imp.)	Pack Qty (pcs)	Carton Qty (packs)
	1	ГІМРАС			
SHCCWHITEP	White	3.0 - 4.5	4-9	100	10
SHCCGREYP	Grey	3.0 - 4.5	4-9	100	10
SHCCDGREYP	Dark Grey	3.0 - 4.5	4-9	100	10
SHCCBLACKP	Black	3.0 - 4.5	4-9	100	10
SHCCBROWNP	Brown	3.0 - 4.5	4-9	100	10
SHCCBLUEP	Blue	3.0 - 4.5	4-9	100	10
SHCCYELLOWP	Yellow	3.0 - 4.5	4-9	100	10
LHCCWHITEP	White	5.0 - 6.0	10-12	50	10
LHCCGREYP	Grey	5.0 - 6.0	10 - 12	50	10
LHCCDGREYP	Dark Grey	5.0 - 6.0	10 - 12	50	10
LHCCBLACKP	Black	5.0 - 6.0	10 - 12	50	10
LHCCBROWNP	Brown	5.0 - 6.0	10-12	50	10
					DALLON

Two Piece Screw Cap



Two piece clip on caps with retaining washers, to provide a protective and decorative finish.



Pack Carton

Chrome Brown







To Fit To Fit Pack Carton To Fit IO FIT Fact Contact Screw Ø Screw G Qty Qty (mm) (lmp.) (pcs) (packs) Product Finish Code ГІМРАС WHITEPLAST White 3.5-4.2 6-8 100 15 CHROMEPLAST Chrome 3.5-4.2 100 15 6-8 BROWNPLAST 3.5 - 4.2 Brown 6-8 100 15 CBROWNPLAST Clay Brown 3.5-4.2 6-8 100 15 OAKPLAST Oak 3.5 - 4.26-8 100 15 CREAMPLAST Cream 3.5 - 4.2 6-8 100 15 GREYPLAST Grey 3.5 - 4.2 6-8 100 15 ANTHPLAST Anthracite 3.5-4.2 6-8 100 15 BLACKPLAST Black 3.5 - 4.2 PLA01

Self-Adhesive Cover Cap





White Gloss

Oak



Ivory



Beige









Maple



Driftwood

Winchester

Oak



Anthracite

Grey





Hardwood

Black

Odessa Oak





Walnut

Beech



Provides a discreet, flush and water tight covering. Ideal for screw heads, unused pre-drilled holes and general repairs to damaged surfaces.





Product Code	Colour	Ø (mm)	Qty (pcs)	Qty (packs)
	PACK			
COVERWM13	White Matt	13	112	200
COVERWM18	White Matt	18	105	200
COVERWG13	White Gloss	13	112	200
COVERIV13	lvory	13	112	200
COVERBG13	Beige	13	112	200
COVERAL13	Aluminium	13	112	200
COVERGR13	Grey	13	112	200
COVEROA13	Oak	13	112	200
COVEROO13	Odessa Oak	13	112	200
COVERBE13	Beech	13	112	200
COVERMA13	Maple	13	112	200
COVERDR13	Driftwood	13	112	200
COVERMH13	Mahogany	13	112	200
COVERAH13	African Hardwood	13	112	200
COVERDW13	Dijon Walnut	13	112	200
COVERNW13	Natural Walnut	13	112	200
COVERWO13	Winchester Oak	13	112	200
COVERAG13	Anthracite Grey	13	112	200
COVERBL13	Black	13	112	200
				PLA03
	TRADE PAC	CK		
752493	White Gloss	13	1.008	100

	IKADEPAC	·r		
752493	White Gloss	13	1,008	100
752030	White Matt	13	1,008	100
752645	Black	13	1,008	100
				PLA03





C2 Cylinder Head **Decking Screws**

Exterior (Green Organic)







EN 14592:2008

A premium decking screw with a reduced cylindrical head to give a concealed finish and patented C2 twincut technology.

Product Code

Size (mm) Driver Pack Carton Pallet Qty Qty Bit (pcs) (packs) (packs)

TUB (DRIVER BIT INCLUDED)

433209 4.5×60 TX15 250

288 IDD04

A2 Stainless Steel





FN 14592-2008

Reduced cylindrical head to give a concealed finish and single slash for low torque and reduced timber splitting.



Driver Pack Carton Pallet Product Size Bit Code (mm)

TUB (DRIVER BIT INCLUDED) 4.5×60 TX15 250

315 IDD02

Qty

Qty

(pcs) (packs) (packs)

Qty

Exterior (Green Organic) 1 2 3 4 5 Urban & industrial areas with a low salt atmosphere

A2 Stainless Steel > 1 2 3 4 5

433187



THE EDGE



Superior

Corrosion

Resistance!

Decking Screws

Decking Screw - Double Countersunk

Exterior (Green Organic)





FN 14592:2008

Anec Plated hours is des install

conomic but highly effective rood decking screw.	1
d to withstand up to 500 s in a salt spray test and igned to give a rapid	
lation and a secure fixing.	

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)		
		BOX					
50TDECK	4.5 x 50	PZ2	200	15	540		
60TDECK	4.5 x 60	PZ2	200	15	540		
70TDECK	4.5 x 70	PZ2	200	16	384		
80TDECK	4.5 x 80	PZ2	200	16	384		
					IDD01		
TUB (DRIVER BIT INCLUDED)							

50TDECK2000	4.5 x 50	PZ2	2,000	2	72		
60TDECK1500	4.5 x 60	PZ2	1,500	2	72		
					IDD01		
INDUSTRY PACK (1,000 PCS)							
60TDECKIND	4.5 x 60	PZ2	1,000	6	144		





Industry Pack



IDD01

Long Lasting

Corrosion

Resistance!

Tub

Decking Screw - Double Countersunk





An economic but highly effective softwood decking screw.

Manufactured from A2 Stainless Steel. Offering superior corrosion resistance making it ideal for multiple external

applications, especially for the construction of decking platforms. Stainless steel must be used where there is a corrosive environment and/or the base material has inherent corrosive characteristics e.g. Green Oak.

	Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
			TUB			
501	TDECKSS	4.5 x 50	PZ2	250	8	288
651	TDECKSS	4.5 x 65	PZ2	250	8	288
						IDD02



Collated **Decking Screws**

C2 Deck-Fix Collated Decking Screw



Exterior (Green Organic)

EN 14592:2008

A premium decking screw using the C2 twin-cut technology. The collated strips are designed to be compatible with all leading power tool brands.

Product Code	Size (mm)	Qty	Carton Qty (packs)	Qty
	BOX			
65C2DCOLL	4.5 x 65	500	10	240
				COL08





Timber Framing & Landscaping Screws

Designed for outdoor applications

Designed as an alternative to the traditional coach screw mainly used for timber to timber applications. Coated with a patented multi-layer corrosion resistant plating, this screw is ideal for outdoor applications.



DESIGNED FOR SUPERIOR CLAMPING



STOPS TIMBER JACKING



NO PILOT HOLE REQUIRED*



Available in:

A4 Stainless Steel

A2 Stainless Steel

Exterior



Hex Head



Wafer Head

Ideal for:

Decking Frames • Sleepers Fencing & Stairs • Roofing Pergolas • Gazebos

Hex/Wafer Head

8mm hex head countersunk with a fixed washer or wafer head with TX30 / TX40 recess.

Patented Molecular Lubrication

Patented lubrication, designed to enhance screw insertion time and provides greater resistance to corrosion.

Helix

To remove debris and improve clamping.

50° Deep Single Thread

To provide secure fixing with high pull-out resistance.

Type 17 Slash

Slash point tip helps prevent the timber splitting when screwing close to the edge, whilst also helping to reduce torque.

25° Sharp Point

Sharp point and single lead for a fast start, easy penetration and improved thread acceptance.



 $[\]hbox{* pilot hole may be required into certain hardwoods. \# compared to standard zinc \& clear plating}$

Timber Screw - Hex Head





Product

Code

50INDEXSST

75INDEXSST

100INDEXSST

125INDEXSST

150INDEXSST

200INDEXSST

250INDEXSST

300INDEXSST

75INDEXSSTP

10100INH

10150INH

10200INH

640INI

660INI

680INI

6100INI

840INI

860INI

875INI

8100INI

8120INI

8150INI

8200INI

1060INI

1080INI

10100INI

10130INI

10150INI

10160INI

10200INI

100INDEXSSTP 6.7 x 100

150INDEXSSTP 6.7 x 150 8.0

Size

(mm)

6.7 x 50

6.7 x 75

6.7 x 100

6.7 x 125

6.7 x 150

6.7 x 200

 6.7×250

6.7 x 300

6.7 x 75



Ultimate Corrosion Resistance!

Please note a pilot hole is recommended for all stainless steel screws



Pallet

960

432

PAK11

1,000 IND06

1 200

1,200

1,200

600

600

600

600

600

600

600

600 IND01 / IND06

(packs) (packs)

40

10

25 1,000

Socket Pack Carton

Size Qty Qty

TUBE

8.0 25 40 960

8.0 25 40 960

8.0 25 40 960

8.0 25

8.0 25 30 720

8.0 25 15 540

8.0 25 18

8.0 25 12 288 IND01

TIMPAC

8.0 8 10 -

8.0

Exterior (Silver Organic) BAG

> 8.0 10 10 1.200

8.0 10 10

8.0 10 10 1.200

8.0 10 10 1,200

10.0 10 10 1,200

10.0 10 10

10.0 10 5

10.0 10

10.0 10 5

10.0 10 5 600

13.0 10 5

13.0 10

13.0 10 5 600

13.0

13.0 10 5

13.0 10 5 600

10

10.0 x 100 13.0

10.0 x 150 13.0 10 25 1.000

10.0 x 200 13.0 10 25

PACK (SOCKET DRIVE

6.0 x 40

6 0 x 60

6.0 x 80

6.0 x 100

8.0 x 40

8.0 x 60

8.0 x 75

8.0 x 100

8.0 x 120

8.0 x 150

8.0 x 200

10.0 x 60

10.0 x 80

10.0 x 100

10.0 x 130

10.0 x 150

10 0 x 160

10.0 x 200 13.0 10 5

4 10

(mm) (pcs)

Code	(mm)	(mm)	(pcs)	(packs)	(packs)
	Exterior (0	Green	Organ	ic)	
		вох			
60IN	6.7 x 60	8.0	50	35	840
75IN	6.7 x 75	8.0	50	35	840
87IN	6.7 x 87	8.0	50	35	840
100IN	6.7 x 100	8.0	50	15	540
125IN	6.7 x 125	8.0	50	15	540
150IN	6.7 x 150	8.0	50	18	432
175IN	6.7 x 175	8.0	50	18	432
200IN	6.7 x 200	8.0	50	12	288
225IN	6.7 x 225	8.0	50	9	216
250IN	6.7 x 250	8.0	50	9	216 IND01
	TI	MBAG			

TOURNDEATD	0.7 X 100	0.0	30	J	000			
150INDEXTB	6.7 x 150	8.0	30	5	600			
200INDEXTB	6.7 x 200	8.0	20	5	600			
					BAG04			
TIMPAC								
100INDEXP	6.7 x 100	8.0	6	10	-			

6 7 v 100 0 N 50

Socket Pack Carton Pallet Product Size Size Qty Qty

200INDEXTB	6.7 x 200	8.0	20	5	600		
					BAG04		
TIMPAC							
100INDEXP	6.7 x 100	8.0	6	10	-		
150INDEXP	6.7 x 150	8.0	4	10	-		

Industry Tub

100INIDEVED



Designed as an alternative to the traditional coach screw mainly used for timber to timber applications. Coated with a patented multi-layer corrosion resistant plating to withstand 1,000 hours salt spray test, this screw is ideal for external applications.

ΡΔΚΩΘ

		SUCKEL	rack	railet
Product	Size	Size	Qty	Qty
Code	(mm)	(mm)	(pcs)	(packs)

Exterior (Green Organic)							
INDUSTRY T	TUB (SOCKET D	RIVE	RINCLU	JDED)			
87INLT	6.7 x 87	8.0	400	64			
100INLT	6.7 x 100	8.0	300	64			
150INLT	6.7 x 150	8.0	250	64			
				IND01			

Grab Pack



A selection of popular exterior hex head landscaping screw sizes in a handy and reusable storage pack with clip-shut lid.

Product Code	Size (mm)	Size	Qty	Carton Qty (packs)	Pallet Qty (packs)			
Exterior (Green Organic)								
GRAR PACK (165 PCS)								

LA	io) ioi ioi	cent	or garm	c,				
GRAB PACK (165 PCS)								
INDGPACK	-	-	165	5	150			
	6.7 x 75	8.0	30					
	6.7 x 87	8.0	45					
	6.7 x 100	8.0	35					
	6.7 x 125	8.0	35					
	6.7 x 150	8.0	20					
8mm So	cket Driver	-	1					

Timber Screw - Wafer Head







		Driver	Pack	Carton	Pallet
Product	Size	Bit		Qty	
Code	(mm)	Size	(pcs)	(packs)	(packs)

	Exterior (Green Organic)								
	BOX (DRIVER BIT INCLUDED)								
60INW	6.7 x 60	TX30	50	35	840				
75INW	6.7 x 75	TX30	50	35	840				
95INW	6.7 x 95	TX30	50	15	540				
125INW	6.7 x 125	TX30	50	15	540				
150INW	6.7 x 150	TX30	50	18	432				
175INW	6.7 x 175	TX30	50	18	432				
200INW	8.0 x 200	TX40	50	8	192				
225INW	8.0 x 225	TX40	50	6	144				
250INW	8.0 x 250	TX40	50	6	144				
275INW	8.0 x 275	TX40	25	9	216				
300INW	8.0 x 300	TX40	25	9	216				
350INW	8.0 x 350	TX40	25	9	270				
400INW	8.0 x 400	TX40	25	9	270				
					IND02				

Exterior (Green Organic)							
TIMB	AG (DRIV	ER BIT	INCL	JDED)			
95INDEXWB	6.7 x 95	TX30	50	5	600		
125INDEXWB	6.7 x 125	TX30	30	5	600		
150INDEXWB	6.7 x 150	TX30	20	5	600		
					BAG05		
TIMP	AC (DRIVI	FR RIT	INCLL	IDED)			

					BAG05		
TIMPAC (DRIVER BIT INCLUDED)							
95INDEXWP	6.7 x 95	TX30	6	10	-		
125INDEXWP	6.7 x 125	TX30	5	10	-		
150INDEXWP	6.7 x 150	TX30	4	10	-		
					PAK10		

	A2 Stai	nless!	Steel		
TUBE	E (DRIVE	R BIT I	NCLU	DED)	
80INDEXWSST	8.0 x 80	TX40	20	40	960
100INDEXWSST	8.0 x 100	TX40	20	40	960
125INDEXWSST	8.0 x 125	TX40	20	33	660
150INDEXWSST	8.0 x 150	TX40	20	24	480 IND02







IND01

Exterior Coach Screws & Carriage Bolts



Exterior Coach Screw

Exterior (Green Organic)







A traditional way of fastening timber with an added advantage of a corrosion resistant plating for external applications.

Coated with a patented multilayer corrosion resistant plating to withstand 500 hours salt spray making it ideal for external applications.

Manufactured to DIN571.

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)			
	BAG						
675INCSB	6.0 x 75	10.0	10	70			
850INCSB	8.0 x 50	13.0	10	70			
875INCSB	8.0 x 75	13.0	10	50			

Exterior Carriage Bolt, Nut & Washer

Exterior (Green Organic)







A domed head bolt with a square anti spin shoulder mainly used for clamping timber or attaching ironmongery to

Coated with a patented multilayer corrosion resistant plating to withstand 500 hours salt spray making it ideal for external applications.

Manufactured to DIN 603, DIN 934 and DIN 125-A.

Supplied with hex nuts and form A washers.

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BAG			
10100INCB	M10 x 100	17.0	10	10	1000
10150INCB	M10 x 150	17.0	10	6	600
10160INCB	M10 x 160	17.0	10	6	600
10200INCB	M10 x 200	17.0	10	6	600
10220INCB	M10 x 220	17.0	10	5	500

Exterior (Silver Organic)







A domed head bolt with a square anti spin shoulder mainly used for clamping timber or attaching ironmongery to

Coated with a patented multilayer corrosion resistant plating to withstand 1,000 hours salt spray test making it ideal for external applications.

Supplied with hex nuts and form

Socket Pack Carton Pallet

Product Code	Size (mm)	Size (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
	,	BAG	4/	(1)	(1-1-1)
0640CBI	M6 x 40	10.0	10	5	600
0650CBI	M6 x 50	10.0	10	5	600
0675CBI	M6x75	10.0	10	5	600
06100CBI	M6 x 100	10.0	10	5	600
0850CBI	M8 x 50	13.0	10	5	600
0875CBI	M8x75	13.0	10	5	600
08100CBI	M8 x 100	13.0	10	5	600
08110CBI	M8 x 110	13.0	10	5	600
08130CBI	M8 x 130	13.0	10	5	400
08150CBI	M8 x 150	13.0	10	5	400
1075CBI	M10x75	17.0	10	5	600
10100CBI	M10 x 100	17.0	10	5	600
10120CBI	M10 x 120	17.0	10	5	400
10130CBI	M10 x 130	17.0	10	5	400
10150CBI	M10 x 150	17.0	10	5	400
10180CBI	M10 x 180	17.0	10	5	400
1275CBI	M12 x 75	19.0	10	5	600
12100CBI	M12 x 100	19.0	10	5	400
12130CBI	M12 x 130	19.0	10	5	400 CAB03







Advanced Coach Screws

3x FASTER C

THAN A STANDARD COACH SCREW







NO PILOT HOLE REQUIRED*

Yellow



STOPS
TIMBER JACKING

		ie	ilow			
Product Code	Size (mm)	Socket Size (mm)	Fixed Washer Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	BOX (SO	CKET D	RIVER INCL	UDED)	
625SCSY	6.0 x 25	8	12.6	100	18	648
640SCSY	6.0 x 40	8	12.6	100	12	432
650SCSY	6.0 x 50	8	12.6	100	10	360
660SCSY	6.0 x 60	8	12.6	100	10	360
670SCSY	6.0 x 70	8	12.6	100	10	360
680SCSY	6.0 x 80	8	12.6	100	10	360
6100SCSY	6.0 x 100	8	12.6	100	10	360
840SCSY	8.0 x 40	10	14.6	50	12	432
850SCSY	8.0 x 50	10	14.6	50	12	432
860SCSY	8.0 x 60	10	14.6	50	10	360
870SCSY	8.0 x 70	10	14.6	50	10	360
880SCSY	8.0 x 80	10	14.6	50	10	360
8100SCSY	8.0 x 100	10	14.6	50	10	360
8120SCSY	8.0 x 120	10	14.6	50	8	288
1040SCSY	10.0 x 40	13	17.5	50	10	360
1050SCSY	10.0 x 50	13	17.5	50	10	360
1060SCSY	10.0 x 60	13	17.5	50	10	360
1070SCSY	10.0 x 70	13	17.5	50	10	360
1080SCSY	10.0 x 80	13	17.5	50	10	360
10100SCSY	10.0 x 100	13	17.5	50	8	288
10130SCSY	10.0 x 130	13	17.5	50	8	288
10160SCSY	10.0 x 160	13	17.5	50	6	216
1280SCSY	12.0 x 80	16	22.0	25	10	360
12100SCSY	12.0 x 100	16	22.0	25	10	360
12130SCSY	12.0 x 130	16	22.0	25	8	288
12160SCSY	12.0 x 160	16	22.0	25	6	216 socos
		TIM	IBAG			
660SCSYB	6.0 x 60	8	12.6	110	5	-
680SCSYB	6.0 x 80	8	12.6	80	5	
6100SCSYB	6.0 x 100	8	12.6	70		
880SCSYB	8.0 x 80	10	14.6	48	5	
8100SCSYB	8.0 x 100	10	14.6	40	5	
8120SCSYB	8.0 x 120	10	14.6	35	5	
10100SCSYB	10.0 x 100	13	17.5	28	5	
10130SCSYB	10.0 x 130	13	17.5	23		
10160SCSYB	10.0 x 160	13	17.5	18		
						BAG35
			IPAC			
640SCSYP	6.0 x 40	8	12.6	12	10	
650SCSYP	6.0 x 50	8	12.6	12	10	
670SCSYP	6.0 x 70	8	12.6	10	10	
680SCSYP	6.0 x 80	8	12.6	10	10	
6100SCSYP	6.0 x 100	8	12.6	8	10	
8100SCSYP	8.0 x 100	10	14.6	4	10	
8120SCSYP	8.0 x 120	10	14.6	4	10	
10100SCSYP	10.0 x 100	13	17.5		10	-
						PAK08

Ideal for:

Framing • Landscaping
Fencing • Stairs • Roofing
Gazebos • Pergolas • Sleepers



Hex Flange Head

Hexagon head with fixed washer for excellent clamping.

Partially Threaded

Partially threaded to assist clamping of materials.

50° Deep Single Thread

To provide secure fixing with high pull-out resistance.

Single Slach

To reduce torque and the likelihood of the timber splitting when the screw is inserted close to the edge.

25° Sharp Point

Sharp point and single threading for a fast start, easy penetration and improved thread acceptance.



Coach Screws





Coach Screw



Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
0625CSC	6.0 x 25	10	250	12	432
0630CSC	6.0 x 30	10	200	12	540
0640CSC	6.0 x 40	10	200	12	432
0650CSC	6.0 x 50	10	200	8	240
0660CSC	6.0 x 60	10	200	8	240
0670CSC	6.0 x 70	10	200	8	240
0675CSC	6.0 x 75	10	100	12	432
0680CSC	6.0 x 80	10	100	12	432
06100CSC	6.0 x 100	10	200	6	180
0830CSC	8.0 x 30	13	200	8	240
0840CSC	8.0 x 40	13	200	8	240
0850CSC	8.0 x 50	13	100	12	432
0860CSC	8.0 x 60	13	100	8	240
0865CSC	8.0 x 65	13	100	8	240
0870CSC	8.0 x 70	13	100	8	240
0875CSC	8.0 x 75	13	100	8	240
0880CSC	8.0 x 80	13	100	8	240
0890CSC	8.0 x 90	13	50	12	432
08100CSC	8.0 x 100	13	50	12	432
08120CSC	8.0 x 120	13	50	12	432
08150CSC	8.0 x 150	13	50	8	240
1040CSC	10.0 x 40	17	100	8	240
1050CSC	10.0 x 50	17	100	8	240
1060CSC	10.0 x 60	17	100	6	180
1070CSC	10.0 x 70	17	100	6	180
1075CSC	10.0 x 75	17	100	6	180
1080CSC	10.0 x 80	17	50	8	240
10100CSC	10.0 x 100	17	50	8	240
10120CSC	10.0 x 120	17	50	8	240
10130CSC	10.0 x 130	17	50	8	240
10150CSC	10.0 x 150	17	25	12	432
10160csc	10.0 x 160	17	25	12	432
10200CSC	10.0 x 200	17	20	12	432
1250CSC	12.0 x 50	19	100	6	180
1275CSC	12.0 x 75	19	50	8	240
1280CSC	12.0 x 80	19	25	12	432
12100CSC	12.0 x 100	19	25	12	432
12150CSC	12.0 x 150	19	25	8	240
					COA01


	0:	Socket	Pack	Carton	Pallet
Product Code	Size	Size	Qty	Qty	Qty
Code	(mm)	(mm)	(pcs)	(packs)	(packs)
TIMBAG					
0650CSCB	6.0×50	10	120	5	600
0670CSCB	6.0 x 70	10	100	5	600
06100CSCB	6.0 x 100	10	70	5	600
0850CSCB	8.0 x 50	13	75	5	600
0860CSCB	8.0 x 60	13	65	5	600
0880CSCB	8.0 x 80	13	48	5	600
08100CSCB	8.0 x 100	13	40	5	600
1050CSCB	10.0 x 50	17	45	5	600
1080CSCB	10.0 x 80	17	30	5	600
10100CSCB	10.0 x 100	17	28	5	600
10120CSCB	10.0 x 120	17	24	5	600
10130CSCB	10.0 x 130	17	23	5	600
10150CSCB	10.0 x 150	17	18	5	600
1280CSCB	12.0 x 80	19	25	5	600
12100CSCB	12.0 x 100	19	20	5	600
12150CSCB	12.0 x 150	19	12	5	600
					BAG06
	Т	IMPAC			
0650CSCP	6.0 x 50	10	10	5	-
0670CSCP	6.0 x 70	10	10	5	-
0680CSCP	6.0 x 80	10	10	5	-
06100CSCP	6.0 x 100	10	10	5	-
0850CSCP	8.0 x 50	13	5	5	-
0860CSCP	8.0 x 60	13	5	5	-
0880CSCP	8.0 x 80	13	5	5	-
08100CSCP	8.0 x 100	13	5	5	-
1050CSCP	10.0 x 50	17	4	5	-
1080CSCP	10.0 x 80	17	4	5	-
10100CSCP	10.0 x 100	17	2	5	-
10150CSCP	10.0 x 150	17	2	5	-
1275CSCP	12.0 x 75	19	2	5	-
					PAK12

Coach Screw With Nylon Plug

Exterior

Screws 33

Coach



Nylon Plug

NEW SIZES

Pack Carton Pallet

Qty



Nylon plug for use with coach screws into masonry.

	Margh	4	W	
70000	A STATE OF THE PARTY OF THE PAR	-	N. 189	10 mm
100	TOWN CO.		4 2000	
107	STATE OF THE PARTY.			200

To Fit

Screw Ø Qty

Code	(mm)	(mm)	(pcs)	(packs)	(packs)
		TIMBAG			
06NLPB	6.0 x 30	3.5 - 5.0	200	5	870
08NLPB	8.0 x 40	5.0 - 6.0	100	5	870
10NLPB	10.0 x 50	6.0 - 8.0	70	5	600
12NLPB	12.0 x 60	8.0-10.0	50	5	600
14NLPB	14.0 x 75	10.0-12.0	30	5	600
					BAG07
		TIMPAC			
06NLPP	6.0 x 30	3.5 - 5.0	20	10	-
08NLPP	8.0 x 40	5.0 - 6.0	10	10	-
10NLPP	10.0 x 50	6.0 - 8.0	5	10	-
12NLPP	12.0 x 60	8.0 - 10.0	2	10	-
14NLPP	14.0 x 75	10.0 - 12.0	2	10	-







Zinc 1 2 3 4 5 Clean, dry & low humidity environments

Qty

600

600

600







Nylon

Product



Drywall Screws

Coarse Thread Screw

Dark Grey Phosphate TIMBER STUD WORK Used to secure plasterboard to timber stud work. Note: Partially threaded from 60mm.

		Driver	Pack	Carton	Pallet
Product	Size	Bit	Qty	Qty	Qty
Code	(mm)	Size	(pcs)	(packs)	(packs)
ВС	X (DRIVE	R BIT II	NCLUI	DED)	
00025DRYC	3.5 x 25	PH2	1,000	16	384
00032DRYC	3.5 x 32	PH2	1,000	12	324
00035DRYC	3.5 x 35	PH2	1,000	12	288
00038DRYC	3.5 x 38	PH2	1,000	12	288
00042DRYC	3.5 x 42	PH2	1,000	9	216
00045DRYC	3.5 x 45	PH2	1,000	8	192
00050DRYC	3.5 x 50	PH2	1,000	6	144
00055DRYC	3.5 x 55	PH2	500	12	288
00060DRYC	3.5 x 60	PH2	500	12	288
00065DRYC	4.2 x 65	PH2	500	8	192
00075DRYC	4.2 x 75	PH2	500	8	192
00100DRYC	4.8 x 100	PH2	500	6	144
					DRY02
	ВО	X OF 20	00		
00025DRYCS	3.5×25	PH2	200	75	1,800
00032DRYCS	3.5×32	PH2	200	50	1,200
00038DRYCS	3.5×38	PH2	200	35	840
00042DRYCS	3.5 x 42	PH2	200	35	840
00050DRYCS	3.5×50	PH2	200	35	840
00075DRYCS	4.2 x 75	PH2	200	16	384
					DRY02
TL	JB (DRIVE	R BIT I	NCLUI	DED)	
00032DRYCT	3.5 x 32	PH2	2,000	20	-
00038DRYCT	3.5 x 38	PH2	1,500	20	-
					DRY02
	Т	IMBAG			
00032DRYCB	3.5 x 32	PH2	400	5	600
00038DRYCB	3.5 x 38	PH2	350	5	600
00050DRYCB	3.5 x 50	PH2	250	5	600 BAG08



36

Fine Thread Screw



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
В	OX (DRIVE	R BIT II	NCLUI	DED)	
00025DRY	3.5 x 25	PH2	1,000	16	384
00032DRY	3.5 x 32	PH2	1,000	12	324
00035DRY	3.5 x 35	PH2	1,000	12	288
00038DRY	3.5 x 38	PH2	1,000	12	288
00042DRY	3.5 x 42	PH2	1,000	9	216
00045DRY	3.5 x 45	PH2	1,000	8	192
00050DRY	3.5 x 50	PH2	1,000	6	144
00055DRY	3.5 x 55	PH2	500	12	288
00060DRY	3.5 x 60	PH2	500	12	288
00065DRY	4.2 x 65	PH2	500	8	192
00075DRY	4.2 x 75	PH2	500	8	192
00090DRY	4.8 x 90	PH2	500	6	144
00100DRY	4.8 x 100	PH2	500	6	144 DRY01
	ВО	X OF 20	00		
00025DRYS	3.5 x 25	PH2	200	75	1,800
00032DRYS	3.5 x 32	PH2	200	50	1,200
00038DRYS	3.5 x 38	PH2	200	35	840
00042DRYS	3.5 x 42	PH2	200	35	840
00045DRYS	3.5 x 45	PH2	200	35	840
00050DRYS	3.5 x 50	PH2	200	35	840
00060DRYS	3.5 x 60	PH2	200	15	540
00065DRYS	4.2 x 65	PH2	200	16	384
00075DRYS	4.2 x 75	PH2	200	16	384
00100DRYS	4.8 x 100	PH2	200	16	384
					DRS01
	UB (DRIVE			-	
00032DRYT	3.5 x 32	PH2	2,000	20	-
00038DRYT	3.5 x 38	PH2	1,500	20	- DRY01
	-	TINADAG			DKf01
	T	IMBAG			

PH2 400

PH2 350 5 600

PH2 320

PH2 200

PH2 130

250

	Zinc		
		CE	UK
3	PHILLIPS	EN 14566	
9999			
28	METAL ST	UD WORK	
99999-	wall/ceiling max of 0.6	cure plaste track syste mm thicknerally ally threade	ems with a ess.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
В	OX (DRIVE	R BIT II	NCLU	DED)	
00025DRYZ	3.5 x 25	PH2	1,000	16	384
00032DRYZ	3.5 x 32	PH2	1,000	12	324
00035DRYz	3.5 x 35	PH2	1,000	12	288
00038DRYZ	3.5 x 38	PH2	1,000	12	288
00042DRYZ	3.5 x 42	PH2	1,000	9	216
00045DRYZ	3.5 x 45	PH2	1,000	8	192
00050DRYZ	3.5 x 50	PH2	1,000	6	144
00055DRYZ	3.5 x 55	PH2	500	12	288
00060DRYZ	3.5 x 60	PH2	500	12	288
00065DRYZ	4.2 x 65	PH2	500	8	192
00075DRYZ	4.2 x 75	PH2	500	8	192
00090DRYZ	4.8 x 90	PH2	500	6	144
00100DRYZ	4.8 x 100	PH2	500	6	144
00125DRYZ	4.8 x 125	PH2	100	18	432
00150DRYZ	4.8 x 150	PH2	100	18	432 DRY01

600

600

600

600

600

600

5







00032DRYB 3.5 x 32

3.5 x 38

3.5 x 42

 3.5×50

3.5 x 60

4.2 x 75

4.8 x 90

00038DRYB

00042DRYB

00050DRYB

00060DRYB

00075DRYB

00090DRYB

Drywall Screws



Dense Board Screw



super sharp point and high low thread is specifically designed for an excellent fixing into timber.

Driver Pack Carton Pallet

Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)				
BOX (DRIVER BIT INCLUDED)									
00030DRYD	3.9 x 30	PH2	1,000	16	384				
00045DRYD	3.9 x 45	PH2	1,000	8	192				
00055DRYD	3.9 x 55	PH2	1,000	6	144 DRY03				

Self-Drilling Screw



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)				
BOX (DRIVER BIT INCLUDED)									
00025PSDD	3.5 x 25	PH2	1,000	15	384				
00032PSDD	3.5 x 32	PH2	1,000	12	324				
00038PSDD	3.5 x 38	PH2	1,000	12	288				

drill 4 0mm

00042PSDD 3.5 x 42 PH2 1.000 216 00050PSDD 1,000 3.5×50 PH2 144 00055PSDD 3.5×55 PH2 500 288 00065PSDD 3.9 x 65 500 288 00075PSDD 4.2 x 75 PH2 500 192 00100PSDD 4.8 x 100 144 PH2 00125PSDD 4.8 x 125 PH2 100 540

TIMBAG 00032PSDDB 3.5 x 32 400 PH2 600 600 00042PSDDB 3.5 x 42 PH2 320

Cement Board Screws



Twin-Cut Point



Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)
	BOX (DRIVER	BIT	INCLUI	DED)	
217789	4.2 x 25	PH2	200	50	1,200
217283	4.2 x 32	PH2	200	50	1,200
217796	4.2 x 42	PH2	200	35	840

Self-Drilling Point

Exterior Plus







Driver Pack Carton Pallet






Self-drilling point with self-tapping thread for fixing to steel (max. 3.0mm).

Driver Pack Carton Pallet

Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)
	BOX (DRIVER	BITI	NCLUI	DED)	
217154	4.2 x 32	PH2	200	50	1,200
217228	4.2 x 42	PH2	200	35	840
					CBS01



Metal Framing Screws

Page 46

Drywall **Bracket**

Page 234





Collated Drywall Screws



Coarse Thread Screw



Used to secure plasterboard to timber stud work. Note: Partially threaded from 60mm.

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	BOX			
00025COLDYS	3.5 x 25	1,000	10	320
00032COLDYS	3.5 x 32	1,000	10	320
00035COLDYS	3.5 x 35	1,000	10	320
00038COLDYS	3.5 x 38	1,000	10	240
00045COLDYS	3.5 x 45	1,000	10	240
00050COLDYS	3.5×50	1,000	10	240
00055COLDYS	3.5×55	1,000	10	240
00065COLDYS	4.2 x 65	500	10	240
00075COLDYS	4.2 x 75	500	10	240
				COL01
	TUB			
00035CDRYTUB	3.5×35	1,000	6	144
00038CDRYTUB	3.5 x 38	1,000	6	144
00045CDRYTUB	3.5 x 45	1,000	6	144
00055CDRYTUB	3.5 x 55	800	6	144 COL01

38

Fine Thread Screw



Used to secure plasterboard to wall/ceiling track systems with a max of 0.6mm thickness. Note: Partially threaded from 60mm.

Product Code	Size (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
	BOX			
00025COLDZYS	3.5 x 25	1,000	10	320
00032COLDZYS	3.5 x 32	1,000	10	320
00035COLDZYS	3.5 x 35	1,000	10	320
00038COLDZYS	3.5 x 38	1,000	10	240
00042COLDZYS	3.5 x 42	1,000	10	240
00050COLDZYS	3.5 x 50	1,000	10	240
00055COLDZYS	3.5 x 55	1,000	10	240 COL02

Self-Drilling Screw



Self-drilling point to aid fixing plasterboard to wall /ceiling track systems with a max. of 2.0mm thickness.

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	BOX			
00035COLLSD	3.5 x 35	1,000	10	320
00040COLLSD	3.5 x 40	1,000	10	240
00045COLLSD	3.5 x 45	1,000	10	240
00050COLLSD	3.5 x 50	1,000	10	240









Internal Collated Screws



Flooring Screw



Solo Woodscrew



	Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
ı		BOX			
	40SCOLY	4.2 x 40	1,000	8	192
	50SCOLY	4.2 x 50	1,000	4	128
	55SCOLY	4.2 x 55	1,000	4	128
	60SCOLY	4.5 x 60	500	8	256
	70SCOLY	4.5 x 70	500	10	192 COL05



External Collated Screws

4.2 x 55

1.000

128



C2 Deck-Fix

00055COLLF



Classic Stainless



Wing-Tip Self-Drilling





Product Code	Finish	Size (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
		BOX			
00044COLLW	Exterior	4.8 x 44	1,000	4	128
4865COLLW	Zinc	4.8 x 65	500	4	128
					COL08

A2 Stainless Steel

Code

4040CLASSCOL

4050CLASSCOL

1

(mm)

4.0 x 40

4.0 x 50

BOX

2 3

3 4 5

1,000

1,000

(pcs) (packs) (packs)

240

COL07

Roofing and General Construction Screws

The TIMCO Roofing and General Construction range has been specifically designed and manufactured to meet all the recognised industry standards and performance criteria.

Plating Guide:

Bi-Metal - Corrosion Rating 4 out of 5

For industrial areas with a moderate salt atmosphere.

Bi-met screws combine the ultimate corrosion resistance of an A2 stainless steel fastener with the exceptional drilling performance of a hardened carbon steel drill tip.

Exterior Plating - Corrosion Rating 3 out of 5

Use in urban and industrial areas with a low salt atmosphere.

Exterior plating gives a reliable and durable corrosion resistant coating which resists 500 hours salt-spray.

Zinc Plating - Corrosion Rating 1 out of 5

Use in clean, dry and low humidity environments.

A bright zinc electrolytic plating with a clear toxin free finish.

What is Effective Thread Length?

This is the threaded section of the fastener which provides the fixing. The threads must have fully penetrated the supporting steel in order for it to achieve a strong and secure fixing.

Quick reference guide for

Rec. R.P.M

Dia.	Rec. R.P.M
M4.2	1,800 - 2,500
M4.8	1,800 - 2,500
M5.5	1,000 - 1,800
M6.3	1,000 - 1,800



TESTED PRODUCTS*

Metsec developed and now lead the market when it comes to light gauge, galvanised steel structural framing systems suitable for a wide range of applications in most sectors of construction.

We can confirm that the tested shear and tensile values are within the requirements of Metsec and therefore these fixings can be used with Metsec SFS Framing. In addition we have reviewed the range of lengths of these fixings and can confirm that where needed these types of screws at longer lengths may also be used with Metsec SFS Framing.



Stitching Screw - For Sheet to Sheet

Bi-Metal (SO) Exterior (SO) Zinc









Used for stitching two metal roofing sheets together without the need to pre-drill a hole (Max. 1.6mm). Self-drilling point and tapered shank, with a washered hexagon head.

			Fixed			Effective			
		Socket	Washer	EPDM	Max. Drill	Thread	Pack	Carton	Pallet
Product	Size	Size	Ø	Washer	Thickness	Length	Qty	Qty	Qty
Code	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(pcs)	(packs)	(packs)

	Bi-Metal (Silver Organic)												
BOX													
BMS22W16	6.3 x 22	8.0	11.0	16.0	1.6	9	100	35	840				
									RMP01				

Exterior (Silver Organic)											
BOX											
S22W16B	6.3 x 22	8.0	12.0	16.0	1.6	9	100	35	840		
S25W16B	6.3 x 25	8.0	12.0	16.0	1.6	12	100	35	840 RF01		
				TIMBA	\G						
S25W16BB	6.3 x 25	8.0	12.0	16.0	1.6	12	120	5	600		
									BAG11		

				Zind	:							
BAG												
ZS22W16	6.3 x 22	8.0	11.0	16.0	1.6	9	100	22	792			

Self-Drilling Screw -For Heavy Section Steel





Used for attaching metal to heavy gauge steel (max 12mm) without the need to pre-drill a hole.

BMH55

5.5 x 55 8.0

BMH55W16 5.5 x 55 8.0

11.0

11.0

Product Code	Size (mm)	Socket Size (mm)	Fixed Washer Ø (mm)	EPDM Washer (mm)	Max. Drill Thickness (mm)	Effective Thread Length (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
			Bi-Met	tal (Silve	er Organi	c)			
				BO	(
BMH38	5.5 x 38	8.0	11.0	-	12.0	17	100	35	840
BMH38W16	5.5 x 38	8.0	11.0	16.0	12.0	14	100	15	540

12.0

12.0

34

31 100

100 15

540

384 BMR01

				/ 0"	_						
			Exterio	or (Silve	er Organi	IC)					
BOX											
H32B	5.5 x 32	8.0	12.0	-	12.0	13	100	35	840		
H32W16B	5.5 x 32	8.0	12.0	16.0	12.0	10	100	15	540		
H38B	5.5 x 38	8.0	12.0	-	12.0	19	100	35	840		
H38W16B	5.5 x 38	8.0	12.0	16.0	12.0	16	100	15	540		
H55B	5.5 x 55	8.0	12.0	-	12.0	36	100	15	540		
H55W16B	5.5 x 55	8.0	12.0	16.0	12.0	33	100	16	384		
H65B	5.5 x 65	8.0	12.0	-	12.0	46	100	15	540		
H65W16B	5.5 x 65	8.0	12.0	16.0	12.0	43	100	16	384		
H80B	5.5 x 80	8.0	12.0	-	12.0	56 *P/T	100	16	384		
H80W16B	5.5 x 80	8.0	12.0	16.0	12.0	53 *P/T	100	16	288		
H100B	5.5 x 100	8.0	12.0	-	12.0	56 *P/T	100	16	288		
H100W16B	5.5 x 100	8.0	12.0	16.0	12.0	53 *P/T	100	12	288		
									RF01		

				BAG	i				
H38W16BB	5.5 x 38	8.0	12.0	16.0	12.0	16	100	5	600
									BAG11

				Zin	С					
BOX										
ZH32B	5.5 x 32	8.0	12.0	-	12.0	13	100	16	768	
ZH32W16B	5.5 x 32	8.0	12.0	16.0	12.0	10	100	15	540	
ZH38B	5.5×38	8.0	12.0	-	12.0	19	100	16	768	
ZH38W16B	5.5 x 38	8.0	12.0	16.0	12.0	16	100	15	540	
ZH55B	5.5 x 55	8.0	12.0	-	12.0	36	100	15	540	
ZH55W16B	5.5 x 55	8.0	12.0	16.0	12.0	33	100	16	384	
ZH65B	5.5 x 65	8.0	12.0	-	12.0	46	100	15	540	
ZH65W16B	5.5 x 65	8.0	12.0	16.0	12.0	43	100	16	384	
ZH80B	5.5 x 80	8.0	12.0	-	12.0	56 *P/T	100	16	384	
ZH80W16B	5.5 x 80	8.0	12.0	16.0	12.0	53 *P/T	100	12	288	
ZH100B	5.5 x 100	8.0	12.0	-	12.0	56 *P/T	100	12	288	
ZH100W16B	5.5 x 100	8.0	12.0	16.0	12.0	53 *P/T	100	12	288	
									RF02	

				BAC	3				
ZH32W16	5.5 x 32	8.0	11.0	16.0	12.0	10	100	26	936
ZH38W16	5.5 x 38	8.0	11.0	16.0	12.0	16	100	24	864
ZH55W16	5.5 x 55	8.0	11.0	16.0	12.0	33	100	18	648
ZH80W16	5.5 x 80	8.0	11.0	16.0	12.0	*53 P/T	100	12	432

*P/T = PARTIALLY THREADED

RF02



















Self-Drilling Screw - For Light Section Steel





Used for attaching metal to light section steel (Max. 5mm) without the need to pre-drill a hole.





Fixed



Effective

Product Code	Size (mm)	Socket Size (mm)	Washer Ø (mm)		Max. Drill Thickness (mm)	Thread Length (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
		E	Bi-Meta	al (Silve	r Organic)			
				BAG					
BML25	5.5 x 25	8.0	11.0	-	5.0	12	100	50	1,200
BML25W16	5.5 x 25	8.0	11.0	16.0	5.0	9	100	35	840
BML32	5.5 x 32	8.0	11.0	-	5.0	19	100	50	1,200
BML38	5.5 x 38	8.0	11.0	-	5.0	25	100	35	840
BML38W16	5.5 x 38	8.0	11.0	16.0	5.0	22	100	15	540
BML50	5.5 x 50	8.0	11.0	-	5.0	37	100	15	540
BML50W16	5.5 x 50	8.0	11.0	16.0	5.0	34	100	15	540
BML70	5.5 x 70	8.0	11.0	-	5.0	57	100	15	540
BML100	5.5 x 100	8.0	11.0	-	5.0	87	100	16	384
BML100W16	5.5 x 100	8.0	11.0	16.0	5.0	84	100	9	216 BMR01

Product Code	Size (mm)	Socket Size (mm)	Fixed Washer Ø (mm)	EPDM Washer (mm)	Max. Drill Thickness (mm)		Pack Qty	Carton Qty (packs)	Pallet Qty (packs)
		E	Exterio		r Organic)			
				вох		_			
L19B	5.5 x 19	8.0	12.0	-	5.0	7	100	50	1,200
L19W16B	5.5 x 19	8.0	12.0	16.0	5.0	4	100	35	840
L25B* L25W16B*	5.5 x 25 5.5 x 25	8.0	12.0 12.0	16.0	5.0 5.0	13 10	100	50 35	1,200 840
L32B*	5.5 x 32	8.0	12.0	-	5.0	20	100	50	1,056
L32W16B*	5.5 x 32	8.0	12.0	16.0	5.0	17	100	15	540
L38B*	5.5 x 38	8.0	12.0	-	5.0	26	100	35	840
L38W16B*	5.5 x 38	8.0	12.0	16.0	5.0	23	100	15	540
L50B*	5.5 x 50	8.0	12.0	-	5.0	38	100	15	540
_50W16B*	5.5 x 50	8.0	12.0	16.0	5.0	35	100	15	540
L70B*	5.5 x 70	8.0	12.0	-	5.0	58	100	15	540
L70W16B*	5.5 x 70	8.0	12.0	16.0	5.0	55	100	16	384
L100B*	5.5 x 100	8.0	12.0	-	5.0	88	100	12	384
L100W16B*	5.5 x 100	8.0	12.0	16.0	5.0	85	100	9	216
									RF01
				TIMBA	.G				
L25BB*	5.5 x 25	8.0	12.0	-	5.0	13	200	5	600
L25W16BB*	5.5 x 25	8.0	12.0	16.0	5.0	10	140	5	600
_32BB*	5.5 x 32	8.0	12.0	-	5.0	20	160	5	600
L32W16BB*	5.5 x 32	8.0	12.0	16.0	5.0	17	130	5	600
L38BB*	5.5×38	8.0	12.0	-	5.0	26	150	5	600
L38W16BB*	5.5 x 38	8.0	12.0	16.0	5.0	23	110	5	600
_50BB*	5.5×50	8.0	12.0	-	5.0	38	120	5	600
L50W16BB*	5.5 x 50	8.0	12.0	16.0	5.0	35	85	5	600
L70BB*	5.5 x 70	8.0	12.0	-	5.0	58	100	5	600 BAG11
				Zinc					
				BOX					
00812HWSD	4.2 x 13	6.35	8.5	-	3.0	4	1,000	16	192
00834HWSD	4.2 x 19	6.35	8.5	-	3.0	10	1,000	16	192
01012HWSD	4.8 x 13	8.0	10.0	-	4.5	4	1,000	16	192
01058HWSD	4.8 x 16	8.0	10.0	-	4.5	7	1,000	12	144
01034HWSD	4.8 x 19	8.0	10.0	-	4.5	10	1,000	12	144
01234HWSD	5.5 x 19	8.0	11.0	-	5.0	8	500	16	192
00121HWSD	5.5 x 25	8.0	11.0	-	5.0	14	500	12	144
12114HWSD	5.5 x 32	8.0	11.0	-	5.0	21	500	12	144
12112HWSD	5.5 x 38	8.0	11.0	-	5.0	27	500	12	144
12134HWSD	5.5 x 45	8.0	11.0	-	5.0	34	500	8	96 RF02
				BAG					
ZL19W16	5.5 x 19	8.0	11.0	16.0	5.0	4	100	32	1,152
ZL25W16	5.5 x 25	8.0	11.0	16.0	5.0	10	100	30	1,080
ZL32W16	5.5 x 32	8.0	11.0	16.0	5.0	17	100	26	936
ZL38W16	5.5 x 38	8.0	11.0	16.0	5.0	23	100	24	864
ZL50W16	5.5 x 50	8.0	11.0	16.0	5.0	35	100	20	720
ZL60W16	5.5 x 60	8.0	11.0	16.0	5.0	45	100	16	576
ZL70W16	5.5 x 70	8.0	11.0	16.0	5.0	55	100	14	504







Self-Drilling Screw -For Light Section Composite Panel

Bi-Metal (SO) Exterior (SO)



Specifically designed to attach composite panel to light section steel. Self-drilling point with hexagon head.



Min -Socket FW EPDM Max Pack Carton Pallet Product Size Ø Washer MDT PT ETL Qty Qty Code (mm) (mm) (mm) (mm) (mm) (mm) (pcs) (packs) (packs)

Bi-Metal (Silver Organic)										
				BOX						
BMLH70W16	5.5/6.3 x 70	8.0	12.0	16.0	5.0	20-50	27	100	16	384
BMLH100W16	5.5/6.3 x 100	8.0	12.0	16.0	5.0	50-80	47	100	9	216

Exterior (Silver Organic)										
BOX										
LH82W16B	5.5/6.3 x 82	8.0	12.0	16.0	5.0	32-62	41	100	12	288
LH98W16B	5.5/6.3 x 98	8.0	12.0	16.0	5.0	48-78	41	100	9	216
LH115W16B	5.5/6.3 x 115	8.0	12.0	16.0	5.0	65-95	41	100	8	192
MDT = MAX DRILL	THICKNESS • ETL = E	FFECTIV	E THREAD	LENGTH • I	FW = FIXI	ED WASHER	PT= P	ANEL THICH	KNESS	RF01

Fibre Cement Board Screw





Used for securing fibre cement profile sheets to light section steel (max. 5mm). Complete with heavy duty EPDM and stainless steel washer to provide a watertight seal. Also known

as a BAZ washer.

Self-Drilling -For Light Section Steel Slash Point -For Timber

Fixed **EPDM** Pack Carton Pallet Socket Max. Product Size Size Washer Washer Fixture T ETL Qty Qty Code (mm) (mm) (pcs) (packs) (packs)

	Exterior (Silver Organic)										
	BOX										
	Self-drilling - for light section steel										
731816	6.3 x 110	8.0	12.0	25.0	5.0	46	50	8	192		
731274	6.3 x 130	8.0	12.0	25.0	5.0	46	50	8	192		
	Slash point - for timber										
731339	731339 6.3 x 130 8.0 12.0 25.0 - 60 50 8 192										
ETL = EFFECTIV	ETL = EFFECTIVE THREAD LENGTH • T=THICKNESS RF05										

EPDM

Max.

Pack Carton

Pallet

Socket Fixed

Slash Point Screw - For Sheet to Timber





Zinc



Designed to attach sheet metal (Max 0.9mm) to timber. Slash point for easy pick up.



Product Code	Size (mm)	Size (mm)	Washer Ø (mm)	Washer (mm)	Fixture T (mm)	ETL (mm)	Qty	Qty (packs)	Qty (packs)
		E	kterior (Silver C	Organic)				
				вох					
DS25W16B	6.3 x 25	8.0	12.0	16.0	0.9	22	100	35	840
DS32W16B	6.3 x 32	8.0	12.0	16.0	0.9	29	100	15	540
DS45W16B	6.3 x 45	8.0	12.0	16.0	0.9	42	100	15	540
DS45W19B	6.3 x 45	8.0	12.0	19.0	0.9	42	100	18	432
DS60W16B	6.3 x 60	8.0	12.0	16.0	17.0	57	100	18	432
DS60W19B	6.3 x 60	8.0	12.0	19.0	17.0	57	100	12	288
DS80W16B	6.3 x 80	8.0	12.0	16.0	37.0	77	100	12	288
DS100W16B	6.3 x 100	8.0	12.0	16.0	57.0	97	100	9	216
DS125W16B	6.3 x 125	8.0	12.0	16.0	82.0	122	100	8	192
DS150W16B	6.3 x 150	8.0	12.0	16.0	107.0	80 *P/T	100	8	192 RF01
			Т	IMBAG					
DS32W16BB	6.3 x 32	8.0	12.0	16.0	8.0	29	120	5	600
DS45W16BB	6.3 x 45	8.0	12.0	16.0	8.0	42	90	5	600 BAG11
				Zinc					
				BAG					
ZDS25W16	6.3 x 25	8.0	13.0	16.0	0.8	22	100	20	720
ZDS32W16	6.3 x 32	8.0	13.0	16.0	0.8	29	100	18	648
ZDS45W16	6.3 x 45	8.0	13.0	16.0	8.0	42	100	14	504
ZDS60W16	6.3 x 60	8.0	13.0	16.0	17.0	57	100	12	432
ZDS80W16	6.3 x 80	8.0	13.0	16.0	37.0	77	100	10	360
ZDS100W16	6.3 x 100	8.0	13.0	16.0	57.0	97	100	8	288
*P/T = PARTIALLY T	HREADED • ETL	= EFFECTIV	E THREAD LE	NGTH • T=TH	IICKNESS				RF02







Wing-Tip Self-Drilling Screw -For Timber to Light Section Steel





Specifically designed to attach wood to metal. Coarse self-tapping thread with wings designed to ream out the timber, so the screw can achieve Max R.P.M. without burning out. When the wings hit the metal they will break off to permit the thread to self tap into the metal.

Product Code	Size (mm)	Driver Bit Size	Max. Drilling Thickness (mm)	Effective Thread Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		Bi-N	1etal (Silver	Organic)			
			вох				
BMLW38	4.8 x 38	PH2	4.0	18	200	16	840
BMLW65	5.5 x 65	PH3	5.0	41	200	12	288
BMLW85	5.5 x 85	PH3	5.0	47 *P/T	100	16	384
							BMR02
		Ext	erior (Silver	Organic)			
		BOX (E	ORIVER BIT I	NCLUDED)			
LW4238S	4.2 x 38	PH2	3.0	19	200	16	768
LW38S	4.8 x 38	PH2	4.0	16	200	16	768
LW50S	5.5 x 50	PH3	5.0	26	200	16	384
LW65S	5.5 x 65	PH3	5.0	41	200	12	288
LW85S	5.5 x 85	PH3	5.0	61	100	16	384
LW100S	5.5 x 100	PH3	5.0	61*P/T	100	16	384 RE03

							RF03			
Zinc										
	BOX (DRIVER BIT INCLUDED)									
LW32B	4.2 x 32	PH2	4.0	10	200	22	1056			
LW4238B	4.2 x 38	PH2	3.0	19	200	16	768			
LW38B	4.8 x 38	PH2	4.0	16	200	16	768			
LW50B	5.5 x 50	PH3	5.0	26	200	16	384			
LW65B	5.5 x 65	PH3	5.0	41	200	12	288			
LW85B	5.5 x 85	PH3	5.0	61	100	16	384			
LW100B	5.5 x 100	PH3	5.0	61 *P/T	100	16	384			
LW130B	5.5 x 130	PH3	5.0	61 *P/T	100	8	384			
LW150B	5.5 x 150	PH3	5.0	61 *P/T	100	12	288			
							RF04			
			TIMBA	G						
LW38BB	4.8 x 38	PH2	4.0	16	260	5	600			
LW50BB	5.5 x 50	PH3	5.0	26	150	5	600			
LW65BB	5.5 x 65	PH3	5.0	41	120	5	600			
*P/T = PARTIALLY	THREADED						BAG12			

Wing-Tip Self-Drilling Screw -For Timber to Heavy Section Steel





Specifically designed to attach wood to metal (Max 12mm). Metric thread with wings designed to ream out the timber, so the screw can achieve Max R.P.M. without burning out. When the wings hit the metal they will break off to permit the thread to self tap into the metal.

Product Code	Size (mm)	Driver Bit Size	Max. Drilling Thickness (mm)	Effective Thread Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		Bi-N	1etal (Silver	Organic)			
			BOX				
BMHW55	5.5 x 55	PH3	12.0	24	200	16	384
BMHW65	5.5 x 65	PH3	12.0	34	200	12	288
BMHW85	5.5 x 85	PH3	12.0	45 *P/T	100	16	384
BMHW120	5.5 x 120	PH3	12.0	45 *P/T	100	8	384 BMR02
			Zinc				
		BOX (E	DRIVER BIT I	NCLUDED)			
HW45B	5.5 x 45	PH3	12.0	15	200	15	540
HW65B	5.5 x 65	PH3	12.0	31	200	12	288
HW85B	5.5 x 85	PH3	12.0	51	100	16	384
HW100B	5.5 x 100	PH3	12.0	63	100	16	384
HW120B *P/T = PARTIALLY TH	5.5 x 120 HREADED	PH3	12.0	51 *P/T	100	8	384 RF04

Washers, Caps & Sheet Fixings



Hex Head Cover Cap

Cover caps are a perfect way to blend in roofing and construction screws with coloured panels. Please bare in mind we only stock a certain amount of colours, please allow at least one week for dispatch. Poppy Red caps are used for highlighting weaker transparent sheets.



Please note these colours are a guide only. Please refer to www.e-paint.co.uk and search for the colour name for a more accurate colour match.

	Code	Code	Colour	Pack Qty
Colour	(16mm)	(19mm)	Reference	(pcs)
		BAG		
Black	1600E53CAP	1900E53CAP	(BS) 00 E 53	1,000
White	1600E55CAP	1900E55CAP	(BS) 00 E 55	1,000
Terracotta	1604C39CAP	1904C39CAP	(BS) 04 C 39	1,000
Petra	1604D44CAP	1904D44CAP	(BS) 04 D 44	1,000
Рорру	1604E53CAP	1904E53CAP	(BS) 04 E 53	1,000
Рорру		: 2904E53CAP	(BS) 04 E 53	1,000
Tangerine	1606E53CAP	1906E53CAP	(BS) 06 E 53	1,000
Flame Red	16RAL3000CAP	19RAL3000CAP	(RAL) 3000	1,000
Burano	16RAL3004CAP	19RAL3004CAP	(RAL) 3004	1,000
Vandyke Brown	1608B29CAP	1908B29CAP	(BS) 08 B 29	1,000
Beige	1608B17CAP	1908B17CAP	(BS) 08 B 17	1,000
Bamboo	1608C35CAP	1908C35CAP	(BS) 08 C 35	1,000
Goosewing Grey	1610A05CAP	1910A05CAP	(BS) 10 A 05	1,000
Mushroom	1610B19CAP	1910B19CAP	(BS) 10 B 19	1,000
Svelte Grey	1610B23CAP	1910B23CAP	(BS) 10 B 23	1,000
Honesty	1610C31CAP	1910C31CAP	(BS) 10 C 31	1,000
Aztec	1610E55CAP	1910E55CAP	(BS) 10 E 55	1,000
Meadowland	1612B17CAP	1912B17CAP	(BS) 12 B 17	1,000
Moorland Green	1612B21CAP	1912B21CAP	(BS) 12 B 21	1,000
Eau De Nil	1614E49CAP	1914E49CAP	(BS) 14 B 49	1,000
Olive Green	1612B27CAP	1912B27CAP	(BS) 12 B 27	1,000
Juniper Green	1612B29CAP	1912B29CAP	(BS) 12 B 29	1,000
Sage	1612D45CAP	1912D45CAP	(BS) 12 D 45	1,000
Pinewood	1614C39CAP	1914C39CAP	(BS) 14 C 39	1,000
Verona	1614E53CAP	1914E53CAP	(BS) 14 E 53	1,000
Heritage	16RAL6002CAP	19RAL6002CAP	(RAL) 6002	1,000
Jade	1614C37CAP	-	(BS) 14 C 37	1,000
Albatross	1618B17CAP	1918B17CAP	(BS) 18 B 17	1,000
Merlin Grey	1618B25CAP	1918B25CAP	(BS) 18 B 25	1,000
Merlin Grey	29mm Code	: 2918B25CAP	(BS) 18 B 25	1,000
Raven/Slate Blue	1618B29CAP	1918B29CAP	(BS) 18 B 29	1,000
Ocean Blue	1618C39CAP	1918C39CAP	(BS) 18 C 39	1,000
Solent Blue	1618E53CAP	1918E53CAP	(BS) 18 E 53	1,000
Britannia	1618E58CAP	1918E58CAP	(BS) 18 E 58	1,000
Wedgewood Blue	-	1918C37CAP	(BS) 18 C 37	1,000
Cornflower	1620E51CAP	1920E51CAP	(BS) 20 E 51	1,000
Ultra Marine	16RAL5002CAP	19RAL5002CAP	(RAL) 5003	1,000
Sargasso	16RAL5003CAP	19RAL5003CAP	(RAL) 5003	1,000
Gentian Blue	16RAL5010CAP	19RAL5010CAP	(RAL) 5010	1,000
Squirrel	16RAL7000CAP	19RAL7000CAP	(RAL) 7000	1,000
Slate Grey	16RAL7012CAP	19RAL7012CAP	(RAL) 7012	1,000
Anthracite	16RAL7016CAP	19RAL7016CAP	(RAL) 7016	1,000
Oyster	16RAL7035CAP	19RAL7035CAP	(RAL) 7035	1,000
Quartz	16RAL7039CAP	19RAL7039CAP	(RAL) 7039	1,000
Hamlet	16RAL9002CAP	19RAL9002CAP	(RAL) 9002	1,000
White (Creamy)	16RAL9003CAP	19RAL9003CAP	(RAL) 9003	1,000
White Alum	16RAL9006CAP	19RAL9006CAP	(RAL) 9006	1,000
Metallic Silver	16S7500CAP	19S7500CAP	-	1,000
Dark Silver	-	19RAL9007CAP	(RAL) 9007	1,000
Pure White	16RAL9010CAP	19RAL9010CAP	(RAL) 9010	1,000
				RF06

EPDM Washer

Galvanised Aluminium



Metal washer with rubber (FPDM) used to prevent washer ingress.

Outer Hole Pack Carton Pallet Product Ø Ø Qty Qty Qty Code (mm) (mm) (pcs) (packs) (packs)

BAG								
Galvanised								
WG16	16	6.8	100	100	2400			
WG19	19	5.8	100	70	1680			
Aluminium								
WA29	29	6.8	100	36	864			

BAZ Washer

Stainless Steel



Heavy duty and high grade EPDM washer with A2 stainless steel cap to provide a watertiaht

seal. Also known as a BAZ washer. Frequently used with self-drilling screws in roofing applications.

Outer Hole Pack Carton Pallet Ø Ø Qty Qty Qty Product Ø Code (mm) (mm) (pcs) (packs) (packs)

		В	OX							
BAZ25	25	10	200	9	216 RF06					
	TIMBAG									
BAZ25B	25	10	100	5	500					
					BAG13					

Sela Cover & Washer





Used when securing roofing sheets to create a watertight seal. When using spring head roofing nails just a washer (SW) is required. If using hook bolts you will also require a Sela Cover (SC) to cover the washer and nut to complete

the seal.

Outer Hole Pack Carton Pallet Product Ø Ø Qty Qty Code (mm) (mm) (pcs) (packs) (packs)

	TIMBAG									
Cover										
28SC	28	-	75	5	500					
	Washer									
628SW	28	M6	75	5	500					
828SW	28	M8	75	5	500 BAG13					

Dowty Type Washer



Used mainly with drive screw nails and spring head roofing nails for attaching corrugated roofing sheets to wooden purlins. The washer provides a watertight seal when used correctly.

Outer Hole Pack Carton Pallet Product Ø Ø Qty Qty Code (mm) (mm) (pcs) (packs) (packs)

TIMBAG								
6BPRS	30	M6	75	5	500			
8BPRS	30	M8	75	5	500			
					BAG13			

Corrugated Sheet Fixing



Designed to fix plastic corrugated sheets to timber. Cover caps provide a water tight seal. Spacers help stop splitting of corrugated sheets as the fixings are tightened.

CI	е	a	r

Screw Pack Carton Pallet Product Size Qty Qty Qty Code Colour (imp.) (pcs) (packs) (packs) TIMBAG

Cap & Screw										
CSFC	Clear	10 x 3	50	250	600					
CSFB	Black	10 x 3	50	250	600					
	Spacer									
224523	Clear	-	50	250	600					
					BAG13					



Bi-Metal (S0)

1 2 3 4 5 Urban & industrial areas with a moderate salt atmosphere

Metal Framing Screws



Low Profile -Pan Head

Exterior (Silver Organic)



A light duty metal to metal screw with a reduced pan to give a flush finish. Silver organic plated to withstand over 500 hours salt spray test.

		Max. Drilling	Pack	Carton	Pallet
Product	Size	Thickness	Qty	Qty	Qty
Code	(mm)	(mm)	(pcs)	(packs)	(packs)
	BOX (DI	RIVER BIT IN	ICLUI	DED)	
I DD16	48 v 16	4.0	500	15	768

Low Profile -Wafer Head

Exterior (Silver Organic) EN 14566:2008 STEEL

A light duty metal to metal screw with a large flat surface under the head, making it ideal for fixing thinner sheet material when a flush finish is required. Silver organic plated to withstand over 500 hours salt spray test.

Product Code	Size (mm)	Max. Drilling Thickness (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
	BOX (I	DRIVER BIT II	NCLU	DED)	
22LPW	4.8 x 22	4.0	200	35	840 MES01

Low Profile -**Pancake Head**

Exterior (Silver Organic) EN 14566:2008 PHILLIPS & FN10666-2008



A medium duty metal to metal screw with a large flat surface under the head, making it ideal for fixing thinner sheet material when a flush finish is required. Silver organic plated to withstand over 500 hours salt spray test.

Product Code	Size (mm)	Max. Drilling Thickness (mm)	Qty	Carton Qty (packs)	Qty
	BOX (DI	RIVER BIT IN	CLU	DED)	
FP19	5.5 x 19	5.0	500	16	540
FP26	5.5 x 26	5.0	500	16	384
					145004

Pan Head

Zinc EN 14566:2008 & EN10666:2008 STEEL

A light duty metal to metal screw with a phillips recess used for interior applications.

Product Code	Size (imp.)	Max. Drilling Thickness (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
00658PPSD	6x%	2.5	1,000	15	540
00061PPSD	6 x 1	2.5	1,000	16	384
07716PPSD	7 x 1/16	2.5	1,000	15	540
00812PPSD	8 x ½	3.0	1,000	15	540
00834PPSD	8 x 3/4	3.0	1,000	16	384
834PSD	8 x 3/4	3.0	200	75	2,700
00081PPSD	8 x 1	3.0	1,000	12	288
81PSD	8 x 1	3.0	200	75	2700
					PPS01

Pan Head

MES01



A light duty metal to metal screw with a square recess used for interior applications.

Product Code	Size (imp.)	Max. Drilling Thickness (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
00812SPSD	8 x ½	3.0	1,000	15	540

Wafer Head





Used when constructing drywall track and ceiling track systems to stitch the track together.

SHARP POINT

Max. Drilling Pack Carton Pallet Product Size Thickness Qty Qty (pcs) (packs) (packs)

BOX (DRIVER BIT INCLUDED)									
Self-drilling point									
08916WHSD	4.2 x 13	3.0	1,000	15	540				
00016WHSD	4.2 x 16	3.0	1,000	16	288				
00019WHSD	4.2 x 19	3.0	1,000	12	288				
00025WHSD	4.2×25	3.0	1,000	12	144				
Sharp point									
08916WHSP	4.2 x 13	0.6	1,000	15	540				













Self-Tapping Screws

Used for stitching metal or attaching to metal. A pre-drilled hole is required. Manufactured to BS4174:1972



Pan Head



Pan head for extra clamping.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	, ,	вох	,	. ,	. ,
00438CPAZS	2.9 x 9.5	PZ1	200	140	5040
00412CPAZS	2.9 x 13	PZ1	200	140	5040
00638CPAZS	3.5 x 9.5	PZ2	200	140	5040
00612CPAZS	3.5 x 13	PZ2	200	140	5040
00658CPAZS	3.5 x 16	PZ2	200	75	2700
00634CPAZS	3.5 x 19	PZ2	200	75	2700
00061CPAZS	3.5 x 25	PZ2	200	75	1800
00838CPAZS	4.2 x 9.5	PZ2	200	75	2700
00812CPAZS	4.2 x 13	PZ2	200	75	2700
00858CPAZS	4.2 x 16	PZ2	200	65	2340
00834CPAZS	4.2 x 19	PZ2	200	65	1560
00081CPAZS	4.2 x 25	PZ2	200	50	1200
08114CPAZS	4.2 x 32	PZ2	200	22	1056
08112CPAZS	4.2 x 38	PZ2	200	35	840
00082CPAZS	4.2 x 50	PZ2	200	15	540
01012CPAZS	4.8 x 13	PZ2	200	50	1200
01058CPAZS	4.8 x 16	PZ2	200	38	1520
01034CPAZS	4.8 x 19	PZ2	200	35	840
00101CPAZS	4.8 x 25	PZ2	200	22	1056
10114CPAZS	4.8 x 32	PZ2	200	16	768
10112CPAZS	4.8 x 38	PZ2	200	15	540
00102CPAZS	4.8 x 50	PZ2	200	15	540
01212CPAZS	5.5 x 13	PZ3	200	35	840
00121CPAZS	5.5 x 25	PZ3	200	16	768
12112CPAZS	5.5 x 38	PZ3	100	35	840
01434CPAZS	6.3 x 19	PZ3	200	16	768
					STS01
	Т	IMPAC			
00614CPAZP	3.5 x 6.5	PZ2	30	10	-
00638CPAZP	3.5 x 9.5	PZ2	25	10	-
00612CPAZP	3.5 x 13	PZ2	20	10	-

TIMPAC									
00614CPAZP	3.5 x 6.5	PZ2	30	10	-				
00638CPAZP	3.5 x 9.5	PZ2	25	10	-				
00612CPAZP	3.5 x 13	PZ2	20	10	-				
00634CPAZP	3.5 x 19	PZ2	18	10	-				
00838CPAZP	4.2 x 9.5	PZ2	16	10	-				
00812CPAZP	4.2 x 13	PZ2	16	10	-				
00858CPAZP	4.2 x 16	PZ2	14	10	-				
00834CPAZP	4.2 x 19	PZ2	14	10	-				
00081CPAZP	4.2 x 25	PZ2	12	10	-				
01012CPAZP	4.8 x 13	PZ2	10	10	-				
01034CPAZP	4.8 x 19	PZ2	10	10	-				
01058CPAZP	4.8 x 16	PZ2	10	10	-				

Countersunk



Countersunk head gives a discreet finish into precountersunk holes.

		Driver	Pack	Carton	Pallet
Product	Size	Bit	Qty	Qty	Qty
Code	(mm)	Size	(pcs)	(packs)	(packs)
		BOX			
00612CCAZS	3.5 x 13	PZ2	200	140	5040
00658CCAZS	3.5 x 16	PZ2	200	75	2700
00061CCAZS	3.5×25	PZ2	200	75	2700
00812CCAZS	4.2 x 13	PZ2	200	75	2700
00834CCAZS	4.2 x 19	PZ2	200	65	2340
00081CCAZS	4.2 x 25	PZ2	200	50	1200
08114CCAZS	4.2 x 32	PZ2	200	22	1056
08112CCAZS	4.2 x 38	PZ2	200	35	840
08134CCAZS	4.2 x 45	PZ2	200	15	540
00082CCAZS	4.2 x 50	PZ2	200	15	540
00101CCAZS	4.8 x 25	PZ2	200	22	1056
10114CCAZS	4.8 x 32	PZ2	200	35	840
10112CCAZS	4.8 x 38	PZ2	200	15	540
00102CCAZS	4.8 x 50	PZ2	200	15	540
12112CCAZS	5.5 x 38	PZ3	100	15	540
					STS01
	Т	IMPAC			
00634CCAZP	3.5 x 19	PZ2	25	10	-
00812CCAZP	4.2 x 13	PZ2	22	10	-
00834CCAZP	4.2 x 19	PZ2	20	10	-
00081CCAZP	4.2 x 25	PZ2	18	10	-
08114CCAZP	4.2 x 32	PZ2	16	10	-
08112CCAZP	4.2 x 38	PZ2	14	10	-
10114CCAZP	4.8 x 32	PZ2	10	10	-
					PAK04

Flange Head



Flange head gives an aesthetic finish whilst increasing the clamping ability of the screw. BS4174:1972 approved.

Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)
		вох			
00634CFAZS	3.5 x 19	PZ2	200	75	2700
00838CFAZS	4.2 x 9.5	PZ2	200	75	2700
00812CFAZS	4.2 x 13	PZ2	200	75	2700
00858CFAZS	4.2 x 16	PZ2	200	75	1800
00834CFAZS	4.2 x 19	PZ2	200	38	1824
00081CFAZS	4.2 x 25	PZ2	200	50	1200
08114CFAZS	4.2 x 32	PZ2	200	22	1056
01034CFAZS	4.8 x 19	PZ2	200	22	1056
					STS01
	T	MPAC			
00838CFAZP	4.2 x 9.5	PZ2	16	10	-
00812CFAZP	4.2 x 13	PZ2	16	10	-
00834CFAZP	4.2 x 19	PZ2	14	10	-
00081CFAZP	4.2 x 25	PZ2	12	10	-
					PAK04

Driver Pack Carton Pallet

Mixed Tray



A range of popular sizes of self-tapping screws. Three different head types; pan, countersunk and flange head.

Product Code	Size (mm)	Head Type	Qty	Carton Qty (packs)	Pallet Qty (packs)
	MIXE	D TRAY (1,3	05 PC	:S)	
STSTRAY	-	-	1305	6	108
	3.5×6.5	Pan Head	50		
	3.5 x 13	Pan Head	165		
	3.5 x 19	Countersunk	140		
	4.2 x 13	Pan Head	180		
	4.2 x 13	Flange Head	100		
	4.2 x 19	Pan Head	115		
	4.2 x 19	Countersunk	140		
	4.2 x 25	Pan Head	80		
	4.2 x 25	Countersunk	100		
	4.2 x 38	Countersunk	45		
	4.8 x 13	Pan Head	120		
	4.8 x 16	Pan Head	70		



Stainless Steel Self-Tapping Screws

Used for stitching metal or attaching to metal. A pre-drilled hole is required. Stainless steel must be used where there is corrosive environment and/or the base material has inherent corrosive characteristics.



Pan Head (DIN7981)



Pan head for extra clamping. A2 stainless steel for ultimate resistance to corrosion.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
2965CPASS	2.9 x 6.5	PZ1	200	140	5,040
2995CPASS	2.9 x 9.5	PZ1	200	140	5,040
3595CPASS	3.5 x 9.5	PZ2	200	140	5,040
3513CPASS	3.5 x 13	PZ2	200	75	2,700
3519CPASS	3.5 x 19	PZ2	200	75	1,800
3525CPASS	3.5 x 25	PZ2	200	50	1,200
3938CPASS	3.9×38	PZ2	200	22	1,056
4295CPASS	4.2 x 9.5	PZ2	200	75	2,700
4213CPASS	4.2 x 13	PZ2	200	75	1,800
4216CPASS	4.2 x 16	PZ2	200	38	1,824
4219CPASS	4.2 x 19	PZ2	200	38	1,824
4225CPASS	4.2 x 25	PZ2	200	50	1,200
4232CPASS	4.2 x 32	PZ2	200	35	840
4825CPASS	4.8 x 25	PZ2	200	35	840
4832CPASS	4.8 x 32	PZ2	200	15	720
4838CPASS	4.8 x 38	PZ2	200	15	540
4850CPASS	4.8×50	PZ2	200	16	384
5519CPASS	5.5 x 19	PZ3	200	50	1,200
5525CPASS	5.5 x 25	PZ3	200	35	840 TAS01

Countersunk (DIN7982)



Countersunk head gives a discreet finish into pre-countersunk holes. A2 stainless steel for ultimate resistance to corrosion.

Product Code	Size (mm)	Driver Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)
Oode	(11111)	BOX	(роз)	(раска)	(packs)
2913CCASS	2.9 x 13	PZ1	200	140	5,040
2919CCASS	2.9 x 19	PZ1	200	140	5,040
3525CCASS	3.5 x 25	PZ2	200	75	2,700
3995CCASS	3.9 x 9.5	PZ2	200	140	5,040
3913CCASS	3.9 x 13	PZ2	200	140	5,040
3925CCASS	3.9 x 25	PZ2	200	38	1,824
3938CCASS	3.9 x 38	PZ2	200	50	1,200
4295CCASS	4.2 x 9.5	PZ2	200	140	5,040
4213CCASS	4.2 x 13	PZ2	200	75	2,700
4216CCASS	4.2 x 16	PZ2	200	75	2,700
4219CCASS	4.2 x 19	PZ2	200	75	1,800
4225CCASS	4.2 x 25	PZ2	200	50	1,200
4232CCASS	4.2 x 32	PZ2	200	30	1,080
4238CCASS	4.2 x 38	PZ2	200	35	840
4819CCASS	4.8 x 19	PZ2	200	50	1,200
4850CCASS	4.8 x 50	PZ2	200	15	540
					TAS01

Flange Head



Flange head gives an aesthetic finish whilst increasing the clamping ability of the screw. A2 stainless steel for ultimate resistance to corrosion.

Produ Code		Driver Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)
		BOX			
4295CFA	SS 4.2 x 9.5	PZ2	200	75	2,700
4213CFA	SS 4.2 x 13	PZ2	200	75	1,800
4219CFA	SS 4.2 x 19	PZ2	200	50	1,200 TAS01















Machine Screws



Countersunk Machine Screws

Countersunk (DIN965)

Countersunk machine screws with metric thread commonly used in pre-drilled and threaded holes.



Countersunk (DIN965) & **Hex Nut** (DIN34)

Acountersunk machine screw with hex full nut ideal for general light duty bolting applications where a flush finish is required.









Zinc

Countersunk (DIN965)

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
4008CPM	M4x8	PZ2	100	75	2700
4010CPM	M4 x 10	PZ2	100	75	2700
4012CPM	M4 x 12	PZ2	100	75	2700
4020CPM	M4 x 20	PZ2	100	75	2700
4025CPM	M4 x 25	PZ2	100	75	2700
4040CPM	M4 x 40	PZ2	100	50	1200
5010CPM	M5 x 10	PZ2	100	75	2700
5012CPM	M5 x 12	PZ2	100	75	2700
5016CPM	M5 x 16	PZ2	100	75	2700
5020CPM	M5 x 20	PZ2	100	75	2700
5025CPM	M5 x 25	PZ2	100	50	1200
5030CPM	M5 x 30	PZ2	100	50	1200
5040CPM	M5 x 40	PZ2	100	50	1200
5050CPM	M5 x 50	PZ2	100	35	840
6010CPM	M6 x 10	PZ3	100	75	2700
6012CPM	M6 x 12	PZ3	100	75	2700
6016CPM	M6 x 16	PZ3	100	75	2700
6020CPM	M6 x 20	PZ3	100	50	1200
6025CPM	M6 x 25	PZ3	100	50	1200
6030CPM	M6 x 30	PZ3	100	35	840
6040CPM	M6 x 40	PZ3	100	50	840
6050CPM	M6 x 50	PZ3	100	15	540
					MAC01

Countersunk (DIN965) & Hex Nut (DIN934)

Product Code	Size (mm)	Driver Bit Size	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
		TIMPAC			
4025CPMHNP	M4 x 25	PZ2	7	30	5
5010CPMHNP	M5 x 10	PZ2	8	40	5
5016CPMHNP	M5 x 16	PZ2	8	35	5
5020CPMHNP	M5 x 20	PZ2	8	30	5
5025CPMHNP	M5 x 25	PZ2	8	25	5
5030CPMHNP	M5 x 30	PZ2	8	20	5
5040CPMHNP	M5 x 40	PZ2	8	15	5
6020CPMHNP	M6 x 20	PZ3	10	20	5
6040CPMHNP	M6 x 40	PZ3	10	10	5
					PAK05

Pan Head Machine Screws

Pan Head (DIN7985)

Pan head machine screws with metric thread commonly used in pre-drilled and threaded holes. Pan head for extra clamping.



Pan Head (DIN7985) & **Hex Nut** (DIN934)

A pan head machine screw with hex full nut ideal for general light duty bolting applications where a pan head is required for extra clamping effectiveness.

Pack

Carton

Pallet









Pan Head (DIN7985)

Product Code	Size (mm)	Driver Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)
		BOX			
4010PPM	M4 x 10	PZ2	100	75	2700
4012PPM	M4 x 12	PZ2	100	35	2700
4016PPM	M4 x 16	PZ2	100	35	2700
4020PPM	M4x20	PZ2	100	35	2700
4025PPM	M4 x 25	PZ2	100	35	2700
4030PPM	M4 x 30	PZ2	100	50	1200
4040PPM	M4 x 40	PZ2	100	50	1200
4050PPM	M4 x 50	PZ2	100	35	840
4080PPM	M4 x 80	PZ2	100	35	840
5008PPM	M5 x 8	PZ2	100	75	2700
5010PPM	M5 x 10	PZ2	100	75	2700
5012PPM	M5 x 12	PZ2	100	35	2700
5016PPM	M5 x 16	PZ2	100	75	2700
5020PPM	M5 x 20	PZ2	100	50	1200
5025PPM	M5 x 25	PZ2	100	50	1200
5030PPM	M5 x 30	PZ2	100	50	1080
5040PPM	M5 x 40	PZ2	100	35	840
5050PPM	M5 x 50	PZ2	100	35	768
5100PPM	M5 x 100	PZ2	100	15	540
6012PPM	M6 x 12	PZ3	100	50	1200
6016PPM	M6 x 16	PZ3	100	50	1080
6020PPM	M6 x 20	PZ3	100	50	960
6025PPM	M6 x 25	PZ3	100	35	840
6040PPM	M6 x 40	PZ3	100	22	792 MAC01

Pan Head (DIN7985) & Hex Nut (DIN934)

Product Code	Size (mm)	Driver Bit Size	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
		TIMPAC			
4012PPMHNP	M4 x 12	PZ2	7	40	5
4020PPMHNP	M4x20	PZ2	7	32	5
4025PPMHNP	M4x25	PZ2	7	30	5
4030PPMHNP	M4x30	PZ2	7	25	5
4040PPMHNP	M4 x 40	PZ2	7	20	5
5030PPMHNP	M5 x 30	PZ2	8	15	5
5050PPMHNP	M5 x 50	PZ2	8	10	5
6016PPMHNP	M6 x 16	PZ3	10	15	5
6040PPMHNP	M6 x 40	PZ3	10	10	5 PAK05

Unreinforced & Reinforced Construction



PVCu Fabrication Screws

- 1. Friction Stay Screws (FS)
- 2. Countersunk Screws
- 3. Machine Screws
- 4. Element Screws
- 5. Cill Screws
- 6. Baypole Screws



Carbon Steel Zinc / Yellow

Carbon steel with a zinc or yellow plating, mainly used in low corrosive environment.

CORROSION RATING









Occasionally damp/wet rural and sheltered areas



Martensitic Stainless Steel

A magnetic, martensitic stainless steel, with silver organic plating. Silver organic plating is a reliable and durable corrosion resistant coating.

CORROSION RATING









Urban & industrial atmosphere



A2 Austenitic **Stainless Steel**

A non-magnetic austenitic steel suitable where there is a corrosive

CORROSION RATING









All window screws have PH2 recess.







Specialist Window Screws



Element Screw



Baypole Screw



Reinforced Frame Screw



Generally used for attaching steel hardware to steel reinforced PVCu sections. The flat underside of the screws head allows it to clamp the materials together firmly.

Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)
		BOX			
		Zinc			
130Z	4.2 x 13	PH2	1,000	15	540
131Z	4.2 x 16	PH2	1,000	15	540
132Z	4.2 x 19	PH2	1,000	8	384
133Z	4.2 x 25	PH2	1,000	6	288
					WIN01
410 Marte	ncitic Stair	Jose Si	tool + 9	SilverO	raanic

Driver Pack Carton Pallet

410 Mart	ensitic Stain	iless St	teel + Si	lver O	rganic
130SS	4.2 x 13	PH2	1,000	15	540
131SS	4.2 x 16	PH2	1,000	15	540
132SS	4.2 x 19	PH2	1,000	8	384
133SS	4.2 x 25	PH2	1,000	6	288
					MICCO4

Machine Screw



Cill Screw



Zinc

Weather Bar Screw

Product

Code

241Z

Size

(mm)

4.0 x 13



Bit Qty Qty Qty

Size (pcs)

BOX

Zinc PH2 1,000

288

(packs) (packs)

Reinforced Frames

135 & 141 Range



• Self-drilling point For attaching friction stavs with countersunk

holes to steel reinforced PVCu frames. *Repair screws for stripped holes (141 range).

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
		Zinc			
135Z	3.9 x 16	PH2	1,000	15	540
136Z	3.9 x 19	PH2	1,000	15	540
137Z	3.9 x 25	PH2	1,000	6	288
138Z	3.9 x 29	PH2	1,000	6	288
141Z*	4.8 x 16	PH2	1,000	15	540
142Z*	4.8 x 19	PH2	1,000	8	384
143Z*	4.8 x 23	PH2	1,000	8	384
					WIN07
410) Martensiti	c SS + S	ilver	Organio	=
135SS	39x16	PH2	1 000	15	540

PH2

PH2 1.000

PH2 1.000 6

PH2 1,000

3.9 x 19

3.9 x 25

3.9 x 29

4.8 x 23

1,000

15

540

288 6

288

216

150 Range



threaded screw has multiple uses for fitting a variety of hardware to frames where there is a steel reinforcement present.

F	Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
			вох			
			Zinc			
15	0Z	M4 x 16	PH2	1,000	15	540
15	1Z	M4 x 19	PH2	1,000	15	540
15	3Z	M4 x 25	PH2	1,000	8	384
15	4Z	M4 x 32	PH2	1,000	8	192
15	5Z	M4 x 38	PH2	500	8	384
		Υ	ellow			
15	0Y	M4 x 16	PH2	1,000	15	540
15	1Y	M4 x 19	PH2	1,000	15	540
15	3Y	M4 x 25	PH2	1,000	8	384
15	5Y	M4 x 38	PH2	500	8	384 WIN01

120 Range

Zinc	Yellow	Mart SS				
	PHILLIPS • Countersunk • Self-tapping • Self-drilling po					
	Multiple uses for fitting a variety of hardware to frames where there is a steel or aluminium reinforcement present. Driver Pack Carton Pallei					
	Driver	Pack Carton Pallet				

Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty	Qty (packs)
Oodc	(111111)	BOX	(pcs)	(packs)	(раска)
		Zinc			
120Z*	3.9 x 13	PH2	1.000	15	540
			,		
121Z*	3.9 x 16	PH2	1,000	15	540
122Z*	3.9 x 19	PH2	1,000	15	540
123Z	3.9×25	PH2	1,000	8	384
126Z	3.9 x 29	PH2	1,000	8	384
124Z	3.9×32	PH2	1,000	6	288
125Z	3.9 x 38	PH2	1,000	6	288
127Z	3.9 x 45	PH2	500	8	384
		Yellow			
120Y*	3.9 x 13	PH2	1,000	15	540
121Y*	3.9 x 16	PH2	1,000	15	540
122Y*	3.9 x 19	PH2	1,000	15	540
123Y	3.9 x 25	PH2	1,000	8	384
124Y	3.9×32	PH2	1,000	6	288
125Y	3.9×38	PH2	1,000	6	288
127Y	3.9 x 45	PH2	500	8	384 WIN01

					WIN01
410) Martensitio	: SS + :	Silver C	rganic	
121SS*	3.9 x 16	PH2	1,000	15	540
122SS*	3.9 x 19	PH2	1,000	15	540
123SS	3.9 x 25	PH2	1,000	8	384
124SS	3.9 x 32	PH2	1,000	6	288
125SS	3.9 x 38	PH2	1,000	6	288
					WSS03

230 Range

136SS

13755

138SS

143SS



Frequently used with auto feed machines when 'pinning' steel reinforcement inside PVCu frames.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)	
		BOX				
		Zinc				
230Z	M4 x 13	PH2	1,000	15	540	
231Z	M4 x 16	PH2	1,000	15	540	
232Z	M4 x 19	PH2	1,000	15	540	
					WIN01	
410 Martensitic SS + Silver Organic						
231SS	M4 x 16	PH2	1,000	15	540	
					WSS03	

423 Range













Unreinforced Frames

100 Range



a variety of hardware to

frames where there is no

Datas Barto Cartan Ballat

steel or aluminium reinforcement present. *Repair screws for stripped holes.

		Driver	Pack	Carton	Pallet
Product	Size	Bit	Qty	Qty	Qty
Code	(mm)	Size	(pcs)	(packs)	(packs)
		BOX			
		Zinc			
104Z	4.3 x 25	PH2	1,000	8	384
105Z	4.3 x 30	PH2	1,000	8	384
106Z	4.3 x 40	PH2	1,000	8	192
109Z*	4.8 x 25	PH2	1,000	8	384
		Yellow			
104Y	4.3 x 25	PH2	1,000	8	384
105Y	4.3 x 30	PH2	1,000	8	384
106Y	4.3 x 40	PH2	1,000	8	192
109Y*	4.8 x 25	PH2	1,000	8	384
					WIN01

200 Range



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
		Zinc			
201Z	4.3 x 16	PH2	1,000	15	540
202Z	4.3 x 20	PH2	1,000	15	540
204Z	4.3 x 25	PH2	1,000	8	384
205Z	4.3 x 30	PH2	1,000	8	384
203Z	4.3 x 35	PH2	1,000	6	288
206Z	4.3 x 40	PH2	1,000	8	192
207Z	4.3 x 45	PH2	500	8	384
208Z	4.3 x 55	PH2	500	6	288
209Z*	4.8 x 25	PH2	1,000	8	384
210Z*	4.8 x 38	PH2	1,000	8	192 WIN01



Driver

Pack Carton

Pallet

Product Code	Size (mm)	Bit Size	Qty (pcs)	Qty (packs)	Qty (packs)
		вох			
		Yellow			
201Y	4.3 x 16	PH2	1,000	15	540
202Y	4.3 x 20	PH2	1,000	15	540
204Y	4.3 x 25	PH2	1,000	8	384
205Y	4.3 x 30	PH2	1,000	8	384
203Y	4.3 x 35	PH2	1,000	6	288
206Y	4.3 x 40	PH2	1,000	8	192
207Y	4.3 x 45	PH2	500	8	384
208Y	4.3 x 55	PH2	500	6	288
209Y*	4.8×25	PH2	1,000	8	384
					WIN01
	A2/Aus	st. Stainle	ess Ste	el	
202SS	4.3 x 20	PH2	1,000	15	540
204SS	4.3 x 25	PH2	1,000	8	384
205SS	4.3 x 30	PH2	1,000	8	384
203SS	4.3 x 35	PH2	1,000	6	288
206SS	4.3 x 40	PH2	1,000	8	192
209SS*	4.8 x 25	PH2	1,000	8	384 WSS01


111 Range



For attaching friction stays to PVCu frames. An alternative to the single thread range offering a slash point and a High-Low thread to aid speed of insertion and pull out.

Product Code	Size (mm)	Driver Bit Size	Qty	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
		Zinc			
111Z	4.3 x 20	PH2	1,000	8	384
112Z	4.3 x 25	PH2	1,000	8	384
					M/IMO4

215 Range



For attaching friction stays with pre-drilled holes to

Stainless steel screws should be used where there is a corrosive environment.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)		
		BOX					
		Zinc					
215Z	4.8 x 16	PH2	1,000	8	384		
216Z	4.8 x 20	PH2	1,000	8	384		
217Z	4.8 x 25	PH2	1,000	6	288		
218Z	4.8 x 30	PH2	1,000	8	192 WIN07		
A2/Aust. Stainless Steel							
215SS	4.8 x 16	PH2	1,000	8	384		
216SS	4.8 x 20	PH2	1,000	8	384		
217SS	4.8 x 25	PH2	1,000	6	288		
218SS	4.8 x 30	PH2	1,000	8	192		

211 Range



For attaching friction stays with countersunk holes to PVCu frames.

Stainless steel screws should be used where there is a corrosive environment.

Driver Pack Carton Pallet

Code	(mm)	Size	(pcs)	(packs)	(packs)	
		BOX				
		Zinc				
213Z	4.3 x 16	PH2	1,000	15	540	
211Z	4.3 x 20	PH2	1,000	8	384	
212Z	4.3 x 25	PH2	1,000	8	384	
					WIN07	
A2/Aust. Stainless Steel						
213SS	4.3 x 16	PH2	1,000	15	540	
211SS	4.3 x 20	PH2	1,000	8	432	
212SS	4.3 x 25	PH2	1,000	8	384	



















Fasteners & Fixings

Fasteners

Carriage Bolts & Hex Nuts	55
Stainless Steel Carriage Bolts	56
Exterior Carriage Bolts	56
Cable Tray Bolts & Threaded Bars	57
Roofing Bolts	57
Set Screws	58-59
Nuts	59-60
Washers	60-61
Grab Packs	62
Stainless Steel Socket Screws	63
Rivets	64

Hanging & Utility Fixings

Hooks & Picture Hangers	64-65
Storage Hooks & Tool Clips	66
Clips & Pins	66
Cable Management	67

Plumbing Fittings & Fixings

Plumbing Accessories	68
Pipe Fittings	69-70
Pipe Clips	71-72
Intumescent Pipe Collars	72
Intumescent Pipe Wraps	72
Hose & Jubilee Clips	73
Jubilee Packs, Kits, Dispensers & Tools	74

Assorted Trays 75-77

Nut Socket Pack Carton Pallet



Carriage Bolts & Hex Nuts



Carriage Bolts (DIN603) & Hex Nuts (DIN934)







EN 14592:2008

A domed head bolt with a square anti spin shoulder mainly used for clamping timber or attaching ironmongery to timber.

Fully threaded up to and including 150mm. Partially threaded thereafter.

Product Size Code (mm)

Nut Socket Pack Carton Pallet Size Qty Qty Qty (mm) (pcs) (packs) (packs)

	BOX						
	Grade 4	.8 (Box	Only)				
0620CB	M6 x 20	10	200	12	384		
0625CB	M6 x 25	10	200	11	352		
0630CB	M6 x 30	10	200	11	240		
0640CB	M6 x 40	10	200	9	288		
0650CB	M6 x 50	10	200	6	192		
0660CB	M6 x 60	10	100	12	384		
0665CB	M6 x 65	10	100	12	384		
0670CB	M6 x 70	10	100	8	240		
0675CB	M6 x 75	10	100	9	288		
06100CB	M6 x 100	10	100	9	288		
06110CB	M6 x 110	10	100	9	288		
06120CB	M6 x 120	10	50	10	320		
06130CB	M6 x 130	10	50	10	320		
06140CB	M6 x 140	10	50	10	320		
06150CB	M6 x 150	10	50	10	320		
0820CB	M8 x 20	13	200	6	192		
0825CB	M8 x 25	13	100	12	384		
0830CB	M8 x 30	13	100	8	240		
0835CB	M8 x 35	13	100	8	240		
0840CB	M8 x 40	13	100	8	240		
0845CB	M8 x 45	13	100	8	240		
0850CB	M8 x 50	13	100	8	240		
0860CB	M8 x 60	13	100	6	192		
0865CB	M8 x 65	13	50	12	384		
0870CB	M8 x 70	13	50	12	384		
0875CB	M8 x 75	13	50	9	288		
0880CB	M8 x 80	13	50	9	288		
0890CB	M8 x 90	13	50	9	288		
08100CB	M8 x 100	13	50	9	288		
08110CB	M8 x 110	13	50	9	288		
08120CB	M8 x 120	13	50	6	192		
08120CB	M8 x 120	13	50	6	192		

Product Code	Size (mm)	Nut Socket Size (mm)	Qty	Carton Qty (packs)	Qty
		BOX			

Zinc

		ROX			
	Grade 4	.8 (Box	Only)		
08140CB	M8 x 140	13	25	10	320
08150CB	M8 x 150	13	25	10	320
08160CB	M8 x 160	13	25	10	320
08180CB	M8 x 180	13	25	10	320
08200CB	M8 x 200	13	25	10	320
1025CB	M10 x 25	17	100	6	204
1030CB	M10 x 30	17	100	6	192
1035CB	M10 x 35	17	50	12	384
1040CB	M10 x 40	17	50	11	352
1050CB	M10 x 50	17	50	9	288
1065CB	M10 x 65	17	50	9	288
1070CB	M10 x 70	17	50	8	240
1075CB	M10x75	17	50	8	256
1080CB	M10 x 73	17	50	6	192
1090CB	M10 x 90	17	25	8	240
10100CB	M10 x 100	17	25	9	288
10100CB	M10 x 100	17	25	9	288
10110CB	M10 x 110	17	25	10	320
10130CB	M10 x 130	17	25	10	320
10140CB	M10 x 140	17	25	8	320
10150CB	M10 x 150	17	25	6	192
10160CB	M10 x 160	17	25	6	192
10180CB	M10 x 180	17	25	6	192
10200CB	M10 x 200	17	10	10	320
10220CB	M10 x 220	17	10	10	320
10240CB	M10 x 240	17	10	10	320
10260CB	M10 x 260	17	10	10	320
10280CB	M10 x 280	17	10	9	288
10300CB	M10 x 300	17	10	9	288
1250CB	M12 x 50	19	25	8	240
1265CB	M12 x 65	19	25	9	288
1275CB	M12 x 75	19	25	9	288
1290CB	M12 x 90	19	25	6	192
12100CB	M12 x 100	19	25	6	192
12110CB	M12 x 110	19	25	6	192
12120CB	M12 x 120	19	10	10	320
12130CB	M12 x 130	19	10	10	320
12140CB	M12 x 140	19	10	10	320
12150CB	M12 x 150	19	10	10	320
12160CB	M12 x 160	19	10	10	320
12180CB	M12 x 180	19	10	10	320
12200CB	M12 x 200	19	10	10	320
12220CB	M12 x 220	19	10	10	320
12230CB	M12 x 230	19	10	10	320
12240CB	M12 x 240	19	10	6	192
12250CB	M12 x 250	19	10	6	192
12260CB	M12 x 260	19	10	6	192
12280CB	M12 x 280	19	10	6	192
12300CB	M12 x 300	19	10	6	192
16100CB	M16 x 100	24	10	9	288
16110CB	M16 x 110	24	10	9	288
16150CB	M16 x 150	24	10	6	192
16180CB	M16 x 180	24	5	10	320
16200CB	M16 x 200	24	5	10	320
					CAB01

Product Code	Size (mm)	Nut Socket Size (mm)	Qty	Qty (packs)	Qty (packs)
	` '	TIMBAG	(1-1-)	(1)	(
0640CBB	M6 x 40	10	120	5	600
0650CBB	M6 x 50	10	90	5	600
0675CBB	M6x75	10	75	5	600
06100CBB	M6 x 100	10	55	5	600
06130CBB	M6 x 130	10	35	5	600
06150CBB	M6 x 150	10	25	5	600
0850CBB	M8 x 50	13	55	5	600
0875CBB	M8 x 75	13	40	5	600
08100CBB	M8 x 100	13	40	5	600
08110CBB	M8 x 110	13	35	5	600
08130CBB	M8 x 130	13	30	5	500
08150CBB	M8 x 150	13	24	5	600
08180CBB	M8 x 180	13	14	5	600
08200CBB	M8 x 200	13	12	5	600
1050CBB	M10 x 50	17	45	5	600
1075CBB	M10x75	17	28	5	600
10100CBB	M10 x 100	17	24	5	600
10120CBB	M10 x 120	17	20	5	600
10130CBB	M10 x 130	17	20	5	600
10150CBB	M10 x 150	17	14	5	600
10180CBB	M10 x 180	17	12	5	600
10200CBB	M10 x 200	17	10	5	400
1250CBB	M12 x 50	19	18	5	600
1275CBB	M12 x 75	19	18	5	600
12100CBB	M12 x 100	19	14	5	600
12130CBB	M12 x 130	19	12	5	600
12150CBB	M12 x 150	19	10	5	600
12180CBB	M12 x 180	19	8	5	600
12200CBB	M12 x 200	19	5	5	400
		TIME C			BAG15
		TIMPAC			

12200CBB	M12 x 200	19	5	5	400 BAG15
	TIMPAC BP M6x40 10 8 BP M6x50 10 4 BP M6x75 10 6 CBP M6x100 10 4 CBP M6x150 10 2 BP M8x50 13 4 CBP M8x50 13 4 CBP M8x100 13 4 CBP M8x100 13 4 CBP M8x100 13 2 CBP M8x110 13 3 CBP M8x110 13 3 CBP M8x110 13 3 CBP M8x150 13 2 CBP M8x150 13 2 CBP M10x150 17 2 CBP M10x150 19 2 CBP M10x50 19 2 CBP M12x50 19 2				
0640CBP	M6 x 40	10	8	5	-
0650CBP	M6 x 50	10	4	5	-
0675CBP	M6 x 75	10	6	5	-
06100CBP	M6 x 100	10	4	5	-
06130CBP	M6 x 130	10	4	5	-
06150CBP	M6 x 150	10	2	5	-
0850CBP	M8 x 50	13	4	5	-
0875CBP	M8 x 75	13	4	5	-
08100CBP	M8 x 100	13	4	5	-
08110CBP	M8 x 110	13	3	5	-
08130CBP	M8 x 130	13	3	5	-
08150CBP	M8 x 150	13	2	5	-
08180CBP	M8 x 180	13	2	5	-
1050CBP	M10 x 50	17	2	5	-
1075CBP	M10 x 75	17	3	5	-
10100CBP	M10 x 100	17	2	5	-
10120CBP	M10 x 120	17	2	5	-
10130CBP	M10 x 130	17	2	5	-
10150CBP	M10 x 150	17	2	5	-
10180CBP	M10 x 180	17	2	5	-
1250CBP	M12 x 50	19	2	5	-
1275CBP	M12 x 75	19	2	5	-
12100CBP	M12 x 100	19	2	5	-
12130CBP	M12 x 130	19	2	5	-
12180CBP	M12 x 180	19	2	5	-
					PAK15





192



08130CB

M8 x 130



Carriage Bolts (DIN603) & Hex Nuts (DIN934)

A2 AUSTENITIC STAINLESS STEEL









A cup square carriage bolt in A2 stainless steel. A full metric fine thread. Nut included in TIMPAC only.

Product Code	Size (mm)	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	TIM	IPAC		
08100CBSSP	M8 x 100	13	4	5
08130CBSSP	M8 x 130	13	3	5
08150CBSSP	M8 x 150	17	2	5
1075CBSSP	M10 x 75	17	3	5
10100CBSSP	M10 x 100	17	2	5
10120CBSSP	M10 x 120	17	2	5
10130CBSSP	M10 x 130	17	2	5
10150CBSSP	M10 x 150	13	2	5
12100CBSSP	M12 x 100	19	2	5
12130CBSSP	M12 x 130	19	2	5
				PAK25

Carriage Bolts (DIN603)

A2 AUSTENITIC STAINLESS STEEL

W				
Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	BOX	(
0625CBSS	M6 x 25	200	8	288
0650CBSS	M6 x 50	200	5	180
1075CBSS	M10 x 75	50	6	216
12100CBSS	M12 x 100	50	3	108
12110CBSS	M12 x 110	25	6	216 CAS01

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	SMALL BAG		
0625CBSSX	M6 x 25	10	200
0630CBSSX	M6 x 30	10	100
0640CBSSX	M6 x 40	10	100
0650CBSSX	M6 x 50	10	100
0675CBSSX	M6 x 75	10	50
06100CBSSX	M6 x 100	10	50
0840CBSSX	M8 x 40	10	100
0850CBSSX	M8 x 50	5	100
0860CBSSX	M8 x 60	5	100
0875CBSSX	M8 x 75	5	100
0880CBSSX	M8 x 80	5	100
08100CBSSX	M8 x 100	5	50
08130CBSSX	M8 x 130	5	50
08150CBSSX	M8 x 150	5	50
1075CBSSX	M10x75	5	50
1090CBSSX	M10 x 90	5	50
10100CBSSX	M10 x 100	5	50
10110CBSSX	M10 x 110	5	50
10120CBSSX	M10 x 120	5	50
10130CBSSX	M10 x 130	5	50
10150CBSSX	M10 x 150	5	30
1275CBSSX	M12x75	5	50
12100CBSSX	M12 x 100	5	30
12110CBSSX	M12 x 110	5	30
12130CBSSX	M12 x 130	5	30 SSB01

Exterior Carriage Bolts, Nuts & Washers

Exterior (Silver Organic)







A domed head bolt with a square antispin shoulder mainly used for clamping timber or attaching ironmongery to

Coated with a patented multi-layer corrosion resistant plating to withstand 1,000

timber

hours salt spray test making it ideal for external

Supplied with hex nuts and form A washers.

Product Code	Size (mm)	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		TIMBAG			
0640CBI	M6 x 40	10	10	5	600
0650CBI	M6 x 50	10	10	5	600
0675CBI	M6 x 75	10	10	5	600
06100CBI	M6 x 100	10	10	5	600
0850CBI	M8 x 50	13	10	5	600
0875CBI	M8 x 75	13	10	5	600
08100CBI	M8 x 100	13	10	5	600
08110CBI	M8 x 110	13	10	5	600
08130CBI	M8 x 130	13	10	5	400
08150CBI	M8 x 150	13	10	5	400
1075CBI	M10 x 75	17	10	5	600
10100CBI	M10 x 100	17	10	5	600
10120CBI	M10 x 120		10	5	400
10130CBI	M10 x 130	17	10	5	400
10150CBI	M10 x 150		10	5	400
10180CBI	M10 x 180	17	10	5	400
1275CBI	M12 x 75	19	10	5	600
12100CBI	M12 x 100	19	10	5	400
12130CBI	M12 x 130	19	10	5	400

Exterior (Green Organic)



A domed head bolt with a square anti-spin shoulder mainly used for clamping timber or attaching ironmongery to timber. Coated with a patented multi-layer corrosion $resistant\ plating\ to\ with stand$ 500 hours salt spray making it ideal for external applic ations.

Manufactured to DIN 603, DIN 934 and DIN 125-A.

Pack Carton Pallet

Code	(mm)	(mm)	(pcs)	(packs)	(packs)
		BAG			
10100INCB	M10 x 100	17	10	10	1000
10150INCB	M10 x 150	17	10	6	600
10160INCB	M10 x 160	17	10	6	600
10200INCB	M10 x 200	17	10	6	600
10220INCB	M10 x 220	17	10	5	500 IND04

Nut

HDG Carriage Bolts & Hex Nuts

Hot Dipped Galvanised





A domed head bolt with a square anti-spin shoulder mainly used for clamping timber or attaching ironmongery to timber Fully threaded up to

and including 150mm. Partially threaded thereafter.

Supplied with hex nuts. Manufactured to DIN 603 and DIN 934.

Product Code	Size (mm)	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
0840CBG	M8 x 40	13	100	9	288
0850CBG	M8 x 50	13	100	9	288
0875CBG	M8 x 75	13	50	9	288
08130CBG	M8 x 130	13	50	6	288
08150CBG	M8 x 150	13	25	10	192
1075CBG	M10x75	17	50	8	320
10100CBG	M10 x 100	17	25	9	256
10110CBG	M10 x 110	17	25	9	288
10130CBG	M10 x 130	17	25	10	288
10150CBG	M10 x 150	17	25	6	320
10180CBG	M10 x 180	17	25	6	192
10200CBG	M10 x 200	17	10	10	192
1275CBG	M12 x 75	19	25	9	320
12100CBG	M12 x 100	19	25	6	288
12110CBG	M12 x 110	19	25	6	192
12130CBG	M12 x 130	19	10	10	192
12150CBG	M12 x 150	19	10	10	320
12180CBG	M12 x 180	19	10	10	320
12200CBG	M12 x 200	19	10	10	320 CAB02

















Cable Tray Bolts & Flange **Nuts (DIN6923)**

Zinc





Specifically designed to provide a rapid and secure fixing when erecting cable trays. Flange nut prevents the nut from falling into the socket driver.

POV	Pallet Qty (packs)					
BOX						
CTB612 M6 x 12 10 200 16	192					
CTB616 M6 x 16 10 200 16	192					
CTB620 M6 x 20 10 200 16	192					
CTB625 M6 x 25 10 200 16	192					

Roofing Bolts & Square Nuts



Manufactured with a large flat head, making it ideal for clamping thin sheet metal, plastic and wood.

Pack Carton Pallet

Product Code	Size (mm)	Nut Size (mm)	(pcs)	(packs)	(packs)
		TIMBAG			
0612RBB	M6 x 12	M6	150	5	870
0620RBB	M6 x 20	M6	140	5	870
0625RBB	M6 x 25	M6	130	5	870
0630RBB	M6 x 30	M6	120	5	600
0640RBB	M6 x 40	M6	110	5	600
0650RBB	M6 x 50	M6	90	5	600
0660RBB	M6 x 60	M6	80	5	600
0680RBB	M6 x 80	M6	70	5	600
					BAG14
		TIMPAC			
0612RBP	M6 x 12	M6	14	5	-
0620RBP	M6 x 20	M6	12	5	-
0625RBP	M6 x 25	M6	10	5	-
0630RBP	M6 x 30	M6	10	5	-
0640RBP	M6 x 40	M6	8	5	-
0650RBP	M6 x 50	M6	8	5	-
0660RBP	M6 x 60	M6	6	5	-
0680RBP	M6 x 80	M6	4	5	-
06100RBP	M6 x 100	M6	2	5	-



Product Code	Size (mm)	Nut Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
0512RB	M5 x 12	M5	200	18	768
0530RB	M5 x 30	M5	200	10	540
0608RB	M6 x 08	M6	200	18	384
0612RB	M6 x 12	M6	200	10	384
0616RB	M6 x 16	M6	200	10	384
0620RB	M6 x 20	M6	200	10	336
0625RB	M6 x 25	M6	100	18	768
0630RB	M6 x 30	M6	100	18	768
0635RB	M6 x 35	M6	100	10	540
0640RB	M6 x 40	M6	100	10	540
0650RB	M6 x 50	M6	100	10	540
0660RB	M6 x 60	M6	100	8	384
0670RB	M6 x 70	M6	100	8	384
0680RB	M6 x 80	M6	100	8	288
06100RB	M6 x 100	M6	100	8	216
0825RB	M8 x 25	M8	100	10	288
0830RB	M8 x 30	M8	100	10	288
0840RB	M8 x 40	M8	100	8	288
0850RB	M8 x 50	M8	100	8	288
0860RB	M8 x 60	M8	100	8	216
0880RB	M8 x 80	M8	50	8	384
08100RB	M8 x 100	M8	50	8	288
08120RB	M8 x 120	M8	50	8	144
08140RB	M8 x 140	M8	50	8	216
08160RB	M8 x 160	M8	50	6	192
08180RB	M8 x 180	M8	50	6	192
08200RB	M8 x 200	M8	50	6	192
					ROB02

Threaded Bars (DIN975)

Grade 4.8

Zinc



Commonly used with drop in anchors for suspending cable trays from ceilings or can be cut to a required length and used with chemical resin.

Product Code	Thread Ø x Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
	300MM BUNDLE		
06300TBZ	M6 x 300	10	25
08300TBZ	M8 x 300	10	30
10300TBZ	M10 x 300	10	10
12300TBZ	M12 x 300	10	9
16300TBZ	M16 x 300	10	5
	1000MM BUNDLE		
06TBZ	M6 x 1000	10	-
08TBZ	M8 x 1000	10	-
10TBZ	M10 x 1000	10	-
12TBZ	M12 x 1000	10	-
16TBZ	M16 x 1000	10	-
20TBZ	M20 x 1000	5	-
			TBA01



Grade 8.8 High Tensile Carbon Steel

Commonly used with drop in anchors for suspending cable trays from ceilings or can be cut to a required length and used with chemical resin.

Product Code	Thread Ø x Length (mm)	Qty (pcs)
	1000MM BUNDLE	
06TBZHT	M6 x 1000	10
08TBZHT	M8 x 1000	10
10TBZHT	M10 x 1000	10
12TBZHT	M12 x 1000	10
16TBZHT	M16 x 1000	10
20TBZHT	M20 x 1000	5
		TD 1 00

A2 AUSTENITIC STAINLESS STEEL



A2 Austenitic

Commonly used with drop in anchors for suspending cable trays from ceilings or can be cut to a required length and used with chemical resin.

Pack Pallet

Product Code	Thread Ø x Length (mm)	Qty (pcs)	Qty (packs)
	1000MM BUNDLE		
06TBSS	M6 x 1000	5	1,200
08TBSS	M8 x 1000	5	600
10TBSS	M10 x 1000	5	400
12TBSS	M12 x 1000	5	300
16TBSS	M16 x 1000	5	160
20TBSS	M20 x 1000	5	100
			TRS01




Set Screws







Set Screws (DIN933)



A fully metric threaded bolt used in a wide variety of applications.

Product Code	Size (mm)	Socket Size (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
0000	()	вох	(600)	(paono)	(paono)
S612Z	M6 x 12	10	500	10	360
S616Z	M6 x 16	10	500	8	288
S620Z	M6 x 20	10	500	6	216
S625Z	M6 x 25	10	500	6	216
S630Z	M6 x 30	10	500	6	216
S635Z	M6 x 35	10	500	4	144
S640Z	M6 x 40	10	200	10	360
S650Z S816Z	M6 x 50 M8 x 16	10 13	200 200	8 10	288 360
S820Z	M8 x 20	13	200	8	288
S825Z	M8 x 25	13	200	8	288
S830Z	M8 x 30	13	200	6	216
S835Z	M8 x 35	13	200	6	216
S840Z	M8 x 40	13	200	6	216
S850Z S860Z	M8 x 50	13 13	200	4	144 144
S870Z	M8 x 60 M8 x 70	13	200 200	3	108
S880Z	M8 x 80	13	200	3	108
S8100Z	M8 x 100	13	100	6	216
S1020Z	M10 x 20	17	200	6	144
S1025Z	M10 x 25	17	200	4	144
S1030Z	M10 x 30	17	200	4	144
S1035Z S1040Z	M10 x 35 M10 x 40	17 17	100	8	288 216
S1040Z S1050Z	M10 x 40	17	100	6	216
S1060Z	M10 x 60	17	100	4	144
S1070Z	M10 x 70	17	100	4	144
S1075Z	M10x75	17	100	4	144
S1080Z	M10 x 80	17	100	4	144
S10100Z	M10 x 100	17	50	6	216
S1225Z S1230Z	M12 x 25 M12 x 30	19 19	100	6	216 216
S1235Z	M12 x 35	19	100	6	216
S1240Z	M12 x 40	19	100	4	144
S1245Z	M12 x 45	19	100	4	144
S1250Z	M12 x 50	19	100	4	144
S1260Z	M12 x 60	19	100	3	108
S1270Z	M12 x 70	19 19	50	6	216
S1275Z S1280Z	M12x75 M12x80	19	50 50	6	216 216
S12100Z	M12 x 100	19	50	4	144
S12120Z	M12 x 120	19	50	4	144
S1625Z	M16 x 25	24	50	6	216
S1630Z	M16 x 30	24	50	6	216
S1635Z	M16 x 35	24	50	6	216
S1640Z S1645Z	M16 x 40 M16 x 45	24 24	50 50	4	144 144
S1650Z	M16 x 50	24	50	4	144
S1655Z	M16 x 55	24	50	4	144
S1660Z	M16 x 60	24	50	4	108
S1665Z	M16 x 65	24	25	6	288
S1670Z	M16 x 70	24	25	6	216
S1675Z	M16 x 75	24	25	6	216
S1680Z S16100Z	M16 x 80 M16 x 100	24 24	25 25	6 4	216 144
S2040Z	M20 x 40	30	25	6	216
S2045Z	M20 x 45	30	25	6	216
S2050Z	M20 x 50	30	25	4	144
S2055Z	M20 x 55	30	25	4	144
S2060Z	M20 x 60	30	25	4	144
S2065Z	M20 x 65	30	25	4	144 144
S2070Z S2075Z	M20 x 70 M20 x 75	30 30	25 25	3	144
S2075Z S2080Z	M20 x 75	30	25	3	108
S2090Z	M20 x 90	30	20	4	144
S20100Z	M20 x 100	30	20	4	144
					93301

A2 Austenitic Stainless Steel					
Product Code	Size (mm)	Socket Size (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
S620SS	M6 x 20	10	200	16	576
S1030SS	M10 x 30	17	100	8	288
S1250SS	M12 x 50	19	50	8	288

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	SMALL	BAG		
S616SSX	M6 x 16	10	10	200
S620SSX	M6 x 20	10	10	200
S625SSX	M6 x 25	10	10	200
S630SSX	M6 x 30	10	10	200
S640SSX	M6 x 40	10	10	100
S650SSX	M6 x 50	10	10	200
S820SSX	M8 x 20	13	10	200
S825SSX	M8 x 25	13	10	100
S830SSX	M8 x 30	13	10	100
S835SSX	M8 x 35	13	10	100
S840SSX	M8 x 40	13	10	100
S850SSX	M8 x 50	13	5	100
S860SSX	M8 x 60	13	5	100
S880SSX	M8 x 80	13	5	100
S8100SSX	M8 x 100	13	5	50
S1020SSX	M10 x 20	17	10	100
S1025SSX	M10 x 25	17	10	100
S1030SSX	M10 x 30	17	10	50
S1035SSX	M10 x 35	17	10	50
S1040SSX	M10 x 40	17	10	50
S1050SSX	M10 x 50	17	5	100
S1060SSX	M10 x 60	17	5	50
S1070SSX	M10 x 70	17	5	50
S1080SSX	M10 x 80	17	5	50
S10100SSX	M10 x 100	17	5	50
S1230SSX	M12 x 30	19	10	50
S1240SSX	M12 x 40	19	10	30
S1250SSX	M12 x 50	19	10	30
S1260SSX	M12 x 60	19	5	50 SSB02

Set Screws (DIN933) & Hex Nuts (DIN934)



A fully metric threaded bolt used in a wide variety of applications.

Size

(mm)

Product

Code

Socket Pack Carton Pallet Size Qty Qty Qty (mm) (pcs) (packs) (packs)

616SNZB 620SNZB 620SNZB 620SNZB 630SNZB 820SNZB 820SNZB 820SNZB 840SNZB 850SNZB 870SNZB 80SNZB 102SSNZB 102SSNZB 1040SNZB 1040SNZB 1040SNZB 1040SNZB 122SSNZB 1230SNZB 122SSNZB 1210SNZB 122SSNZB 1210SNZB 122SSNZB 1210SNZ	M6 x 16 M6 x 25 M6 x 30 M6 x 25 M6 x 30 M8 x 20 M8 x 20 M8 x 50 M8 x 70 M8 x 100 M10 x 25 M10 x 30 M10 x 30 M10 x 25 M12 x 30 M10 x 20 M10 x 100 M12 x 25 M12 x 30 M12 x 100 M12 x 80 M12 x 100 M12 x 100 M12 x 80 M12 x 100 M12	MBAG 10 10 10 10 13 13 13 13 13 17 17 17 17 17 17 17 19 19 19 19	130 115 100 140 70 60 55 45 40 25 20 35 32 28 25 20 15 16 25 23 22 20 18	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	870 870 870 600 870 870 870 870 870 870 600 600 870 725 725 725 600 600 870 870 870
620SNZB 625SNZB 630SNZB 650SNZB 820SNZB 820SNZB 840SNZB 840SNZB 850SNZB 850SNZB 8100SNZB 1025SNZB 1030SNZB 1040SNZB 1040SNZB 1040SNZB 1040SNZB 1040SNZB 125SNZB 125SNZB 1225SNZB 1225SNZB 1240SNZB 1225SNZB 1240SNZB 1210SNZB	M6x20 M6x30 M6x50 M8x20 M8x20 M8x20 M8x40 M8x50 M8x100 M10x25 M10x30 M10x25 M10x30 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x100 M12x25 M12x30 M1	10 10 10 10 11 13 13 13 13 13 13 17 17 17 17 17 17 17 19 19 19	115 100 140 70 60 55 45 40 30 25 20 35 32 28 25 20 15 16 25 23 22 22 22 22	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	870 870 600 870 870 870 870 870 600 600 725 725 725 600 600 870 870
620SNZB 625SNZB 630SNZB 650SNZB 820SNZB 820SNZB 840SNZB 840SNZB 850SNZB 850SNZB 8100SNZB 1025SNZB 1030SNZB 1040SNZB 1040SNZB 1040SNZB 1040SNZB 1040SNZB 125SNZB 125SNZB 1225SNZB 1225SNZB 1240SNZB 1225SNZB 1240SNZB 1210SNZB	M6x20 M6x30 M6x50 M8x20 M8x20 M8x20 M8x40 M8x50 M8x100 M10x25 M10x30 M10x25 M10x30 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x20 M10x100 M12x25 M12x30 M1	10 10 10 10 11 13 13 13 13 13 13 17 17 17 17 17 17 17 19 19 19	115 100 140 70 60 55 45 40 30 25 20 35 32 28 25 20 15 16 25 23 22 22 22 22	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	870 870 600 870 870 870 870 870 600 600 725 725 725 600 600 870 870
625SNZB 630SNZB 650SNZB 820SNZB 820SNZB 825SNZB 840SNZB 850SNZB 870SNZB 8100SNZB 1025SNZB 1025SNZB 1040SNZB 1050SNZB 1070SNZB 1050SNZB 1070SNZB 1070SNZB 125SNZB 1225SNZB 123SNZB 123SNZB 1240SNZB 1225SNZB 1240SNZB 125SNZB 1240SNZB 125SNZB 1210SNZB 125SNZB 1270SNZB	M6x25 M6x30 M6x50 M8x20 M8x25 M8x40 M8x70 M8x70 M8x70 M8x70 M10x2	10 10 10 13 13 13 13 13 13 13 17 17 17 17 17 17 19 19 19	100 140 70 60 55 45 40 30 25 20 35 32 28 25 20 15 16 25 23 22 23 22 20	555555555555555555555555555555555555555	870 600 870 870 870 870 870 600 600 870 725 725 725 600 600 600 870 870 870 870 870 870 870 8
630SNZB 650SNZB 820SNZB 820SNZB 820SNZB 820SNZB 840SNZB 840SNZB 810SNZB 810SNZB 102SSNZB 1030SNZB 1040SNZB 1050SNZB 1050SNZB 10100SNZB 10100SNZB 122SSNZB 123SNZB 123SNZB 123SNZB 123SNZB 1240SNZB 122SSNZB 1210SNZB 1210SNZB 125SNZB 1210SNZ	M6x30 M6x50 M8x20 M8x25 M8x40 M8x50 M8x70 M8x80 M8x100 M10x25 M10x20 M10	10 10 10 13 13 13 13 13 13 17 17 17 17 17 17 17 19 19 19	140 70 60 55 45 40 30 25 20 35 32 28 25 20 15 16 25 23 22 20	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	600 870 870 870 870 870 600 600 725 725 725 600 600 870 870
650SNZB 820SNZB 820SNZB 840SNZB 840SNZB 840SNZB 850SNZB 8100SNZB 102SSNZB 102SSNZB 1040SNZB 1040SNZB 1040SNZB 1040SNZB 125SNZB 125SNZB 122SNZB 1230SNZB 122SNZB 1230SNZB 122SNZB 1210SN	M6x50 M8x25 M8x40 M8x50 M8x70 M8x80 M8x10 M10x25 M10x30 M10x50 M10x70 M10x100 M12x25 M12x35 M12x40 M12x30 M12x35 M12x40 M12x70 M12x70 M12x70 M12x70 M12x10	10 13 13 13 13 13 13 13 17 17 17 17 17 17 19 19 19	70 60 55 45 40 30 25 20 35 32 28 25 20 15 16 25 23 22 20	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	870 870 870 870 870 870 600 600 870 725 725 725 600 600 870 870
820SNZB 825SNZB 840SNZB 850SNZB 850SNZB 870SNZB 8100SNZB 1025SNZB 1025SNZB 1040SNZB 1050SNZB 1070SNZB 1070SNZB 1070SNZB 1070SNZB 1070SNZB 125SNZB 1225SNZB 1225SNZB 1235SNZB 1240SNZB 125OSNZB 125OSNZB 125OSNZB 125OSNZB 125OSNZB 1210SNZB 1	M8x20 M8x26 M8x40 M8x50 M8x70 M8x70 M10x30 M10x30 M10x30 M10x70 M10x10 M10x10 M12x25 M12x35 M12x40 M12x70 M12x70 M12x70 M12x10	13 13 13 13 13 13 13 17 17 17 17 17 17 19 19 19	60 55 45 40 30 25 20 35 32 28 25 20 15 16 25 23 22 20	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	870 870 870 870 870 600 600 870 725 725 725 600 600 870 870
825SNZB 840SNZB 840SNZB 870SNZB 870SNZB 810SNZB 102SSNZB 1030SNZB 1040SNZB 1040SNZB 1050SNZB 1050SNZB 1010SNZB 1010SNZB 1210SNZB 122SSNZB 123SNZB 123SNZB 123SNZB 122SSNZB 122SSNZB 1210SNZB 122SSNZB 1210SNZB 125SNZB 1210SNZB	M8x25 M8x40 M8x50 M8x70 M8x70 M8x100 M10x25 M10x30 M10x40 M10x100 M10x70 M10x100 M12x23 M12x30 M12x35 M12x40 M12x70 M12x70 M12x70 M12x70 M12x70 M12x70 M12x70 M12x70 M12x70	13 13 13 13 13 13 17 17 17 17 17 17 17 19 19 19	55 45 40 30 25 20 35 32 28 25 20 15 16 25 23 22 20	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	870 870 870 870 600 600 870 725 725 725 600 600 870 870
840SNZB 850SNZB 850SNZB 870SNZB 880SNZB 8100SNZB 1025SNZB 1030SNZB 1040SNZB 1070SNZB 1070SNZB 1070SNZB 125SNZB 1225SNZB 1223SNZB 1230SNZB 1240SNZB 1250SNZB 1250SNZB 1250SNZB 1250SNZB 1210DSNZB 1210DSNZB 1210DSNZB 1210DSNZB 1210SNZB	M8×40 M8×50 M8×70 M8×80 M8×80 M10×25 M10×30 M10×50 M10×70 M10×70 M10×100 M12×25 M12×35 M12×40 M12×30 M12×30 M12×30 M12×30 M12×30 M12×30 M12×30 M12×30 M12×30	13 13 13 13 13 17 17 17 17 17 17 17 17 19 19 19	45 40 30 25 20 35 32 28 25 20 15 16 25 23 22 20	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	870 870 870 600 600 870 725 725 725 600 600 870 870
850SNZB 870SNZB 870SNZB 880SNZB 8100SNZB 1025SNZB 1030SNZB 1040SNZB 1050SNZB 1050SNZB 1050SNZB 1050SNZB 10100SNZB 1225SNZB 123SNZB 123SNZB 123SNZB 1240SNZB 1240SNZB 1250SNZB 1250SNZB 1250SNZB 1250SNZB 1210SNZB 1210SNZB 1210SNZB 1210SNZB 1210SNZB 612SNZP 616SNZP 62SSNZP 630SNZP 630SNZP 630SNZP 630SNZP 630SNZP	M8x50 M8x70 M8x80 M8x100 M10x25 M10x40 M10x50 M10x100 M10x100 M10x100 M12x25 M12x30 M12x25 M12x30 M12x50 M12x70 M12x70 M12x70 M12x70 M12x70 M12x70 M12x70	13 13 13 13 13 17 17 17 17 17 17 17 19 19 19	40 30 25 20 35 32 28 25 20 15 16 25 23 22 20	555555555555555555555555555555555555555	870 870 600 600 870 725 725 725 600 600 870 870
870SNZB 880SNZB 880SNZB 8100SNZB 1025SNZB 1040SNZB 1040SNZB 1050SNZB 1070SNZB 1070SNZB 1080SNZB 1225SNZB 1225SNZB 1230SNZB 1230SNZB 1230SNZB 1240SNZB 1240SNZB 1210SN	M8 x 70 M8 x 80 M8 x 100 M10 x 25 M10 x 30 M10 x 40 M10 x 50 M10 x 70 M10 x 80 M10 x 100 M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 70 M12 x 80 M12 x 80 M12 x 100	13 13 13 17 17 17 17 17 17 17 19 19 19	30 25 20 35 32 28 25 20 15 16 25 23 22 20	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	870 600 600 870 725 725 725 600 600 870 870
880SNZB 8100SNZB 1025SNZB 1030SNZB 1040SNZB 1050SNZB 1070SNZB 1070SNZB 1080SNZB 1205SNZB 1225SNZB 1235SNZB 1230SNZB 1240SNZB 1250SNZB 1250SNZB 1250SNZB 1250SNZB 1210DSNZB 1210DSNZB 1210DSNZB 1210DSNZB 1210SNZB	M8 x 80 M8 x 100 M10 x 25 M10 x 30 M10 x 40 M10 x 50 M10 x 70 M10 x 80 M10 x 100 M12 x 25 M12 x 35 M12 x 36 M12 x 50 M12 x 70 M12 x 80 M12 x 80 M12 x 80 M12 x 80	13 13 17 17 17 17 17 17 17 17 19 19 19	25 20 35 32 28 25 20 15 16 25 23 22 20	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	600 600 870 725 725 725 600 600 600 870 870
8100SNZB 1025SNZB 1030SNZB 1040SNZB 1040SNZB 1050SNZB 1050SNZB 1070SNZB 10100SNZB 1225SNZB 1230SNZB 1235SNZB 1240SNZB 1240SNZB 1250SNZB 1250SNZB 1250SNZB 1210SNZB 1210SNZB 1210SNZB 1210SNZB 1210SNZB 612SNZB 612SNZP 616SNZP 62SSNZP 630SNZP 630SNZP 630SNZP 630SNZP	M8 x 100 M10 x 25 M10 x 30 M10 x 40 M10 x 50 M10 x 70 M10 x 80 M10 x 100 M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 70 M12 x 80 M12 x 80 M12 x 100	13 17 17 17 17 17 17 17 17 19 19 19 19	20 35 32 28 25 20 15 16 25 23 22 20	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	600 870 725 725 725 600 600 600 870 870
1025SNZB 1030SNZB 1040SNZB 1040SNZB 1050SNZB 1070SNZB 1070SNZB 10100SNZB 1225SNZB 1225SNZB 1230SNZB 1230SNZB 1240SNZB 1240SNZB 1240SNZB 1270SNZB 1210OSNZB 1	M10 x 25 M10 x 30 M10 x 40 M10 x 50 M10 x 70 M10 x 80 M10 x 100 M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 70 M12 x 80 M12 x 80 M12 x 80	17 17 17 17 17 17 17 17 19 19 19 19	35 32 28 25 20 15 16 25 23 22	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	870 725 725 725 600 600 600 870 870
1030SNZB 1040SNZB 1050SNZB 1070SNZB 1070SNZB 1080SNZB 10100SNZB 1225SNZB 1230SNZB 1230SNZB 1240SNZB 1250SNZB 1250SNZB 1250SNZB 1250SNZB 1250SNZB 12100SNZB 12100SNZB 1210SNZB 1210SNZB 612SNZP 616SNZP 620SNZP 625SNZP 630SNZP 650SNZP	M10 x 30 M10 x 40 M10 x 50 M10 x 70 M10 x 80 M10 x 100 M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 50 M12 x 70 M12 x 70 M12 x 80 M12 x 100	17 17 17 17 17 17 17 19 19 19 19	32 28 25 20 15 16 25 23 22 20	5 5 5 5 5 5 5 5 5 5	725 725 725 600 600 600 870 870
1040SNZB 1050SNZB 1070SNZB 1070SNZB 1080SNZB 10100SNZB 1225SNZB 1225SNZB 1225SNZB 1240SNZB 1240SNZB 1240SNZB 1240SNZB 1210OSNZ	M10 x 40 M10 x 50 M10 x 70 M10 x 80 M10 x 100 M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 50 M12 x 70 M12 x 80 M12 x 100	17 17 17 17 17 17 19 19 19 19	28 25 20 15 16 25 23 22 20	5 5 5 5 5 5 5 5	725 725 600 600 600 870 870
1050SNZB 1070SNZB 1070SNZB 1080SNZB 10100SNZB 1225SNZB 1230SNZB 1230SNZB 1230SNZB 1250SNZB 1250SNZB 1270SNZB 1270SNZB 1210OSNZB 1210OSNZB 12120SNZB 612SNZP 616SNZP 620SNZP 625SNZP 630SNZP 630SNZP 630SNZP 630SNZP 630SNZP	M10 x 50 M10 x 70 M10 x 80 M10 x 100 M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 50 M12 x 70 M12 x 80 M12 x 100	17 17 17 17 19 19 19 19 19	25 20 15 16 25 23 22 20	5 5 5 5 5 5 5	725 600 600 600 870 870
1070SNZB 1080SNZB 10100SNZB 1225SNZB 1230SNZB 1235SNZB 1245SNZB 1240SNZB 1250SNZB 1250SNZB 1250SNZB 12100SNZB 12100SNZB 12100SNZB 12100SNZB 612SNZP 616SNZP 620SNZP 630SNZP 630SNZP 630SNZP	M10 x 70 M10 x 80 M10 x 100 M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 50 M12 x 70 M12 x 80 M12 x 100	17 17 17 19 19 19 19 19	20 15 16 25 23 22 20	5 5 5 5 5 5	600 600 600 870 870
1080SNZB 10100SNZB 1025SNZB 1225SNZB 1230SNZB 1230SNZB 1240SNZB 1240SNZB 1250SNZB 1270SNZB 12100SNZB 12100SNZB 12120SNZB 612SNZP 616SNZP 620SNZP 620SNZP 620SNZP 620SNZP 620SNZP 630SNZP 630SNZP 630SNZP 630SNZP	M10 x 80 M10 x 100 M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 50 M12 x 70 M12 x 80 M12 x 100	17 17 19 19 19 19 19	15 16 25 23 22 20	5 5 5 5	600 600 870 870
1080SNZB 10100SNZB 1025SNZB 1225SNZB 1230SNZB 1230SNZB 1240SNZB 1240SNZB 1250SNZB 1270SNZB 12100SNZB 12100SNZB 12120SNZB 612SNZP 616SNZP 620SNZP 620SNZP 620SNZP 620SNZP 620SNZP 630SNZP 630SNZP 630SNZP 630SNZP	M10 x 80 M10 x 100 M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 50 M12 x 70 M12 x 80 M12 x 100	17 17 19 19 19 19 19	15 16 25 23 22 20	5 5 5 5	600 600 870 870
10100SNZB 1225SNZB 1230SNZB 1230SNZB 1230SNZB 1250SNZB 1250SNZB 1270SNZB 1280SNZB 12100SNZB 12100SNZB 12120SNZB 612SNZP 616SNZP 620SNZP 625SNZP 630SNZP 650SNZP 650SNZP	M10 x 100 M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 50 M12 x 70 M12 x 80 M12 x 100	17 19 19 19 19 19	16 25 23 22 20	5 5 5 5	600 870 870
1225SNZB 1230SNZB 1235SNZB 1240SNZB 125SSNZB 125OSNZB 1270SNZB 12100SNZB 12100SNZB 12120SNZB 612SNZP 612SNZP 62SSNZP 62SSNZP 630SNZP 630SNZP 650SNZP	M12 x 25 M12 x 30 M12 x 35 M12 x 40 M12 x 50 M12 x 70 M12 x 80 M12 x 100	19 19 19 19 19	25 23 22 20	5 5 5	870 870
1230SNZB 1235SNZB 1240SNZB 1240SNZB 1250SNZB 1270SNZB 1280SNZB 12100SNZB 12120SNZB 612SNZP 616SNZP 620SNZP 625SNZP 630SNZP 650SNZP 650SNZP	M12 x 30 M12 x 35 M12 x 40 M12 x 50 M12 x 70 M12 x 80 M12 x 100	19 19 19 19	23 22 20	5	870
1235SNZB 1240SNZB 1250SNZB 1270SNZB 1270SNZB 1280SNZB 1210OSNZB 12120SNZB 612SNZP 616SNZP 62SSNZP 62SSNZP 630SNZP 630SNZP 650SNZP	M12 x 35 M12 x 40 M12 x 50 M12 x 70 M12 x 80 M12 x 100	19 19 19 19	22 20	5	
1240SNZB 1250SNZB 1270SNZB 1270SNZB 1280SNZB 12100SNZB 12120SNZB 612SNZP 616SNZP 620SNZP 625SNZP 630SNZP 630SNZP 650SNZP	M12 x 40 M12 x 50 M12 x 70 M12 x 80 M12 x 100	19 19 19	20	-	010
1250SNZB 1270SNZB 1280SNZB 12100SNZB 12100SNZB 12120SNZB 612SNZP 616SNZP 620SNZP 625SNZP 630SNZP 630SNZP 650SNZP	M12 x 50 M12 x 70 M12 x 80 M12 x 100	19 19		ວ	970
1270SNZB 1280SNZB 12100SNZB 12100SNZB 12120SNZB 612SNZP 616SNZP 620SNZP 620SNZP 630SNZP 630SNZP 650SNZP	M12 x 70 M12 x 80 M12 x 100	19	18		870
1280SNZB 12100SNZB 12120SNZB 12120SNZP 612SNZP 616SNZP 620SNZP 620SNZP 630SNZP 650SNZP	M12 x 80 M12 x 100			5	870
12100SNZB 12120SNZB 612SNZP 616SNZP 620SNZP 625SNZP 630SNZP 650SNZP	M12 x 100		14	5	870
12120SNZB 612SNZP 616SNZP 620SNZP 625SNZP 630SNZP 650SNZP		19	10	5	600
612SNZP 616SNZP 620SNZP 625SNZP 630SNZP 650SNZP	M12 x 120	19	10	5	600
616SNZP 620SNZP 625SNZP 630SNZP 650SNZP		19	8	5	600
616SNZP 620SNZP 625SNZP 630SNZP 650SNZP					BAG16
616SNZP 620SNZP 625SNZP 630SNZP 650SNZP	TI	MPAC			
616SNZP 620SNZP 625SNZP 630SNZP 650SNZP	M6 x 12	10	8	10	-
620SNZP 625SNZP 630SNZP 650SNZP	M6 x 16	10	8	10	-
625SNZP 630SNZP 650SNZP	M6 x 20	10	8	10	_
630SNZP 650SNZP	M6 x 25	10	6	10	-
650SNZP	M6 x 30	10	4	10	-
			4		-
82USNZP	M6 x 50	10		10	-
	M8 x 20	13	6	10	-
825SNZP	M8 x 25	13	4	10	-
830SNZP	M8 x 30	13	4	10	-
840SNZP	M8 x 40	13	2	10	-
850SNZP	M8 x 50	13	2	10	-
870SNZP	M8 x 70	13	2	10	-
880SNZP	M8 x 80	13	2	10	-
8100SNZP	M8 x 100	13	2	10	-
1025SNZP	M10 x 25	17	2	10	-
1030SNZP	M10 x 30	17	2	10	-
1040SNZP	M10 x 40	17	2	10	-
1050SNZP	M10 x 50	17	2	10	-
1070SNZP	M10 x 70	17	2	10	
1070SNZP	M10 x 70	17	2	10	-
10100SNZP	M10 x 100	17	2	10	-
1225SNZP	M12 x 25	19	2	10	-
1230SNZP	M12 x 30	19	2	10	-
1235SNZP	M12 x 35	19	2	10	-
1240SNZP	M12 x 40	19	2	10	-
1250SNZP	M12 x 50	19	2	10	-
1270SNZP	M12 x 70	19	2	10	-
1280SNZP	M12 x 80	19	2	10	-
12100SNZP	M12 x 100	19	2	10	-
12120SNZP		19	2	10	-
	M12 x 120				PAK16
	M12 x 120				

Set Screws (Continued)

Set Screws (DIN933) & Hex Nuts (DIN934)

A2 AUSTENITIC STAINLESS STEEL





A fully metric threaded bolt used in a wide variety of applications.

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	TIME	AC		
S616SSP	M6 x 16	10	8	10
S620SSP	M6 x 20	10	8	10
S625SSP	M6 x 25	10	6	10
S650SSP	M6 x 50	10	4	10
S820SSP	M8 x 20	13	6	10
S825SSP	M8 x 25	13	4	10
S840SSP	M8 x 40	13	2	10
S850SSP	M8 x 50	13	2	10
S1025SSP	M10 x 25	13	2	10
S1030SSP	M10 x 30	17	2	10
S1040SSP	M10 x 40	17	2	10
S1050SSP	M10 x 50	17	2	10
S10100SSP	M10 x 100	17	2	10
S1230SSP	M12 x 30	19	2	10
S1240SSP	M12 x 40	19	2	10
S1250SSP	M12 x 50	19	2	10
				DVK38

Nuts





Hex Full Nuts (DIN934)

Zinc



A traditional nut used for all bolting and fastening applications.

Socket Pack Carton Pallet Size Height Size Qty Qty (mm) (mm) (pcs) (packs) (packs) **BULK BOX (CLASS 8 TO DIN267-4)**

NH6ZBULK	M6	5	10	12,000	10	-
NH8ZBULK	M8	6.5	13	5,500	10	-
NH10ZBULK	M10	8	17	2,500	10	-
NH12ZBULK	M12	10	19	1,700	10	-
NH16ZBULK	M16	13	24	800	10	-
NH20ZBULK	M20	16	30	400	10	-
В	OX (CLASS	8 TO	DIN267	7-4)	
NH4Z	M4	3.2	7	1,500	20	960
NH5Z	M5	4	8	1,000	20	960
NH6Z	M6	5	10	500	20	960
NH8Z	M8	6.5	13	200	20	960
NH10Z	M10	8	17	100	20	960
NH12Z	M12	10	19	100	12	576
NH16Z	M16	13	24	100	6	288
NH20Z	M20	16	30	50	6	288

6HNUTZB	M6	5	10	600	5	725
8HNUTZB	M8	6.5	13	300	5	725
10HNUTZB	M10	8	17	130	5	870
12HNUTZB	M12	10	19	90	5	725
16HNUTZB	M16	13	24	45	5	725
20HNUTZB	M20	16	30	20	5	870

		TI	MPAC			
6HNUTZP	M6	5	10	40	10	-
8HNUTZP	M8	6.5	13	30	10	-
10HNUTZP	M10	8	17	20	10	-
12HNUTZP	M12	10	19	10	10	-
16HNUTZP	M16	13	24	4	10	-
20HNUTZP	M20	16	30	2	10	-
						PΔK17

A2 AUSTENITIC STAINLESS STEEL Socket

Pack Carton Pallet

Product Code	Size (mm)	Size (mm)	Qty (pcs)	Qty (packs)	Qty (packs)					
	SMALL BAG									
NH4SSX	M4	7	10	1,000	-					
NH5SSX	M5	8	10	600	-					
NH6SSX	M6	10	10	350	-					
NH8SSX	M8	13	10	300	-					
NH10SSX	M10	17	10	150	-					
NH12SSX	M12	19	5	200	-					
NH16SSX	M16	24	5	100	-					
					SSB03					
		TIMPAC	:							
NH5SSP	M5	8	50	10	-					
NH6SSP	M6	10	40	10	-					
NH8SSP	M8	13	20	10	-					

19

24

Hex Serrated Flange Nuts (DIN6923)

Zinc



Designed to provide a larger clamping and locking force than a standard hex nut.

Socket Pack Carton Pallet

Product Code	Size (mm)	Height (mm)	Size (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
NF6Z	M6	6	10	300	16	768
NF8Z	M8	8	13	200	16	576
NF10Z	M10	10	15	100	16	768
NF12Z	M12	12	18	100	8	384
NF16Z	M16	16	24	100	4	192
NF20Z	M20	20	30	50	4	192
						NUT01

Nylon Nuts - Type T (DIN985)

Zinc



NT16Z

Product

Type T hexagonal nylon nut with a metric thread. Sometimes known as a 'thin nut'

• Conforms to ISO 10511

Socket Pack Carton Pallet

Product Code	Size (mm)	Height (mm)	Size (mm)	Qty (pcs)	Qty (packs)	Qty (packs)		
	,	. ,	КВОХ	. ,	(1-1-1)	(, , , ,		
NT6ZBULK	M6	6	10	11,000	10	-		
NT8ZBULK	M8	8	13	5,000	10	-		
BOX								
NT6Z	M6	6	10	500	16	768		
NT8Z	M8	8	13	200	20	960		
NT10Z	M10	10	17	100	16	768		
NT12Z	M12	12	19	100	10	480		

M16 16 24 100 6

A2 AUSTENITI	C STAIN	LESS	STEEL
	Socket	Pack	Carton

Size

Code	(mm)	(mm)	(pcs)	(packs)	(packs)
	SN	1ALL BA	G		
NT5SSX	M5	8	10	600	-
NT6SSX	M6	10	10	300	-
NT8SSX	M8	13	10	300	-
NT10SSX	M10	17	10	150	-
NT12SSX	M12	19	5	200	-
NT16SSX	M16	24	5	100	-
					SSB04
		TIMPAC			
NT5SSP	M5	8	20	10	-
NT6SSP	M6	10	20	10	-
NT8SSP	M8	13	10	10	-
NT10SSP	M10	17	4	10	-
NT12SSP	M12	19	4	10	-

M10

M12

M16

NH10SSP

NH12SSP

NH16SSP

10

10

10 10

8

288

Pack Carton Pallet



Nylon Nuts - Type P (DIN982)

Zinc



Also known as locking nuts, designed to prevent the nut from loosening.

Product Code		Height (mm)	Size	Qty		Qty
		BUL	к вох			
NP6ZBULK	M6	8	10	8,000	10	-

		DOL	N DO	•		
NP6ZBULK	M6	8	10	8,000	10	-
NP8ZBULK	M8	9.5	13	4,000	10	-
		В	ОХ			
NP6Z	M6	8	10	500	12	576
NP8Z	M8	9.5	13	200	12	768
NP10Z	M10	11.5	17	100	12	576
NP12Z	M12	14	19	100	8	384
NP16Z	M16	18	24	100	4	192
						NYN02

		۸IT	1BAG			
6NPB	M6	8	10	300	5	600
8NPB	M8	9.5	13	300	5	600
10NPB	M10	11.5	17	130	5	600
12NPB	M12	14	19	90	5	600
16NPB	M16	18	24	45	5	600
						04040

		TIM	1PAC			
6NPP	M6	8	10	20	10	-
8NPP	M8	9.5	13	10	10	-
10NPP	M10	11.5	17	4	10	-
12NPP	M12	14	19	4	10	-
16NPP	M16	18	24	2	10	-
						041/40

Hex Dome Nuts (DIN1587)

Zinc



A hexagonal dome nut with a metric thread. Ideal for protective or aesthetic uses.

Product Code	Size (mm)	Height (mm)	Socket Size (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
		В	OX			
ND6Z	M6	12	10	200	20	960
ND8Z	M8	15	13	100	20	960
ND10Z	M10	18	17	100	8	384
ND12Z	M12	22	19	100	8	384
ND16Z	M16	28	24	100	4	192
ND20Z	M20	34	30	50	4	192
						MHT03

A2	AUSTENI	TIC STAIN	ILESS	STEEL	
Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	S	MALL BA	G		
ND5SSX	M5	8	10	500	-
ND6SSX	M6	10	10	300	-
ND8SSX	M8	13	10	200	-
ND10SSX	M10	17	10	100	-
ND12SSX	M12	19	5	100	-
					SSB05

Wing Nuts



A light duty nut that is regularly tightened and removed by hand.

Product Code	Size (mm)	Qty	Carton Qty (packs)	Qty
	BO	X		
NW6Z	M6	300	12	576
NW8Z	M8	200	12	576
NW10Z	M10	100	12	576
NW12Z	M12	100	8	384
NW16Z	M16	50	4	192 NUT02
	PAC	K		
NW6ZP	M6	6	10	-
NW8ZP	M8	4	10	-
NW10ZP	M10	2	10	-
				DAI/OO

Hex Connector Nuts (DIN6334)

Size Height

Zinc



Product

For extending the length of threaded bar. Socket Pack Carton Pallet

Size Qty Qty

Code	(mm)	(mm)	(mm)	(pcs)	(packs)	(packs)
		В	ОХ			
NC6Z	M6	18	10	200	12	576
NC8Z	M8	24	13	100	8	384
NC10Z	M10	30	17	100	4	192
NC12Z	M12	36	19	100	4	192
NC16Z	M16	48	24	50	4	192
NC20Z	M20	60	30	25	4	192
						NUT04

						110101
		TIN	4PAC			
NC8ZP	M8	24	13	4	10	-
NC10ZP	M10	30	17	2	10	-
						PAK19

Channel Nuts

Zinc

Channel nuts are used to secure standard metric threaded fasteners, such as threaded bar into framing channel or strut.







	Without Sprin	g Short S	pring	Long Sprin	
	Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	BO	X - WITHOU	JT SPRIN	IG	
	CN6Z	M6	100	6	-
	CN8Z	M8	100	6	-
	CN10Z	M10	100	6	-
	CN12Z	M12	100	6	-
	В	OX - SHORT	T SPRING	ì	
	CNSH6Z	M6	100	6	-
	CNSH8Z	M8	100	6	-
	CNSH10Z	M10	100	6	-

CINOTITIZE	IVI IZ	100	U	-
	BOX - LONG	SPRING		
CNLG6Z	M6	100	6	-
CNLG8Z	M8	100	6	-
CNLG10Z	M10	100	6	-
CNLG12Z	M12	100	6	-
				CHN01

Washers

Form A Washers (DIN125-A)

Zinc



A traditional and commonly used washer for clamping and spacing applications.

Product Code	Size x Outer Ø (mm)	Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	Е	BULK BOX			
WA6ZBULK	M6 x 12.5	1.6	20,000	10	-
WA8ZBULK	M8 x 17	1.6	10,000	10	-
WA10ZBULK	M10 x 21	2	5,000	10	-
WA12ZBULK	M12 x 24	2.5	2,500	10	-
WA16ZBULK	M16 x 30	3	2,000	10	-
		BOX			
WA4Z	M4x9	8.0	1,250	40	1920
WA5Z	M5 x 10	1	1,000	32	1536
WA6Z	M6 x 12.5	1.6	500	32	1536
WA8Z	M8 x 17	1.6	200	32	2048
WA10Z	M10 x 21	2	100	32	2048
WA12Z	M12 x 24	2.5	100	20	1280
WA14Z	M14x24	2.5	100	16	768
WA16Z	M16 x 30	3	100	8	512
WA20Z	M20 x 37	3	100	8	512
WA24Z	M24 x 44	4	100	4	256
					WSH01
		TIMBAG			
6WHAZB	M6 x 12.5	1.6	500	5	870
8WHAZB	M8 x 17	1.6	350	5	870
10WHAZB	M10 x 21	2	200	5	870
12WHAZB	M12 x 24	2.5	130	5	870
16WHAZB	M16 x 30	3	75	5	870
20WHAZB	M20 x 37	3	50	5	870
					BAG19
		TIMPAC			
6WHAZP	M6 x 12.5	1.6	60	10	-
8WHAZP	M8 x 17	1.6	30	10	-
10WHAZP	M10 x 21	2	20	10	-
12WHAZP	M12 x 24	2.5	15	10	-
16WHAZP	M16 x 30	3	8	10	-
20WHAZP	M20 x 37	3	4	10	-
					PAK21

A2 AUSTENITIC STAINLESS STEEL	

Product Code	Size x Outer Ø (mm)	Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	S	MALL BAC	3		
WA4SSX	M4 x 9	0.8	50	800	-
WA5SSX	M5 x 10	1	50	600	-
WA6SSX	M6 x 12	1.6	20	700	-
WA8SSX	M8 x 16	1.6	20	500	-
WA10SSX	M10 x 20	2	10	480	-
WA12SSX	M12 x 24	2.5	10	250	-
WA16SSX	M16 x 30	3	10	180	-
					SSB06
		TIMPAC			
WA5SSP	M5 x 10	1	50	10	-
WA6SSP	M6 x 12	1.6	50	10	-
WA8SSP	M8 x 16	1.6	30	10	-
WA10SSP	M10 x 20	2	20	10	-
WA12SSP	M12 x 24	2.5	10	10	-
WA16SSP	M16 x 30	3	6	10	-
					PAK30















Form B Washers (BS4320)

Zinc



Thinner than a form A. used for clamping and spacing applications. • Conforms to BS4320

Product Code	Size x Outer Ø (mm)	Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	В	ULK BOX	(
WB6ZBULK	M6 x 12.5	0.8	32,000	10	-
WB8ZBULK	M8 x 17	1	15,000	10	-
WB10ZBULK	M10 x 21	1.25	6,000	10	-
WB12ZBULK	M12 x 24	1.6	5,000	10	-
		BOX			
WB6Z	M6 x 12.5	0.8	500	40	2560
WB8Z	M8 x 17	1	200	40	2560
WB10Z	M10 x 21	1.25	100	40	2560
WB12Z	M12 x 24	1.6	100	32	2048
WB16Z	M16 x 30	2	100	16	1024
WB20Z	M20 x 37	2	100	16	768 WSH02

AZ AUSTENITIC STAINLESS STEEL						
	Product Code	Size x Outer Ø (mm)	Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Qty
		S	MALL BAC	3		
	WB6SSX	M6 x 12.5	0.8	20	900	-
	WB8SSX	M8 x 17	1	20	500	-
	WB10SSX	M10 x 21	1.25	10	600	-
	WB12SSX	M12 x 24	1.6	10	380	-
	WB16SSX	M16 x 30	2	10	200	-

Form C Washers (BS4320)

Zinc



A wider outer diameter than the Form A & B. Used to increase the clamping

Product Code	Size x Outer Ø (mm)	Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)				
	BULK BOX								
WC6ZBULK	M6 x 14	1.6	12,000	10	-				
WC8ZBULK	M8 x 21	1.6	5,000	10	-				
WC10ZBULK	M10 x 24	2	3,000	10	-				
WC12ZBULK	M12 x 28	2.5	2,000	10	-				
		BOX							
WC6Z	M6 x 14	1.6	500	16	1024				
WC8Z	M8 x 21	1.6	200	20	960				
WC10Z	M10 x 24	2	100	32	1536				
WC12Z	M12 x 28	2.5	100	16	768				
WC16Z	M16 x 34	3	100	8	512				
WC20Z	M20 x 39	4	100	8	512				
					WSH03				

Square Plate Washers

Zinc

Size



Provides a large clamping surface and therefore spreading the load of a fastening.

Pack Carton Pallet

Product Code	Hole Ø x L x W x D (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
	вох			
WS8403Z	M8 x 40 x 40 x 3	100	6	192
WS8405Z	M8x40x40x5	100	4	128
WS10403Z	M10 x 40 x 40 x 3	150	4	128
WS10405Z	M10 x 40 x 40 x 5	100	4	128
WS10503Z	M10 x 50 x 50 x 3	100	4	128
WS12503Z	M12 x 50 x 50 x 3	100	4	128
WS16503Z	M16 x 50 x 50 x 3	100	4	128
				WSH05
	TIMBAG			
1050WHSPZB	M10 x 50 x 50 x 3	30	5	725
1250WHSPZB	M12 x 50 x 50 x 3	30	5	725
1650WHSPZB	M16 x 50 x 50 3	30	5	600
				BAG21
	TIMPAC			
1050WHSPZP	M10 x 50 x 50 x 3	2	10	-
1250WHSPZP	M12 x 50 x 50 x 3	2	10	-
1650WHSPZP	M16 x 50 x 50 x 3	2	10	-
				PAK24

	Hot Dipped Gal	lvanise	ed	
Product Code	Size Hole Ø x L x W x D (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	BOX			
WS10503G	M10 x 50 x 50 x 3	100	4	128
WS12503G	M12 x 50 x 50 x 3	100	4	128
				WSH05

Spring Washers (DIN 7980)

Zinc



Designed to prevent the nut from loosening.

Product Code	Size (mm)	Qty	Carton Qty packs)	Pallet Qty (packs)
	вох			
WSP6Z	M6	500	40	2560
WSP8Z	M8	250	40	2560
WSP10Z	M10	200	20	1280
WSP12Z	M12	200	16	1024
WSP16Z	M16	100	16	1024
				WSH06
	TIMPAC			
WSP6ZP	M6	30	10	-
WSP8ZP	M8	20	10	-
WSP10ZP	M10	10	10	-
WSP12ZP	M12	8	10	-
				PAK23

Penny/Repair Washers (DIN 9054)



A large diameter washer ideal for spreading the clamping load, reducing a hole diameter and packing out. Sometimes known as a "mudguard" washer.

Product Code	Size x Outer Ø (mm)	Thickness (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
	BU	JLK BOX			
WP620ZBULK	M6 x 20	1.5	5,000	10	-
WP625ZBULK	M6 x 25	1.5	3,500	10	-
WP630ZBULK	M6 x 30	1.5	2,500	10	-
WP640ZBULK	M6 x 40	1.5	1,700	10	-
WP825ZBULK	M8 x 25	1.5	3,500	10	-
WP840ZBULK	M8 x 40	1.5	1,700	10	-
WP1025ZBULK	M10x25	1.5	3,500	10	-
WP1040ZBULK	M10x40	1.5	1,700	10	-
WP1240ZBULK	M12 x 40	1.5	1,700	10	-
		BOX			
WP525Z	M5 x 25	1.5	100	32	1536
WP620Z	M6 x 20	1.5	100	32	2048
WP625Z	M6 x 25	1.5	100	32	1536
WP630Z	M6 x 30	1.5	100	20	960
WP640Z	M6 x 40	1.5	100	16	768
WP825Z	M8 x 25	1.5	100	32	1536
WP830Z	M8 x 30	1.5	100	20	960
WP840Z	M8 x 40	1.5	100	16	768
WP1025Z	M10 x 25	1.5	100	32	1536
WP1030Z	M10 x 30	1.5	100	20	960
WP1040Z	M10 x 40	1.5	100	16	768
WP1240Z	M12 x 40	1.5	100	16	768
					WSH04
	Т	IMBAG			
625WHPZB	M6 x 25	1.5	160	5	870
825WHPZB	M8 x 25	1.5	160	5	870
840WHPZB	M8 x 40	1.5	60	5	600
1040WHPZB	M10 x 40	1.5	60	5	870
1240WHPZB	M12 x 40	1.5	50	5	870
					BAG20
	7	IMPAC			
620WHPZP	M6 x 20	1.5	10	10	
625WHPZP	M6 x 25	1.5	10	10	-
630WHPZP	M6 x 30	1.5	8	10	-
640WHPZP	M6 x 40	1.5	4	10	-
825WHPZP	M8 x 25	1.5	8	10	-
840WHPZP	M8 x 40	1.5	4	10	-
1040WHPZP	M10 x 40	1.5	4	10	-
					PAK22

A2 AUSTENITIC STAINLESS STEEL

Product Code	Size x Outer Ø (mm)	Thickness (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
	SM	IALL BAG			
WP525SSX	M5 x 25	1.5	10	380	-
WP625SSX	M6 x 25	1.5	10	380	-
WP825SSX	M8 x 25	1.5	10	380	-
WP835SSX	M8 x 35	1.5	10	250	-
WP1025SSX	M10 x 25	1.5	10	400	-
WP1035SSX	M10 x 35	1.5	10	250	-
WP1235SSX	M12 x 35	1.5	10	250	-
					SSB08
	7	ГІМРАС			
WP625SSP	M6 x 25	1.5	10	10	-
WP825SSP	M8 x 25	1.5	8	10	-
WP1035SSP	M10 x 35	1.5	4	10	-
					PAK31

Grab Packs

Wide range of fasteners in a convenient problemsolving grab pack. Reusable and robust trays with clip shut lids and separate compartments for convenient storage.

Mixed Bolts, Nuts and Washers Grab Pack



Zinc

A selection of commonly used zinc plated bolts, nuts and washers in a handy and reusable storage pack with clip-shut lid.

Note: Set Screw DIN933, Hex Nut DIN934, Form A Washer DIN125A

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	GRAB F	PACK		
BNWGPACK	-	-	500	5
	Hex Nut	M6	75	
	Hex Nut	M8	30	
	Hex Nut	M10	20	
	Form A Washer	M6	150	
	Form A Washer	M8	60	
	Form A Washer	M10	50	
	Set Screw	M6 x 16	30	
	Set Screw	M6 x 20	20	
	Set Screw	M6 x 25	20	
	Set Screw	M8 x 30	10	
	Set Screw	M8 x 40	10	
	Set Screw	M8 x 50	5	
	Set Screw	M10 x 60	10	
	Set Screw	M10 x 70	6	
	Set Screw	M10 x 75	4	
				TRY01

Mixed Carriage Bolts, Nuts

and Washers Grab Pack



Zinc

A selection of commonly used zinc plated carriage bolts, nuts and washers of various sizes in a handy and reusable storage pack with clip-shut lid.

Note: Carriage Bolt DIN603, Nylon Nut (Type T) DIN985, Form A Washer DIN125A

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	GRABI	PACK		
CBGPACK	-	-	140	5
	Nylon Nut	M6	10	
	Nylon Nut	M8	15	
	Nylon Nut	M10	15	
	Form A Washer	M6	15	
	Form A Washer	M8	25	
	Form A Washer	M10	20	
	Carriage Bolt	M6 x 40	10	
	Carriage Bolt	M8 x 50	10	
	Carriage Bolt	M8 x 75	5	
	Carriage Bolt	M10 x 100	5	
	Carriage Bolt	M10 x120	5	
	Carriage Bolt	M10 x 150	5	
				TDV04

Mixed Washers



Grab Pack

Zinc

A selection of commonly used zinc plated washers of various sizes in a handy and reusable storage pack with clip-shut lid.

Note: Form A Washer DIN125A, Penny Washer DIN9054, Spring Washer DIN7980

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)				
GRAB PACK								
WAGPACK	-	-	1000	5				
	Form A Washer	M4	120					
	Form A Washer	M5	100					
	Form A Washer	M6	75					
	Form A Washer	M8	60					
	Form A Washer	M10	50					
	Form A Washer	M12	20					
	Penny Washer	M4x20	50					
	Penny Washer	M5 x 25	30					
	Penny Washer	M6 x 20	30					
	Penny Washer	M8 x 25	20					
	Penny Washer	M10 x 25	20					
	Penny Washer	M12 x 35	20					
	Spring Washer	M4	100					
	Spring Washer	M5	100					
	Spring Washer	M6	75					
	Spring Washer	M8	60					
	Spring Washer	M10	50					
	Spring Washer	M12	20					
				TRY01				

Mixed Nuts Grab Pack



Zinc

A selection of commonly used zinc plated nuts in a handy and reusable storage pack with clip-shut lid.

Note:

Nylon Nut (Type T) DIN985, Hex Nut DIN934, Wing Nuts

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	GRABI	PACK		
NUTGPACK	-	-	980	5
	Nylon Nut	M4	150	
	Nylon Nut	M5	110	
	Nylon Nut	M6	80	
	Nylon Nut	M8	40	
	Nylon Nut	M10	15	
	Nylon Nut	M12	10	
	Wing Nut	M6	30	
	Wing Nut	M8	15	
	Wing Nut	M10	10	
	Hex Nut	M4	150	
	Hex Nut	M5	110	
	Hex Nut	M6	100	
	Hex Nut	M8	90	
	Hex Nut	M10	40	
	Hex Nut	M12	30	
				TRY01





Stainless Steel Socket Screws

SUPERIOR CORROSION RESISTANCE

Countersunk Sockets (DIN7991)

A2 Austenitic Stainless Steel





Designed for use in applications where the head is flush with joining parts.

Product Code	Size (mm)	Hex Recess (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)		
	BOX						
625CSKSS	M6 x 25	5.0	200	16	576		
830CSKSS	M8 x 30	6.0	100	14	504		
					S0S01		
	SM.	ALL BAC	3				
616CSKSSX	M6 x 16	5.0	10	200	-		
620CSKSSX	M6 x 20	5.0	10	200	-		
625CSKSSX	M6 x 25	5.0	10	200	-		
825CSKSSX	M8 x 25	6.0	10	200	-		
830CSKSSX	M8 x 30	6.0	10	100	-		



Button Sockets (ISO7380)

A2 Austenitic Stainless Steel





Designed for applications that allow the head to protrude above the joining parts. Button head protects adjoining parts from scrapes or other damage.

Product Code	Size (mm)	Recess (mm)	Qty	Qty (packs)	Qty (packs)		
SMALL BAG							
612BUTSSX	M6 x 12	5.0	10	500	-		
616BUTSSX	M6 x 16	5.0	10	500	-		
620BUTSSX	M6 x 20	5.0	10	300	-		
625BUTSSX	M6 x 25	5.0	10	200	-		
630BUTSSX	M6 x 30	5.0	10	200	-		
825BUTSSX	M8 x 25	6.0	10	100	-		
					SSB09		

Cap Sockets (DIN912)

A2 Austenitic Stainless Steel





Socket head cap screws are designed to be used with the head protruding.

Product Code	Size (mm)	Hex Recess (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
616CAPSS	M6 x 16	5.0	200	20	720
625CAPSS	M6 x 25	5.0	200	14	504
					SOS01
	SM.	ALL BAC	3		
516CAPSSX	M5 x 16	4.0	10	100	-
520CAPSSX	M5 x 20	4.0	10	500	-
616CAPSSX	M6 x 16	5.0	10	500	-
620CAPSSX	M6 x 20	5.0	10	200	-
625CAPSSX	M6 x 25	5.0	10	200	-
820CAPSSX	M8 x 20	6.0	10	100	-
825CAPSSX	M8 x 25	6.0	10	100	SSB09

Countersunk Sockets (DIN7991) & Nut (DIN934)

A2 Austenitic Stainless Steel





Designed for use in applications where the head is flush with joining parts.

Hex Pack Carton Product Qty Size Recess Qty (mm) (mm) (packs) (pcs) 616CSKSSP M6 x 16 5.0 8 10 620CSKSSP M6 x 20 5.0 8 10 625CSKSSP M6 x 25 5.0 10 825CSKSSP M8 x 25 6.0 10 830CSKSSP M8 x 30 10 PAK27

Button Sockets (ISO7380) & Nut (DIN934)

A2 Austenitic Stainless Steel





Designed for applications that allow the head to protrude above the joining parts. Button head protects adjoining parts from scrapes or other damage.

Product Code	Size (mm)	Hex Recess (mm)	Pack Qty pcs)	Carton Qty (packs)
	TIME	AC		
612BUTSSP	M6 x 12	5.0	8	10
616BUTSSP	M6 x 16	5.0	8	10
620BUTSSP	M6 x 20	5.0	8	10
625BUTSSP	M6 x 25	5.0	6	10
630BUTSSP	M6 x 30	5.0	4	10
825BUTSSP	M8 x 25	6.0	4	10
				PAK27

Cap Sockets (DIN912) & Nut (DIN934)

A2 Austenitic Stainless Steel





Socket head cap screws are designed to be used with the head protruding.

Product Code	Size (mm)	Hex Recess (mm)	Pack Qty (pcs)	Carton Qty (packs)
	TIMP	AC		
516CAPSSP	M5 x 16	4.0	8	10
520CAPSSP	M5 x 20	4.0	8	10
616CAPSSP	M6 x 16	5.0	8	10
620CAPSSP	M6 x 20	5.0	8	10
625CAPSSP	M6 x 25	5.0	6	10
820CAPSSP	M8 x 20	6.0	4	10
825CAPSSP	M8 x 25	6.0	4	10 PAK27

Rivets



Dome Head Rivets (DIN7337)

Aluminium

- Ideal for sheet to sheet applications.
- Aluminium body for an enhanced resistance to

Product Code	Head ØxL (mm)	Drill Hole Ø (mm)	Grip Range (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
			вох			
748456	3.2 x 6	3.3	1.5 - 3.5	500	20	20
748741	3.2 x 8	3.3	3.5 - 5.5	500	20	20
748852	3.2 x 10	3.3	5.5-7.5	500	20	20
748963	4.0 x 8	4.1	3.0 - 5.0	500	20	20
748369	4.0 x 10	4.1	5.0 - 6.5	500	20	20
748258	4.0 x 12	4.1	6.5-8.5	500	20	20
748147	4.8 x 10	4.9	4.5-6.0	500	10	10
748951	4.8 x 12	4.9	6.0-8.0	500	10	10
748357	4.8 x 14	4.9	8.0 - 10.0	500	10	10 RIV01
		TI	MPAC			
748456P	3.2 x 6	3.3	1.5 - 3.5	104	10	-
748741P	3.2 x 8	3.3	3.5 - 5.5	100	10	-
748852P	3.2 x 10	3.3	5.5-7.5	90	10	-

3.0 - 5.0

5.0-6.5 67 10

6.5 - 8.5 63 10

6.0 - 8.0

4.5-6.0 48

10

10

PAK61

A2 Austenitic	Stainless Steel

- Ideal for sheet to sheet applications.
- \bullet A2 stainless steel body for ultimate resistance to corrosion.

Product Code	Head Ø x L (mm)	Drill Hole Ø (mm)	Grip Range (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
			вох			
748023	3.2 x 6	3.3	1.0 - 3.0	500	20	720
748613	3.2 x 8	3.3	3.0 - 5.0	500	20	720
748100	4.0 x 10	4.1	4.5 - 6.5	500	10	360
748531	4.0 x 12	4.1	6.5 - 8.5	250	20	720
748868	4.8 x 14	4.9	8.0 - 9.5	250	20	720
748305	4.8 x 16	4.9	9.5 - 11.0	250	20	720
						RIV02
		TI	MPAC			
748023P	3.2 x 6	3.3	1.0 - 3.0	102	10	-
748613P	3.2 x 8	3.3	3.0 - 5.0	99	10	-
748100P	4.0 x 10	4.1	4.5-6.5	64	10	-
748531P	4.0 x 12	4.1	6.5-8.5	61	10	-
748868P	4.8 x 14	4.9	8.0 - 9.5	39	10	-
748305P	4.8 x 16	4.9	9.5 - 11.0	37	10	-
						PAK61

Flange Head Rivets (DIN7337)



- Ideal for heavy duty sheet to sheet applications.
- Aluminium body for an enhanced resistance to corrosion.

Produc Code	Head t ØxL (mm)	Drill Hole Ø (mm)	Grip Range (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
			BOX			
748918	4.8 x 12	4.9	6.0-8.0	250	10	360
748735	4.8 x 16	4.9	10.0 - 12.0	250	10	360
748499	4.8 x 20	4.9	15.0 - 17.0	250	10	360
748264	4.8 x 25	4.9	16.0 - 21.0	250	10	360
						RIV03
		1	ГІМРАС			
748918	P 4.8 x 12	4.9	6.0-8.0	40	10	-
748735	P 4.8 x 16	4.9	10.0 - 12.0	37	10	-
748499	P 4.8 x 20	4.9	15.0 - 17.0	32	10	-
748264	P 4.8 x 25	4.9	16.0 - 21.0	30	10	-
						PAK61



See page 170



Hanging & **Utility Fixings**





Adhesive Hooks

748963P

4.0 x 8 4.1

4.1

4.9

748357P 4.8 x 14 4.9 8.0 - 10.0 41

748369P 4.0 x 10 4.1

748147P 4.8 x 10 4.9

748258P 4.0 x 12

748951P 4.8 x 12



Product Code	Size	Qty	Carton Qty (packs)
	TIMPAC		
SMALLAH00KP	Small	5	10
LARGEAHOOKP	Large	3	10
			PAK54

Curtain Hooks



Product Code	Colour	Qty	Carton Qty (packs)
	TIMPAC		
CHOOKP	White	35	10 PAK57

Snap Hooks



For quick & easy, low security, temporary fastening. Available

Product Code	Length (mm)	Туре	Colour	Pack Qty (pcs)	Carton Qty (packs)
		TIMPAC			
SSH00KP	60	Steel	Silver	3	10
ASH00KP	47	Aluminium	Red	5	10 PAK54







Picture Hanging



Product Code	Item	Size	Qty (pcs)	Qty (packs)			
TIMPAC							
35BWP	Wire	3.5m	1	10			
2PHSP	Single Hook	No.2	12	10			
3PHDP	Double Hook	No.3	4	10			
MPHP	Mixed Hooks	No.2 & 3	8	10			
				HKS03			

Mirror Plate



Product Code	Туре	Size (mm)	Qty	Qty (packs)				
TIMPAC								
PMP32P	Plain	32	4	5				
PMP38P	Plain	38	4	5				
SMP32P	Slotted	32	4	5				
SMP38P	Slotted	38	4	5				
				HKS03				

Sawtooth Hanger

Electro Brass

Hanging of canvas and picture frames.

Product Code	Width (mm)	Pack Carton Qty Qty (pcs) (packs)
	TIMPAC	
STOOTH41P	41	20 10
STOOTH63P	63	15 10
MIXSTOOTHP	41 & 63	15 10 HKS03

Cup Hooks

Zinc / White **Electro Brass**

Round Cup Hooks

A light duty horizontal or vertical hook to be used into wood for hanging small items such as keys.



		Thread	Thread		Pack	Carton
Product	Hook Ø	Ø	Ø	Length	Qty	Qty
Code	(mm)	(mm)	(gauge)	(mm)	(pcs)	(packs)

	TIMPAC							
	Electro Brass							
19SHBP	10.0	3.0	4	19	15	10		
25SHBP	13.0	3.0	4	25	10	10		
38SHBP	21.0	4.0	8	38	5	10		
		Zin	c/Whi	ite				
25SHWP	13.0	3.0	4	25	6	10		
38SHWP	21.0	4.0	8	38	4	10		
						HKS02		

Screw Eyes & Screw Hooks

Zinc

Screw Eyes

A medium duty versatile solution for either hanging or attaching items to timber or masonry with the use of a plug.



		Thread	Thread		Pack	Carton
			Ø			
Code	(mm)	(mm)	(gauge)	(mm)	(pcs)	(packs

TIMPAC								
			Zinc					
30SEP	9.0	3.9	7	30	15	10		
40SEP	12.0	4.2	8	40	10	10		
45SEP	12.0	4.9	10	45	5	10		
55SEP	16.0	5.5	12	55	4	10		

Vine Eyes

Zinc Multiple uses, but commonly used to thread string/wire, and to train plants up fences and walls with the use of a plastic plug.

Product Code	Ø	Ø	Ø (gauge)	Length (mm)	Qty	Qty (packs)
			PACK			
			Zinc			
75VEP	16.0	5.5	12	75	4	10
100VEP	16.0	5.5	12	100	2	10



Square Cup Hooks

A light duty horizontal hook to be used into wood for hanging small items.



Product Code		Ø	Thread Ø (gauge)	Length	Qty		
TIMPAC							

Code	(mm)	(mm)	(gauge)	(mm)	(pcs)	(packs)		
TIMPAC								
Electro Brass								
25SQBP	10.0	3.0	4	25	16	10		
38SQBP	13.0	4.0	8	38	8	10		
						HKS02		

Screw Hooks

A medium duty versatile solution for either hanging or attaching items to timber or masonry with the use of a plug.

 $\begin{array}{ccc} & \text{Thread} & \text{Thread} \\ \text{Product Hook} \emptyset & \emptyset & \emptyset \end{array}$ Pack Carton Product Hook Ø Ø Ø Length Qty Qty Code (mm) (mm) (gauge) (mm) (pcs) (packs)

	`	,	`	,	(33.)	,	, (,	(1	-,
					TIMPAC					
					Zinc					
60SHP	16.0)	5.5	,	12	60		4	10	
80SHP	20.0)	5.5	5	12	80		3	10	
100SHP	20.0)	5.5	5	12	100		2	10	
									HKS)2





Mixed Picture Hanging Kit

For more information see page



Storage Hooks & Tool Clips





Utility Hooks



Product Code	Total Length (mm)	Thread Ø x L (mm)	Qty	CDU Qty (pairs)
	P	AIRS		
457825	150	8.0 x 30	1	12

Handy Hooks



Product Code	Total Length (mm)	Thread ØxL (mm)	Qty	Qty

Code	(mm)	(mm)	(pairs)	(pairs)
	F	PAIRS		
457469	150	8.0 x 30	1	12 HKS01
		, ,	PAIRS	

Tool Hooks



	roduct Code	Total Length (mm)	Thread ØxL (mm)	Pack Qty (pairs)	CDU Qty (pairs)		
PAIRS							
4	57968	100	6.0 x 25	1	12		

Ladder Hooks



Product Code	Total Length (mm)	Thread ØxL (mm)	Qty	Qty
	Р	AIRS		
457538	270	10.0 \(\sigma \)	- 1	1

Tool Clips



Ideal for tidy storage of a variety of tools, brooms, rakes and brushes in cupboards, garages, sheds and workshops.

Product Code	Ø (mm)	Ø (inch)	Bag Qty (pcs)	Carton Qty (packs)
	MIX	ED BA	G	
457025	-	-	70	10
	10	3/8	15	
	12	1/2	15	
	20	3/4	15	
	25	1	15	
	30	1 1/4	5	
	40	1 1/2	5	
				HKS01

Product Code	Ø (mm)	Ø (inch)	Pack Qty (pcs)	Carton Qty (packs)
	Т	IMPAC		
725555	10	3/8	12	10
725954	12	1/2	10	10
725843	20	3/4	10	10
725321	25	1	8	10
725017	30	1 1/4	4	10
725661	40	1 1/2	4	10
				HKS01

Clips & Pins



R Spring Clips

Commonly used to secure the ends of round shafts







components

Product Code	Description	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	
TIMPAC					
MIXRSPRINGP	R Spring Clip	Mixed	18	10	
MIXCOTTERP	Cotter Pin	Mixed	16	10	
				DAK50	

Cable Management



Cable Ties

Natural

Po

Designed to bundle and secure wires, cables, hoses and much more.

Black

• Tested in accordance with BS EN 62275

Product Size Strength Qty Qty Qty (pcs) (packs) (packs)

			DAG				
	Natural						
2510	0CTN	2.5 x 100	8.10	100	550	1100	
3614	0CTN	3.6 x 140	18.20	100	300	600	
3620	OCTN	3.6 x 200	18.20	100	200	400	
4816	OCTN	4.8 x 160	22.20	100	150	300	
4820	0CTN	4.8 x 200	22.20	100	120	240	
4825	0CTN	4.8 x 250	22.20	100	110	220	
4837	0CTN	4.8 x 370	22.20	100	90	180	
4843	OCTN	4.8 x 430	22.20	100	75	150	
7625	0CTN	7.6 x 250	54.40	100	60	240	
7630	0CTN	7.6 x 300	54.40	100	50	200	
7637	0CTN	7.6 x 370	54.40	100	40	160	
7654	0CTN	7.6 x 540	54.40	100	20	80	
9053	0CTN	9.0 x 530	79.40	100	20	80	
						ECT01	

		Black			
25100CTB	2.5 x 100	8.10	100	550	1100
36140CTB	3.6 x 140	18.20	100	300	600
36200CTB	3.6 x 200	18.20	100	200	400
48160CTB	4.8 x 160	22.20	100	160	320
48200CTB	4.8 x 200	22.20	100	150	300
48250CTB	4.8 x 250	22.20	100	120	240
48300CTB	4.8×300	22.20	100	110	220
48370CTB	4.8 x 370	22.20	100	90	180
48430CTB	4.8 x 430	22.20	100	75	150
76250CTB	7.6 x 250	54.40	100	60	240
76300CTB	7.6×300	54.40	100	50	200
76370CTB	7.6 x 370	54.40	100	40	160
76540CTB	7.6 x 540	54.40	100	20	80
90530CTB	9.0 x 530	79.40	100	20	80
					ECTOS

Mixed Pack Cable Ties



Tested in accordance
 with RS EN 62275



TUBE - 200 PC3						
1	Natural		Black			
	2.5 x 100	Natural	50			
CTMIX200	2.5 x 100	Black	50	200	80	
CTIVIIAZUU	3.6 x 200	Natural	50		00	
	3.6×200	Black	50			
					ECT04	

TUBE - 500 PCS						
		Blacl	k			
	2.5 x 100	Black	200			
CTMIX500	3.6 x 140	Black	200	500	24	
	4.8 x 200	Black	100			
					FCT04	

Coloured Cable Ties



- Tested in accordance with BS EN 62275

Product Code	Size (mm)	Strength (kg)	Qty (pcs)	Qty (packs)
	BA	.G		
48200CTMIX	4.8 x 200	22.20	200	75 ECT04

Cable Tie Plug



Substrate

A simple solution for attaching a cable tie to masonry or timber.

Timber

Hole Size (mm)	8.0	7	.0		
Min. Hole Depth (mm)		40	40			
Product Code			Carton Qty (packs)	Qty		
BAG						
840CTP	8.0 x 40	100	85	170 ECT02		

Masonry

Stainless Steel Cable Ties

A2 AUSTENITIC STAINLESS STEEL



- High tensile strength
- High temperature resistance (-80°C to +500°C)
- Conforms to BS 7671:2018

Tensile Pack Carton Pallet

SUPERIOR CORROSION RESISTANCE

Product Code	Size (mm)	Strength (kg)	Qty (pcs)	Qty (packs)	Qty (packs)
		PACK			
46152CTSS	4.6 x 152	60.00	100	100	1800
46200CTSS	4.6 x 200	60.00	100	50	1600
46300CTSS	4.6 x 300	60.00	100	50	800
46350CTSS	4.6 x 350	60.00	100	50	900
46500CTSS	4.6 x 500	60.00	100	40	640
79350CTSS	7.9 x 350	80.00	100	25	450
					ECT03

Cable Clips

Flat Cable Clip

		• • • • • • • • • • • • • • • • • • • •			
Ī	Product Code	Colour	To Suit Cable Ø (mm)	Qty	Qty
1			вох		
100	225101	White	1.0	100	240 CCL01

White

Flat Twin & Earth Cable Clip

Ī	Product Code	Colour	To Suit Cable Ø (mm)	Qty	Carton Qty (packs)
1			вох		
No.	225987	Grey	1.5	100	160
	225654	Grey	2.5	100	160
- "	225321	Grey	4.0	100	120
	225753	Grey	6.0	100	120
	225159	Grov	10.0	100	60

CCI 01

Grey

Round Cable Clip

White			Bla	ıck	
Ī	Product Code	Colour	To Suit Cable Ø (mm)	Qty	Carton Qty (packs)
1			вох		
	225147	White	3.5	100	360
	225258	White	4.5	100	360
	225369	White	5.0	100	240
T	225951	White	6.0	100	240
- 1	225357	White	7.0	100	160
- 1	225222	White	9.0	100	120
-	225591	White	11.0	100	80
	225607	White	14.0	100	60
47	225999	Black	7.0	100	160 CCL01

Hook & Loop Straps





Convenient and temporary fastening.

Product Code	Qty (pcs)	(packs)
	TIMPAC	
HOOKLOOPP	10	10
		PAK60

CORROSION RATING

A2 Stainless Steel



4 5

Urban & industrial areas with a moderate salt atmosphere

Pack Carton



Plumbing Accessories



Basin Fixing Kits





hole



first

Product Code	Item	Size (mm)	Qty (pcs)	Qty (packs)
	TIM	1PAC		
	LIGH1	T DUTY		
LDBK	-	-	10	20
	Nylon Plugs	10.0 x 50	2	
	Stud Screws	M8 x 100	2	
	Nylon Brushes	M8	2	
	Washers	M8	2	
	Hex Full Nuts	M8	2	

	HEAV	Y DUTY		
HDBK	-	-	10	10
	Nylon Plugs	14.0 x 75	2	
	Stud Screws	M10 x 140	2	
	Nylon Brushes	M10	2	
	Washers	M10	2	
	Hex Full Nuts	M10	2	
				SFK01

Adjustable WC/Bidet Fixing Kit



Designed to fix WC pan/bidets to a variety of solid building materials. Fully adjustable for a quick easy installation. Countersunk nylon bushes

designed to ensure no damage is done to the fixture during installation.



diameter

hole



fixing



Finish fixture with cap with screws

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	TIMP	AC		
WCBK	-	-	14	10
	Nylon Brackets		2	
	Nylon Plugs	10.0 x 50	2	
	Coach Screws	6.0 x 70	2	
	Nylon Bushes	5	2	
	Washers	M6	2	
	Screws	4.5 x 40	2	
	Cover Caps	18	2	
				SFK01

Cloakroom Basin Fixing Kit

into plug



Designed to fix cloakroom basins to a variety of solid building materials Can also be used into wood without nylon plugs.



diameter

hole





screws into


Place fixture onto brackets

Product Code	Item	Size (mm)	Qty (pcs)	Qty (packs)
	TIMP	AC		
CBK	-	-	8	20
	Basin Brackets	-	2	
	Nylon Plugs	10.0 x 50	2	
	Coach Screws	7.0 x 60	2	
	Washers	M7	2	
				SFK01

Pan/Bidet Fixing Kit



installation. Flat caps for a concealed finish. Can also be used into wood without nylon plugs



Product Code	Colour	Pack Qty (pcs)	Qty (packs)
	TIMPAC		
PBK	White	2	20
PBKCH	Chrome	2	20
			SFK01

Item	Size (mm)	Pack Qty (pcs)
COI	NTENTS	
Nylon Plugs	10.0 x 50	2
Coach Screws	6.0 x 80	2
Nylon Bushes	6	2
Cover Caps	18	2

Plugs & Chains



Replacement plugs and chains for baths and sinks. (Sold separately)

Product Code	Item	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
	TIMPA	C		
BATHPLUG112P	Plug	1 1/2	2	10
BATHPLUG134P	Plug	13/4	2	10
CSCHAIN12P	Chain	12	2	10
CSCHAIN18P	Chain	18	2	10
				PAK56

Rad-Seal Radiator Pipe Guide & Seal



Radiator pipework installation aid and solution to eliminate potential air leakage and heat loss at vulnerable pipework entry points.



Product Code	Size (mm)	Pack Qty (pcs)
	PACK	
L0C1115	140	2

Radiator Key

Made from Solid Brass



Solid brass radiator key for the bleeding of central heating radiators to remove trapped air.

Product Code	Material	Qty	Carton Qty (packs)
	TIMPAC		
725741	Solid Brass	2	10
			PAK59

1606380

Pipe Fittings

Manufactured by Elysee

Extensive range of WRAS approved compression fittings for connecting MDPE pipe. Impact resistant and simple push-in & turn action required for installation.



- Simple push-in and turn connection
- Durable and high resistance to impact
- Dismountable if required to allow for alteration/ adjustments
- Designed to withstand sub-zero temperatures
- WRAS approved for notable water and to ISO 17885



Assembly Instructions

- Undo the nut up to the last thread. Do not remove the nut from the body.
 - Cut the pipe straight, remove burrs & chamfer the end of the pipe with a chamfering tool.
 - Mark the length on the PE pipe, to which the pipe must be pushed into the fitting.
 - · Lubricate the end of the pipe.



- Push the PE pipe into the fitting, through the nut, split ring and O-ring, as far as it will go until it meets the 1st resistance. (The mark on the pipe is now just in front of the nut).
- 3 Firmly hand tighten the nut. For sizes of 40mm and above, use a wrench for a further half turn for final tightening.





Notes:

- Lubrication of the pipe end is optional and will ease insertion of the pipe (use silicone lubricant).
- The fitting can safely be used again after disassembling.
- The full hydraulic seal is achieved when the pipe passes through the O-ring.

Couplers



Used to connect two pieces of MDPE pipe. Both pipes should be the same diameter.

Product Code	To Suit Pipe Size (mm)	Qty	Carton Qty (packs)
	BAG		
733012	20 x 20	1	15
733100	25 x 25	1	15
733111	32 x 32	1	10 PPF01

Male Adaptors



Used to connect MDPE pipe to a female BSP threaded fitting.

Product Code	To Suit Pipe Size (mm x inch)	Qty	Carton Qty (packs)
	BAG		
733155	20mm x 1/2"	1	25
733166	25mm x 3/4"	1	20
733177	32mm x 1"	1	10 PPF01

Female Adaptors



Used to connect MDPE pipe to a male BSP threaded fitting.

Product Code	To Suit Pipe Size (mm x inch)	Qty	Carton Qty (packs)
	BAG		
733188	20mm x 1/2"	1	25
733199	25mm x 3/4"	1	20
733200	32mm x 1"	1	10 PPF01

Copper Adaptors



Provides a connection from MDPE pipe to standard copper pipework.

Product Code	To Suit Pipe Size (mm)	Qty	Carton Qty (packs)
	BAG		
733300	20 x 15	1	10
733311	25 x 15	1	20
733322	25 x 22	1	10 PPF01

Reducing Sets



Used to connect two pieces of MDPE pipe of different diameters.

Product Code	To Suit Pipe Size (mm)	Qty	Carton Qty (packs)
	BAG		
733333	25 x 20	1	15
733344	32 x 20	1	10
733355	32 x 25	1	10 PPF01

Imp/Metric Couplers



Allows the connection of metric MDPE pipe to old imperial sized black pipes.

Product Code	Pipe Size (inch x mm)	Qty (pcs)	Qty (packs)
	BAG		
733277	½" x 20mm	1	10 PPF01

To Suit

Pack Carton

End Plugs



Provides a secure and sometimes temporary end to a pipework system.

Product Code	To Suit Pipe Size (mm)	Qty	Carton Qty (packs)
	BAG		
733122	20	1	20
733133	25	1	20
733144	32	1	10 PPF01

90 Degree Elbows



Used to change the direction of pipework in a system by 90 degrees. Pipes should be the same diameter.

Product Code	To Suit Pipe Size (mm)	Qty	Carton Qty (packs)
	BAG		
733244	20 x 20	1	20
733266	32 x 32	1	5
			PPF01

90 Degree Tees



Provides the ability to connect three separate lengths of pipe into one. MDPE pipes should all be the same diameter.

Product Code	To Suit Pipe Size (mm)	Qty	Carton Qty (packs)
	BAG		
733211	20 x 20 x 20	1	15
733233	32 x 32 x 32	1	70

Pipe Liners



Must be used in all MDPE pipe connections to add strength by supporting the shape of the pipe.

Product Code	To Suit Pipe Size (mm)	Qty	Carton Qty (packs)
	BAG		
733366	20	1	50
733377	25	1	50





Single Open Pipe Clips



The single open clip provides a strong and reliable snap fit pipe fixing.

Product Code	Clip Type	To Suit Pipe Size (mm)	To Fit Screw Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
	BAG				
OPS15	Single	15.0	3.5 - 4.5	50	20
OPS22	Single	22.0	3.5 - 4.5	50	20
OPS28	Single	28.0	3.5 - 4.5	50	20
TALTSP1	Spacer	N/A	3.5 - 4.5	100	10
					PPC01

MDPE Pipe Clips





The single hinged clip is available in sizes to fit MDPE pipe and in blue to match the pipe colour.

Product Code	Clip Type	To Suit Pipe Size (mm)	To Fit Screw Ø (mm)	Qty	Carton Qty (packs)
		BAG			
TMS20	Single	19.0 - 21.0	3.5 - 4.5	10	100
TMS25	Single	25.0 - 27.4	3.5 - 4.5	10	50
TMS35	Single	31.8 - 35.0	3.5 - 5.0	10	50
TALTSP1	Spacer	N/A	3.5 - 4.5	100	10
					PPC01


Quick Lock Pipe Clips



Single Quick Lock Pipe Clip

Designed to withstand repeated opening and closing offering 360° degree pipe retention. Secure grip and complete security when pipe is in place with the snap tight locking top. The high stand-off allows for lagging and heat circulation.

Quick Lock Spacer



• 15mm Height



Double Quick Lock Pipe Clip

Double robust clips designed to withstand repeated opening and closing where needed. 360° pipe retention.

Product Code	Clip Type	To Suit Pipe Size (mm)	To Fit Screw Ø (mm)	Qty	Carton Qty (packs)
		BAG			
QS15	Single	15.0	3.5 - 4.5	50	20
QS22	Single	22.0	3.5 - 4.5	50	20
QS28	Single	28.0	3.5 - 4.5	50	10
QSP1	Single Spacer	N/A	3.5 - 4.5	50	30
QD15	Double	15.0	3.5 - 4.5	50	10
QD22	Double	22.0	3.5 - 4.5	50	5
					PPC01

Hinged Pipe Clips



Single Hinged Pipe Clip

This high quality polypropylene clip offers a secure 360° fixing. All sizes can be connected together to allow for equal pipe spacing. Available in a range of different colours for identifying pipework.





Double Hinged Pipe Clip

clips, adding 13mm clearance

from the fixing surface.

Double Clips are easy to fit requiring only a single central screw fixing.

Product Code	Clip Type	Colour	To Suit Pipe Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
		BAG			
TALTS15	Single	White	15	100	10
TALTS15BLU	Single	Blue	15	100	10
TALTS15BLU20	Single	Blue	15	20	N/A
TALTS15RED	Single	Red	15	100	10
TALTS15RED20	Single	Red	15	20	N/A
TALTS22	Single	White	22	100	10
TALTS22BLU	Single	Blue	22	100	N/A
TALTS22BLU20	Single	Blue	22	20	N/A
TALTS22RED	Single	Red	22	100	10
TALTS22RED20	Single	Red	22	20	N/A
TALTD15	Double	White	15	50	10
TALTD22	Double	White	22	50	10
TALTSP1	Spacer	White	N/A	100	10 PPC01

EZ Joist Clips



EZ Joist Clips offer a safe, quick and easy install for pipes in hard to reach places such as overhead and in between joists. Manufactured in the UK using high-quality polypropylene. All sizes of the EZ Joist Clip can be connected together via the dovetail to allow for equal pipe spacing.



Product Code	To Suit Pipe Size (mm)	Pack Qty (pcs)		
BAG				
TALEZ15	15.0	100		
TALEZ1525	15.0	25		
TALEZ22	22.0	100		
TALEZ2225	22.0	25		
		PPC01		

TIMES

Nail In Pipe Clips



Manufactured from premium grade polypropylene features a high quality zinc plated hardened and tempered nail, suitable for all types of masonry. Available in red for marking hot water pipework.

Product Code	Colour	Pipe Size (mm)	Qty (pcs)
	BAG		
NCW10	White	10	50
NCW15	White	15	50
NCW22	White	22	50
TALNCH15	Red	15	100
TALNCH1520	Red	15	20
TALNCH22	Red	22	100
TALNCH2220	Red	22	20

Snappit Kits



Snappit is a rigid pipe finish product that is great for covering unsightly, visible, copper pipework. It is the best, mess-free, alternative to paint - saving time and improving appearance.

Product Code	Colour	To Suit Pipe Size (mm)	Size (mm)	Pack Qty (pcs)
	BAG -	KIT		
TALACSNA	Anthracite Grey	15	15 x 200	2
TALACSNB	Black	15	15 x 200	2
TALACSNC	Chrome	15	15 x 200	2
TALACSNRG	Rose Gold	15	15 x 200	2
TALACSNW	White	15	15 x 200	2
				PPC01

Pipe Collars

Specifically designed for soil and most boiler vent pipes, the 110mm pipe collar is available in other colours to suit application.



• For 110mm pipes

Product Code	Colour	To Suit Pipe Size (mm)	Pack Qty (pcs)
	BAG		
TALPC110BL	Black	110	1
TALPC110C	Chrome	110	1
TALPC110GR	Grey	110	1
TALPC110WH	White	110	1



Pipe collars to conceal unsightly incisions through floors and walls. Ideal for new or retrofit application.

Available in a wide range of sizes to fit various pipe sizes. Manufactured from high-grade polypropylene.

Product Code	Colour	To Suit Pipe Size (mm)	Pack Qty (pcs)
	BAG		
TALPC1510	White	15	10
TALPC2210	White	22	10
TALPC2810	White	28	10
TALPCC1510	Chrome	15	10
TALPCC2210	Chrome	22	10
TALPCC2810	Chrome	28	10
			PPC01

Intumescent Pipe Collars

NEW



Suitable for use on concrete, masonry & plasterboard partitions*

Designed for retro-fit to plastic piping or trunking where it passes through fire resistant structures such as walls or floors. In the event of a fire, the collar's intumescent core rapidly expands to crush the pipe or trunking, which seals off the area and maintains the fire integrity of the structural element.

- · Stainless Steel outer casing
- Tested to BS EN 1366-3, BS476 part 20
- Can be face fixed in a wall or ceiling structure
- Intumescent material unaffected by water, non-flaking and difficult to tear
- Suitable for use on concrete, masonry and plasterboard partitions (PPC25 PPC160 only*)
- Soil, waste and drainage 'above ground' applications
- 10 year guarantee

Product Code	Size Ø x H (mm)	To Suit Pipe Size (mm)	Pack Qty (pcs)
	BAG	;	
487864	75 x 60	55	1
487566	95 x 60	82	1
487090	130 x 60	110	1
487444	195 x 60	160	1
			PPF02

Intumescent Pipe Wraps

4 hour fire rating in vertical

Can be face fixed in a wall or ceiling


structure

NEW

Pack




- Tested to BS EN 1366-3, BS476 part 20
- Intumescent material unaffected by water, non-flaking and difficult to tear
- 10 year guarantee



	Product Code	LxWxT (mm)	Pipe Size (mm)	Qty (pcs)
		BAG		
_	487672	210 x 80 x 5	55	1
	487289	285 x 80 x 5	82	1
	487664	385 x 80 x 5	110	1
	487352	540 x 80 x 5	160	1
T=	THICKNESS			PPF02

To Suit



Hose Clips

Hose Clips

Stainless Steel



Worm drive hose clips with a 7mm slotted hex

• Manufactured to BS 5315-1991

Product Hose Size Qty Code (mm) (pcs) (p	Qty packs)
PACK	
Zinc	
HC9512P 9.5-12 4	10
HC1116P 11-16 4	10
HC1320P 13-20 4	10
HC1825P 18-25 4	10
HC2230P 22-30 4	10
HC2535P 25-35 4	10
	PAK32

	BAG			
	Zinc			
HC9512	9.5 - 12	10	100	
HC1116	11 - 16	10	100	
HC1320	13-20	10	100	
HC1622	16-22	10	100	
HC1825	18-25	10	100	
HC2230	22-30	10	50	
HC2535	25 - 35	10	50	
HC3040	30 - 40	10	50	
HC3550	35 - 50	10	50	
HC4055	40 - 55	10	20	
HC4560	45-60	10	20	
HC5570	55-70	10	20	
HC6080	60 - 80	10	20	
HC7090	70-90	10	20	
HC90120	90 - 120	10	10	
HC110140	110 - 140	10	10	
Stainlass Staal				

St	ainless S	teel	
HC9512SS	9.5 - 12	10	100
HC1116SS	11-16	10	100
HC1320SS	13-20	10	100
HC1825SS	18-25	10	100
HC2230SS	22 - 30	10	50
HC2535SS	25 - 35	10	50
HC3550SS	35-50	10	50
HC4560SS	45-60	10	20
HC5570SS	55-70	10	20
HC7090SS	70 - 90	10	20
HC90120SS	90 - 120	10	10
HC110140SS	110 - 140	10	10

Mixed Hose Clips

Zinc



Mixed bag containing the 8 most popular sizes. Zinc plated carbon steel worm drive hose clips with a 7mm slotted hex.



Clip Pack Carton

Product Code	Size (mm)	Qty (pcs)	Qty (pcs)	Qty (packs)
	В	AG		
HCMIX	-	-	50	6
	11 - 16	10		
	13-20	10		
	18-25	10		
	22 - 30	10		
	25-35	4		
	35-50	2		
	60-80	2		
	110 - 140	2		
				PPC01

Jubilee Clips

Jubilee Clips



The original Jubilee Clip, the product that started it all! For the vast majority of applications this sturdy worm drive hose clip is more than suitable.Continuously threaded band enabling extra flexibility when adjusting the clip to the correct size. The smooth inside profile of the band and rolled edges give protection for all types of hoses including soft hoses made from rubber or silicone.

Product Code	Hose Size (mm)	Pack Qty (pcs)			
	BOX				
Zinc Protected Mild Steel					
JUB000MS	9.5-12	10			
JUBM00MS	11-16	10			
JUB00MS	13-20	10			
JUB0MS	16-22	10			
JUB0XMS	18-25	10			
JUB1AMS	22-30	10			
JUB1XMS	30-40	10			
JUB1MMS	32-45	10			
JUB2AMS	35-50	10			
JUB2MS	40-55	10			
JUB2XMS	45-60	10			
JUB3MS	55-70	10 JUB01			

304 Stainless Steel				
	JUB000SS	9.5-12	10	
	JUBM00SS	11-16	10	
	JUB00SS	13-20	10	
	JUB0SS	16-22	10	
	JUB0XSS	18-25	10	
	JUB1ASS	22-30	10	
	JUB1SS	25-35	10	
	JUB1XSS	30-40	10	
	JUB2ASS	35-50	10	
	JUB3SS	55-70	10	
			JUB02	

BAG			
Zinc Prot	ected Mild St	teel	
JUB1MS	25-35	10	
JUB3XMS	60-80	10	
JUB4MS	70-90	10	
JUB4XMS	85-100	10	
JUB5MS	90-120	10	
JUB6MS	110-140	5	
JUB6XMS	120-150	5	
JUB7MS	135-165	5	
JUB75MS	158-190	5	
JUB85MS	184-216	5	
JUB125MS	286-318	5 JUB01	

Bandings Multiband



Multiband is a self assembly endless banding or screw band system, which allows the user to cut the band to the desired length.

Used in areas such as heating, ventilation and air conditioning (HVAC), sign fixing, conduit and cable retention and lagging, this product is very versatile.

A number of screw and housing designs are available to suit any application.

Available as a zinc protected mild steel or 304 stainless steel clamp.

Product Code	Size W x L (mm x m)	Pack Qty (pcs)
	BAG	
Zinc Protected Mild Steel		
JUBMB1701	11 x 10	1
JUBMB1702	11 x 30	1
		JUB07

Housing & Screws


11mm width Multiband housing and screws in boxes of 25.



(mm)	(pcs)	
BAG		
Zinc Protected Mild Steel		
11	25 JUB07	
	BAG cted Mild	

Jubilee Packs, Kits, Tools & Dispensers

See page 74 for the full range



Jubilee Packs, Kits, Dispensers & Tools



'P' Clip Kits



Description	Size (mm)	Pack Qty (pcs)
CONTEN'	TS (110 P	CS)
	5	14
	6	14
	8	12
	10	10
	13	8
P Clips	16	8
	19	8
	21	8
	25	8
	29	12
	35	8
Product	Pack Qty	Carton Qty

Code	(pcs)	(packs)
304 Sta	inless Ste	el
JUBJPCK110SS	110	4
		IIIR12

'O' Clip Kits



Pack Qty Size Description (mm) (pcs) **CONTENTS (175 PCS)** 5-7 20 7-9 25 9-11 20 11-13 20 O Clips 13-15 30 14-17 20 15-18 20 17-20

Product Code	Pack Qty (pcs)	Carton Qty (packs)
304 Sta	inless Ste	el
JUBOK175SS	175	12

'O' Clip Kit & Tools



Description	Size (mm)	Pack Qty (pcs)
CONTENTS (176 PCS)		
	5-7	20
	7-9	25
	9-11	20
O Clips	11 - 13	20
O Clips	13 - 15	30
	14 - 17	20
	15 - 18	20
	17 - 20	20
Side Closing Pincer Tool 1		1

Product Code	Pack Qty (pcs)	Carton Qty (packs)
304 Stainless Steel		
JUBOKP175SS	176	12

Multiband Handy Packs

Multiband Handy Pack contains 11mm banding and standard housings & screws for your convenience.

• 10m Length



Product Code	Size W x L (mm x m)	Qty	Carton Qty (packs)
	BAG		
Zinc Pr	otected M	1ild St	eel
JUBMB1708	11 x 10	1	15 JUB07

Mega Clip Dispensers

This latest addition to the range, the Jubilee Mega Dispenser, comes with 920 Jubilee Clips (92 boxes in total) covering an adjustment range from 9.5mm up to 70mm. Also includes 5 Jubilee Flexidrivers.



Description	(mm)	(pcs)
CONTEN	TS (920 P	CS)
	9.5-12	100
	11-16	100
	13-20	100
	16-22	80
	18-25	80
Jubilee Clips	22-30	70
	25-35	60
	30-40	60
	32-45	60
	35-50	50
	40-55	50
	45-60	50
	55-70	50
Flexidriver Tool	-	5

Code	(pcs)	(packs)	
304 Stainless Steel			
JUBMD920SS	920	1	
		JUB12	


Pack Qty Carton Qty

Flexidriver Tool



Product Code	Socket Size (mm)	Pack Qty (pcs)
	BAG	
JUBFLX	7	1

Clipdriver Tool



Product Code	Socket Size (mm)	Pack Qty (pcs)
	BAG	
JUBCDR95	7	1
		JUB12

Product

Assorted Trays

Comprehensive range of problem solving handy mixed sets. Offering a wide variety of commonly used litems designed to cover the majority of small jobs that need a quick-fix. Packaged in robust trays that can be securely clipped shut, ready for the next task.



Mixed Screws, Plugs & Drill Bits



Countersunk woodscrews with nylon plugs for fixing to masonry. 6mm or 8mm masonry drill bit included.

Zinc
Yellow
A2 Auct CC

Item	Size (mm)	Qty (pcs)
CONTENT	S (251 PCS)	
Woodscrews	3.5 x 25	50
Woodscrews	4.0 x 25	30
Woodscrews	4.0 x 30	25
Woodscrews	4.0 x 40	25
Woodscrews	5.0 x 40	15
Woodscrews	5.0 x 50	15
Woodscrews	5.0 x 80	15
Nylon Plugs	6.0 x 30	75
Masonry Drill Bit	6.0 x 100	1

CONTENTS (91 PCS)				
Woodscrews	5.0 x 40	15		
Woodscrews	5.0 x 50	15		
Woodscrews	5.0 x 80	15		
Woodscrews	6.0 x 90	15		
Woodscrews	6.0 x 100	10		
Nylon Plugs	8.0 x 40	20		
Masonry Drill Bit	8.0 x 100	1		

Pack Qty

(pcs)

Carton Qty

(packs)

Product

Code

	(1)	(1)	
	TRAY		
	Zinc		
TRAY240	251	15	
TRAY300	91	15	
Yellow			
TRAY260	251	15	
TRAY320	91	15	
304 Stainless Steel			
TRAY280	251	15	
TRAY340	91	15	

Mixed Woodscrews



(mm)

Countersunk woodscrews used in various types of timber and manmade boards.

Zinc	
Yellow	
A2 Aust. SS	

Qty

(pcs)

3.5 x 15	PZ2	100			
3.5 x 25	PZ2	50			
4.0 x 20	PZ2	40			
4.0 x 25	PZ2	35			
4.0 x 30	PZ2	30			
4.0 x 40	PZ2	25			
5.0 x 50	PZ2	25			
5.0 x 70	PZ2	20			
5.0 x 80	PZ2	15			
Product Code	Pack Qty (pcs)	Carton Qty (packs)			
	TRAY				
	Zinc				
TRAY370	340	15			
	Yellow				
TRAY360	340	15			
304 Stainless Steel					
TRAY380	340	15			

CONTENTS (340 PCS)

Driver

Bit Size

Mixed Self-Tapping Screws



Zinc plated selftapping screws. Three different head types for a wide range of metal to metal applications. Please note a pre-drilled hole is required.

Zinc

Head Type	Size (imp.)	Recess	Qty (pcs)	
CONTENT	S (475 P	CS)		
Pan Head	6 x ½	PZ2	80	
Pan Head	6 x 3/4	PZ2	55	
Pan Head	8 x ½	PZ2	45	
Pan Head	8 x 5/8	PZ2	45	
Pan Head	8 x 3/4	PZ2	35	
Pan Head	8 x 1	PZ2	25	
Countersunk	8 x 3/4	PZ2	40	
Countersunk	8 x 1	PZ2	30	
Countersunk	10 x 11/4	PZ2	25	
Flange Head	8 x ½	PZ2	45	
Flange Head	8 x 3/4	PZ2	30	
Flange Head	8 x 1	PZ2	20	

Product Code		Pack Qty (pcs)	Carton Qty (packs)
	TRAY		
TRAY440		475	15
			TRY02

Mixed Nails



Galvanised and bright steel nails for internal and exterior applications.

Galvanised

Item	Finish	(mm)	(pcs)
CONT	PCS)		
Clout	Galvanised	20 x 3.00	30
Clout	Galvanised	25 x 3.00	20
Presser Point Staples	Galvanised	25 x 2.00	60
Annular Ringshank	Bright	25 x 2.65	50
Annular Ringshank	Bright	30 x 3.26	30
Annular Ringshank	Bright	40 x 3.26	30
Round Wire	Bright	50 x 2.65	40
Round Wire	Bright	65 x 3.35	20
Round Wire	Bright	75 x 3.75	20

Product Code	Pack Qty (pcs)	Carton Qty (packs)
	TRAY	
TRAY660	300	15
		TDVOO

Mixed Pins & Nails



Bright nails and pins for a wide range of internal applications.

Item	Finish	Size (mm)	Qty (pcs)
CON	ITENTS (49	5 PCS)	
Panel Pins	Bright	25 x 1.60	130
Panel Pins	Bright	30 x 1.60	100
Panel Pins	Bright	40 x 2.00	50
Oval Nails	Bright	40	30
Oval Nails	Bright	50	40
Oval Nails	Bright	65	35
Round Wire Nails	Bright	50 x 2.65	40
Round Wire Nails	Bright	65 x 3.35	25

Product Code	Pack Qty (pcs)	Carton Qty (packs)
	TRAY	
TRAY680	495	15
		TDV02



Mixed Set Screws, Nuts & Washers



Hex headed set screws with conforming nuts and washers.

Zinc A2 Aust. SS

Item	Size (mm)	Qty (pcs)
CONTENTS -	199 PIECES	
Set Screw (DIN 933)	6.0 x 16	20
Set Screw (DIN 933)	6.0 x 25	15
Set Screw (DIN 933)	8.0 x 25	10
Set Screw (DIN 933)	8.0 x 35	4
Set Screw (DIN 933)	10.0 x 40	3
Set Screw (DIN 933)	10.0 x 50	4
Hex Nut (DIN934)	M6	40
Hex Nut (DIN934)	M8	15
Hex Nut (DIN934)	M10	8
Form A Washer (DIN125)	M6	40
Form A Washer (DIN125)	M8	20
Form A Washer (DIN125)	M10	20

Code	(pcs)	(packs)			
TRAY					
	Zinc				
TRAY620	199	15			
304 Stainless Steel					
TRAY640	199	15			

Pack Qty

Carton Qty

TRY02

Mixed Nuts



Zinc plated and clear passivated nuts. Contains four commonly used types of nut to suit a wide range of applications.

Zind

Item	Size (mm)	Qty (pcs)
CONTENTS -	- 243 PIECES	;
Hex (DIN 934)	M4	70
Hex (DIN 934)	M6	50
Hex (DIN 934)	M8	20
Hex (DIN 934)	M10	10
Hex (DIN 934)	M12	8
T Nylon (DIN 985)	M6	30
T Nylon (DIN 985)	M8	15
T Nylon (DIN 985)	M10	8
Wing	M6	15
Wing	M8	10
Connector (DIN 6334)	M8	5
Connector (DIN 6334)	M10	2
Product	Pack Qty	Carton Qty

TRAY

(pcs)

243

(packs)

15

Mixed Washers



Three types of washer to suit a wide range of applications.

Zinc

Item	Size (mm)	Qty (pcs)
CONTENTS	- 291 PIECES	
Form A (DIN 125)	M4	40
Form A (DIN 125)	M6	40
Form A (DIN 125)	M8	20
Form A (DIN 125)	M10	30
Form A (DIN 125)	M12	15
Form A (DIN 125)	M14	10
Form A (DIN 125)	M16	8
Penny/Repair	M6 x 25	15
Penny/Repair	M8 x 25	20
Penny/Repair	M8 x 40	4
Penny/Repair	M10 x 25	20
Penny/Repair	M10 x 40	4
Spring - DIN7980	M6	20
Spring - DIN7980	M8	20
Spring - DIN7980	M10	25
Product Code	Pack Qty (pcs)	Carton Qty (packs)
Т	RAY	
TRAY580	291	15

Mixed Machine Screws



Product

Used in pre-tapped holes or used with conforming nuts in through-holes.

Zinc

Head Type	Size (mm)	Recess	Qty (pcs)
CONTEN	TS - 320 P	IECES	
Pan (DIN7985)	M4 x 30	PZ2	25
Pan (DIN7985)	M4 x 40	PZ2	20
Pan (DIN7985)	M5 x 30	PZ2	15
Pan (DIN7985)	M3 x 12	PZ2	80
Pan (DIN7985)	M3 x 20	PZ2	50
Pan (DIN7985)	M4 x 20	PZ2	30
Countersunk (DIN965)	M5 x 40	PZ2	12
Countersunk (DIN965)	M5 x 50	PZ2	10
Countersunk (DIN965)	M6 x 50	PZ3	8
Flange	M3 x 20	PZ2	40
Flange	M4 x 30	PZ2	15
Flange	M4 x 40	PZ2	15

Product Code	Pack Qty (pcs)	Carton Qty (packs)
1	ΓRAY	
TRAY500	320	15
		TRY02

Mixed Tap Repair Washers



Code

TRAY540

Flat, dome, flex and fibre washers for repairing taps of various sizes.

Rubber Fibre

Item	Material	Size (imp.)	Qty (pcs)
cc	ONTENTS - 15	9 PIECES	
Flat Tap	Rubber	3/8	15
Flat Tap	Rubber	1/2	12
Flat Tap	Rubber	5/8	5
Flat Tap	Rubber	3/4	6
Dome	Rubber	1/2	12
Dome	Rubber	3/4	4
Delta	Rubber	1/2	15
Delta	Rubber	3/4	10
Tanto Flex	Rubber	1/2	10
Tanto Flex	Rubber	3/4	10
Fibre	Fibre	1/2	30
Fibre	Fibre	3/4	30

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRA	AY .	
TRAY980	159	15 TRY02

Mixed Plasterboard Fixings



Plasterboard anchors and fixings designed for both light and heavy duty applications.

Note: Speed plug screws are pan head and woodscrews are countersunk head.

Zinc Yellow

Item	Finish	Recess Type	Size (mm)	Qty (pcs)
CONTEN	ITS - 1	02 PIECI	ES	
Metal Cavity Anchors	Zinc	Combi	M5 x 37	10
Metal Cavity Anchors	Zinc	Combi	M5 x 52	6
Metal Cavity Anchors	Zinc	Combi	M5 x 65	6
Metal Speed Plugs	Zinc	Cross	31.5	18
Metal Speed Plug Screws	Zinc	Combi	4.5 x 30	22
Woodscrews	Yellow	Pozi	4.0 x 40	20
Multi-Purpose Plugs	Grey	-	M6 x 35	20
Product		Pack Otv	Carto	n Otv
Product		Pack Qty	Carto	n Qty

Woodscrews	Yellow	Pozi	4.0 x 40	20
Multi-Purpose Plugs	Grey	-	M6 x 35	20
Product Code		Pack Qty (pcs)	Carto (pac	
	TRAY			
TRAY520		102	15	5 TRY02

Mixed Hooks & Eyes



PVC coated, zinc and brass plated, hooks and eyes. Nylon plugs included for applications where fixing to masonry is required.

Zinc

	Electio bi ass		
Item	Finish/Colour	Size (mm)	Qty (pcs)
CONT	ENTS - 133 PI	ECES	
Round Cup Hooks	Zinc/White	25	12
Round Cup Hooks	Zinc/White	32	10
Round Cup Hooks	Zinc/White	38	6
Round Cup Hooks	Zinc/White	48	5
Round Cup Hooks	Electro Brass	25	12
Round Cup Hooks	Electro Brass	38	6
L Hooks	Electro Brass	25	12
L Hooks	Electro Brass	38	10
Screw Eyes	Zinc	37	5
Nylon Plugs	Grey	5.0 x 25	35
Nylon Plugs	Grey	6.0 x 30	20

Mixed Picture Hanging Kit



Brass plated picture plates, hangers, D-rings, picture nails, sawtooth brackets and hooks. Nylon line and steel hanging wire included.

Zinc

The second second	Elec	Electro Brass			
Item	Finish/Material	Size (mm)	Qty (pcs)		
CONT	NTS - 179 PII	ECES			
3m Nylon Rope	Nylon	300	1		
3m Steel Wire	Steel	300	1		
Plastic Hanger	White	31 x 16	6		
Picture Plates	Electro Brass	38 x 38	6		
Picture Nails	Electro Brass	1.60 x 30	80		
D-Rings	Electro Brass	10	6		
D-Rings	Electro Brass	15	4		
Single Picture Hooks	Electro Brass	25 x 5	25		
Single Picture Hooks	Electro Brass	36 x 6	20		
Double Picture Hooks	Electro Brass	25 x 32	10		
Sawtooth Hanger	Electro Brass	42	2		
Round Cup Hooks	Electro Brass	37	6		
Round Cup Hooks	Electro Brass	49	12		
Product	Pack	Qty Car	ton Qty		
Code	(pc		acks)		
	TRAY				
TRAY720	17	9	15 TRY02		

Mixed Cable Clips



Nail in cable clips including twin and earth (T&E), flat cable clips, round cable clips and bell wire clips.

Name of the last	1		
THE PERSON NAMED IN	I	Mixed	Colours
Item	Colour	Size (mm	,
CONTE	NTS - 29	O PIECES	
T&E Flat Cable	Grey	1.0	20
T&E Flat Cable	Grey	1.5	30
T&E Flat Cable	Grey	2.5	30
T&E Flat Cable	Grey	6.0	20
Round Cable	White	7	45
Round Cable	Black	7	45
Bell Wire	White	-	100
Product Code		Pack Qty (pcs)	Carton Qty (packs)
	TRAY		
TRAY780		290	15 TRY02

Mixed Hose Clips



Product

Code

TRAY700

Zinc plated carbon steel, worm drive hose clips with 7mm slotted hex head screws.

Pack Qty

(pcs)

133

Carton Qty

(packs)

15 TRY02

Steel

Qty

(mm)	(pcs)
CONTENTS - 25 PIECES	
11 - 16	8
16 - 22	6
18 - 25	4
22 - 30	2
25 - 35	2
30 - 40	3

Product Code	Pack Qty (pcs)	Carton Qty (packs)
	TRAY	
TRAY970	25	15
		TRY02

Mixed Key Tags

Colour

Blue

Green

Yellow



A multi-coloured selection of key tags with removable card inserts for easy colour coding of keys for identification.

Mixed Colours

Qty (pcs)

8

8

	Red		8
	White		8
	Black		8
Product		Pack Qty	Carton Qty
Code		(pcs)	(packs)
	TI	RAY	
TRAY800		48	15

CONTENTS - 48 PIECES



Masonry & Cavity Fixings

Cavity Fixings

Corefix	80
Zip-Fix	81
Stella-Fix	82
Spring Toggles	83
Metal Cavity Anchors	83
Speed Plugs	83
Hammer-In Fixings	84

Masonry & Insulation Fixings

Plastic, Nylon & Metal Plugs	84-85
Express Nails	86
Wirehangers	86
Ceiling Anchors & Brackets	86
Vertical Flange Clips	86
Metal Insulation Fixings	87
Plastic Insulation Fixings	87
Discs & Covers	87

Concrete & Masonry Fixings

Zamac Nail In Anchors	88
Nylon Fixings	88
Masonry Screws	89
Concrete Screws	90-91
Masonry Bolts	92-93
Throughbolts	94
Drop In Anchors	94
Shield Anchors	95
Forged Hooks & Eyes	96
Chemical Anchor Studs	96

Chemical Resin & Accessories

Chemical Resin	97
Accessories	98

Class 'B' Engineering Brick (3 x hole) ≥ 75 N/mm2 **Anchors** Solid Cheshire Clay Brick Dense Solid Concrete Blo & Fixings Con Quick Reference -12 Guide Concrete Panel Masonry Corefix Zip-Fix Stella-Fix 1 1 Spring Toggles Metal Cavity Anchors Speed Plugs Hammer-In Fixings Plastic Plugs Plugs & Coach Screws Nylon Universal Plugs Metal Expansion Plug 1 **Express Nails** Wirehangers Ceiling Anchors Insulation Fixings Nail in Anchors Nylon Hammer Fixings Nylon Frame Fixings Masonry Screws Concrete Screws Masonry Bolts Throughbolts Drop-In Anchors Shield Anchors Chemical Studs Resin

Recommended Tensile Loads

Recommended loads quoted by TIMCO are the maximum loads that may be applied in the base material as quoted. Applied loads (unfactored loads) may not exceed these values. (in BS 8539:2012 code of practice for the selection and installation of post-installed anchors in concrete and masonry, recommended loads are referred to as recommended resistances and applied loads as characteristic actions.)

TIMCO determines recommended loads from results achieved in their testing facility. Recommended loads are determined from the Characteristic Load (x - ks) divided by a safety factor.

Recommended loads depend on anchors being correctly installed, as per the provided installation instructions, in material of at least the quoted strength and to at least the quoted embedment depth. Recommended loads for masonry are guide values only.

Embedment depths & hole depths

Where embedment depths are quoted in this brochure they refer to the "Nominal embedment depth" of the anchor in the hole, referred to in BS 8539:2012, with the notation.



The minimum hole depth is measured to the shoulder of the drill bit, h, as per BS 8539, and is valid for the maximum fixture thickness. When using throughbolts, Multi-Fix bolts, shield anchors, nylon frame and nylon hammer fixings, the hole depth should be increased pro rata for thinner fixtures.

Edge distance & centre spacings

In this brochure the dimensions shown under these headings are the distances for which the full recommended load as quoted here may be used (BS 8539 references are: Edge distance, c_{CT} , and Centre spacing, s_{CT}).

For some products closer edge and centre spacings may be used with reduced loads, refer to our Technical Department for details.

rimco

CUREFIX


Dot & Dab Wall Fixing Solved!



Lightweight/thermal blockwork



All types of brick & blockwork



C REFIX is suitable for mounting TVs, radiators and cabinets onto Dot & Dab walls, plasterboard over all types of brick and blockwork.



INSTALL IN JUST EASY STEPS!



1. Drill hole to required depth using 10mm masonry drill bit. Turn off hammer drill for aerated blocks.



2. Blow to ensure all debris and dust has been removed from the hole.



3. Gently tap plug into place until flange contacts the plasterboard.



4. Then tap metal core into place.



5. Screw fixture to the wall with supplied screw.



Available in:

Code: CFX024T

Code: CFX004T

5.0 x 100mm Screw Max Fixture Thickness - 10mm

Code: CFX006RVT



5.0 x 120mm Screw Max Fixture Thickness - 30mm

Available in:

Box of 24

Code: CFX024PT

Pack of 4 Code: CFX004PT









RAPID INSTALLATION

Heavy duty cavity wall anchor for use in plasterboards, most hollow concrete blocks, cavity walls and ceilings.

Pack includes both 40mm and 60mm screws for a wider variety of fixture thicknesses.

PERFECT FOR FITTING







WEIGHTS & MATERIALS





DOUBLE BOARD



15mm Thickness



12.5mm Thickness

TECHNICAL DATA						
Substrate	Plasterboard 25mm Double 15mm Dense Board Board B					
Thread Ø (mm)	M6	M6	M6	M6		
Drill Hole Ø (mm)	13	13	13	13		
Rec. Tensile Load (kN)	0.30	0.47	0.56	0.60		
Max Rec. Load (kg)	30	47	56	60		

Product Code	Screw Lengths (mm)	Thread Ø (mm)	FCH Ø (mm)	MFT (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		В	ОХ				
ZIP650	40 and 60	M6	6	45	50	8	192
							ANC03





Drill a 13mm hole in the substrate. 50mm cavity clearance required behind substrate



Ensuring the thumb tab faces upwards, insert the metal toggle through the hole, so it pivots down behind the substrate.



Zip the nylon collar towards the wall so the collar sits into the drilled hole. Then snap off the nylon arms.



Insert a M6 screw through the fixture and into the threaded part of Zip-Fix and tighten until secure.

STELLA-FIX UNIVERSAL ANCHOR

EASY INSTALLATION, JUST PUSH & FIX

A highly effective universal anchor for fixing heavy loads to plasterboard, cavities and solid materials.

TECHNICAL DATA					
Substrate	Plasterboard 12.5mm Thickness	Dense board 15mm Thickness	Double board 25mm Thickness		
Anchor Type	Red	Red	Black		
Anchor Length (mm)	49	49	59		
Drill Hole Ø (mm)	10	10	10		
Rec. Tensile Load (kN)	0.33	0.41	0.48		
Max Rec. Load (kg)	33	41	48		



WEIGHTS & MATERIALS \bigcirc Up To 33 48 KG KG DRYWALL / **DENSE DOUBLE PLASTERBOARD BOARD BOARD**

25mm Thickness

PERFECT FOR FITTING







Pack Carton Qty Qty (pcs) (packs)

Product Code	Screw Size (mm)	Plug Length (mm)	Board Thickness (mm)		Qty		Qty		
	BOX								
RED FIXING									
STRENSS	M5 v 55	40	3_18	15	25	20	1200		



~		(mm)	(mm			
	P.	ACK				
	RED FIXING					
M5 x 55	49	3 - 18	15			
	(mm)	(mm) (mm) P. RED	(mm) (mm) (mm) PACK RED FIXING			

Screw

PACK							
RED FIXING							
725374	M5 x 55	49	3 - 18	15	4	5	
725146	M5 x 80	49	3 - 18	40	4	5	
		BLAC	K FIXING				
725012	M5 x 65	59	18 - 30	12	4	5	
725973	M5 x 90	59	18 - 30	38	4	5	
ALST ALLY SUSSIDE THROWSON							

Board

DRILL

25mm Thickness



Drill a 10mm hole in the substrate.

PUSH

15mm Thickness



Push the Stella-Fix plug firmly into the hole.

INSERT



Insert the Stella-Fix screw through the fixing.

FIX



Tighten the screw until the fixing is secure.

Cavity **Fixings**


Spring Toggles



The wings spread the load over a wider area making them more suited for heavier loads.

11-**26KG Technical Data**

Substrate	Plasterboard 12.5mm Thickness			
Screw Ø (mm)	M3	M5	M6	
Drill Hole Ø (mm)	11	14	18	
Min. Cavity Depth (mm)	20	30	30	
Rec. Tensile Load (kN)	0.11	0.22	0.26	
Max Rec. Load (kg)	11	22	26	



Wall &

Product Code	Screw Ø x L (mm)	Fixture Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
TOG350	M3 x 50	30	100	12	240
T0G550	M5 x 50	20	100	12	192
T0G575	M5 x 75	45	100	12	192
TOG5100	M5 x 100	70	100	6	96
T0G675	M6 x 75	45	100	6	96
					ANC02
		TIMBAG	i		
TOG550B	M5 x 50	20	55	5	600
TOG575B	M5 x 75	45	50	5	600
					BAG23
		TIMPAC			
TOG550P	M5 x 50	20	4	5	-

45

Metal Cavity Anchors



Technical Data Plasterboard 12.5mm Thickness Screw Ø (mm) M4 M5 M6 Drill Hole Ø (mm) 8.0 10.0 12.0 Fixture Hole Ø (mm) 4.0 5.0 6.0 0.22 0.37 Rec. Tensile Load (kN) 0.22 Max Rec. Load (kg) 22 22 37





	Product Code	Ø x L (mm)	Length (mm)		Qty	Qty (packs)	Qty (packs
			В	ОХ			
	40038CA	M4 x 45	38	8 - 16	100	20	640
	40045CA	M4 x 50	45	16-23	100	20	640
	50037CA	M5 x 45	37	6-13	100	20	480
	50052CA	M5 x 60	52	7 - 16	100	10	320
	50065CA	M5x70	65	17 - 32	100	10	320
	60052CA	M6 x 60	52	7 - 16	100	10	320
	60065CA	M6x70	65	17 - 32	100	10	280 ANC01
TIMBAG							
	50037CAB	M5 x 45	37	6-13	70	5	600
	50052CAB	M5 x 60	52	7-16	60	5	600
	60065CAB	M6 x 70	65	17-32	40	5	600
							BAG22
TIMPAC							
	50037CAP	M5 x 45	37	6-13	4	5	-
	50052CAP	M5 x 60	52	7-16	3	5	-

Setting Tool



A handy and efficient tool used to set cavity anchors.

Product Code	Qty	Carton Qty (packs)				
BOX						
SETOOL	1	30				
		ANC01				

Metal Speed Plugs



applications. Cross-recess head allows simple installation with a screw driver.

Tachnical Data

Note: Only metal speed plugs come with scre

Max Rec. Load (kg)

recillical Data					
Substrate	Plasterboard 12.5mm Thickness				
Туре	Metal	Nylon			
Max. Fixture Thickness (mm)	6.	0			
Rec. Tensile Load (kN)	0.14	0.05			

14

5-14KG

Carton Pallot

	% ×111 88		 =
Drive plug Into plasterboard	Tigh unt	ten fixtu il secun	re e
Plu	n S	crew	Pack

Product Code	Length (mm)	Ø x L (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
		BOX			
TBAZS	31.5	4.5 x 30	100	20	640 ANP01
		TUB			
TBAZST	31.5	4.5 x 30	300	20	-
					ANP01
		TIMBAG	ì		
TBAZSB	31.5	4.5 x 30	75	5	870
					BAG24
		TIMPAC			
TBAZSP	31.5	4.5 x 30	5	5	-
					PAK35

Nylon Speed Plugs



Nylon speed plugs are ideal for electrical installation due to non-conductivity of nylon material.

Note: A 6mm pre-drilled hole may be required in harder plasterboards.

Product Code	Plug Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	BOX			
TBAN	42	100	10	30,000 ANP02

M5 x 75

TOG575P




Hammer-In Fixings

Yellow



Rapid light duty plasterboard fixing with zinc plating & yellow passivation to enhance corrosion resistance





Product Code	Screw Ø x L (mm)	Metal Plug Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
HPF30	4.0 x 30	11.0 x 30	100	18	648 ANP03
		TIMPAC			
HPF30P	4.0 x 30	11.0 x 30	10	5	-
					PAK36

Plastic Plugs





Premium Plastic Plugs





Premium plugs with improved pull-out loads and anti-rotation fins compared to standard plugs.

Loose and off the sprig for quicker and more convenient installation on site

7 - 50

Technical Data						
Substrate	C20/25 Concrete					
Colour	Yellow	Red	Brown			
Plug Length (mm)	25	34	42			
Drill Hole Ø (mm)*	5.0	5.5	7.0			
To Fit Screw Ø (mm)	3.0 - 4.5	3.5 - 4.8	4.5 - 6.0			
To Fit Screw Ø (Imp.)	4-8	6-10	8 - 12			
Rec.Tensile Load (kN)	0.069	0.18	0.5			
Max Rec. Load (kg)	7	18	50			
Tested using screw Ø (mm)	3.5	4.0	5.0			

 $^{^{*}}$ It may be beneficial to reduce drill diameter in soft materials.

Product Code	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	TIMBA	G		
RPLUGPREM200	Red	200	5	-
BPLUGPREM200	Brown	200	5	-
				BAG25
	BAG			
YPLUGPREM	Yellow	1000	40	-
RPLUGPREM	Red	1000	30	900
BPLUGPREM	Brown	1000	15	600
	TUB			
RPLUGPREMT	Red	850	20	-
BPLUGPREMT	Brown	600	20	-
				PLU01

Plastic Plugs





Pack Carton Pallet

(pcs) (packs) (packs)

10

PAK37

15

Technical Data							
Colour	Yellow	Red	Brown	Blue			
Plug Length (mm)	25	30	36	48			
Drill Hole Ø (mm)*	5.0	5.5	7.0	10.0			
MDHD (mm)**	30	35	45	55			
To Fit Screw Ø (mm)	3.0 - 4.5	3.5 - 5.0	4.0 - 6.0	6.0-8.0			
To Fit Screw Ø (Imp.)	4-8	6-10	8 - 12	12-15			

^{*} It may be beneficial to reduce drill diameter in soft materials

Colour

Brown

Blue

Product Code

BPLUGP

BLPLUGP

Boxes - Yellow, Red and Brown sold in multiples of 1000. Blue plug sold in multiples of 400.

			,	. ,	. ,			
BOX (SPRIGS)								
YPLUG	Yellow	20	100	100	1200			
RPLUG	Red	10	100	100	800			
BPLUG	Brown	10	100	100	500			
BLPLUG	Blue	10	40	100	500			
					PLU01			
	TIMB	AG (LO	OSE)					
RPLUGB	Red	N/A	450	5	600			
BPLUGB	Brown	N/A	300	5	600			
					BAG25			
TIMPAC (LOOSE)								
YPLUGP	Yellow	N/A	50	10	-			
RPLUGP	Red	N/A	30	10	-			

N/A 20

N/A 10 10

Plastic Plugs with Screws





Technical Data							
recilinear De	lecililical Data						
Colour	Red	Brown					
Plug Length (mm)	30	36					
Drill Hole Ø (mm)*	5.5	7.0					
Min. Drill Hole Depth (mm)	35	45					
To Fit Screw Ø (mm)	3.5 - 5.0	4.0 - 6.0					
To Fit Screw Ø (Imp.)	6-10	8 - 12					

^{*} It may be beneficial to reduce drill diameter in soft materials

Product Code	Colour	Screw Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		TIMBAG			
SRPLUGB	Red	4.0 x 40	400	5	600
SBPLUGB	Brown	5.0 x 50	250	5	600
					BAG25
		TIMPAC			
SRPLUGP	Red	4.0 x 40	50	10	-
SBPLUGP	Brown	5.0×50	30	10	-
					PAK37

^{**} Min. Drill Hole Depth

Masonry Fixings



Nylon Universal Plugs











Versatile plugs manufactured from durable nylon. Superior performance in both hollow or solid materials. Perfect for applications where there is uncertainty with regards to the type of base material.

		90	OKG			
Substrate	Concrete ≥25N/mm2				rboard 12 hickness	
Plug Size (mm)	6 x 30	8 x 40	10 x 50	6 x 30	8 x 40	10 x 50
Drill Hole Ø (mm)	6	8	10	6	8	10
Drill Hole Depth (mm)	40	50	60	-	-	-
Test Screw Size (mm)	4.5 x 40	5.0 x 50	6.0×60	3.5×40	4.0 x 50	4.5 x 70
Rec. Tensile Load (kN)	0.08	0.39	0.9	0.03	0.08	0.12
Max Rec. Load (kg)	8	39	90	3	8	12
Rec. Screw Ø (mm)	4.0 - 4.5	4.5-5.0	5.0-6.0	3.5	4.0	4.5
Min. Req. Screw Length (mm)*	30	40	50	40	50	60

Product Plug Size Qty Qty Qty Code (mm) (pcs) (packs) (packs) TIMBAG 224411 6.0 x 30 200 224209 8.0 x 40 100 600 224186 10.0 x 50 70 600

Pack Carton Pallet

Coach Screw & Nylon Plug





A traditional heavy duty woodscrew mainly used for attaching ironmongery to timber or for use with a nylon plug into masonry.

NOTE: Thread length is 2/3 of the overall length screw. E.g. 100mm = 60mm thread

> Pack Carton Pallet Qty

Technical Data						
Screw Size (mm)	6.0	8.0				
Socket Size (mm)	10	13				
Plug Ø (mm)	10.0	12.0				
Drill Hole Ø (mm)*	10.0	12.0				

Code	(mm)	(mm)	(pcs)	(packs)	(packs)			
TIMBAG								
0660CSCNB	6.0 x 60	10.0 x 50	40	5	200			
0680CSCNB	6.0 x 80	10.0 x 50	30	5	150			
08100CSCNB	8.0 x 100	12.0 x 60	12	5	60			
					BAG06			
TIMPAC								
0660CSCNP	6.0 x 60	10.0 x 50	2	5	-			
0680CSCNP	6.0 x 80	10.0 x 50	2	5	-			
08100CSCNP	8 0 x 100	12 0 x 60	2	5				

Size Qty Qty

Screw

Size

Product

Nylon Plugs



Manufactured from a more durable material than standard plugs and therefore better suited for outdoor use. Often used with coach screws.

Technical Data

Plug Ø (mm)		6.0	8.0	10.	0 12.	14.0	
Drill Hole Ø	(mm)*	6.0	8.0	10.	0 12.0	14.0	
Product Code	Plug Size (mm)	For So	1	Pack Qty (pcs)	Carton Qty (packs	Pallet Qty) (packs)	
TIMBAG							
06NLPB	6.0 x 30	3.5-	5.0	200	5	870	
08NLPB	8.0 x 40	5.0-	6.0	100	5	870	
10NLPB	10.0 x 50	6.0-	8.0	70	5	600	
12NLPB	12.0 x 60	8.0 -	10.0	50	5	600	
14NLPB	14.0 x 75	10.0-	12.0	30	5	600	
						BAG07	
		TIM	PAC				
06NLPP	6.0 x 30	3.5-	5.0	20	10	-	
08NLPP	8.0 x 40	5.0-	6.0	10	10	-	
10NLPP	10.0 x 50	6.0 -	8.0	5	10	-	

Metal Expansion Plugs



An all steel fixing for light weight aggregate blocks. Ideal for fixing in areas such as fire escape routes where regulations restrict the use of plastic anchors or plugs.

• Conforms to BS 7671:2018





iechnicai Data					
Substrate	Concrete Block 7N/mm2				
Plug Ø (mm)	6.0	8.0	10.0		
Drill Hole Ø (mm)	6.0	8.0	10.0		
Min. Embedment Depth (mm)	32	38	60		
Test Screw Ø (mm)	4.5	5.0	6.0		
Rec. Tensile Load (kN)	0.2	0.4	0.5		
Max Rec. Load (kg)	20	40	50		

Note: Drill hole size is relative to the compressive strength of the substrate. When fixing into concrete, the above drill holes sizes should be increased to prevent damage to the plug during

Product Code	Size Ø x L (mm)	For Screw Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
632MEP	6.0 x 32	4.5 - 5.0	100	18	864
838MEP	8.0 x 38	5.0 - 6.0	50	18	864
860MEP	8.0 x 60	5.0 - 6.0	50	10	500
1060MEP	10.0 x 60	6.0 - 8.0	50	10	500
					145004

PAK12

12NI PP

14NLPP

12.0 x 60 8.0 - 10.0

14.0 x 75 10.0 - 12.0 2

10

10

^{725411 6.0} x 30 20 725209 8.0 x 40 10 10 725185 10.0 x 50 5 10

^{*} Add thickness of fixture to Min. required screw length

^{**} We do not recommend the use of power tools when fixing to plasterboard


าเกาะอ

Express Nails

Zinc

An underestimated rapid hammer-set anchor for concrete and masonry, ideal for interior timber-work such as battens and frames.







Technical Data								
Substrate	>25N/mm2		Fletton Brick 30N/mm2		Cheshire Brick 45N/mm2		Class B Eng. Brick 75N/mm2	
Size Ø (mm)	6.0	8.0	6.0	8.0	6.0	8.0	6.0	8.0
Drill Hole Ø (mm)	6.0	8.0	6.0	8.0	6.0	8.0	6.0	8.0
Fixture Clearance Hole Ø (mm)	7.0	9.0	7.0	9.0	7.0	9.0	7.0	9.0
Min. Embed. Depth (mm)	30	40	30	40	30	40	30	40
Min. Drill Hole Depth (mm)	40	50	40	50	40	50	40	50
Rec. Tensile Load (kN)	0.52	1.50	0.48	0.61	0.29	0.53	0.28	0.62
Max Rec. Load (kg)	52	150	48	61	29	53	28	62

Product Code	Size (mm)	MFT* (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		вох			
00650EN	6.0 x 50	20	200	8	240
00660EN	6.0×60	30	100	10	300
00680EN	6.0×80	50	100	10	300
00870EN	8.0×70	30	100	10	300
00890EN	8.0 x 90	50	50	18	648
08110EN	8.0 x 110	70	50	10	300
08130EN	8.0 x 130	90	50	10	300
08150EN	8.0 x 150	110	50	8	240
08180EN	8.0 x 180	140	50	8	240
					EXN01
	1	TIMBA	\G		
00660ENB	6.0 x 60	30	90	5	600
00680ENB	6.0×80	50	70	5	600
00890ENB	8.0 x 90	50	45	5	600
08110ENB	8.0 x 110	70	35	5	600
08150ENB	8.0 x 150	110	30	5	600
					BAG26
	7	ΓΙΜΡΑ	C		
00660ENP	6.0 x 60	30	8	5	-
00680ENP	6.0 x 80	50	6	5	-
00890ENP	8.0 x 90	50	6	5	-
08110ENP	8.0 x 110	70	4	5	-
08130ENP	8.0 x 130	90	6	5	-
*MFT = MAX FIX	TURE THICKN	ESS			PAK38

Wirehangers

ALL STEEL NON-FLAMMABLE FIXING

Zinc




suspended ceiling industry when securing suspension wires to concrete beams.

• Conforms to BS 7671:2018



Technical	Data
Substrate	Concrete ≥ 25N/mm2
Size Ø (mm)	6.0
Drill Hole Ø (mm)	6.0
Embedment Depth (mm)	45
Min. Embedment Depth (mm)	50
Rec. Tensile Load (kN)	1.88
Max Rec. Load (kg)	188



Ceiling Anchors


Zinc CONCRETE

A rapid light duty hammer-set anchor for attaching sheet metal, plastic or wood to concrete or masonry. Made from steel making it ideal for overhead applications.



Technical Data

Substrate	Concrete ≥ 25N/mm2
Size Ø (mm)	6.0
Drill Hole Ø (mm)	6.0
Fixture Clearance Hole Ø (mm)	6.5
Min. Embedment Depth (mm)	35
Min Drill Hole Depth (mm)	45
Rec. Tensile Load (kN)	0.72
Max Rec. Load (kg)	72



30 100 8

Vertical Flange Clips

High strength vertical flange clip for fixing suspended wire and lighting to steel purlin.

Must only be used in a vertical position

Yellow

72KG Technical Data Size (mm) 20 x 42 Max Rec. Load (kg) 72

Product Code	Size W x L (mm)	Hole Ø (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
VFC2042	20 x 42	6.5	100	10	500 WHG02

Ceiling Angle Brackets



Versatile bracket most commonly used for installing suspended ceiling systems. Various hole sizes allow different fixings to be used.

Product Code	Size L x W x H (mm)	Mole Ø (mm)		Qty	Qty (packs)	Qty
		ВО	X			
25ABC	25 x 25 x 22	4.5 & 7.0	1.0	100	18	864

MFT = MAX FIXTURE THICKNESS

0665CAM

240

WHG03

 6.0×65

Metal Insulation **Fixings**



Metal Insulation Fixings



Designed to anchor insulation material to concrete and masonry substrate materials To reduce risk of thermal transmission use TIMCO plastic cover caps.



Technical Data

Substrate	Concrete ≥ 25N/mm2
Туре	Metal
Drill Hole Ø (mm)	8.0
Min. Embedment Depth (mm)	50
Min. Drill Hole Depth (mm)	60
Rec. Tensile Load (kN)	0.20
Max Rec. Load (kg)	20





Drill required Hammer fixing through insulation diameter hole

Product Code	Size Ø x L (mm)	Max. Fixture Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BAG			
MIF60	8.0 x 60	10	100	6	240
MIF90	8.0 x 90	40	100	4	160
MIF110	8.0 x 110	60	100	3	120
MIF140	8.0 x 140	90	100	3	120
MIF170	8.0 x 170	120	50	5	200
MIF200	8.0 x 200	150	50	4	160
MIF250	8.0 x 250	200	50	5	200
MIF300	8.0 x 300	250	50	5	200
					TAF01

Plastic Cover Cap For Metal Insulation Fixings



For aesthetics, where metal insulation fixing heads are left exposed after installation. Also reduces the risk of thermal transmission when used with metal insulation fixings.

Product Code	Ø (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
	BAG	3		
MIFC	38.0	100	25	300
				TAF01

Plastic Insulation Fixings

Plastic One piece impact resistant copolymer.



Substrate	Concrete ≥ 25N/mm2
Туре	Plastic
Drill Hole Ø (mm)	8.0
Min. Embedment Depth (mm)	40
Min. Drill Hole Depth (mm)	50
Rec. Tensile Load (kN)	0.15
Max Rec. Load (kg)	15





Drill required Hammer fixing diameter hole through insulation

Product Code	Ø x L (mm)	Max. Fixture Thickness (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
		BAG			
PIF50	8 x 50	10	100	10	240
PIF70	8 x 70	30	100	10	240
PIF90	8 x 90	50	100	8	192
PIF110	8 x 110	70	100	8	192
PIF130	8 x 130	90	100	8	192 TAF01

Metal Insulation Discs

Pre Galvanised



Large diameter head for use with screws to hold insulation material to battens. Also used for ceiling crack repairs.

MID35





MID70

MID80

Provides a larger surface area when using metal insulation fixings to hold lighter or softer insulation to masonry. Simply slide the fixing through prior to installation. Use with metal insulation fixings. Can also be used with large gauge and long screws for fixing insulation to timber.



Stainless Steel

Large diameter head for use with countersunk screws to hold insulation material to battens. Stainless steel material for improved corrosion resistance.

Pack Carton Pallet

Product Code	Ø (mm)	Size Ø (mm)	Qty (pcs)	Qty (packs)	Qty (packs)	
		BOX				
	Pr	e Galvani	ised			
MID35	35	5.0	100	35	840	
MID70	70	10.0	100	16	384	
MID80	85	12.0	50	16	384	
Stainless Steel						
MID36SS	36	5.5	100	35	840 TAF01	

Hole

Metal Oval Stress Plate




Frequently used with long screws to attach insulation material to timber. Oval type for use in softer materials, accommodates countersunk screws and recesses itself into insulation for a flush finish

Product Code	Size (mm)	Hole Ø (mm)	Qty	Qty (packs)	Qty (packs)
		BOX			
MID8240	82 x 40	6.5	50	16	384
					TAF01









Zamac Nail In Anchors



A rapid light duty hammer-set anchor for attaching sheet metal, plastic or wood to concrete or masonry.







Drill required

Insert fixing through


Hammer nail into anchor to secure

Product Code	Size (mm)	Thickness (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
		BOX			
0630ZNA	6.0×30	5	100	10	300
0640ZNA	6.0×40	15	100	10	300
0650ZNA	6.0×50	25	100	8	240
0665ZNA	6.0 x 65	40	100	8	240
					NAA01

Nylon Hammer Fixings



A light duty hammer-set through fixing for brick, block, stone, masonry and concrete.





nto	place	

17 - 55KG	


		Technical Data										
Substrate		tton B) N/mr			shire E 5 N/mn			ss B E Brick N/mr	•	_	oncre 5N/m	
Size Ø (mm)	5.0	6.0	8.0	5.0	6.0	8.0	5.0	6.0	8.0	5.0	6.0	8.0
Drill Hole Ø (mm)	5.0	6.0	8.0	5.0	6.0	8.0	5.0	6.0	8.0	5.0	6.0	8.0
Embedment Depth (mm)	25	25	40	25	25	40	25	25	40	25	25	40
Min. Drill Hole Depth (mm)	35	35	50	35	35	50	35	35	50	35	35	50
Rec. Tensile Load (kN)	0.19	0.21	0.48	0.21	0.27	0.55	0.17	0.28	0.52	0.19	0.22	0.49

Product Size MFT Bit Qty Qty C Code (mm) (mm) Size (pcs) (packs) (pa	
BOX	
50030HF 5.0 x 30 5 PZ2 200 20 5	40
50050HF 5.0 x 50 25 PZ2 200 10 2	38
60040HF 6.0 x 40 15 PZ2 200 10 4	32
60050HF 6.0 x 50 25 PZ2 200 10 2	38
60060HF 6.0 x 60 35 PZ2 200 10 2	88
60070HF 6.0 x 70 45 PZ2 200 10 2	88
60080HF 6.0 x 80 55 PZ2 200 10 2	88
80060HF 8.0 x 60 20 PZ3 100 20 1	92
80080HF 8.0 x 80 40 PZ3 100 10 1	92
80100HF 8.0 x 100 60 PZ3 100 10 1	92
80120HF 8.0 x 120 80 PZ3 100 10 1	44
80140HF 8.0 x 140 100 PZ3 100 10 1	44
NH	F01
TIMBAG	
	20
	00
	00
	00
BA	G27
TIMPAC	
1.1.1.1.0	
60040HFP 6.0 x 40 15 PZ2 10 5 60060HFP 6.0 x 60 35 PZ2 10 5	-
000001150 0.0 00 55 070 40 5	
80100HFP 8.0 x 100 60 PZ3 8 5	-
	- K39

Nylon Frame Fixings



A versatile and reliable fixing for attaching to brick, block, stone, masonry and concrete.






until secure **70KG**

lectifical Data										
Fletton Brick 30N/mm²		Cheshire Brick 45N/mm²		Class B Eng. Brick 75N/mm²		Concrete Block 7N/mm²		Concrete ≥25N/mm²		
Size Ø (mm)	8.0	10	8.0	10	8.0	10	8.0	10	8.0	10
Drill Hole (mm)	8.0	10	8.0	10	8.0	10	8.0	10	8.0	10
Min. Embedment Depth (mm)	40	50	40	50	40	50	40	50	40	50
Min. Drill Hole Depth (mm)	50	60	50	60	50	60	50	60	50	60
Rec. Tensile Load (kN)	0.25	0.46	0.44	0.65	0.43	0.38	0.20	0.24	0.50	0.70

Product Code	Size (mm)	MFT (mm)	Driver Bit Size	Pack Qty (ncs)	Carton Qty (packs)	Pallet Qty (nacks)
0000	()	BC		(рос)	(paono)	(paono)
08080NFF	8.0 x 80	40	PZ3	100	8	192
08100NFF	8.0 x 100	60	PZ3	100	8	144
08120NFF	8.0 x 100	80	PZ3	100	8	144
10080NFF	10.0 x 80	30	PZ3	100	4	144
10080NFF	10.0 x 80 10.0 x 100	50	PZ3 PZ3	100	4	192
10120NFF	10.0 x 120	70	PZ3	100	4	192
10140NFF	10.0 x 140	90	PZ3	100	4	96
10160NFF	10.0 x 160	110	PZ3	100	4	96
						NFF01
		TIMI	BAG			
08080NFFB	8.0 x 80	40	PZ3	50	5	600
08100NFFB	8.0 x 100	60	PZ3	40	5	600
10100NFFB	10.0 x 100	50	PZ3	30	5	600
10120NFFB	10.0 x 120	70	PZ3	25	5	600
10140NFFB	10.0 x 140	90	PZ3	20	5	600
10160NFFB	10.0 x 160	110	PZ3	15	5	600
						BAG28
		TIM	PAC			
08080NFFP	8.0 x 80	40	PZ3	5	5	-
08100NFFP	8.0 x 100	60	PZ3	4	5	-
10100NFFP	10.0 x 100	50	PZ3	3	5	-
10120NFFP	10.0 x 120	70	PZ3	2	5	-
10140NFFP	10.0 x 120	90	PZ3	2	4	-
10160NFFP	10.0 x 160	110	PZ3	2	5	-
IO TOURITE	10.0 X 100	110	1 23		J	-



Masonry Screw - Countersunk















- · Light duty fixing ideal for ironmongery handrails & brackets
- TX25 TX Drive recess reduces wear & camming out
- · Serrated V-threads to achieve optimum insertion
- Conforms to BS 7671





	Technical Data	150KG
Substrate	Concrete	≥25N/mm2
Length (mm)	40-80	100
Drill Hole Ø (mm)	5.0	5.0
Min. Embedment Depth (mm)	25	37
Min. Drill Hole Depth (mm)	35	47
Rec. Tensile Load (kN)	1.00	1.50
May Rec Load (kg)	100	150

Product Code	Size (mm)	Driver Bit Size	Max. Fixture Thickness (mm)	Fixture Clearance Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX (D	RIVER BIT II	NCLUDED)			
640MFCSK	6.0 x 40	TX25	15	6.5	100	18	648
660MFCSK	6.0 x 60	TX25	35	6.5	100	12	432
680MFCSK	6.0 x 80	TX25	55	6.5	100	12	432
6100MFCSK	6.0 x 100	TX25	63	6.5	100	10	360
							CON04
			TIMPAC				
725157	6.0 x 40	TX25	15	6.5	12	10	-
725375	6.0 x 60	TX25	35	6.5	10	10	-
725010	6.0 x 80	TX25	55	6.5	8	10	-
725863	6.0 x 100	TX25	63	6.5	6	10	-
							DVK43

Masonry Screw - Pan Head

Zinc











- · Light duty fixing ideal for ironmongery
- TX25 TX Drive recess reduces wear $\&\, \text{camming out}$
- Serrated V-threads to achieve optimum insertion
- Conforms to BS 7671





	Technical Data	150KG
Substrate	Concrete	≥25N/mm2
Length (mm)	40-80	100
Drill Hole Ø (mm)	5.0	5.0
Min. Embedment Depth (mm)	25	37
Min. Drill Hole Depth (mm)	35	47
Rec. Tensile Load (kN)	1.00	1.50
Max Rec. Load (kg)	100	150

Product Code	Size (mm)	Driver Bit Size	Max. Fixture Thickness (mm)	Fixture Clearance Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX (D	RIVER BIT II	NCLUDED)			
640MFPAN	6.0 x 40	TX25	15	6.5	100	18	648
660MFPAN	6.0 x 60	TX25	35	6.5	100	12	432
680MFPAN	6.0 x 80	TX25	55	6.5	100	12	576
6100MFPAN	6.0 x 100	TX25	63	6.5	100	10	360
							CON05
			TIMPAC				
725500	6.0 x 40	TX25	15	6.5	12	10	-
725997	6.0 x 60	TX25	35	6.5	10	10	-
							DAVAA

Masonry & Concrete **Screws**

Designed to replace traditional masonry fixings





Non-expansion for close to edge fixing



Serrated V-threads for optimum insertion




High-low start threads for rapid pick up



Rapid & Effective

Ideal for fixing

- Concrete
- Brick
- Stone
- **Block**
- Wood



Install in just 2 easy steps


1 Drill

Drill the hole 90° to the substrate. Always over-drill the hole depth for dust/debris.



2 Fix

Using a power tool, tighten the fixing firmly against the attachment.



Pan Head



Hole Ø

(mm)

Pack Carton Pallet

Qty (pcs) (packs) (packs)

Max. Fixture Fixture Clearance

Thickness

(mm)

Yellow **BOX (TX30 DRIVER BIT INCLUDED)**



Concrete Screw - Countersunk







Product

Code

Size

(mm)

Driver

Bit Size









BRICK

BLOCK WOOD

A rapid and effective light duty anchoring system for fixing into concrete, brick, stone, concrete block and wood. This through fixing provides a single solution and replaces traditional fixings such as nylon frame and hammer fixings.

• Conforms to BS 7671:2018



Technical Data										
Substrate		crete /mm2	Br	tton ick mm2	Br	shire ick mm2	Class B Eng. Brick 75N/mm2			
Length (mm)	40 - 70	80 - 200	40 - 70	80 - 200	40-70	80 - 200	40 - 70	80 - 200		
Drill Hole Ø (mm)	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0		
Min. Embedment Depth (mm)	35	50	35	50	35	50	35	50		
Min. Drill Hole Depth (mm)	45	60	40	60	40	60	40	60		
Rec. Tensile Load (kN)	1.07	1.82	1.17	1.79	0.75	1.46	0.85	1.22		
Max Rec. Load (kg)	107	182	117	179	75	146	85	122		

Tachnical Data

		OA (IA	30 DIKI V LIK DI I	HOLODE	υ,		
00040TCON	7.5 x 40	TX30	5	8.0	100	18	648
00050TCON	7.5 x 50	TX30	15	8.0	100	12	432
00060TCON	7.5 x 60	TX30	25	8.0	100	10	360
00070TCON	7.5 x 70	TX30	35	8.0	100	10	360
00080TCON	7.5 x 80	TX30	30	8.0	100	10	360
00090TCON	7.5 x 90	TX30	40	8.0	100	10	360
00100TCON	7.5 x 100	TX30	50	8.0	100	10	360
00110TCON	7.5 x 110	TX30	60	8.0	100	10	360
00120TCON	7.5 x 120	TX30	70	8.0	100	8	288
00130TCON	7.5 x 130	TX30	80	8.0	100	8	288
00150TCON	7.5 x 150	TX30	100	8.0	100	8	288
00180TCON	7.5 x 180	TX30	130	8.0	100	6	216
00200TCON	7.5 x 200	TX30	150	8.0	100	6	216
							CON01
			TIMBAG				
00050TCONB	7.5 x 50	TX30	15	8.0	100	5	
00060TCONB	7.5 x 60	TX30	25	8.0	85	5	
00070TCONB	7.5 x 70	TX30	35	8.0	75	5	
00080TCONB	7.5 x 80	TX30	30	8.0	65	5	
00100TCONB	7.5 x 100	TX30	50	8.0	55	5	
00120TCONB	7.5 x 120	TX30	70	8.0	45	5	
00150TCONB	7.5 x 150	TX30	100	8.0	30	5	
							BAG31
			TIMPAC				
00050TCONP	7.5 x 50	TX30	15	8.0	8	10	
00060TCONP	7.5 x 60	TX30	25	8.0	6	10	
00070TCONP	7.5 x 70	TX30	35	8.0	5	10	
00080TCONP	7.5 x 80	TX30	30	8.0	5	10	
00100TCONP	7.5 x 100	TX30	50	8.0	4	10	
00120TCONP	7.5 x 120	TX30	70	8.0	3	10	
00150TCONP	7.5 x 150	TX30	100	8.0	2	10	
							PAK42

	Zinc											
BOX (TX30 DRIVER BIT INCLUDED)												
00080TCONZ	7.5 x 80	TX30	30	8.0	100	10	360					
00100TCONZ	7.5 x 100	TX30	50	8.0	100	10	360					
00120TCONZ	7.5 x 120	TX30	70	8.0	100	8	288					
00150TCONZ	7.5 x 150	TX30	100	8.0	100	8	288					
	CON02											
	Exterior (Silver Organic)											

	Exterior (Sliver Organic)									
BOX (TX30 DRIVER BIT INCLUDED)										
80TCONR	7.5 x 80	TX30	30	8.0	100	10	360			
100TCONR	7.5 x 100	TX30	50	8.0	100	10	360			
120TCONR	7.5 x 120	TX30	70	8.0	100	8	288			
							CON03			

Concrete Screw - Pan Head







ALL STEEL NON-FLAMMABLE FIXING

A rapid and effective light duty anchoring system for fixing into concrete, brick, stone, concrete block and wood. This through fixing provides a single solution and replaces traditional

fixings such as nylon frame and hammer fixings. Zinc plated with a pan head to improve clamping.

Zinc

Product Code	Size (mm)	Driver Bit Size	Max. Fixture F Thickness (mm)	ixture Clearance Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs				
BOX (TX30 DRIVER BIT INCLUDED)											
7580MFPAN	7.5 x 80	TX30	30	8.0	100	10	360				
75100MFPAN	7.5 x 100	TX30	50	8.0	100	10	360				
75120MFPAN	7.5 x 120	TX30	70	8.0	100	8	288				

Cover Caps (for countersunk screws only)



Product Code	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	BAG			
CAPW100	White	100	100	360
CAPO100	Light Oak	100	100	360
CAPM100	Mahogany	100	100	360 CON01








Exterior







substrate. Always drill to the stated hole denth.

Clean the hole by blowing out the

Screw the holt into the hole with slight pressure to the bolt.

This stress free, non-expansion through fixing is the new solution for heavy duty anchoring into concrete, brick, stone, wood and concrete block replacing the need for traditional anchors such as throughbolts, shield, sleeve and drop-in anchors.

- Designed to replace traditional expansion anchors
- Micro plating (Nano) technology gives a higher resistance to corrosion • High low parallel threads for ease of insertion
- and high pull out values • Removable & adjustable non expansion
- through fixing
- Conforms to BS 7671:2018

136-	
1350KG	

Technical Data Technical Data																		
Substrate		Concrete ≥25N/mm2						Fletton Brick 30N/mm2			Cheshire Brick 45N/mm2			Class B Eng. Brick 75N/mm2				
Size (mm)		6.0	8.	.0	10	0.0	12	2.0	16.0	6.0	8.0	10.0	6.0	8.0	10.0	6.0	8.0	10.0
Length (mm)	50-75	100-150	A	dl .	P	All	A	All	All	-	-	-	-	-	-	-	-	-
Drill Hole Ø (mm)	6.0	6.0	8.	.0	10	0.0	12	2.0	16.0	6.0	8.0	10.0	6.0	8.0	10.0	6.0	8.0	10.0
Fixture Clearance Hole Ø (mm)	8.0	8.0	10	0.0	12	2.0	14	4.0	18.0	8.0	10.0	12.0	8.0	10.0	12.0	8.0	10.0	12.0
Min. Embedment Depth (mm)	30	45	4	0	5	0	6	0	80	30	40	50	30	40	50	30	40	50
Min. Over-Drill for Dust (mm)	10	10	1	5	2	:0	2	25	35	10	15	20	10	15	20	10	15	20
Min. Drill Hole Depth (mm)	40	55	5	5	7	0	8	35	115	40	55	70	40	55	70	40	55	70
Min. Centre Spacing (mm)**	90	140	12	20	1:	50	18	80	240	-	-	-	-	-	-	-	-	-
Min. Edge Distance (mm)**	45	70	6	0	7	5	9	90	120	-	-	-	-	-	-	-	-	-
Min. Structure Thickness (mm)	60	100	9	0	1	10	1:	25	175	-	-	-	-	-	-	-	-	-
Effective Embedment depth (mm)	30	45	40	60	50	75	60	85	80	30	40	50	30	40	50	30	40	50
Rec. Tensile Load (kN)	2.44	6.23	3.93	8.36	5.49	12.21	8.97	13.00	13.5	2.28	2.68	3.18	1.36	2.19	3.26	3.49	4.33	-
Max Rec. Load (kg)	244	623	393	836	549	1221	897	1300	1350	228	268	318	136	219	326	349	433	-

** Centre spacings and edge distances are based on minimum embedment only.



Masonry Bolt - Hex Head

Exterior HEX CONCRETE BRICK BLOCK WOOD

Product	Size	Socket Size	MFT	Pack Qty	Carton Qty	Pallet Qty
Code	(mm)	(mm)	(mm)	(pcs)	(packs)	(packs)
		BOX	(
MF650	6.0 x 50*	10	20	100	10	300
MF675	6.0 x 75*	10	45	100	6	180
MF6100	6.0 x 100*	10	55	100	6	180
MF6130	6.0 x 130*	10	85	100	6	180
MF6150	6.0 x 150*	10	105	75	6	180
MF860	8.0 x 60	15	20	100	6	180
MF875	8.0 x 75	15	35	100	6	180
MF8100	8.0 x 100	15	60	50	10	300
MF8130	8.0 x 130	15	90	50	6	180
MF8150	8.0 x 150	15	110	50	6	180
MF1060	10.0 x 60	17	10	50	10	300
MF1075	10.0 x 75	17	25	50	6	180
MF10100	10.0 x 100	17	50	50	6	180
MF10130	10.0 x 130		80	50	6	180
MF10150	10.0 x 150		100	25	6	180
MF1275	12.0 x 75	19	15	50	9	180
MF12100	12.0 x 100		40	25	10	300
MF12130	12.0 x 130	19	70	25	6	180
MF12150	12.0 x 150		90	25	6	180
MF12200	12.0 x 100		140	25	4	120
MF16100	16.0 x 100		20	10	8	240
MF16150	16.0 x 150		70	10	6	180
WIF 10 130	10.0 x 130	21	70	10	U	SKU01
		TIMB/	\G			
MF650B	6.0 x 50*	10	20	64	5	600
MF860B	8.0 x 60	15	20	30	5	600
MF875B	8.0 x 75	15	35	26	5	600
MF8100B	8.0 x 100	15	60	20	5	600
MF1060B	10.0 x 60	17	10	18	5	600
MF1075B	10.0 x 75	17	25	14	5	600
MF10100B	10.0 x 100		50	12	5	600
MF10150B	10.0 x 100	17	100	8	5	600
MF1275B	12.0 x 75	19	15	12	5	600
MF12100B			40	8	5	
	12.0 x 100	19				600
MF12130B	12.0 x 130	19	70	6	5	600
MF12150B	12.0 x 150	19	90	6	5	600
		TIME				BAG32
		TIMPA				
MF650PRE	6.0 x 50*	10	20	4	5	-
MF875PRE	8.0 x 75	15	35	4	5	-
MF8100PRE	8.0 x 100	15	60	4	5	-
MF1075PRE	10.0 x 75	17	25	4	5	-
MF10100PRE	10.0 x 100	17	50	2	5	-
MF10130PRE	10.0 x 130		80	2	5	-
MF10150PRE	10.0 x 150		100	2	5	-
MF12100PRE	12.0 x 100		40	2	5	-
MF12150PRE	12.0 x 150	19	90	2	5	-
MF16100PRE	16.0 x 100	27	20	2	5	-
MF16150PRE	16.0 x 150	27	70	2	5	-
MFT = MAX FIXTUR	E THICKNESS					PAK41

^{*} Please note: 6.0mm diameter bolts have a hex flange head.

Masonry Bolt - Countersunk



Product Code	Size (mm)	Bit Size	MFT (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
ı	BOX (DRIV	/ER B	IT INC	CLUD	ED)	
MF860C	8.0 x 60	TX40	20	100	6	180
MF875C	8.0 x 75	TX40	35	100	6	180
MF8100C	8.0 x 100	TX40	60	50	8	240
MF1060C	10.0 x 60	TX50	10	50	8	240
MF1075C	10.0 x 75	TX50	25	50	6	180
MF10100C	10.0 x 100	TX50	50	50	6	180
MFT = MAX FIXT	TURE THICKNESS					SKU02

Masonry Bolt - Pan Head



Product Code	Size (mm)	Bit Size	MFI (mm)	(pcs)	(packs)	(packs)
E	BOX (DRIV	/ER B	IT INC	CLUD	ED)	
MF860P	8.0 x 60	TX40	20	100	6	180
MF875P	8.0 x 75	TX40	35	100	4	180
MF8100P	8.0 x 100	TX40	60	50	6	300
MF1060P	10.0 x 60	TX50	10	50	6	300
MF1075P	10.0 x 75	TX50	25	50	6	180
MF10100P	10.0 x 100	TX50	50	50	6	180
MET - MAY EIYT	TIDE THICKNESS					CKI IU3



Throughbolts

Zinc



CONCRETE

A versatile through fixing for use in a wide range of anchoring applications into concrete.

NOTE: If no torque wrench is available, tighten the nut 3 to 4 full turns from finger tight.





Hammer anchor Tighten to the through fixture recommended torque

292 -

1115KG

Technical Data										
Substrate	Concrete ≥25N/mm2									
Size Ø (mm)	M8	M10	M12	M16	M20					
Socket Size (mm)	13	17	19	24	30					
Drill Hole Ø (mm)	8.0	10.0	12.0	16.0	20.0					
Fixture Clearance Hole Ø (mm)	9.0	12.0	14.0	18.0	22.0					
Embedment Depth (mm)	35	45	50	65	80					
Min. Drill Hole Depth (mm)	45	50	60	75	90					
Centre Spacing (mm)	110	140	150	200	240					
Edge Distance (mm)	55	70	75	100	120					
Min. Structure Thickness (mm)	70	90	100	130	160					
Rec. Tightening Torque (Nm)	15	30	45	100	160					
Rec. Tensile Load (kN)	2.92	4.11	7.25	8.08	11.15					
Max. Rec. Load (kg)	292	411	725	808	1115					

Product Code	Thread Ø x L (mm)	Max. Fixture Thickness (mm)	Qty	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
0850TB	M8 x 50	5	100	8	216
0865TB	M8 x 65	10	100	6	162
0880TB	M8 x 80	25	50	10	360
08100TB	M8 x 100	45	50	6	162
08130TB	M8 x 130	75	50	6	162
1065TB	M10 x 65	5	50	8	216
1075TB	M10 x 75	10	50	6	162
10100TB	M10 x 100	35	50	6	162
10120TB	M10 x 120	55	50	6	162
1280TB	M12 x 80	5	50	6	162
12100TB	M12 x 100	25	25	6	162
12120TB	M12 x 120	45	25	6	162
12140TB	M12 x 140	65	25	6	162
12180TB	M12 x 180	105	25	6	162
16105TB	M16 x 105	5	25	6	162
16125TB	M16 x 125	20	25	6	162
16150TB	M16 x 150	45	15	6	162
16175TB	M16 x 175	70	15	6	162
20130TB	M20 x 130	5	10	6	162
20160TB	M20 x 160	30	10	6	162
20215TB	M20 x 215	85	8	6	162
					THB01
		TIMBAG			
0850TBB	M8 x 50	5	40	5	600
10100TBB	M10 x 100	35	18	5	600
12100TBB	M12 x 100	25	12	5	600
12140TBB	M12 x 140	65	10	5	600
12180TBB	M12 x 180	105	8	5	600
					BAG29
		TIMPAC			
0850TBP	M8 x 50	5	4	10	-
10100TBP	M10 x 100	35	2	10	-
12100TBP	M12 x 100	25	2	10	-
12140TBP	M12 x 140	65	2	10	-
					PAK46

Drop in Anchors

Zinc



129 -



An internally threaded hammer set expansion anchor for heavy duty anchoring into concrete

Standard version can be inserted below the surface. Also known as wedge anchors.

935KG									
Technical Data									
Substrate	C	oncrete ≥	25N/mm	2					
Size Ø (mm)	M6	M8	M10	M12					
Drill Hole Ø (mm)	8.0	10.0	12.0	16.0					
Embedment Depth (mm)	25	30	40	50					
Min Drill Hole Depth (mm)	25	30	40	50					
Centre Spacing (mm)	75	90	120	150					
Edge Distance (mm)	75	90	120	150					
Min Structure Thickness (mm)	100	100	100	125					
Rec. Tightening Torque (Nm)	3	5	7	16					
Rec. Tensile Load (kN)	1.29	2.22	4.65	9.35					
Max Rec. Load (kg)	129	222	465	935					

FCH Pack Carton Pallet Product ØxL Length HD Ø Qty (mm) (mm) (mm) (pcs) (packs) (packs) Code (mm)

			BOX				
06WA	M6 x 10	25	25	8.0	100	20	1380
AW80	M8 x 14	30	30	10.0	100	12	648
10WA	M10 x 15	40	40	12.0	50	12	816
12WA	M12 x 20	50	50	14.0	50	6	324
HD = HOLE D	FPTH. FCH = FIXT	LIRE CLEA	RANCE HOL	F.			WGA01

Lipped Drop in Anchors





Zinc

An internally threaded hammer set expansion anchor for heavy duty anchoring into concrete

Lip prevents the anchor being inserted too far. Also known as wedge anchors.



316KG									
Technical Data									
Substrate	Substrate Concrete ≥25N/mm2								
Size Ø (mm)	M8	M10							
Drill Hole Ø (mm)	10.0	12.0							
Embedment Depth (mm)	30	30							
Min Drill Hole Depth (mm)	30	30							
Centre Spacing (mm)	90	90							
Edge Distance (mm)	90	90							
Min Structure Thickness (mm)	100	100							
Rec. Tightening Torque (Nm)	5	7							
Rec. Tensile Load (kN)	2.22	3.16							
Max Rec. Load (kg)	222	316							

Anchor Min. FCH Pack Carton Pallet Product ØxL Length HD Ø Qty Qty (mm) (mm) (pcs) (packs) (packs) Code (mm)

			BOX				
08LWA	M8 x 14	30	30	10	100	12	720
1030LWA	M10 x 15	30	30	12	50	12	816
HD = HOLE DE	PTH. FCH = FIXT	URE CLEA	RANCE HOL	.E.			WGA01

Setting Tool



Setting tool for use with standard and lipped drop in anchors.





Drill hole through frame into substrate

Clean out the hole





Pack Carton Pallet Thread Qty Qty Qty Ø (mm) (pcs) (packs) (packs) Product Code

		BAG		
06WAS	M6	1	10	360
08WAS	M8	1	10	360
10WAS*	M10	1	10	360
12WAS	M12	1	10	360

* To suit 40mm anchor length



Shield Anchors

Shield Only



into substrate



CONCRETE BRICK

Suitable for attaching a variety of fixings with metric threads such as hooks, eyes and studs.

• A three segmented expansion anchor

the hole

• Torque controlled



hole

Product Code	Thread Ø (mm)	Shield Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
06SH	M6	45	50	18	648
08SH	M8	50	50	10	300
10SH	M10	60	50	8	240
12SH	M12	75	25	8	240

NB: The tensile load tests are based upon the use of 8.8 strength bolts. However, the 'Projecting Type' are supplied with 5.8 strength bolts. This should nevertheless not unduly effect the performance of the anchor, given that this is taken into consideration when selecting the product. Please consult our technical department for further advice. Installation Note: Fix in centre line of brick 35-40mm from ends and avoid top 3 courses, edge bricks, part bricks and mortar joints. Suitable in solid brickwork with sound mortar joints only up to M12 bolt diameter

Projecting Bolt



Once shield is in

place

Product

Code

0810PSH

0825PSH

0860PSH

1015PSH

1030PSH





Tighten to rec.

Qty Qty (packs) (packs)

240

240 8

Pack Carton Pallet

- · Torque controlled
- Stud Grade 5.8

Loose Bolt







Ideal for fixing through the fixture once the shield has been installed into substrate.

- · Torque controlled
- Bolt Grade 8.8



place

0840LSHB

1010LSHB

1025LSHB

1050LSHB

1075LSHB

M8 90 40 22

M10 70

M10 85

M10

M10 135 75 14

110 50 14



Once shield is in Insert bolt through fixing into shield

Tighten to rec.

Product Code	Thread Ø (mm)	Bolt Length (mm)		Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		В	OX			
0610LSH	M6	50	10	100	8	240
0625LSH	M6	65	25	50	10	300
0810LSH	M8	60	10	50	8	240
0825LSH	M8	75	25	50	8	240
0840LSH	M8	90	40	25	10	300
1010LSH	M10	70	10	25	10	300
1025LSH	M10	85	25	25	10	300
1050LSH	M10	110	50	25	8	240
1075LSH	M10	135	75	25	8	240
1210LSH	M12	90	10	10	10	300
1225LSH	M12	105	25	10	10	300
1240LSH	M12	120	40	10	10	300
1260LSH	M12	140	60	10	8	240
						SHA01
		TIN	1BAG			
0610LSHB	M6	50	10	48	5	600
0625LSHB	M6	65	25	46	5	600
0810LSHB	M8	60	10	26	5	600
0825LSHB	M8	75	25	24	5	600

1260LSHB	M12	140	60	10	5	500 BAG30
		TIN	1PAC			
0610LSHP	M6	50	10	4	10	-
0625LSHP	M6	65	25	4	10	-
0810LSHP	M8	60	10	4	10	-
0825LSHP	M8	75	25	4	10	-
0840LSHP	M8	90	40	4	10	-
1010LSHP	M10	70	10	4	10	-
1025LSHP	M10	85	25	2	10	-
1050LSHP	M10	110	50	2	10	-
1075LSHP	M10	135	75	2	10	-
1260LSHP	M12	140	60	2	10	-
MFT = MAX FIXTU	JRE THICKN	IESS				PAK47

1060PSH	M10	130	60	25	8	300
1215PSH	M12	105	15	10	10	300
1230PSH	M12	120	30	10	10	300
1275PSH	M12	165	75	10	8	240
						SHA01
		TIM	1BAG			
0825PSHB	M8	85	25	26	5	600
0860PSHB	M8	120	60	22	5	600
1015PSHB	M10	85	15	16	5	600
1030PSHB	M10	100	30	15	5	600
1060PSHB	M10	130	60	14	5	500
1230PSHB	M12	120	30	8	5	600
						BAG30
		TIN	1PAC			
0825PSHP	M8	85	25	4	10	-
0860PSHP	M8	120	60	4	10	-
1015PSHP	M10	85	15	2	10	-
1030PSHP	M10	100	30	2	10	-
1060PSHP	M10	130	60	2	10	-
1230PSHP	M12	120	30	2	10	-
MFT = MAX FIXTI	IRF THICKN	FSS				PΔK47

Insert bolt through

fixing into shield

Length MFT Qty

BOX

(mm) (mm) (pcs)

Thread Bolt

Ø

(mm)

M8 70 10 50 8

M8 85 25 50 8 240

M8 120 60 50

M10 85 15 25 10 300

M10 100 30 25 8 300

41 - 380KG																
COUNTRY				Т	echn	ical [Data									
Substrate			crete /mm2				n Brick mm2	:	(re Bric mm2	k	Cla		ng. Br mm2	ick
Thread Ø (mm)	M6	M8	M10	M12	M6	M8	M10	M12	M6	M8	M10	M12	M6	M8	M10	M12
Socket Size (mm)	10	13	17	19	10	13	17	19	10	13	17	19	10	13	17	19
Drill Hole Ø (mm)	12.0	14.0	16.0	20.0	12.0	14.0	16.0	20.0	12.0	14.0	16.0	20.0	12.0	14.0	16.0	20.0
Fixture Clearance Hole Ø (mm)	8.0	10.0	12.0	14.0	8.0	10.0	12.0	14.0	8.0	10.0	12.0	14.0	8.0	10.0	12.0	14.0
Embedment Depth (mm)	45	50	60	75	45	50	60	75	45	50	60	75	45	50	60	75
Min Drill Hole Depth (mm)	55	60	70	85	55	60	70	85	55	60	70	85	55	60	70	85
Centre Spacing (mm)	135	150	180	225	-	-	-	-	-	-	-	-	-	-	-	-
Edge Distance (mm)	70	75	90	120	-	-	-	-	-	-	-	-	-	-	-	-
Min Structure Thickness (mm)	90	100	120	150	-	-	-	-	-	-	-	-	-	-	-	-
Rec. Tightening Torque (Nm)	5	15	30	45	3	7	15	23	3	7	15	23	3	7	15	23
Rec. Tensile Load (kN)	1.04	2.21	2.52	3.8	1.47	1.84	1.26	1.34	0.63	1.67	1.93	1.51	0.72	0.41	0.85	-
Max Rec. Load (kg)	104	221	252	380	147	184	123	134	63	167	193	151	72	41	85	-

600

500

500

500

500

าเกาะอ

Forged Eye & Shield

Yellow





A three segment shield anchor with a forged eye for extra strength.ldeal for attaching ropes or cables.

- · Yellow passivated for improved corrosion resistance
- · Nut and washer included
- Grade 4.8

Please see previous page for shield installation



place



keeping eye still



Tighten to rec. torque

PAK47

Product Code	Thread Ø x L (mm)	Eye Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)						
TIMBAG											
06EYEB	M6 x 50	8	18	5	870						
08EYEB	M8 x 60	10	14	5	870						
					BAG30						
		TIMPAC	:								
06EYEP	M6 x 50	8	2	10	-						
08EYEP	M8 x 60	10	2	10	-						
10EYEP	M10 x 73	12	2	10	-						

Forged Eye Only

Yellow



A useful threaded eye bolt for attaching ropes or cables. Manufactured using a forging process for extra strength.

Sold without shield anchor.

Product Code	Thread Ø x L (mm)	Eye Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		BOX			
06EYE	M6 x 50	8	50	18	648
08EYE	M8 x 60	10	50	10	300
10EYE	M10 x 73	12	50	8	240
12EYE	M12 x 95	16	25	8	240
					011101

Forged Hook & Shield







Manufactured using a forging process, to prevent opening out prevent the hook opening out when load. Complete with three segment shield anchor.

- · Yellow passivated for improved corrosion resistance
- Nut and washer included
- Grade 4.8

Please see previous page for shield installation



place





Tighten nut while keeping hook still

Product	Thread	Pack	Carton	Pallet

	Product Code	Ø x Length (mm)	Qty (pcs)	Qty (packs)	Qty (packs)					
	TIMBAG									
	06HOOKB	M6 x 50	20	5	870					
	08HOOKB	M8 x 60	14	5	870					
					BAG30					
TIMPAC										
	06H00KP	M6 x 50	2	10	-					
	08H00KP	M8 x 60	2	10	-					
					PΔK47					

Forged Hook Only

Yellow



A useful threaded hook bolt for attaching ropes or cables. Manufactured using a forging process for extra strength preventing the hook from opening out when the load is applied.

Sold without shield anchor.

Pack Carton Pallet Thread Product ØxL Qty Code (mm) (pcs) (packs) (packs) BOX 06H00K M6 x 50 50 18 648 08H00K M8 x 60 300 50 10 10H00K M10 x 73 50 6 216 12H00K M12 x 90 25 8 240

Chemical Anchor Studs







Zinc

Designed for use when fixing with chemical

- Chisel point, prevents the rod turning when tightening
- · External hex drive
- · Embedment depth mark
- · Zinc plated and passivated or galvanised
- Grade 5.8

Technical Data								
Size Ø (mm)	М8	M10	M12	M16	M20			
Drill Hole Ø (mm)	10	12	14	18	24			
Fixture Clearance Hole Ø (mm)	10	12	14	18	24			

Min. Pack Carton Pallet MFT Qty Qty Product Size ED Code (mm) (mm) (mm) (pcs) (packs) (packs)

В	OX (NUT	SET	TER IN	CLUE	DED)		
Hot Dipped Galvanised							
08110CSG	M8 x 110	13	80	10	30	2400	
10130CSG	M10 x 130	20	90	10	20	1040	
12160CSG	M12 x 160	25	110	10	10	600	
16190CSG	M16 X 190	35	125	10	8	304	
20270CSG	M20 x 270	55	170	4	9	378	
						CHZ01	

Zinc									
08110CS	M8 x 110	13	80	10	30	2400			
10130CS	M10 x 130	20	90	10	20	1040			
12160CS	M12 x 160	25	110	10	10	600			
16190CS	M16 X 190	35	125	10	8	304			
20270CS	M20 x 270	55	170	4	9	378			
						CHZ01			

TIPIFAC								
Zinc								
08110CSP	M8 x 110	13	80	2	10	-		
10130CSP	M10 x 130	20	90	2	10	-		
12160CSP	M12 x 160	25	110	2	10	-		
						DAICAG		

MFT = MAX FIXTURE THICKNESS. MIN. ED = MIN. EMBEDMENT DEPTH









Chemical Resin & Accessories



Chemical Resin



 $TIMCO's\ chemical\ resin\ range\ offers\ an\ effective$ anchoring system for fixing into concrete and masonry. The stress-free nature of this solution gives greater flexibility when anchoring closer to a substrate edge such as balustrade installation.

- Ready to use
- Uses standard tools
- · Less wastage
- No leakage
- Faster & easier to use
- · Low extrusion force
- T-Flow[™] nozzle included
- Close edge & axial spacing



size hole for

your fixing.

unmixed resin

to waste







debris from to ensure sides debris. the hole. are clean.

STEPS 2 - 4 REPEAT X4





to fill 2/3 of

the hole



rotating



stated time

Technical Data								
Resin Type		Rec. Tensile Load (Kn) (Performance Data Concrete >25N/Mm2)						
Stud (5.8 Grade) Size	M8	M10	M12	M16	M20	M24		
PE	4.9	7.5	10.6	12.3	19.9	27.4		
PESF	5.8	8.1	11.6	19.8	29.1	33.1		
VESF	9.1	13.8	19.4	26.8	35.7	44.6		
Embedment Depth (mm)	80	90	110	125	170	210		
Cartridge Size		Approx Holes Per Cartridge (At Standard Embedment Depth)						
300ml	66	41	25	13	5	3		
410ml	92	57	34	18	8	4		
Gel & Cure Times			VESF/I	PESF/PE				
Base Material (°C)	35	25	15	5	-5	-10*		
Typical Gel Time (mins)	3	5	9	20	40	50		
Min. Load Time (mins)	20	30	60	90	180	240		
					*Resin temp	erature must be at least 20°C		

Vinylester Styrene Free



- European Technically Approved (ETA) low odour resin used in safety critical fixing
- · For enclosed, poorly ventilated, damp and wet environments
- · High performance resin with consistent results
- Offering exceptional tensile strength in a range of environments and conditions











Product

















Carton Pallet

Size (packs) (packs) Code Approval CARTRIDGE (T-FLOW NOZZLE INCLUDED) VESF300 300m ETA/WRAS/CE 12 684 672 VESF410 410m ETA/WRAS/CE 12

Polyester Styrene Free



- European Technically Approved (ETA) low odour resin used in non-safety critical fixing
- For enclosed or poorly ventilated environments

Polyester



resin ideal for day to day non-safety critical applications For areas that are well ventilated at the time of

installation





Carton Pallet Product Qty Size Approval (packs) (packs) Code CARTRIDGE

(T-FLOW NOZZLE INCLUDED) PESF310 300ml ETA/CE 684





MOQ Pallet Product Code Approval (packs) (packs)

CARTRIDGE						
(T-F	LOW NO	DZZLE INC	CLUDE	D)		
PE310	300ml	ETA/CE	12	684		
PE410	410ml	ETA/CE	12	672		
				CDE01		





Hot Dipped Galvanised

1 2 3 4 5 Urban & industrial areas with a moderate salt atmosphere

Professional Resin Gun



Professional Sealant Gun



Skeleton Gun

for reinforcement

and integrated

cleaning pin



SKELGUN

CAC01

Resin Accessories



Nozzl	es Pump	Bri	ush
Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	PACK		
	T-Flow Mixing Nozz	:le	
TNOZ	To Suit All Resin Cartridges	12	100
	Blow-Out Pump		
PUMP	280 x 64	1	24
	Hole Cleaning Brus	sh	
B13	Ø 13.0	10	50
B15	Ø 15.0	10	50
B22	Ø 22.0	10	50 CAC02

Plastic Sleeves







Nails

Collated Nails & Fuel Cells

FirmaHold Clipped Head Nails	101
FirmaHold Brad Nails	102
FirmaHold Fuel Cells	103
Paslode Fuel Cells	103
Paslode Collated Nails	104
Paslode Brad Nails	104
Paslode Twisted Shank Nails	104
FirmaHold Staples & Staplers	105

Loose Nails

Bright Loose Nails	107
Galvanised Loose Nails	107-108
Sherardised Loose Nails	109
Copper Loose Nails	109
Aluminium Loose Nails	109
Copper Roofing Accessories	109
Stainless Steel Loose Nails	
Zinc Masonry Nails	
Upholstery Nails & Cut Tacks	
HallClips® & HallHooks®	
Polymor Hoaded Nails S. Pins	

FirmaHold

Collated Nails & Fuel Cells

Designed for use in cordless gas & pneumatic nailers

FirmaHold collated nails and fuel cells are designed for the fixing of a wide range of timber applications, using various types of pneumatic and cordless nailing tools.

FirmaHold collated nails are manufactured to conform with EN792-13:2000 7.2.1a and comply with the requirements of all major tool manufacturers. FirmaHold offers a comprehensive range of sizes including, 18 gauge and 16 gauge brads and clipped head nails, available in a choice of rust protection, including stainless steel. Offered either with or without fuel cells, FirmaHold collated nails provide a first class solution to a wide range of timber applications.

What Is Eurocode 5?

Eurocode 5 is the regulation for Timber Structures that replaces previous building regulations and stipulates that all nails must be manufactured to comply with BS EN: 14592.

What is a Service Class?

Within Eurocode 5, structural fasteners must comply to certain levels of rust protection, which are graded by Service Classes.

Class 1 - For internal use or where the moisture content of the timber will not exceed 12%. Fasteners conforming to Service Class 1 do not require any rust protective coatings.

Class 2 - For covered exterior applications where the timber is protected from direct wetting or where the timber moisture content does not exceed 20%. Nails conforming to Service Class 2 must have a minimum of 12 µm of zinc.

Class 3 - External application and over 43 microns of hot dipped galvanised protection.

Clipped Head Nails

Suitable for use in 34° cordless and pneumatic clipped head first fix nailers.

- Diamond point for maximum penetration.
- Clipped head to increase the number of nails per strip and therefore reduce tool loading times.
- High quality paper to increase performance and reduce risk of nail jam.
- Shank Design:

Plain Shank: Low penetration resistance into all materials.

Part Ring Shank: Partially ringed shank to provide low penetration resistance and improved pull-out resistance.

Ring Shank: Provides a secure fixing with high pull-out resistance.

Brad Nails

Suitable for use in cordless & pneumatic 16 & 18 gauge second fix brad nailers. Nail & fuel cell packs.

- Sold in one-piece strengthened branded boxes.
- Diamond point for maximum penetration.
- T Head to give concealed fixings.
- Shank Design: Low penetration resistance into all materials.

Bright

Suitable for indoor applications.
Conforms to
Eurocode 5 and service class 1.

FirmaGalv

Electro galvanised plating, suitable for indoor applications. Conforms to Eurocode 5 and service class 1.

FirmaGalv +

Electro galvanised plating with 12 microns of zinc (Min), suitable for indoor, and covered outdoor applications. Conforms to Eurocode 5 and service class 2.

Hot Dipped Galvanised

Suitable for indoor and outdoor applications. Conforms to Eurocode 5 and service class 3.

A2 Austenitic Stainless Steel

A2 for external applications. Conforms to Eurocode 5 and service class 3.



FirmaHold Collated Clipped Head Nails

For use in structural applications using high quality paper collation for reduced nail jams. Various levels of rust protection to comply with building regulations and meets with all service classes.

- 34° collation angle
- Diamond point for maximum penetration
- Clipped head to increase the number of nails per strip and therefore reduce tool loading times







rst F		

Trade Pack

Shank Ø (mm)	Length (mm)	Shank Type	Service Class
2.8	50	Ring	1
2.8	63	Ring	1
3.1	75	Ring	1
3.1	90	Plain	1

FirmaGalv					
2.8	50	Ring	1		
2.8	63	Ring	1		
3.1	75	Ring	1		
3.1	90	Plain	1		

	Firma	Galv +	
2.8	50	Ring	2
2.8	63	Ring	2
3.1	63	Ring	2
3.1	75	Ring	2
3.1	90	Plain	2
3.1	90	Part Ring	2

Hot Dipped Galvanised					
2.8	50	Ring	3		
2.8	63	Ring	3		
3.1	75	Ring	3		
3.1	90	Plain	3		

	Product Code	Fuel Cell Qty	Pack Qty (pcs)	Carton Qty (pcs)	Pallet Qty (packs)
	CBRT50G	3	3,300	2	72
	CBRT63G	3	3,300	2	72
	CBRT75G	2	2,200	2	72
	CBRT90G	2	2,200	2	72
					FRT01
	CFGT50G	3	3,300	2	72
	CFGT63G	3	3,300	2	72
	CFGT75G	2	2,200	2	72
	CFGT90G	2	2,200	2	72
					FRT01
	CPLT50G	3	3,300	2	72
	CPLT63G	3	3,300	2	72
	CPLT63RG	3	3,300	2	72
	CPLT75G	2	2,200	2	72
	CPLT90G	2	2,200	2	72
	CPLT90PG	2	2,200	2	72
			FRT01		
Ī	CHDT50G	3	3,300	2	72

	<i>y</i>		
	Pack	Carton	Pallet
Product	Qty	Qty	Qty
Code	(pcs)	(pcs)	(packs)
CBRT50	3,300	2	72
CBRT63	3,300	2	72
CBRT75	2,200	2	72
CBRT90	2,200	2	72
			FRT01
CFGT50	3,300	2	72
CFGT63	3,300	2	72
CFGT75	2,200	2	72
CFGT90	2,200	2	72
			FRT01
CPLT50	3,300	2	72
CPLT63	3,300	2	72
CPLT63R	3,300	2	72
CPLT75	2,200	2	72
CPLT90	2,200	2	72
CPLT90P	2,200	2	72
			FRT01
-	-	-	-
-	-	-	-
-	-	-	-
-		-	-

Retail Pack

ShankØ (mm)	Length (mm)	Shank Type	Service Class
	Firma	Galv	
2.8	50	Ring	1
2.8	63	Ring	1
3.1	75	Ring	1
3.1	90	Plain	1
	A2 Stainle	ess Steel	
2.8	50	Ring	3
2.8	63	Ring	3

Ring

80

3.1



CHDT63G

CHDT90G

CHDT75G

3

3,300

2,200

2,200

2

Carton

72

72

72

Pallet

Product Code	Fuel Cell Qty	Qty (pcs)	Qty (pcs)	Qty (packs)
CFGR50G	1	1,100	4	192
CFGR63G	1	1,100	4	192
CFGR75G	1	1,100	4	144
CFGR90G	1	1,100	4	144
				FRT01
CSSR50G	1	1,100	4	192
CSSR63G	1	1,100	4	192
CSSR80G	1	1,100	4	144 FRT01

Pack

	Wi	Without Fuel Cells				
Product Code	Pack Qty (pcs)	Carton Qty (pcs)	Pallet Qty (packs)			
CFGR50	1,100	4	192			
CFGR63	1,100	4	192			
CFGR75	1,100	4	144			
CFGR90	1,100	4	144			
			FRT01			
CSSR50	1,100	4	192			
CSSR63	1,100	4	192			
CSSR80	1,100	4	144			

101

FRT01



FirmaHold Collated Brad Nails

Ideal for internal applications such as skirting, architrave, tongue and groove fixing, with a T head. Also available in stainless steel for hardwood applications.


- Available in straight or 20° collation angle
- T Head to give concealed fixings
- Shank Design: Low penetration resistance into all materials





Straight Brads

Straight Brads



	A2 Stainless Steel					
16	25	50	Straight			
16	38	50	Straight			
16	50	50	Straight			
16	64	50	Straight			
18	19	100	Straight			
18	25	100	Straight			
18	32	100	Straight			
18	38	100	Straight			
18	50	100	Straight			



	With Fuel Cells
-	

Product Code	Fuel Cell Qty	Pack Qty (pcs)	Carton Qty (packs)
BG1619G	2	2,000	10
BG1625G	2	2,000	10
BG1632G	2	2,000	10
BG1638G	2	2,000	10
BG1645G	2	2,000	10
BG1650G	2	2,000	10
BG1664G	2	2,000	10
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
			FRT02

BSS1625G	2	2,000	10
BSS1638G	2	2,000	10
BSS1650G	2	2,000	10
BSS1664G	2	2,000	10
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
			FRT02



No Fuel Cells

Product Code	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BG1619	2,000	12	768
BG1625	2,000	12	576
BG1632	2,000	12	576
BG1638	2,000	12	576
BG1645	2,000	12	576
BG1650	2,000	12	576
BG1664	2,000	12	576
BG1816	5,000	20	1080
BG1819	5,000	20	1080
BG1825	5,000	20	1080
BG1832	5,000	12	648
BG1838	5,000	12	648
BG1845	5,000	12	648
BG1850	5,000	12	648
			FRT0.
BSS1625	2,000	12	768
BSS1638	2,000	12	576

BSS1625	2,000	12	768
BSS1638	2,000	12	576
BSS1650	2,000	12	576
BSS1664	2,000	12	768
BSS1819	5,000	20	1,280
BSS1825	5,000	20	1,280
BSS1832	5,000	12	648
BSS1838	5,000	12	648
BSS1850	5,000	12	648
			FRT0:

Angled Brads

Gauge	Length (mm)	Nails Per Strip	Collation Angle
16	32	50	20°
16	38	50	20°
16	45	50	20°
16	50	50	20°
16	64	50	20°
	A2 Stainle	ess Steel	
16	38	50	20°

50

20°

20°



Carton

Product Code	Fuel Cell Qty	Qty (pcs)	Qty (packs)
ABG1632G	2	2,000	10
ABG1638G	2	2,000	10
ABG1645G	2	2,000	10
ABG1650G	2	2,000	10
ABG1664G	2	2,000	10
			FRT02
ABSS1638G	2	2,000	10
ABSS1650G	2	2,000	10
ABSS1664G	2	2,000	10
			FRT02



Product

Code

No Fuel Cells

Carton

Qty (packs)

Pallet

Qty (packs)

	ABG1632	2,000	6	396
	ABG1638	2,000	6	396
	ABG1645	2,000	6	396
	ABG1650	2,000	6	396
	ABG1664	2,000	6	396
				FRT0
I				
	ABSS1638	2,000	6	396
	ABSS1650	2,000	6	396
	ABSS1664	2,000	6	396

Qty (pcs)

16

FirmaHold Fuel Cell Packs



Finishing Nailer Fuel Cell

For use with the second fix brad nailer. The cleaned propane and butane gas with a synthetic oil gives a clean combustion and reduces tool wear

- Manufactured to European standards
- · Cleaned propane and butane gas for cleaner combustion and to improve the working environment
- Fully synthetic oil for reduced carbon deposition
- High quality propellant to prevent leakage and increase shelf life
- Gas filled in accordance with European Regulations (75/324/EWG)

Carton

Product Code	Volume (ml)	Qty (pcs)	Qty (packs)
	BLISTER PACK		
BFC	30	2	6 FRT03

Framing Nailer Fuel Cell



For use with the clipped head first fix nailer The cleaned propane and butane gas with a synthetic oil gives a clean combustion and reduces tool wear.

- · Manufactured to European standards
- · Cleaned propane and butane gas for cleaner combustion and to improve the working environment
- Fully synthetic oil for reduced carbon deposition
- High quality propellant to prevent leakage and increase shelf life
- Gas filled in accordance with European Regulations (75/324/FWG)

Product Code	Volume (ml)	Pack Qty (pcs)	Carton Qty (packs)
	BLISTER PACK		
CFC	80	2	6

How to Guide







Nails

Separate the dosage valve from the transit cap



Tilt the dosage valve forward



Locate the front of the dosage valve on the fuel cell



Click the back of the dosage valve down one click firmly then down fully

Paslode Fuel Cell Packs



IM65 Fuel Cell

Mini gas fuel cell with added lubricant for cordless finishing nailers and staplers.

 Suitable for IM65/IM65A IM50 gas finishing nailers and IM200 Stapler





Product Code	Volume (ml)	Qty (pcs)	Qty (packs)
	BLISTER PACK		
PAS300341	30	2	10 PEC01

IM350+ Fuel Cell



Gas fuel cell with added lubricant for IM350+ and IM350 cordless framing nailers

 Suitable for IM350+ and IM350 Impulse framing nailers



IM360Ci Fuel Cell



Gas fuel cell with added lubricant for Series-i cordless framing and positive placement nailers.

- Suitable for IM90i and IM360Ci Impulse framing nailers
- · Patented lubricant included in gas mixture to ensure optimum performance of the tool at all times
- Patented dosing valve works with fuel injection system of the tool to ensure correct dosage for ambient temperature
- Fuel cell capacity 1,250 shots at optimum temperature (between -15°C & +49°C)

Product Code	Volume (ml)	Pack Qty (pcs)	Carton Qty (packs)
	BLISTER PACK		
PAS300348	80	1	10 PFC01



Collated Nail & Fuel Pack



IM360Ci Nail & Fuel Packs

Product Code	Dia. (mm)	Length (mm)	Head Type	Shank Type	Service Class	Fuel Cell Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)	
	TRADE PACK - WITH FUEL CELLS								
Bright									
PAS141083	2.8	51	Fully Round	Ring	1	3	3,300	10	
PAS141078	2.8	63	Fully Round	Ring	1	3	3,300	10	
PAS141081	3.1	75	Fully Round	Ring	1	2	2,200	10	
PAS141082	3.1	90	Fully Round	Ring	1	2	2,200	10	
PAS141076	3.1	90	Fully Round	Plain	1	2	2,200	10	
			Galvani	sed +					
PAS141075	2.8	51	Fully Round	Ring	2	3	3,300	10	
PAS141071	2.8	63	Fully Round	Ring	2	3	3,300	10	
PAS141073	3.1	63	Fully Round	Ring	2	2	2,200	10	
PAS141072	3.1	75	Fully Round	Ring	2	2	2,200	10	
PAS141074	3.1	90	Fully Round	Ring	2	2	2,200	10	
PAS141070	3.1	90	Fully Round	Plain	2	2	2,200	10	
		F	lot Dipped (Galvanis	ed				
PAS140631	2.8	63	Fully Round	Ring	3	3	3,300	10	
PAS140630	3.1	75	Fully Round	Ring	3	2	2,200	10	
PAS140628	3.1	90	Fully Round	Ring	3	2	2,200	10	
PAS140629	3.1	90	Fully Round	Plain	3	2	2,200	10	
								PNG01	
RETAIL PACK - WITH FUEL CELLS									
			Galvani	sed +					
PAS141080	2.8	51	Fully Round	Ring	2	1	1,100	10	
PAS141079	2.8	63	Fully Round	Ring	2	1	1,100	10	
PAS141077	3.1	90	Fully Round	Plain	2	1	1,100	10	
			A2 Stainle	ss Ste <u>el</u>					
PAS140624	2.8	51	Fully Round	Ring	3	1	1,100	10	
PAS140626	2.8	63	Fully Round	Ring	3	1	1,100	10	
PAS140627	3.1	80	Fully Round	Ring	3	1	1,100	10	
			A4 Stainle	ss Steel					
PAS140632	2.8	63	Fully Round	Ring	3	1	1,100	10	
			-					PNG01	

IM350+ Nail & Fuel Packs

Product Code	Dia. (mm)	Length (mm)	Head Type	Shank Type	Service Class	Fuel Cell Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
		TRADE	PACK - WI	TH FUEL	CELLS	;		
			Brig	ht				
PAS141202	2.8	51	Clipped	Ring	1	3	3,300	10
PAS141208	2.8	63	Clipped	Ring	1	3	3,300	10
PAS141226	3.1	75	Fully Round	Ring	1	2	2,200	10
PAS141233	3.1	90	Fully Round	Plain	1	2	2,200	10
			Galvani	sed +				
PAS141204	2.8	51	Clipped	Ring	2	3	3,300	10
PAS141210	2.8	63	Clipped	Ring	2	3	3,300	10
PAS141221	3.1	63	Clipped	Ring	2	2	2,200	10
PAS141227	3.1	75	Fully Round	Ring	2	2	2,200	10
PAS141234	3.1	90	Fully Round	Plain	2	2	2,200	10
		F	lot Dipped	Galvanis	ed			
PAS141205	2.8	51	Clipped	Ring	3	3	3,300	10
PAS141228	3.1	75	Fully Round	Ring	3	2	2,200	10
PAS141236	3.1	90	Fully Round	Uni Lock	3	2	2,200	10
PAS141235	3.1	90	Fully Round	Plain	3	2	2,200	10
								PNG02
		RETAIL	PACK - WI	TH FUEL	CELLS	i		
			Galvani	sed +				
PAS141256	2.8	51	Clipped	Ring	2	1	1,100	10
PAS141259	2.8	63	Clipped	Ring	3	1	1,100	10
		- F	lot Dipped	Galvanis	ed			
PAS141267	3.1	90	Fully Round	Plain	3	1	1,100	10
			A2 Stainle	ss Steel				
PAS141257	2.8	51	Clipped	Ring	3	1	1,100	10
PAS141261	2.8	63	Clipped	Ring	3	1	1,100	10
								PNG02



Collated Brad & Fuel Packs

IM65 Straight Brad Nail & Fuel Packs

Product Code	Gauge	Length (mm)	Fuel Cell Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
STRAI	GHT BR	ADS - W	ITH FUE	L CEL	.LS
PAS921585	16	16	2	2,000	10
PAS921586	16	19	2	2,000	10
PAS921587	16	25	2	2,000	10
PAS921588	16	32	2	2,000	10
PAS921589	16	38	2	2,000	10
PAS921590	16	45	2	2,000	10
PAS921591	16	50	2	2,000	10
PAS921592	16	63	2	2,000	10
					PBG01
	A2 9	Stainles	Steel		
PAS921594	16	38	2	2,000	10
PAS921595	16	50	2	2,000	10
PAS921596	16	63	2	2,000	10

IM65A Angled Brad Nail & Fuel Packs

Product Code	Gauge	Length (mm)	Fuel Cell Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)			
ANGLED BRADS - WITH FUEL CELLS								
Electro Galvanised								
PAS300270	16	32	2	2,000	10			
PAS300271	16	38	2	2,000	10			
PAS300272	16	45	2	2,000	10			
PAS300273	16	51	2	2,000	10			
PAS300274	16	63	2	2,000	10			
					PBG02			
	A2 9	tainles:	s Steel					
PAS300276	16	32	2	2,000	10			
PAS300277	16	38	2	2,000	10			
PAS300279	16	50	2	2,000	10			
PAS300280	16	64	2	2,000	10			

Collated Twist Shank & Fuel Pack

PPN35Ci Twist Shank Nail & Fuel Packs



Paslode hardened twist nails can be used for nailing connectors and hangers into solid wood. CE marked & EC5 compliant. The electro galvanised finish is suitable for external protected applications - Service Class 2.

PAS141185 3.4 35 Fully Round 2 2,500 10

Staples & **Staplers**





Light Duty Staples



Light duty staples suitable for a wide variety of professional and DIY applications. Ideal for pinning fabrics, decoration and light repairs.



- Light duty 0.7mm wire
- 11.35mm crown width
- · Flat crown for improved material clamping
- · Super sharp chisel point

Pack Carton Pallet Leg Length Qty Qty Code (mm) (pcs) (packs) (packs)

		вох		
		Ivanise		
377101	6	1,000	200	6,000
377564	8	1,000	200	6,000
377321	10	1,000	200	3,600
				FRS01

Heavy Duty Staples



Heavy duty staples suitable for a range of professional second fix applications including carpet fitting, roof insulating, woodworking and more.



- · Heavy duty 1.2mm wire
- 10.60mm crown width · Flat crown for improved material clamping
- · Super sharp chisel point

Pack Carton Pallet Leg Qty Product Length Qty Code (mm) (pcs) (packs) (packs)

		вох		
1	42 Sta	ainless	Steel	
377761	8	1,000	100	3000
377023	10	1,000	100	3000
377261	12	1,000	100	3000
377987	6	1,000	100	3000
377258	8	1,000	100	3000
377469	10	1,000	100	3000
377627	12	1,000	100	3000
377861	14	1,000	100	2700
	BL	JLK BO	X	
377155	10	5,000	20	600
377188	12	5,000	20	480
				EDS01

Divergent Point Staples

Galvanised

Heavy duty divergent point staples are designed to twist during installation creating a stronger fixing. Ideal for wood to wood and second fix applications.



- · Heavy duty 1.2mm wire
- · 5.95mm crown width
- · Flat crown for improved material clamping
- · Divergent point for superior retention

Pack Carton Leg Leg Length Product Length Qty Code (mm) (inch) (pcs) (packs)

		вох				
377963	18	3/4	1,000	40		
377666	22	7/8	1,000	40 FRS01		

Light Duty Stapler

areas with a moderate salt atmosphere







An all steel light duty staple gun, ideal for most professional and DIY applications. Suitable for use with light duty staples

- Pinch point free design for safe and comfortable grip
- Convenient rear loading magazine
- Also compatible with Type 53, JT21 & A-Type staples

Product Code	Staple Size (mm)	Qty	Carton Qty (packs)
	BLISTER PACK		
370505	6 - 10	1	4
			EST04

Heavy Duty Stapler



An all steel professional staple gun, ideal for heavy duty applications. Suitable for use with heavy duty staples.

- · Adjustable staple depth controller for greater flexibility
- Convenient bottom loading magazine
- Also compatible with Type 140, T50 & G-Type staples

Product Code	Staple Size (mm)	Qty	Carton Qty (packs)
	BLISTER PACK		
370321	6 - 14	1	6 EST01

Hammer Tacker



A heavy duty and durable all steel constructed hammer tacker. Ideal for applications requiring rapid and effortless staple installation such as roofing membrane Suitable for use with heavy duty staples

- Anti-slip soft grip handle for user comfort
- Complete with convenient rear loading magazine
- Also compatible with Type 140, T50 & G-Type staples

Product Code	Staple Size (mm)	Qty	Carton Qty (packs)
	BLISTER PACK		
370987	6 - 10	1	10 EST01



Bright

ouitable for indoor applications.

Conforms to Eurocode 5 and service class 1. Galvanised

For medium dut rust protection.

Conforms to Eurocode 5 and service class 2. Sherardised

For medium duty rust protection.

Conforms to Eurocode 5 and service class 2. Copper

Provides high levels of rust protection.

Aluminium

Provides high levels of rust protection.

A2 Austenitic Stainless Steel

A2 for external applications.

Conforms to Eurocode 5 and service class 3.



				ыц	ht Loose Na	3115			
				25kg Box	2.5kg Tub	1kg TlMbag	500g TIMbag	TIMpac	,
Length	Ø	Approx. PCS		Each	Each	Carton Qty - 5	Carton Qty - 5	Carton Qty	- 10
(mm)	(mm)	Per 1kg		Product Code	Product Code	Product Code	Product Code	Product Code	P
Annular	Ringsh	ank	(Annular rings p	rovide additional hold	ing power, where incre	ased grip is requi	red.
20	2.00	1900		BAR20	BAR20T	BAR20B	BAR20MB	_	
25	2.00	1430		BAR25	BAR25T	BAR25B	BAR25MB	BAR25P	15
30	2.36	840		BAR30	-	BAR30B	BAR30MB	-	
40	2.36	750		BAR40	BAR40T	BAR40B	BAR40MB	-	
50	2.65	440		BAR50	BAR50T	BAR50B	BAR50MB	BAR50P	
65	3.35	230		BAR65	BAR65T	BAR65B	BAR65MB	BAR65P	3
75	3.75	154		BAR75	BAR75T	BAR75B	BAR75MB	D/ (100)	
75	0.70	154	l l	LNA01	TUB01	NAG01	NAG01	PAK51	1
Round V	Vivo		A			C	eneral use with full rour	. d la d &	
								id nead for clamp	ing.
40	2.65	575		BRW40	BRW40T	BRW40B	BRW40MB	-	
50	2.65	440		BRW50	BRW50T	BRW50B	BRW50MB	-	
65	3.35	230		BRW65	BRW65T	BRW65B	BRW65MB	-	
75	3.75	154		BRW75	BRW75T	BRW75B	BRW75MB	-	
100	4.50	77		BRW100	BRW100T	BRW100B	BRW100MB	-	
125	5.60	42		BRW125	BRW125T	BRW125B	BRW125MB	-	
150	6.00	29		BRW150	BRW150T	BRW150B	BRW150MB	-	
				LNA02	TUB02	NAG02	NAG02		
anel Pi	ns		(p		A light weight na	ail, commonly used for	cabinet making and lig	ht duty application	ons.
20	1.60	3100		BPP20	-	-	BPP20MB	-	П
25	1.60	2340		BPP25	-	BPP25B	BPP25MB	PPB25P	2
30	1.60	1900		BPP30	_	BPP30B	BPP30MB	PPB30P	2
40	1.60	1590		BPP40	-	BPP40B	BPP40MB	PPB40P	1
50	2.00	770		BPP50	_	BPP50B	BPP50MB	PPB50P	
00	2.00	1	1	LNA03		NAG03	NAG03	PAK51	
)val							Oval head f	or a concealed fin	ish.
40		940		BON40	BON40T	BON40B	BON40MB		
50	-	470			BON50T			-	
	-			BON50	BONOUT	BON50B	BON50MB	-	
65 75	-	230 125		BON65 BON75	-	BON65B	BON65MB BON75MB	-	
	-				-	BON75B		-	
100	-	64		BON100 LNA04	TUB03	BON100B NAG04	BON100MB NAG04	-	
ound I	ost Hea	ad	G		Т	he head can be nunch	ed below the surface f	or a concealed fin	ish
40	2.65	760		BLH40	BLH40T	BLH40B	BLH40MB		
50	3.00	360		BLH50	BLH50T	BLH50B	BLH50MB	-	
65	3.35	240		BLH65	BLH65T	BLH65B	BLH65MB	-	
03	3.33	240	1	LNA05	TUB05	NAG05	NAG05	-	1
Cut Clas	sn					Cut clasps nails i	orovide a more traditio	nal fixing into tim	her
50	-P	286		BCN50		BCN50B			
65	-	171		BCN65	-	BCN65B	-	-	
75	-	103		BCN65 BCN75	-	BCN65B BCN75B	-	-	
100	-				-		-	-	
100	-	48		BCN100 LNA06	-	NAG06	-	-	
Cut Flo	oring B	rads					A traditional nail used fo	or fixing floor boa	rds
50	Joining D	264		CFB50	_	CFB50B	- Januarian asea N		
65	-	154		CFB65	-	CFB65B	-	-	

Galvanised Loose Nails							
					10kg Box	1kg TIMbag	
Length	Ø	Approx. PCS			Each	Carton Qty - 5	
(mm)	(mm)	Per 1kg			Product Code	Product Code	
Slab Nail			\vdash	Us	Used for securing insulation to wood.		
100	3.35	82			SLN100	-	
125	3.75	71			SLN125	-	
150	3.75	60			SLN150	SLN150B	
180	4.50	38			SLN180	SLN180B	
200	4.50	36			SLN200	SLN200B	
					LNA16	NAG17	



				(Galvanise	d Loose Na	ils			
				25kg Box	2.5kg Tub	2.5kg TIMbag	1kg TIMbag	500g TIMbag	TIMpac	;
	_			Each	Each	Carton Qty - 4	Carton Qty - 5	Carton Qty - 5	Carton Qty	- 10
Length (mm)	Ø (mm)	Approx. PCS Per 1kg		Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	PC
Round	Wire		6				Gene	ral use with full round	d head for clampi	ing.
		1							· ·	,
40	2.65	575		GRW40	GRW40T	GRW40LB	GRW40B	GRW40MB	GRW40P	75
50	2.65	440		GRW50	GRW50T	GRW50LB	GRW50B	GRW50MB	GRW50P	50
65	2.65	350		GRW26565	GRW26565T	GRW26565LB	GRW26565B	GRW26565MB	-	-
65	3.35	230		GRW65	GRW65T	GRW65LB	GRW65B	GRW65MB	GRW65P	40
75	3.75	154		GRW75	GRW75T	GRW75LB	GRW75B	GRW75MB	GRW75P	25
90	4.00	105		GRW90	GRW90T	OINVIOLD	GRW90B	- OTTEN ON ID	GRW90P	15
		77				ODW/400LD		ODWAGOONED		
100	4.50			GRW100	GRW100T	GRW100LB	GRW100B	GRW100MB	GRW100P	15
125	5.60	42		GRW125	GRW125T		GRW125B	GRW125MB	GRW125P	10
150	6.00	29		GRW150 LNA08	GRW150T TUB08	GRW150LB LBG09	GRW150B NAG08	GRW150MB NAG08	GRW150P PAK51	8
Square	Twict		0-	~				use with all types of b		ork
-									diluers metal wo	JIK.
30	3.75	357		GST30	GST30T	GST30LB	GST30B	GST30MB	-	-
40	3.75	312		GST40	GST40T	GST40LB	GST40B	GST40MB	-	-
				LNA09	TUB09	LBG10	NAG09	NAG09		
resse	r Point	Staples						Used for fixing fen	cing and wire me	esh.
20	0.00	4000		DDCCC	PROCET		PROOF	DDCCCNAC	DDOOOD	-
20	2.00	1000		PPS20	PPS20T	-	PPS20B	PPS20MB	PPS20P	7
25	2.65	500		PPS25	PPS25T	-	PPS25B	PPS25MB	PPS25P	60
30	3.35	227		PPS30	PPS30T	PPS30LB	PPS30B	PPS30MB	PPS30P	3
40	4.00	135		PPS40	PPS40T	-	PPS40B	PPS40MB	PPS40P	2
50	4.00	71		PPS50	PPS50T	-	PPS50B	PPS50MB	-	-
				LNA10	TUB10	LBG11	NAG10	NAG10	PAK51	
Barbed	Staple	s	(-	Used for f	ixina fencina and wir	re mesh. Barbs for	improved grip and re	sistance to pull c	out.
40	4.00	135		_	BS40T		BS40B		_	_
	1.00		' '		TUB11	1	NAG11	ı		
Jagged	l Plaste	rboard	(Tra	aditional alternative t	o the drywall scr	ew.
30	2.65	700		JPN30	_	_	JPN30B	JPN30MB	-	
40	2.65	570		JPN40	_	_	JPN40B	JPN40MB		١.
.0	2.00	0.0	1	LNA11	ı	1	NAG12	NAG11		1
Orive S	crew		Annual Control	*C100000000			Fixing roofi	ng and cladding shee	ts to timber purl	lins
			0				9	ig and cladaling once	to to timber pari	
50	5.40	87		DSN50	DSN50T	-	-	-	-	-
65	5.40	71		DSN65	DSN65T	-	-	-	-	-
75	5.40	55		DSN75	-	-	DSN75B	-	-	-
100	5.40	51		DSN100	-	DSN100LB	DSN100B	DSN100MB	-	-
125	6.40	30		DSN125	DSN125T	DSN125LB	DSN125B	_	_	
150	6.40	24		DSN150	DSN150T	DSN150LB	-	_		
100	0.40	24	1	LNA12	TUB13	LBG12	NAG13	NAG12		-
pring	Head		P	~~~			Twis	sted shank gives a ve	ry strong purcha	ase.
65	3.35	140		GSN65 (10kg) LNA13	-	GSN65LB LBG14	GSN65B NAG14	GSN65MB NAG13	-	-
Clout			A					Perfect for n	oofing applicatio	nns
									· · · · · · · · · · · · · · · ·	
25	2.65	815		GCN25	GCN25T	-	GCN25B	GCN25MB	-	-
30	2.65	660		GCN30	GCN30T	GCN30LB	GCN30B	GCN30MB	GCN30P	12
40	2.65	570		GCN40	GCN40T	GCN40LB	GCN40B	GCN40MB	GCN40P	10
40	3.35	350		GCN33540	GCN33540T	-	GCN33540B	GCN33540MB	-	
50	2.65	430		GCN50	GCN50T	GCN50LB	GCN50B	GCN50MB	GCN50P	5
50	3.35	290		GCN33550	GCN33550T	-	GCN33550B	GCN33550MB	-	
		320		GCN26565		GCN26565LB	GCN26565B	GCN35350MB GCN26565MB	-	
65	2.65				GCN26565T	GCINZOOODLB			-	1
65	3.75	180		GCN65	GCN65T	-	GCN65B	GCN65MB		-
75	3.75	150		GCN75 LNA14	GCN75T TUB15	- LBG15	GCN75B NAG15	GCN75MB NAG14	GCN75P PAK51	2
	_		Α.	20117						میط
					_			t for fitting roofing fe	it and plasterboa	ard.
ELH Ck				00040	GEC13T	GEC13LB	GEC13B	GEC13MB	-	
ELH Clo	3.00	780		GEC13						
ELH Cl		780 580		GEC20	GEC20T	GEC20LB	GEC20B	GEC20MB		
ELH Clo	3.00					GEC20LB	GEC20B GEC25B	GEC20MB GEC25MB	-	
13 20	3.00 3.00	580		GEC20	GEC20T GEC25T	GEC20LB - GEC30LB			- GEC30P	
13 20 25 30	3.00 3.00 3.00 3.00	580 485 420		GEC20 GEC25 GEC30	GEC20T GEC25T GEC30T	- GEC30LB	GEC25B GEC30B	GEC25MB GEC30MB		10
13 20 25	3.00 3.00 3.00	580 485		GEC20 GEC25	GEC20T GEC25T	-	GEC25B	GEC25MB	GEC30P GEC40P	- 10 75



Sherardised Loose Nails								
25kg Box 2.5kg Tub 2.5kg TIMbag 1kg TIMbag 500g TIMbag								
Length	Ø	Approx. PCS		Each	Each	Carton Qty - 4	Carton Qty - 5	Carton Qty - 5
(mm)	(mm)	Per 1kg		Product Code	Product Code	Product Code	Product Code	Product Code
Annular	Ringsh	ank			▶ Annular rings ¡	provide additional holdir	ng power, where increas	sed grip is required.
40	2.65	575		SAR40	SAR40T	-	SAR40B	SAR40MB
50	2.65	440		SAR50	SAR50T	-	SAR50B	SAR50MB
65	3.35	230		SAR65	SAR65T	-	SAR65B	-
75	3.75	154		SAR75	-	-	-	-
100	5.00	66		SAR100	-	-	-	-
				LNA17	TUB17		NAG19	NAG19
Square [*]	Twist		-	-		Fo	or use with all types of b	uilders metal work.
30	3.75	357		SST30	SST30T	SST30LB	SST30B	SST30MB
40	3.75	312		SST40	SST40T	-	SST40B	SST40MB
				LNA18	TUB18	LBG18	NAG20	NAG20
Panel Pi	ns				A light weight n	ail, commonly used for c	cabinet making and ligh	t duty applications.
25	1.60	2340		SPP25	-	-	-	SPP25MB
30	1.60	1900		SPP30	-	-	-	SPP30MB
40	1.60	1590		SPP40	-	-	-	SPP40MB
50	2.00	770		SPP50	-	-	-	SPP50MB
				LNA19				NAG18

Copper Loose Nails

				25kg Box	10kg Box	2.5kg Tub	1kg TIMbag	500g TIMbag
Length	Ø	Approx. PCS		Each	Each	Each	Carton Qty - 5	Carton Qty - 5
(mm)			Product Code	Product Code	Product Code	Product Code	Product Code	
Clout Large diameter head, perfect for attaching roofing felt, slate						slate and shingles.		
30	2.65	620		COP230	-	COP230T	COP230B	COP230MB
30	3.35	380		COP330	-	COP330T	COP330B	COP330MB
35	3.35	340		COP335	-	-	COP335B	-
38	2.65	500		COP238	-	COP238T	COP238B	COP238MB
38	3.35	300		COP338	COP338BOX	COP338T	COP338B	-
50	3.35	230		COP350	-	COP350T	COP350B	COP350MB
				LNA20	LNA20	TUB19	NAG21	NAG21

Length (mm)	Ø (mm)	Approx. PCS Per 1kg	5kg Box Each Product Code	1kg TIMbag Each Product Code
Presser	Point St	aples	- -	
25	2.65	830	-	COPPS25PB
38	4.0	240	COPPS38	-
			LNA26	NAG22

Aluminium Clout Nails


			10kg Box	1kg Tub	1kg TIMbag	250g TIMbag
		Approx.	Each	Each	Carton Qty - 4	Carton Qty - 5
L (mm)	Ø (mm)	PCS Per 1kg	Code	Code	Code	Code
Clo	ut		Large		head, perfect fo fing felt, slate an	
30	2.65	2,000	ACN30	ACN30T	ACN30LB	ACN30B
38	3.35	1,100	ACN38	ACN38T	ACN38LB	ACN38B
45	3.35		ACN45	ACN45T	ACN45LB	
45	3.33	870	ACIVAS	ACIVAST	ACIVADED	ACN45B
50	3.35	870	ACN50	ACN50T	ACN50LB	ACN45B ACN50B
50	3.35	800	ACN50			

Copper Roofing Accessories

Copper Disc Rivets

0		Product Code	Length (mm)	Ø (mm)	Head Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
				TUI			
	For fixing	CDRT	20	1.50	20	1000	-
- 1	fibre			PAC			
- 1	cement	CDRB	20	1.50	20	250	5
	slates.					TU	B20 / NAG24

Copper Straps





Stainless Steel Loose Nails

			10kg Box	1kg TIMbag			
Length	Ø	Approx. PCS		Each	Carton Qty - 5		
(mm)	(mm)	Per 1kg		Code	Code		
Annular Ringshank Annular rings provide additional holding power where increased grip is required.							
Annular rir	ngs provide	additional hol	ding po	wer where increased	grip is required.		
20	2.00	1785		SSAR20	SSAR20B		
25	2.00	1465	SSAR25	SSAR25B			
30	2.36	890		SSAR30	SSAR30B		
40	2.65	546		SSAR40	SSAR40B		
50	2.65	442		SSAR50	SSAR50B		
50	3.35	276		SSAR50335	SSAR50335B		
65	3.35	216		SSAR65	SSAR65B		
75	3.75	150	50	SSAR75	SSAR75B		
100	4.50	79		SSAR100	SSAR100B		
				SSN01	SSN01		

Round Lost Head								
The head can be punched below the surface for a concealed finish.								
40	2.65	550		SSLH40	SSLH40B			
50	2.65	443		SSLH50	SSLH50B			
65	3.35	216		SSLH65	SSLH65B			
				SSN02	SSN02			

Round General u		ll round head	for cla	mping.		
40	2.65	550		SSRW40	SSRW40B	/ed
50	2.65	440		SSRW50	SSRW50B	CE Approved
65	3.35	215		SSRW65	SSRW65B	Ap
75	3.75	150		SSRW75	SSRW75B	빙
100	4.00	100		SSRW100	SSRW100B	
125	5.60	40		SSRW125	SSRW125B	
150	6.00	30		SSRW150	SSRW150B	
				SSN03	SSN03	

Zinc Masonry Nails

		100pcs Box	50 pcs TIMpac
Length	Ø	Each	Each
(mm)	(mm)	Code	Code
Maaaa	NI=:I=		
Masoni	y Nails		
25	2.5	HM25025	HM25025P
30	2.5	HM25030	HM25030P
35	2.5	HM25035	HM25035P
40	2.5	HM25040	HM25040P
50	2.5	HM25050	HM25050P
40	3.0	HM30040	-
50	3.0	HM30050	-
60	3.0	HM30060	HM30060P
65	3.0	HM30065	HM30065P
65	3.5	HM35065	-
75	3.5	HM35075	HM35075P
85	3.5	HM35085	-
100	3.5	HM350100	-
'	'	LNA24	PAK51
4	\\/_abau	4	
Masoni	ry - Washere	ed o	
25	3.7	WMN25	-
30	3.7	WMN30	-
35	3.7	WMN35	-
40	3.7	WMN40	-
50	3.7	WMN50	-
60	3.7	WMN60	-
75	3.7	WMN75 (50pcs)	-
	· ·	LNA24	
Mickov	Pins / Capp	ing Nails	
HICKEY	гиіз / Сарр	iligitalis (
25	2.5	WMP25 (200pcs)	-
30	2.5	WMP30 (200pcs)	-


Upholstery Nails & Cut Tacks



Upholstery Nails



Blue Cut Tacks



HallClips® & HallHooks®

HallClip® Lead Flashing Fixing Clips

The HallClip® is a patented lead flashing fixing clip that is a high tensile 'V' shaped stainless steel clip that allows you to fix flashings up to 20 times faster than a standard lead wedge.






- Time saving solution
- Easy to install
- Stronger than traditional methods
- · High tensile stainless steel
- Suitable for 6-26mm chase heights
- Does not come loose unlike traditional lead wedges

Product Code	To Suit Chase Joints (mm)	Qty	Carton Qty (packs)
	TIMPAC		
269855	6 - 18	50	10
269333	16 - 26	25	5
			BMW17

HallHook® Slate Roof Repair Hook

I NA25

This revolutionary device was invented by a roofer of 45 years, the HallHook® is a permanent, secret and fail-safe device that should be used when replacing



- Easy to install
- Invisible and fail-safe
- Permanent slate fixing
- Stainless steel
- Includes 1 x HookPull tool

Product Code		Qty	Carton Qty (packs)
	TIMPAC		
269040		50	10 BMW17



Polymer Headed Nails & Pins



Polymer Headed Nails



Product Code	Colour	Length (mm)	Shank Ø (mm)	Head Ø (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
			вох				
PN40W	White	40	3.2	12	100	50	1200
PN50W	White	50	3.2	12	100	36	864
PN50CC	Cream	50	3.2	12	100	36	864
PN50CG	Chartwell Green	50	3.2	12	100	36	864
PN50CB	Clay Brown	50	3.2	12	100	36	864
PN500	Oak	50	3.2	12	100	36	864
PN50BR	Mahogany	50	3.2	12	100	36	864
PN50AG	Anthracite Grey	50	3.2	12	100	36	864
PN50BL	Black	50	3.2	12	100	36	864
PN65W	White	65	3.2	12	100	36	864
PN65CC	Cream	65	3.2	12	100	36	864
PN65CG	Chartwell Green	65	3.2	12	100	36	864
PN65CB	Clay Brown	65	3.2	12	100	36	864
PN65BR	Mahogany	65	3.2	12	100	36	864
PN65AG	Anthracite Grey	65	3.2	12	100	36	864
PN65BL	Black	65	3.2	12	100	36	864 PIN01
TIMPAC							
PN50WP	White	50	3.2	12	25	10	-
PN50BLP	Black	50	3.2	12	25	10	-
							PAK50

Clad Pins

		71400	imiess Stee				
-	A4 Stainles Impact Re Product Code		dding pin with Shank Ø (mm)	n ring shanl Head Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty
-		()	()	()	(pos)	(puono)	(puono)
TIMPAC							
8	CP30	30	2.1	4.7	250	76	1824

Polymer Headed Pins



Product Code	Colour	Length (mm)	Shank Ø (mm)	Head Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
			вох				
PP25W	White	25	2.1	6.4	250	76	1824
PP25BEIGE	Beige	25	2.1	6.4	250	35	1824
PP25M	Mahogany	25	2.1	6.4	250	76	1824
PP30W	White	30	2.1	6.4	250	76	1824
PP30CC	Cream	30	2.1	6.4	250	76	1824
PP30CG	Chartwell Green	30	2.1	6.4	250	76	1824
PP30CB	Clay Brown	30	2.1	6.4	250	76	1824
PP300	Oak	30	2.1	6.4	250	76	1824
PP30BR	Mahogany	30	2.1	6.4	250	76	1824
PP30AG	Anthracite Grey	30	2.1	6.4	250	76	1824
PP30BL	Black	30	2.1	6.4	250	76	1824
PP40W	White	40	2.1	6.4	250	50	1200
PP40CC	Cream	40	2.1	6.4	250	50	1200
PP40CG	Chartwell Green	40	2.1	6.4	250	50	1200
PP40CB	Clay Brown	40	2.1	6.4	250	50	1200
PP400	Oak	40	2.1	6.4	250	50	1200
PP40BR	Mahogany	40	2.1	6.4	250	50	1200
PP40AG	Anthracite Grey	40	2.1	6.4	250	50	1200
PP40BL	Black	40	2.1	6.4	250	50	1200
_							PIN02
		TI	MPAC				
PP25WP	White	25	2.1	6.4	65	10	-
PP30WP	White	30	2.1	6.4	60	10	-
PP40WP	White	40	2.1	6.4	50	10	-
PP30BLP	Black	30	21	6.4	60	10	

PP40BLP

Black

40

2.1

6.4

50 10

Pack Carton Pallet

PAK50



Powertool Accessories

Drilling

SDS Plus & Max Hammer Bits	113-114
Rebar Cutters	114
Masonry Drill Bits	115
Tile & Glass Drill Bits	115
Wood Auger & Wood Bits	116-117
HSS Drill Bits	118-119
Step Drills & Countersinks	120
Broaching Cutters & Pilot Rods	121
Drilling & Driver Sets	122-123

Cutting

Holesaws & Accessories		124
Dry Diamond Core Bits & Accessori	es	126
Diamond Blades & Wheels	127-	128
Bonded Abrasives		128
Circular Saw Blades		129
Jigsaw Blades & Sets	130-	131
Reciprocating Saw Blades & Set		132
Multi-Tool Blades & Sets	133-	134

Abrasives

Powertool Sanding	135
Hand Sanding	136
Powertool Wire Brushes	137-138
Flap Discs & Preparation Discs	138

Chucks, Driver Bits & Adaptors

Chucks, Keys & Adaptors		139
Impact Driver Bits & Holders		140
Impact Driver Bit Sockets & Adapto	rs	141
Driver Bits, Holders & Sets	142-	143

Mixing

Mixing Paddles 143

SDS Plus Hammer Bits

Professional SDS Plus Hammer Bits

A high performance drill bit with a superior carbide tip to give extended durability. PGM approved to ensure the bits drill with dimensional precision and performance when used in concrete and masonry.



- High quality BC20 Tungsten Carbide tip
- Cold formed blanks utilised up to 11mm diameter
- · Fully heat treated to eliminate bending
- Twin flute design for increased drilling performance
- · Shot-peened for increased strength and durability
- · P.G.M. approved and marked

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
	(CLIP		
AP4110	4.0	110	1	25
AP4160	4.0	160	1	25
AP5110	5.0	110	1	25
AP5160	5.0	160	1	25
AP5210	5.0	210	1	25
AP55110	5.5	110	1	25
AP55160	5.5	160	1	25
AP55210	5.5	210	1	25
AP6110	6.0	110	1	25
AP6160	6.0	160	1	25
AP6210	6.0	210	1	25
AP6260	6.0	260	1	25
AP6350	6.0	350	1	25
AP65110	6.5	110	1	25
AP65160	6.5	160	1	25
AP65210	6.5	210	1	25
AP65260	6.5	260	1	25
AP7110	7.0	110	1	25
AP7160	7.0	160	1	25
AP7210	7.0	210	1	25
AP7260	7.0	260	1	25
AP8110	8.0	110	1	25
AP8160	8.0	160	1	25
AP8210	8.0	210	1	25
AP8260	8.0	260	1	25
AP8310	8.0	310	1	25
AP8350	8.0	350	1	25
AP8450	8.0	450	1	25
AP9210	9.0	210	1	25
AP10160	10.0	160	1	25
AP10210	10.0	210	1	25
AP10260	10.0	260	1	25
AP10310	10.0	310	1	25
AP10450	10.0	450	1	25
AP10600	10.0	600	1	10
AP101000	10.0	1000	1	10
AP12160	12.0	160	1	25
AP12210	12.0	210	1	25
AP12260	12.0	260	1	20
AP12310	12.0	310	1	20
AP12450	12.0	450	1	20
AP12600	12.0	600	1	10
AP121000	12.0	1000	1	10
AP13260	13.0	260	1	20

AP14160 14.0 160 1 25



User Caution: Rebar drilling will result in reduced tool life. All chisel tip SDS drills can shear if the tip snags the reinforcing whilst passing alongside **P.G.M.** This mark is an international symbol of quality for masonry bits, governed by the independent Prüfgemeinschaft Mauerbohrer e.V. (PGM). The mark guarantees that the hits are manufactured and tested to ensure dimensional precision and performance. The DIRt (German Institute of Construction Technology) specifies that PGM marked drills should be used when geometrically exact holes are required for safety critical fixings. (5.5 & 6.5 do not carry the PGM mark)

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
	(CLIP		
AP14210	14.0	210	1	20
AP14260	14.0	260	1	20
AP14310	14.0	310	1	20
AP14450	14.0	450	1	20
AP141000	14.0	1000	1	10
AP15260	15.0	260	1	20
AP16160	16.0	160	1	25
AP16210	16.0	210	1	20
AP16260	16.0	260	1	20
AP16310	16.0	310	1	20
AP16450	16.0	450	1	10
AP16600	16.0	600	1	10
AP161000	16.0	1000	1	10
AP18210	18.0	210	1	10
AP18260	18.0	260	1	10
AP18310	18.0	310	1	10
AP18450	18.0	450	1	10
AP20210	20.0	210	1	10
AP20310	20.0	310	1	10
AP20450	20.0	450	1	10
AP20600	20.0	600	1	5
AP201000	20.0	1000	1	5
AP22260	22.0	260	1	10
AP22450	22.0	450	1	10
AP22600	22.0	600	1	5
AP24260	24.0	260	1	10
AP24450	24.0	450	1	5
AP25260	25.0	260	1	10
AP25450	25.0	450	1	5
AP25600	25.0	600	1	5
AP251000	25.0	1000	1	5
AP28450	28.0	450	1	5
AP30450	30.0	450	1	5
				APS01



Product Code		Length (mm)	Qty	Carton Qty (packs)			
CASE (6 PCS)							
AP6DS	-	-	6	30			
	5.0	110	1				
	5.5	110	1				
	7.0	110	1				
	6.0	160	1				
	8.0	160	1				

10.0

SDS Plus Hammer Bits

High quality, cost effective drill hit suitable for use in rotary hammers with the SDS plus tool system.

- · Fully heat treated to eliminate bending
- · Shot blast finish for rust protection

	Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Cartor Qty (packs
		(CLIP		
	SDS4160	4.0	160	1	20
	SDS5110	5.0	110	1	20
	SDS5160	5.0	160	1	20
	SDS5210	5.0	210	1	20
	SDS55110	5.5	110	1	20
	SDS55160	5.5	160	1	20
	SDS55210	5.5	210	1	20
	SDS6110	6.0	110	1	20
	SDS6160	6.0	160	1	20
	SDS6210	6.0	210	1	20
	SDS6260	6.0	260	1	20
	SDS6360	6.0	360	1	10
	SDS65110	6.5	110	1	20
	SDS65160	6.5	160	1	20
	SDS65210	6.5	210	1	20
	SDS65260	6.5	260	1	20
	SDS7110	7.0	110	1	20
	SDS7160	7.0	160	1	20
	SDS7210	7.0	210	1	20
	SDS7260	7.0	260	1	20
	SDS8110	8.0	110	1	20
	SDS8160	8.0	160	1	20
	SDS8210	8.0	210	1	20
	SDS8260	8.0	260	1	20
	SDS8310	8.0	310	1	10
	SDS8360	8.0	360	1	10
	SDS8450	8.0	450	1	10
	SDS10160	10.0	160	1	20
	SDS10210	10.0	210	1	20
	SDS10260	10.0	260	1	20
					SDS01

	Product Code	Ø (mm)	Length (mm)	Qty (pcs)	Qty (packs)
ı			CLIP	. ,	. ,
	SDS10310	10.0	310	1	10
	SDS10450	10.0	450	1	10
	SDS10600	10.0	600	1	10
	SDS101000	10.0	1000	1	10
	SDS12160	12.0	160	1	20
	SDS12100	12.0	210	1	20
	SDS12210	12.0	260	1	20
	SDS12200	12.0	310	1	10
	SDS12310	12.0	450	1	10
	SDS12430	12.0	600	1	10
	SDS12000	12.0	800	1	10
	SDS12000	12.0	1000	1	10
	SDS121000 SDS14160	14.0	160	1	10
	SDS14100 SDS14210	14.0	210	1	10
	SDS14210	14.0	260	1	10
	SDS14200 SDS14310	14.0	310	1	10
	SDS14310	14.0	450	1	
	SDS14450 SDS14600	14.0	600	1	10 10
	SDS14800	14.0	800	1	10
	SDS14000 SDS141000	14.0	1000	1	
				1	10
	SDS16160 SDS16210	16.0 16.0	160 210	1	10 10
	SDS16210	16.0	260	1	10
	SDS16260 SDS16310	16.0	310	1	
	SDS16310 SDS16450		450	1	10 10
	SDS16430 SDS16600	16.0 16.0	600	1	10
	SDS16800	16.0	800	1	5
	SDS16000	16.0	1000	1	5
	SDS181000	18.0	210	1	10
	SDS 18210 SDS 18260	18.0	260	1	10
	SDS18200	18.0	310	1	10
	SDS18450	18.0	450	1	10
	SDS 16450	20.0	210	1	10
	SDS20210	20.0	310	1	10
	SDS20310	20.0	450	1	10
	SDS20430	20.0	600	1	10
	SDS20000	20.0	1000	1	5
	SDS221600	22.0	260	1	10
	SDS22450	22.0	450	1	10
	SDS22800	22.0	800	1	5
	SDS221000	22.0	1000	1	5
	SDS25260	25.0	360	1	10
	SDS25450	25.0	450	1	10
J	SDS25800	25.0	800	1	4
	SDS251000	25.0	1000	1	4
1	SDS28800	28.0	800	1	2
	SDS281000	28.0	1000	1	2

SDS Plus Steels



Spade

Point - Breaks up concrete & masonry. $\textbf{Chisel/Spade} - \texttt{Breaks} \, \texttt{up} \, \texttt{concrete} \, \& \,$ masonry. Also removes plaster or rendering. Tile - Angled head design for easy removal of tiles, plaster or rendering.

800

2

SDS01

Gouge - Removes mortar from brickwork prior to re-pointing.

SDS30800 30.0

SDS301000 30.0 1000

Product Code	Туре	W (mm)	L (mm)	Qty (pcs)	Qty (packs)
CLIP					
SDSP	Point	N/A	250	1	10
SDSC	Chisel	20	250	1	10
SDSS	Spade	40	250	1	10
SDST	Tile	40	250	1	10
SDSG	Gouge	22	250	1	10
					SPC01

Pack Carton

Pack Carton



SDS Max Bits

SDS Max Hammer Bits



For drilling large diameter holes in concrete, stone and masonry. Suitable for use in large rotary hammers with the SDS Max tool holder system.

- Narrow angle 4-cutter head greatly reduces jamming and provides smooth drilling
- · High quality Tungsten Čarbide tips
- · Shot peened for extra strength and durability

Product	Ø	Length	Pack Qty	Carton Qty
Code	(mm)	(mm)	(pcs)	
	` ′	LIP	(1)	(100000)
0001110010			- , -	_
SDSM12340	12	340	1	5
SDSM12540	12	540	1	5
SDSM14340	14	340	1	5
SDSM14540	14	540	1	5
SDSM16340	16	340	1	5
SDSM16540	16	540	1	5
SDSM18340	18	340	1	5
SDSM18540	18	540	1	5
SDSM18690	18	690	1	5
SDSM18920	18	920	1	5
SDSM20340	20	340	1	5
SDSM20540	20	540	1	5
SDSM20690	20	690	1	5
SDSM20920	20	920	1	5
SDSM22340	22	340	1	5
SDSM22540	22	540	1	5
SDSM22690	22	690	1	5
SDSM22920	22	920	1	5
SDSM24340	24	340	1	5
SDSM24540	24	540	1	5
SDSM25340	25	340	1	5
SDSM25540	25	540	1	5
SDSM25690	25	690	1	5
SDSM25920	25	920	1	5
SDSM26340	26	340	1	5
SDSM26540	26	540	1	5
SDSM28340	28	340	1	5
SDSM28540	28	540	1	5
SDSM30340	30	340	1	5
SDSM30540	30	540	1	5
SDSM32340	32	340	1	5
SDSM32540	32	540	1	5
				MAX01

SDS Rebar Cutters

SDS Shank Rebar Cutters (Complete)



Rotary rebar cutters are designed for use in SDS plus hammer machines switched to ROTARY MODE ONLY.

Drilling with the hammer action switched on will result in serious damage to the tool. Please read the instructions and use the recommended **RPM**

- · High temperature
- Heavy duty Tungsten Carbide
- · Made in U.S.A



How to use Rebar Cutters







Drill to Use rebar cutter

Pack Carton

	Product Code	Ø (mm)	Length (mm)	Rec. R.P.M	Qty (pcs)	Qty (packs)
Ī	MSRB10*	10.0	300	750-1000	1	10
	MSRB12*	12.0	300	600-850	1	10
	MSRB14*	14.0	300	600-850	1	10
	MSRB16	16.0	300	500-750	1	10
	MSRB18	18.0	300	500-750	1	10
	MSRB20	20.0	300	450-600	1	10
	* PRODUCTS ARE N	OT VENTED				RBR01

SDS Max Steels



Chisel - Breaks up concrete & masonry, removes plaster or rendering. Slotting Tool - Removes mortar from brickwork prior to re-pointing.

Point - Breaks up concrete & masonry.

Product Code	Туре	W (mm)	L (mm)	Qty	Carton Qty (packs)
	CI	_IP			
SDSMP280	Point	N/A	280	1	5
SDSMP400	Point	N/A	400	1	5
SDSMC280	Chisel	25	280	1	5
SDSMC400	Chisel	25	400	1	5
SDSMC40050	Chisel	50	400	1	5
SDSMC30075	Chisel	75	300	1	5
SDSMST	Slotting Tool	25	280	1	5 MAY01

Rebar Cutters (Head Only)



Used with rebar adaptor to drill through in-situ rebar when drilling into

ROTARY MODE ONLY

Product Code	Ø (mm)	L (mm)	Rec R.P.M	Carton Qty (packs)		
TUBE - 1PCS						
MRB22H0	22.0	115	450-600	10		
MRB24H0	24.0	115	350-500	10		
MRB25H0	25.0	115	350-500	10		
				RBR01		

Adaptor for **Cutter Heads**



Used with 22, 24 & 25mm rebar cutter heads

ROTARY MODE ONLY

Carton Product Length Code (mm) (packs) STDS212 RBR01

Masonry Drill Bits

Masonry Drill Bits



A premium quality masonry bit for use in cordless and corded drill drivers in both rotary and hammer

Ideal for drilling brick, block and concrete.

- 135° High Grade Industrial Carbide
 Tin
- Ground flute
- · Silver/black finish
- · Heat treated

Product Code	Ø (mm)	Length (mm)	Qty	Carton Qty (packs)			
PACK							
APM475	4.0	75	1	100			
APM4150	4.0	150	1	100			

PACK						
APM475	4.0	75	1	100		
APM4150	4.0	150	1	100		
APM585	5.0	85	1	100		
APM5150	5.0	150	1	100		
APM5585	5.5	85	1	100		
APM55150	5.5	150	1	100		
APM6100	6.0	100	1	100		
APM6150	6.0	150	1	100		
APM6200	6.0	200	1	50		
APM6300	6.0	300	1	30		
APM65100	6.5	100	1	100		
APM65150	6.5	150	1	100		
APM65200	6.5	200	1	50		
APM65300	6.5	300	1	30		
APM7100	7.0	100	1	100		
APM7150	7.0	150	1	100		
APM7300	7.0	300	1	40		
APM8120	8.0	120	1	50		
APM8150	8.0	150	1	50		
APM8200	8.0	200	1	50		
APM8300	8.0	300	1	25		
APM10120	10.0	120	1	50		
APM10150	10.0	150	1	50		
APM10200	10.0	200	1	40		
APM10300	10.0	300	1	30		
APM10400	10.0	400	1	30		
APM12150	12.0	150	1	50		
APM12200	12.0	200	1	30		
APM12300	12.0	300	1	30		
APM12400	12.0	400	1	10		
APM14150	14.0	150	1	40		
APM14200	14.0	200	1	30		
APM14400	14.0	400	1	20		
APM16150	16.0	150	1	30		
APM16200	16.0	200	1	20		
APM16300	16.0	300	1	20		
APM16400	16.0	400	1	15		
APM20200	20.0	200	1	15		
APM20400	20.0	400	1	10		
APM25400	25.0	400	1	10		
				MPG01		

TCT Multi-Purpose Drill Bits



Designed to drill steel, wood, masonry, PVCu, ceramics and concrete.

Diamond-ground cutting edges allow fast drilling even in hard materials.

ROTARY MODE ONLY.

- High quality
 European diamond
 ground carbide tip
 with 135° angle point
- High temperature copper brazed
- Ground flute
- Silver and gold finish
- Heat treated

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
		PACK		
MP475	4.0	75	1	100
MP4150	4.0	150	1	100
MP585	5.0	85	1	100
MP5150	5.0	150	1	100
MP55100	5.5	100	1	100
MP55150	5.5	150	1	100
MP6100	6.0	100	1	100
MP6150	6.0	150	1	100
MP65100	6.5	100	1	100
MP65150	6.5	150	1	100
MP7100	7.0	100	1	100
MP7150	7.0	150	1	100
MP8150	8.0	150	1	50
MP10150	10.0	150	1	50



Ceramic, Tile & Glass Drill Bits

Dry Diamond Drill Bits



Ideal for drilling a clean hole into hard materials such as porcelain, ceramic, marble, granite and glass.

ROTARY MODE ONLY.

- Up to 10x more holes
- Over 40% faster
- Vacuum brazed diamond technology
- Suitable for dry or wet use
- Wax insert aids cooling and prolongs life
- Non-slip hex shank

TCT Tile & Glass Bits



For accurate drilling of glass and ceramics.
A lubricant such as water is recommended when drilling glass.

Use the bit in ROTARY MODE ONLY at a low R.P.M.

 Cross ground, spear shaped Tungsten Carbide tip

Dack Carton

· Shot blast finish

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
		PACK		
VBD5	5.0	65	1	10
VBD6	6.0	65	1	10
VBD7	7.0	80	1	10
VBD8	8.0	80	1	10
VBD10	10.0	80	1	10
VBD12	12.0	80	1	10
VBD15	15.0	80	1	10
VBD20	20.0	80	1	10

How to use Dry Diamond Drill Bits



Ensure the drill bit is fastened securely in the chuck. Hold the drill firmly in both hands and start to drill at a 45° angle to the work surface. This will produce a small crescent shaped groove.



2. When the groove is formed, slowly bring the drill up to 90° to the work surface. The tool should carry on drilling through the material without slipping.

Product Code	Ø (mm)	Length (mm)	Qty (pcs)	Qty (packs)
		PACK		
TG5	5.0	70	1	125
TG6	6.0	75	1	125
TG65	6.5	75	1	125
TG7	7.0	80	1	125
TG8	8.0	80	1	125
TG10	10.0	100	1	125
				TGD01





Wood Auger Bits

Wood Auger Bits



A high performance wood drill for drilling a deep hole into various types of timber. Available with a hex or SDS Plus shank

- · Silver/black finish
- · High grade carbon steel
- · Screw point



Ø Length Qty (mm) (mm) (pcs) (packs)

TUBE						
	He	c Shanl	k			
HA10100	10.0	100	1	10		
HA12100	12.0	100	1	10		
HA16100	16.0	100	1	10		
HA20100	20.0	100	1	10		
HA22100	22.0	100	1	10		
HA25100	25.0	100	1	10		
HA32100	32.0	100	1	10		
HA16155	16.0	155	1	10		
HA19155	19.0	155	1	10		
HA20155	20.0	155	1	10		
HA22155	22.0	155	1	10		
HA25155	25.0	155	1	10		
HA32155	32.0	155	1	10		
HA6235	6.0	235	1	10		
HA8235	8.0	235	1	10		
HA10235	10.0	235	1	10		
HA12235	12.0	235	1	10		
HA13235	13.0	235	1	10		
HA14235	14.0	235	1	10		
HA16235	16.0	235	1	10		
HA18235	18.0	235	1	10		
HA19235	19.0	235	1	10		
HA20235	20.0	235	1	10		
HA22235	22.0	235	1	10		
HA24235	24.0	235	1	10		
HA25235	25.0	235	1	10		
HA26235	26.0	235	1	10		
HA28235	28.0	235	1	10		
HA30235	30.0	235	1	10		
HA32235	32.0	235	1	10		
HA8460	8.0	460	1	10		
HA10460	10.0	460	1	10		
HA12460	12.0	460	1	10		
HA14460	14.0	460	1	10		
HA16460	16.0	460	1	10		
HA18460	18.0	460	1	10		
HA20460	20.0	460	1	10		
HA22460	22.0	460	1	10		
HA26460	26.0	460	1	10		
11/120400		S Shan		10		
SA6200	6.0	200	N	10		
SA8200	8.0	200	1	10		
SA10235	10.0	235	1	10		
SA10235 SA12235	12.0	235	1	10		
SA12235 SA16235	16.0	235	1	10		
SA16235 SA20235		235	1	10		
	20.0		1			
SA22235	22.0	235	1	10		

High Performance Impact Auger Bits



Specifically designed to drill a clean hole into all natural woods

This high quality drill will out perform a standard Auger drill in lifetime and performance Designed for impact drivers.

- 3x longer life
- Spurred cutting edge for a fast even cut
- Unique twist design for clean, smooth chip removal
- · Burr-free lead screw point for quick, on-target starts without material build up
- High carbon steel (S55C) with precise all hardened treatment

Pack Carton

6

DA20

DA22

DA25

DA32

• Made in Japan

	Product Code	Ø (mm)	Length (mm)	Qty	Qty (packs			
PACK								
	Hex Shank							
	IAO	0.0	170	4	6			

32.0 205

IA32

High Performance Deep Cut Auger Bits



A high performance Auger bit specifically designed to drill a clean hole into all natural woods. This high quality drill will out perform a standard . Auger drill in lifetime and performance.

- 3x longer life
- Spurred cutting edge for a fast even cut
- Unique twist design for clean, smooth chip removal
- · Burr-free lead screw point for quick, on-target starts without material build up
- High carbon steel (S55C) with precise all hardened treatment

Pack Carton

• Made in Japan

	Product Code	Ø (mm)	Length (mm)	Qty (pcs)	Qty (packs)
			PACK		
		He	x Shan	k	
	DA8	8.0	400	1	25
	DA10	10.0	460	1	25
	DA14	14.0	460	1	25
	DA16	16.0	460	1	25
	DA18	18.0	460	1	25

460 22.0 460 25 460 25.0 25 32.0 460 25

Speed **Auger Bits**



Speed Augers with a four fluted cutter, designed for rapid chip ejection and cleaner hole drilling

- Silver/Red finish with painted flutes
- High grade carbon
- Screw point



Product Code	Ø (mm)	Length (mm)	Qty	Carton Qty (packs)
		TUBE		
SPA16	16.0	159	1	12
SPA20	20.0	159	1	12
SPA25	25.0	159	1	10
				WAH03

SA25235 25.0

235

10

Wood Bits

Carpenters Kit

Speed Augers & Flat Wood Bits



Short length drills that are ideal for drilling in-between joists and studding when first fixing pipes and cables

Contains three speed augers, each having four flutes for rapid chip ejection and cleaner drilling plus two flat bits for larger holes.

Ideal for use with impact drivers to further reduce overall tool and drill working length.

Product Code			Length (mm)	Qty	Carton Qty (packs)	
KIT						
CKIT				5	10	
	SAB	16.0	159	1		

159

	SAD	25.0	109		
	FWB	32.0	152	1	
	FWB	40.0	152	1	
SAR- Speed	d Δuger Ri	t FWR.	lat Wood	Rit	MHK01

SAB 20.0

Flat Wood Bits



The twin cutting edged and integral centre point enhances speed and provides rapid chip removal when drilling various types of timber and man-made boards.

- Three point design for faster, cleaner holes
- Bright finish
- Compound angle, ground recessed cutting edge for superior cutting
- 1/4" Quick release hexagonal shank for use in both 3 jaw chucks and 1/4" quick release adaptors

Product Code		Length (mm)	Qty	
	-			

	F	ACK					
Short Flat Bits							
FB6*	6.0	152	1	250			
FB8*	8.0	152	1	250			
FB10	10.0	152	1	250			
FB12	12.0	152	1	250			
FB13	13.0	152	1	250			
FB14	14.0	152	1	250			
FB15	15.0	152	1	250			
FB16	16.0	152	1	250			
FB18	18.0	152	1	250			
FB19	19.0	152	1	250			
FB20	20.0	152	1	250			
FB22	22.0	152	1	250			
FB24	24.0	152	1	250			
FB25	25.0	152	1	250			
FB26	26.0	152	1	250			
FB28	28.0	152	1	250			
FB30	30.0	152	1	250			
FB32	32.0	152	1	250			
FB35	35.0	152	1	250			
FB38	38.0	152	1	250			
*SINGLE POII	NT TIP			WFB01			
Long Flat Bits							
000540		400		00			

*SINGLE POIN	*SINGLE POINT TIP				
	Long	Flat B	its		
932548	10.0	400	1	20	
932483	12.0	400	1	20	
932276	14.0	400	1	20	
932197	16.0	400	1	20	
932784	18.0	400	1	20	
932356	20.0	400	1	20	
932149	22.0	400	1	20	
932225	24.0	400	1	20	
932108	25.0	400	1	20	
932472	28.0	400	1	20	
932534	32.0	400	1	20	
				WFR01	

Extension Rods

Used where there is restricted access and in conjunction with a 1/4" shank Flat Wood Bit. (Allen key provided).

Product Code	Length (mm)	Qty	Carton Qty (packs)
	PACK		
FBEQR150	150	1	150
FBEQR300	300	1	150
			WFB01

Brad Point Wood Bits



For drilling small diameter holes into various types of timber and man-made board.

- High grade HSS steel for longer life
- · Fully ground
- Up to 3x the heat resistance of standard carbon steel bits



Pack Carton

Product Code	Ø (mm)	Length (mm)	Qty (pcs)	Qty (packs)
		PACK		
BP3	3.0	60	1	10
BP4	4.0	75	1	10
BP5	5.0	87	1	10
BP6	6.0	92	1	10
BP7	7.0	108	1	10
BP8	8.0	118	1	10
BP10	10.0	133	1	10
BP12	12.0	150	1	10
				DDIMO4

NEW MIXED SETS AVAILABLE!





5 Piece

Product Code	Description	Qty	Carton Qty (packs)
	CASE		
BP5DS	2-6mm*	5	30
BP8DS	3-10mm*	8	20
* Increments	of 1mm		BPW02

TCT Hinge Cutter



- Tungsten
 Carbide cutting
 edges for long life
- Bright/black finish
- 12.7mm shank compatible with both pillar drills (13mm capacity) and 1/2" industrial routers

For cutting blind holes into MDF and chipboard to accept cantilever door hinges.

Product Code	Ø (mm)	Length (mm)	Qty	Cartor Qty (packs
	(CASE		
35HC	35	60	1	10
				WAH01



Pack Carton

HSS Drill Bits

HSS M35 Cobalt Jobber Drill Bits - DIN338



Manufactured from a high quality M35 grade steel. Ideal for drilling holes into stainless steel and other alloy materials.

The 135° split point prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- M35 alloyed HSS steel with 5% Cobalt content
- High heat resistance for particularly tough metal drilling
- Manufactured to DIN338
- Dimensionally precise

Dack Carton

			Pack	Carton
Product	ø	Length		Qty
Code	(mm)	(mm)	(pcs)	(packs)
	P/	CK		
	Me	etric		
HSSCOR1	1.0	34	1	10
HSSCOR15	1.5	40	1	10
HSSCOR2	2.0	49	1	10
HSSCOR25	2.5	57	1	10
HSSCOR3	3.0	61	1	10
HSSCOR32	3.2	65	1	10
HSSCOR33	3.3	65	1	10
HSSCOR35	3.5	70	1	10
HSSCOR4	4.0	75	1	10
HSSCOR42	4.2	75	1	10
HSSCOR45	4.5	80	1	10
HSSCOR48	4.8	86	1	10
HSSCOR5	5.0	86	1	10
HSSCOR55	5.5	93	1	10
HSSCOR6	6.0	93	1	10
HSSCOR65	6.5	101	1	10
HSSCOR7	7.0	109	1	10
HSSCOR75	7.5	109	1	10
HSSCOR8	8.0	117	1	10
HSSCOR85	8.5	117	1	10
HSSCOR9	9.0	125	1	10
HSSCOR95	9.5	125	1	10
HSSCOR100	10.0	133	1	10
HSSCOR105	10.5	133	1	10
HSSCOR110	11.0	142	1	10
HSSCOR115	11.5	142	1	10
HSSCOR120	12.0	151	1	10
HSSCOR125	12.5	151	1	10
HSSCOR130	13.0	151	1	10



Ø Length Qty

(mm) (mm) (pcs) (packs)

Product

Code

Pack Carton

	TU	JBE		
	Me	tric		
HSSC01	1.0	34	10	10
HSSCO15	1.5	40	10	10
HSSC02	2.0	49	10	10
HSSC025	2.5	57	10	10
HSSC03	3.0	61	10	10
HSSC032	3.2	65	10	10
HSSC033	3.3	65	10	10
HSSC035	3.5	70	10	10
HSSC04	4.0	75	10	10
HSSCO42	4.2	75	10	10
HSSCO45	4.5	80	10	10
HSSCO48	4.8	86	10	10
HSSC05	5.0	86	10	10
HSSC055	5.5	93	10	10
HSSC06	6.0	93	10	10
HSSC065	6.5	101	10	10
HSSC068	6.8	109	10	10
HSSC07	7.0	109	10	10
HSSC075	7.5	109	5	10
HSSC08	8.0	117	5	10
HSSC085	8.5	117	5	10
HSSC09	9.0	125	5	10
HSSC095	9.5	125	5	10
HSSCO100	10.0	133	5	10
HSSC0102	10.2	133	5	10
HSSCO105	10.5	133	5	10
HSSC0110	11.0	142	5	10
HSSC0115	11.5	142	5	10
HSSC0120	12.0	151	5	10
HSSC0125	12.5	151	5	10
HSSC0130	13.0	151	5	10
				LICIO4

HSS M2 Ground Jobber Drill Bits - DIN338



For drilling carbon and alloy steel, cast iron, non-ferrous metal and plastics.

The 135° split point prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- High grade M2 alloyed HSS steel
- Manufactured to DIN338
- · Dimensionally precise

Product Code	Ø	Length	Pack Qty (pcs)	Carton Qty (packs)
		PACK		
	1	Metric		
HSSGR2	2.0	49	1	10
HSSGR25	2.5	57	1	10
HSSGR3	3.0	61	1	10
HSSGR35	3.5	70	1	10
HSSGR4	4.0	75	1	10
HSSGR45	4.5	80	1	10
HSSGR5	5.0	86	1	10
HSSGR55	5.5	93	1	10
HSSGR6	6.0	93	1	10
HSSGR65	6.5	101	1	10
HSSGR7	7.0	109	1	10
HSSGR8	8.0	117	1	10
HSSGR85	8.5	117	1	10
HSSGR9	9.0	125	1	10
HSSGR100	10.0	133	1	10
HSSGR110	11.0	142	1	10
HSSGR120	12.0	151	1	10
HSSGR130	13.0	151	1	10 HGI01

Product			Qty	Qty
Code	Ø	Length	(pcs)	(packs)
		TUBE		
		1etric		
HSSG1	1.0	34	10	10
HSSG15	1.5	40	10	10
HSSG2	2.0	49	10	10
HSSG24	2.4	57	10	10
HSSG25	2.5	57	10	10
HSSG3	3.0	61	10	10
HSSG31	3.1	65	10	10
HSSG32	3.2	65	10	10
HSSG33	3.3	65	10	10
HSSG35	3.5	70	10	10
HSSG38	3.8	75	10	10
HSSG4	4.0	75	10	10
HSSG41 HSSG42	4.1	75	10	10
HSSG45	4.2	75 80	10 10	10 10
HSSG48	4.8	86	10	10
HSSG49	4.9	86	10	10
HSSG5	5.0	86	10	10
HSSG51	5.1	86	10	10
HSSG53	5.3	86	10	10
HSSG55	5.5	93	10	10
HSSG6	6.0	93	10	10
HSSG64	6.4	101	10	10
HSSG65	6.5	101	10	10
HSSG68	6.8	109	10	10
HSSG7	7.0	109	10	10
HSSG75	7.5	109	5	10
HSSG8	8.0	117	5	10
HSSG85	8.5	117	5	10
HSSG9	9.0	125	5	10
HSSG95	9.5	125	5	10
HSSG100	10.0	133	5	10
HSSG102	10.2	133	5	10
HSSG105	10.5	133	5	10
HSSG110	11.0	142	5	10
HSSG115 HSSG120	11.5 12.0	142 151	5 5	10 10
HSSG125	12.0	151	5	10
HSSG130	13.0	151	5	10
11000100		nperial	U	10
HSIG116	1/16	1%	10	10
HSIG132	716 1/32	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10	10
HSIG564	/32 5/64	2	10	10
HSIG332	3/32	21/4	10	10
HSIG764	7/64	2 %	10	10
HSIG18	1/8	23/4	10	10
HSIG964	%4	21/8	10	10
HSIG532	5/32	31/8	10	10
HSIG316	3/16	31/2	10	10
HSIG1364	13/64	3 %	10	10
HSIG732	7/32	3¾	10	10
HSIG14	1/4	4	10	10
HSIG516	5/16	4 1/2	5	10
HSIG2164	²¹ /64	4 %	5	10
HSIG38	3/8	5	5	10
HSIG12	1/2	6	5	10
				HGI01

HSS M35 Cobalt Jobber Drill Bit Sets



HSSCO10DS



HSSCO5DS

14400

Н	S	S	С	O	1	9	D	S	

Product Code Description		Qty (pcs)	Qty (packs)	
		CASE		
	HSSC05DS	2-6mm (increments of 1mm)	5	30
	HSSC010DS	1-10mm (increments of 1mm)	10	20
				HDS01
		TIN		
	HSSC019DS	1-10mm (increments of 0.5mm)	19	20
	HSSC025DS	1-13mm (increments of 0.5mm)	25	10
				HDS01

HSS M2 Ground Jobber Drill Bit Sets





HSSG5DS



Product Code	Description	Qty (pcs)	Qty (packs)
	CASE		
HSSG5DS	2-6mm (increments of 1mm)	5	30
HSSG10DS	1-10mm (increments of 1mm)	10	20
			HDS01
	TIN		
HSSG19DS	1-10mm (increments of 0.5mm)	19	20
HSSG25DS	1-13mm (increments of 0.5mm)	25	10
			HDS01

Pack Carton


Product

Pack Carton Qty

Ø Length (pcs) (packs)

HSS Drill Bits

HSS M2 Ground Long Jobber Drill Bits - DIN340



For drilling carbon and alloy steel, cast iron, non-ferrous metal and

prevents the bit from drifting and enables faster penetration

- · Fully ground from solid material
- · High grade M2 alloyed HSS steel
- Manufactured to DIN340
- · Dimensionally precise

HSSGL42	Product Code	Ø (mm)	Length (mm)	Qty (pcs)	Qty (packs)			
HSSGL2 2.0 85 10 10 HSSGL25 2.5 95 10 10 HSSGL3 3.0 100 10 10 HSSGL3 3.2 106 10 10 HSSGL3 3.5 112 10 10 HSSGL4 4.0 119 10 10 HSSGL42 4.2 119 10 10 HSSGL4 4.5 126 10 10 HSSGL5 5.0 132 10 10 HSSGL5 5.0 132 10 10 HSSGL5 6.5 139 10 10 HSSGL5 6.5 148 5 10 HSSGL6 6.5 148 5 10 HSSGL6 8.0 165 5 10 HSSGL8 8.0 165 5 10 HSSGL10 10.0 HSSGL8 8.0 165 5 10 HSSGL10 10.0 184 5 10		Т	UBE					
HSSGL25 2.5 95 10 10 HSSGL3 3.0 100 10 10 HSSGL32 3.2 106 10 10 HSSGL35 3.5 112 10 10 HSSGL44 4.0 119 10 10 HSSGL45 4.5 126 10 10 HSSGL48 4.8 132 10 10 HSSGL5 5.0 132 10 10 HSSGL5 5.5 139 10 10 HSSGL6 6.0 139 10 10 HSSGL6 6.5 148 5 10 HSSGL8 8.0 165 5 10 HSSGL8 9.0 175 5 10 HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	Metric							
HSSGL3 3.0 100 10 10 HSSGL32 3.2 106 10 10 HSSGL35 3.5 112 10 10 HSSGL44 4.0 119 10 10 HSSGL42 4.2 119 10 10 HSSGL45 4.5 126 10 10 HSSGL5 5.0 132 10 10 HSSGL5 5.5 139 10 10 HSSGL66 6.0 139 10 10 HSSGL65 6.5 148 5 10 HSSGL8 8.0 165 5 10 HSSGL8 8.0 165 5 10 HSSGL9 9.0 175 5 10 HSSGL9 10.0 184 5 10	HSSGL2	2.0	85	10	10			
HSSGL32 3.2 106 10 10 HSSGL35 3.5 112 10 10 HSSGL4 4.0 119 10 10 HSSGL42 2.2 119 10 10 HSSGL45 4.5 126 10 10 HSSGL5 5.0 132 10 10 HSSGL5 5.5 139 10 10 HSSGL6 6.0 139 10 10 HSSGL6 6.5 148 5 10 HSSGL7 7.0 156 5 10 HSSGL9 9.0 175 5 10 HSSGL9 9.0 175 5 10 HSSGL9 10 184 5 10	HSSGL25	2.5	95	10	10			
HSSGL35 3.5 112 10 10 HSSGL4 4.0 119 10 10 HSSGL42 4.2 119 10 10 HSSGL45 4.5 126 10 10 HSSGL48 4.8 132 10 10 HSSGL5 5.0 132 10 10 HSSGL5 5.5 139 10 10 HSSGL6 6.0 139 10 10 HSSGL6 6.5 148 5 10 HSSGL7 7.0 156 5 10 HSSGL8 8.0 165 5 10 HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL3	3.0	100	10	10			
HSSGL4 4.0 119 10 10 HSSGL42 4.2 119 10 10 HSSGL45 4.5 126 10 10 HSSGL48 4.8 132 10 10 HSSGL5 5.0 132 10 10 HSSGL6 5.5 139 10 10 HSSGL6 6.0 139 10 10 HSSGL6 6.5 148 5 10 HSSGL7 7.0 156 5 10 HSSGL8 8.0 165 5 10 HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL32	3.2	106	10	10			
HSSGL42 4.2 119 10 10 HSSGL45 4.5 126 10 10 HSSGL48 4.8 132 10 10 HSSGL5 5.5 139 10 10 HSSGL6 6.0 139 10 10 HSSGL6 6.5 148 5 10 HSSGL6 6.5 148 5 10 HSSGL7 7.0 156 5 10 HSSGL9 9.0 175 5 10 HSSGL9 9.0 175 5 10 HSSGL10 10.0 184 5 10	HSSGL35	3.5	112	10	10			
HSSGL45 4.5 126 10 10 HSSGL48 4.8 132 10 10 HSSGL5 5.0 132 10 10 HSSGL5 5.5 139 10 10 HSSGL6 6.0 139 10 10 HSSGL6 6.5 148 5 10 HSSGL7 7.0 156 5 10 HSSGL9 9.0 175 5 10 HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL4	4.0	119	10	10			
HSSGL48 4.8 132 10 10 HSSGL5 5.0 132 10 10 HSSGL5 5.5 139 10 10 HSSGL6 6.0 139 10 10 HSSGL6 6.5 148 5 10 HSSGL7 7.0 156 5 10 HSSGL8 8.0 165 5 10 HSSGL8 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL42	4.2	119	10	10			
HSSGL5 5.0 132 10 10 HSSGL5 5.5 139 10 10 HSSGL6 6.0 139 10 10 HSSGL65 6.5 148 5 10 HSSGL7 7.0 156 5 10 HSSGL8 8.0 165 5 10 HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL45	4.5	126	10	10			
HSSGL55 5.5 139 10 10 HSSGL6 6.0 139 10 10 HSSGL65 6.5 148 5 10 HSSGL7 7.0 156 5 10 HSSGL8 8.0 165 5 10 HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL48	4.8	132	10	10			
HSSGL6 6.0 139 10 10 HSSGL65 6.5 148 5 10 HSSGL7 7.0 156 5 10 HSSGL8 8.0 165 5 10 HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL5	5.0	132	10	10			
HSSGL65 6.5 148 5 10 HSSGL7 7.0 156 5 10 HSSGL8 8.0 165 5 10 HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL55	5.5	139	10	10			
HSSGL7 7.0 156 5 10 HSSGL8 8.0 165 5 10 HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL6	6.0	139	10	10			
HSSGL8 8.0 165 5 10 HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL65	6.5	148	5	10			
HSSGL9 9.0 175 5 10 HSSGL100 10.0 184 5 10	HSSGL7	7.0	156	5	10			
HSSGL100 10.0 184 5 10	HSSGL8	8.0	165	5	10			
	HSSGL9	9.0	175	5	10			
HLG0	HSSGL100	10.0	184	5	10			
					HLG01			

PACK					
	М	etric			
HSSGLR3	3.0	100	1	10	
HSSGLR35	3.5	112	1	10	
HSSGLR4	4.0	119	1	10	
HSSGLR45	4.5	126	1	10	
HSSGLR5	5.0	132	1	10	
HSSGLR55	5.5	139	1	10	
HSSGLR6	6.0	139	1	10	
HSSGLR65	6.5	148	1	10	
HSSGLR7	7.0	156	1	10	
HSSGLR8	8.0	165	1	10	

HSS Roll Forged Jobber Drill Bits - DIN338



Product

Code

HSSRR1

HSSRR15

HSSRR2

HSSRR25

HSSRR3

HSSRR33

HSSRR35

HSSRR4 HSSRR45

HSSRR5

HSSRR55

HSSRR6

HSSRR65

HSSRR7

HSSRR8

HSSRR85 HSSRR100

HSSRR110 11.0

HSSRR120 12.0

HSSRR130 13.0

An economic HSS drill used for drilling steel, aluminium and non-ferrous metals, as well as plastic.

The 135° split point prevents the bit from drifting and enables faster penetration.

- · HSS steel
- · Black oxide finish
- Roll forged
- Manufactured to DIN338

PACK Metric

2.0 49

2.5 57

3.0 61

3.3 65

3.5 70 2 10

4.5 80

5.0 86

5.5

60 93

6.5 101

7.0 109

10.0 133

34

40

93

117

142

151

151

Pack Carton

10

10

10

10

10

10

10

10

10

10

10

10 10

10

10

Qty Ø Length (pcs) (packs)

		UBE		
		etric		
HSSR1	1.0	34	10	•
HSSR15	1.5	40	10	
HSSR2	2.0	49	10	
HSSR25	2.5	57	10	
HSSR3	3.0	61	10	
HSSR32	3.2	65	10	
HSSR33	3.3	65	10	
HSSR35	3.5	70	10	
HSSR36	3.6	70	10	
HSSR4	4.0	75	10	
HSSR42	4.2	75	10	
HSSR45	4.5	80	10	
HSSR48	4.8	86	10	
HSSR49	4.9	86	10	
HSSR5	5.0	86	10	
HSSR52	5.2	86	10	
HSSR55	5.5	93	10	
HSSR6	6.0	93	10	
HSSR65	6.5	101	10	
HSSR68	6.8	109	10	
HSSR7	7.0	109	10	
HSSR72	7.2	109	5	
HSSR75				
HSSR8	7.5 8.0	109 117	5 5	
HSSR85	8.5	117	5	
HSSR9	9.0	125	5	
HSSR95	9.5	125	5	
HSSR96	9.6	133	5	
HSSR100	10.0	133	5	
HSSR102	10.2	133	5	
HSSR105	10.5	133	5	
HSSR110	11.0	142	5	
HSSR115	11.5	142	5	
HSSR120	12.0	151	5	
HSSR125	12.5	151	5	
HSSR130	13.0	151	5	
		perial		
HSIR332	3/32	21/4	10	
HSIR764	7/64	2%	10	
HSIR18	1/8	23/4	10	
HSIR964	%4	21/8	10	
HSIR532	5/32	31/8	10	
HSIR316	3/16	31/2	10	
HSIR732	7/32	3¾	10	
HSIR14	1/4	4	10	
HSIR1764	17/64	4 1/8	10	•
HSIR516	5/16	4 1/2	5	
HSIR38	3/8	5	5	
HSIR12	1/2	6	5	

HSS Roll Forged Jobber Drill Bit Sets





HSSR170DS

Product Code	Description	Pack Qty (pcs)	Carton Qty (packs)
	TIN		
HSSR19DS	1-10mm (increments of 0.5mm)	19	20
HSSR25DS	1-13mm (increments of 0.5mm)	25	10
	CASE		
HSSR170DS	x10pcs 1-8mm (increments of 0.5mm) x5pcs 8.5-10mm (increments of 0.5mm)	170	5



HSS Drill Bits

HSS Blacksmiths Drill Bits



Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance when drilling larger diameter holes into all non-alloy materials. Can be used in a 1/2" chuck.

The 118° split point prevents the bit from drifting. Mainly used for drilling sheet metal.

- Milled flute
- · Dimensionally precise
- M2 Grade HSS with Black Oxide coating
- 12.5mm diameter shank

Product Code	Ø (mm)	Length (mm)	Qty (pcs)	Qty (packs)
		TUBE		
BSD135	13.5	152	1	10
BSD14	14.0	152	1	10
BSD145	14.5	152	1	10
BSD15	15.0	152	1	10
BSD155	15.5	152	1	10
BSD16	16.0	152	1	10
BSD165	16.5	152	1	10
BSD17	17.0	152	1	10
BSD175	17.5	152	1	10
BSD18	18.0	152	1	10
BSD185	18.5	152	1	10
BSD19	19.0	152	1	10
BSD195	19.5	152	1	10
BSD20	20.0	152	1	10
BSD22	22.0	152	1	10
BSD24	24.0	152	1	10
BSD25	25.0	152	1	10
				HBS01

HSS M2 Ground Stub Drill Bits



Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all nonalloy materials.

The 135° split point prevents the bit from drifting. Mainly used for drilling sheet metal.

- Fully ground from solid material
- Dimensionally precise
- Manufactured to DIN1897



Product Code	Ø (mm)	Length (mm)	Qty	Qty (packs)
	1	UBE		
HSSGS32	3.2	49	10	10
HSSGS33	3.3	49	10	10
HSSGS4	4.0	55	10	10
HSSGS41	4.1	55	10	10
HSSGS42	4.2	55	10	10
HSSGS49	4.9	62	10	10
HSSGS5	5.0	62	10	10 HGS01

Cutters, Step Drills & Countersinks

Cone Cutters



For drilling, enlarging and de-burring holes in thin sheet metal up to a thickness of 2mm.

- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

Product Code	Ø (mm)	Qty	Carton Qty (packs)
	TUBE		
CC314	3 - 14	1	10
CC520	5-20	1	10
CC531	5-31	1	10
CC1631	16-31	1	10
			DCS02

De-Burring Countersinks



A single flute countersink designed for cleaning, chamfering or deburring in alloy and non-alloy metals.

- Transverse hole for burr extraction
- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

Product Code	Ø (mm)	Qty	Carton Qty (packs)
	TUBE		
CS25	2-5	1	10
CS510	5-10	1	10
CS1015	10 - 15	1	10
CS1520	15-20	1	10
			DCS01

Step Drills



ldeal for drilling, enlarging or de-burring a precise hole into thin materials such as alloy and nonalloy metals up to a thickness of 4mm.

- Titanium Nitride coating to reduce friction
- and prolong life
 High quality M2
 grade HSS steel
- 3 flat shank to prevent slipping in the chuck
- Pack Carton Ø Qty Qty (pcs) (packs) Product (mm) TUBE SD412 4-12 1 10 SD420 4-20 10 SD430 4-30 10 SD439 4-39 10

3 Flute Countersinks



These engineering quality countersinks drill a precise recess to allow a fastener head to sit flush in alloy and non-alloy metals, timber and man-made boards.

- \bullet 90° head angle
- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

Product Code	Ø (mm)	For Screw Ø (mm)	Qty	Carton Qty (packs)
		TUBE		
CS63	6.3	3.0	1	10
CS83	8.3	3.5 - 4.0	1	10
CS104	10.4	4.5 - 5.0	1	10
CS124	12.4	6.0	1	10
CS165	16.5	8.0	1	10
CS205	20.5	-	1	10
CS250	25.0	-	1	10
				DCS01

Broaching Cutters & Pilot Pins

Broaching Cutters







Short

Manufactured from a high grade M2 tool steel for drilling heavy gauge non-alloy materials, with magnetic drills. Pilot pin must be used to prevent drifting.

- Titanium-Aluminium-Nitride (TiAlN) coating ensures long service life due to 20% less friction and 20% greater hardness than even Titanium Nitride (TiN) coating
- High grade M2 HSS steel body
- Broaching cutter supplied complete with pilot pin

Denth

Product

Pack Carton

Otv

	Code	(mm)	(mm)	(pcs)	(packs)
			TUBE		
Long Cutter					
	BCL12	12	50	1	10
	BCL13	13	50	1	10
	BCL14	14	50	1	10
	BCL15	15	50	1	10
	BCL16	16	50	1	10
	BCL17	17	50	1	10
	BCL18	18	50	1	10
	BCL20	20	50	1	10
	BCL21	21	50	1	10
	BCL22	22	50	1	10
	BCL24	24	50	1	10
	BCL26	26	50	1	2
	BCL28	28	50	1	2
	BCL30	30	50	1	2
	BCL32	32	50	1	2
	BCL39	39	50	1	10 BR001

PILOT PINS INCLUDED

Pack Carton


Qty Qty

Cut

Depth

Code	(mm)	(mm)	(pcs)	(packs)	
		TUBE			
Short Cutter					
BCS12	12	30	1	10	
BCS13	13	30	1	10	
BCS14	14	30	1	10	
BCS15	15	30	1	10	
BCS16	16	30	1	10	
BCS17	17	30	1	10	
BCS18	18	30	1	10	
BCS19	19	30	1	10	
BCS20	20	30	1	10	
BCS21	21	30	1	10	
BCS22	22	30	1	10	
BCS23	23	30	1	10	
BCS24	24	30	1	10	
BCS25	25	30	1	10	
BCS26	26	30	1	2	
BCS27	27	30	1	2	
BCS28	28	30	1	2	
BCS29	29	30	1	2	
BCS30	30	30	1	2	
BCS32	32	30	1	2	
BCS33	33	30	1	2	
BCS35	35	30	1	10	
BCS36	36	30	1	10	
BCS38	38	30	1	10	
BCS39	39	30	1	10	
BCS40	40	30	1	10	
BCS50	50	30	1	10	
				BR001	

Replacement Pilot Pins



A pilot pin is used with broaching cutters in order to centre the bit when drilling.

Product Ø Depth Qty Qty
Code (mm) (mm) (pcs) (packs)

	Long	Cutter		
BCP501250	12-50	50	1	10
	Short	Cutte	r	
BCP301250	12-50	30	1	10
				BR001





Professional Drilling Sets

HSS M35 Cobalt Jobber Drill Bit Sets - DIN338

Manufactured from a high quality M35 grade steel. Ideal for drilling holes into stainless steel and other alloy materials.



- Fully around from solid material
- · M35 alloyed High Speed Steel (HSS) with 5% Cobalt content
- · High heat resistance for particularly tough metal drilling
- Manufactured to DIN 338
- · Dimensionally precise

NEW MIXED SETS AVAILABLE! Pack Carton Product Qty Description (pcs) (packs) Code 2-6mm (increments of 1mm) 30 HSSC010DS 1-10mm (increments of 1mm) 20 HSSC019DS 1-10mm (increments of 0.5mm) 19 HSSC025DS 1-13mm (increments of 0.5mm) 25 10

HSS M2 Ground Jobber Drill Bit Sets - DIN338

Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all non-alloy materials.



- · Fully ground from solid material
- · High grade M2 alloyed High Speed Steel (HSS)
- Manufactured to DIN 338
- · Dimensionally precise

NEW MIXED SETS AVAILABLE!					
Product Code	Description	Qty	Carton Qty (packs)		
CASE					
HSSG5DS	2-6mm (increments of 1mm)	5	30		
HSSG10DS	1-10mm (increments of 1mm)	10	20		
			HDS01		
TIN					
HSSG19DS	1-10mm (increments of 0.5mm)	19	20		
HSSG25DS	1-13mm (increments of 0.5mm)	25	10		
			HDS01		

HSS Roll Forged Jobber Drill Bits - DIN338

An economic HSS drill used for drilling steel, aluminium and non-ferrous metals, as well as plastic



- Black oxide finish
- Roll forged
- Manufactured to DIN338

Product Code	Description	Qty	Qty (packs)
	TIN		
HSSR19DS	1-10mm*	19	20
HSSR25DS	1-13mm*	25	10
HSSR170DS	x10pcs 1-8mm* x5pcs 8.5-10mm*	170	5
* Increments of 0.5mm	•		HDS02

HSS Brad Point Wood Bit Sets

For drilling small diameter holes into various types of timber and man-made boards





- High grade High Speed Steel (HSS) for longer life
- · Fully Ground
- Up to 3x the heat resistance of standard carbon steel hits

Product Code	Description	Qty	Carton Qty (packs)
	CASE		
BP5DS	2-6mm (increments of 1mm)	5	30
BP8DS	3-10mm (increments of 1mm)	8	20
			RPW02

Professional SDS Plus Hammer Bit Set



- · Special nickel chromoly
- High quality European BC20 Tungsten Carbide tip
- · Cold formed blanks utilised up to 11mm diameter
- Fully heat treated to eliminate bending
- · Twin flute design for increased drilling performance
- · Shot-peened for increased strength and durability

A set of high performance drill bits for drilling concrete and masonry. PGM approved to ensure drilling precision and performance. Contains the sizes used predominently in plastic plug and masonry fixing applications

Product Code	Drill Ø (mm)	Length (mm)	Qty	Carton Qty (packs)
	CAS	E (6 PCS)		
AP6DS	-	-	6	30
	5.0	110	1	
	5.5	110	1	
	7.0	110	1	
	6.0	160	1	
	8.0	160	1	
	10.0	160	1	
				APS02

Drilling & Driver Sets

Brad Point Drill Set

A 15 piece mixed selection of the most popular Brad Point wood drills.



Set includes:

Drill Bits - 3.0 × 60(3), 3.5 × 70(2), 4.0 x 75(2), 4.5 x 80(1), 5.0 x 85(1), 5.5 x 90(1), 6.0 x 90(1), 6.5 x 95(1), 7.0 × 100(1), 8.0 × 110(1), 10.0 × 120(1)

Product Code	Qty	Qty (packs)
	BLISTER PACK	
B15SET	15	6
		ADS01

Masonry Drill Set

A mixed selection of 15 carbide tipped Masonry Drills. The range covers the most popular hole sizes for plastic plugs



Set includes:

Drill Bits - 4.0 x 75(1), 5.0 x 85(2), 5.5 x 85(3), 6.0 x 100(2), 7.0 x 100(3), 8.0 x 120(2), 10.0 x 120(2)

Product Code	Qty	Carton Qty (packs)
BLIS	TER PACK	
M15SET	15	6
		ADS01

Flat Wood Bit Set

A selection of quick release Flat Wood drills. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications.



Set includes

Drill Bits - 10.0 x 125(1), 12.0 x 125(1), 16.0 x 125(1), 19.0 x 125(1), 22.0 x 125(1), 25.0 x 125(1), 32.0 x 125(1)

Dools Conton

Product Code	Qty	Qty (packs)
BLI	STER PACK	
F7SET	7	6 ADS01

HSS Drill Set

A15 piece mixed selection of the most popular HSS Ground Metal Drills with a 135° quick start split point, from 3mm and above.



Set includes

Drill Bits - 1.5 × 40(2), 2.0 × 49(2), $2.5 \times 57(2)$, $3.0 \times 61(1)$, $3.2 \times 65(1)$, $3.5 \times 70(1)$, $4.0 \times 75(1)$, $4.5 \times 80(1)$, 5 0 x 86(1), 6.0 x 93(1), 8.0 x 117(1), 10.0 x 133(1)

Product Code	Qty	Qty (packs)
	BLISTER PACK	
HSS15SET	15	6
		ADS01

HSS & Masonry Drill Set



Set includes:

HSS Drill Bits (mm) - $1.5 \times 40(1)$, $2.0 \times 49(1)$, $2.5 \times 40(1)$ 57(1), 3.0 × 61(1), 3.2 × 65(1), 3.5 × 70(1), 4.0 × 75(1), 4.5 $\times 80(1), 4.8 \times 85(1), 5.0 \times 86(1), 5.5 \times 93(1), 6.0 \times 93(1)$

Masonry Drill Bits (mm) - $5.0 \times 85(1)$, $5.5 \times 85(1)$, 6.0 × 100(1), 7.0 × 100(1), 10.0 × 120(1)

Product Code		Qty	Qty (packs)
	BLISTER PACK		
MIX17SET		17	6 ADS01
			10001

Driver Bit & HSS Drill Set

A selection of quick release HSS around metal drills. S2 driver bits, socket drivers and a magnetic adaptor. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications

Set includes:

25mm Bits - PZ1(1), PZ2(1), PZ3(1), PH1(1), PH2(1), PH3(1), SL5.0(1), SL6.0(1)

HSS Drill Bits (mm) - $1.5 \times 16(2)$, $2.0 \times 22(2)$, $3.0 \times 10(2)$ 40(1), 3.5 × 48(1), 4.0 × 55(1), 4.5 × 55(1), 5.0 × 55(1), $6.0 \times 65(1)$

Socket Drivers - 6mm(1), 8mm(1), 10mm(1) Magnetic Adaptor (1).

Pack Carton Product Qty Qty Code (pcs) (packs) **BLISTER PACK** MIX20SET

20

Driver Bit Set

A 37 piece mixed selection of the most popular 25mm and 50mm S2 driver hits with a magnetic adaptor and an assortment of socket drivers. 37 PIEC

Set includes

25mm Bits - PZ1(1), PZ2(1), PZ3(1), PH1(1), PH2(1), PH3(1), TX10(1), TX15(1), TX20(1), TX25(1), TX27(1), TX30(1), TX40(1), SL4.0(1), SL4.5(1), SL5.5(1), SL6.0(1), SL6.5(1), SL7.0(1), HX3.0(1), HX4.0(1), HX5.0(1), HX5.5(1), HX6.0(1)

50mm Bits - PZ1(1), PZ2(1), PZ3(1), PH1(1), PH2(1), PH3(1), SL5.5(1), SL7.0(1)

Socket Drivers - 5mm(1), 6mm(1), 8mm(1), 10mm(1) Magnetic Bit Holder(1).

Product Code		Qty	Carton Qty (packs)
	BLISTER PACK		
BIT37SET		37	6 ADS01



Holesaws & Accessories

Variable Pitch



A variable pitch tooth pattern for efficient dust cleaning and gives superior cutting performance in wood, plastic, non-ferrous metals and man-made boards.

- High quality M3 grade HSS steel cutting edge
- Diameter stamped onto body for ease of size recognition
- Cutting Depth (mm):
 Wood 38.0

Product Code	Ø (mm)	Thread Mount (inch)	Arbor to Suit	Pack Qty (pcs)	Carton Qty (packs)
		CL	AMSHELL		
HS14	14.0	1/2	AA4, AA1, SDSA1	1	6
HS16	16.0	1/2	AA4, AA1, SDSA1	1	6
HS17	17.0	1/2	AA4, AA1, SDSA1	1	6
HS19	19.0	1/2	AA4, AA1, SDSA1	1	6
HS20	20.0	1/2	AA4, AA1, SDSA1	1	6
HS21	21.0	1/2	AA4, AA1, SDSA1	1	6
HS22	22.0	1/2	AA4, AA1, SDSA1	1	6
HS24	24.0	1/2	AA4, AA1, SDSA1	1	6
HS25	25.0	1/2	AA4, AA1, SDSA1	1	6
HS27	27.0	1/2	AA4, AA1, SDSA1	1	6
HS29	29.0	1/2	AA4, AA1, SDSA1	1	6
HS30	30.0	1/2	AA4, AA1, SDSA1	1	6
HS32	32.0	5/8	AA2, SDSA2	1	6
HS35	35.0	5/8	AA2, SDSA2	1	6
HS37	37.0	5/8	AA2, SDSA2	1	6
HS38	38.0	5/8	AA2, SDSA2	1	6
HS40	40.0	5/8	AA2, SDSA2	1	6
HS41	41.0	5/8	AA2, SDSA2	1	6
HS43	43.0	5/8	AA2, SDSA2	1	6
HS44	44.0	5/8	AA2, SDSA2	1	6
HS46	46.0	5/8	AA2, SDSA2	1	6
HS48	48.0	5/8	AA2, SDSA2	1	6
HS51	51.0	5/8	AA2, SDSA2	1	6
HS52	52.0	5/8	AA2, SDSA2	1	6
HS54	54.0	5/8	AA2, SDSA2	1	6
HS57	57.0	5/8	AA2, SDSA2	1	6
HS60	60.0	5/8	AA2, SDSA2	1	6
HS64	64.0	5/8	AA2, SDSA2	1	6
HS65	65.0	5/8	AA2, SDSA2	1	6
HS67	67.0	5/8	AA2, SDSA2	1	6
HS68	68.0	5/8	AA2, SDSA2	1	6
HS70	70.0	5/8	AA2, SDSA2	1	6
HS73	73.0	5/8	AA2, SDSA2	1	6
HS76	76.0	5/8	AA2, SDSA2	1	6
HS79	79.0	5/8	AA2, SDSA2	1	6
HS83	83.0	5/8	AA2, SDSA2	1	6
HS86	86.0	5/8	AA2, SDSA2	1	6
HS89	89.0	5/8	AA2, SDSA2	1	6
HS92	92.0	5/8	AA2, SDSA2	1	6
HS95	95.0	5/8	AA2, SDSA2	1	6
HS98	98.0	5/8	AA2, SDSA2	1	6
HS102	102.0	5/8	AA2, SDSA2	1	6
HS105	105.0	5/8	AA2, SDSA2	1	6
HS108	108.0	5/8	AA2, SDSA2	1	6
HS111	111.0	5/8	AA2, SDSA2	1	6
HS114	114.0	5/8	AA2, SDSA2	1	6
HS121	121.0	5/8	AA2, SDSA2	1	6
HS127	127.0	5/8	AA2, SDSA2	1	6
HS140	140.0	5/8	AA2, SDSA2	1	6
HS152	152.0	5/8	AA2, SDSA2	1	6 BMH01
					BIMITU (

Constant Pitch



A constant pitch tooth pattern ensures smooth cutting and less "chatter" when drilling metal, particularly thin sheet. Ideal for stainless steel.

- High quality M42 grade with 8% Cobalt HSS steel cutting edge
- Diameter stamped onto body for ease of size recognition
- Cutting Depth (mm): Wood - 38.0, Sheet Metal - 3.0, Stainless Steel - 2.0

Product Code	Ø (mm)	Mount (inch)	Arbor to Suit	Qty (pcs)	Qty (packs)
		CL.	AMSHELL		
HSC16	16.0	1/2	AA4, AA1, SDSA1	1	6
HSC17	17.0	1/2	AA4, AA1, SDSA1	1	6
HSC20	20.0	1/2	AA4, AA1, SDSA1	1	6
HSC22	22.0	1/2	AA4, AA1, SDSA1	1	6
HSC25	25.0	1/2	AA4, AA1, SDSA1	1	6
HSC30	30.0	1/2	AA4, AA1, SDSA1	1	6
HSC32	32.0	5/8	AA2, SDSA2	1	6
HSC35	35.0	5/8	AA2, SDSA2	1	6
HSC40	40.0	5/8	AA2, SDSA2	1	6
HSC46	46.0	5/8	AA2, SDSA2	1	6
HSC48	48.0	5/8	AA2, SDSA2	1	6
HSC51	51.0	5/8	AA2, SDSA2	1	6
HSC60	60.0	5/8	AA2, SDSA2	1	6
HSC64	64.0	5/8	AA2, SDSA2	1	6
HSC68	68.0	5/8	AA2, SDSA2	1	6
HSC70	70.0	5/8	AA2, SDSA2	1	6
HSC76	76.0	5/8	AA2, SDSA2	1	6
HSC79	79.0	5/8	AA2, SDSA2	1	6
HSC102	102.0	5/8	AA2, SDSA2	1	6
HSC165	165.0	5/8	AA2, SDSA2	1	6
					CMH01

Holesaw Arbors

AA4









Product Code	For Holesaw Ø (mm)	Shank (mm)	Thread Shank	Pack Qty (pcs)	Carton Qty (packs)
	C	LAMSHI	ELL		
AA4	14-30	Hex 9.5	1/2"	1	6
AA1	14-30	Hex 11	1/2"	1	6
AA2	32-210	Hex 11	5/8"	1	6
SDSA1	14-30	SDS Plus	1/2"	1	6
SDSA2	32-210	SDS Plus	5/8"	1	6 BHA01

Holesaw Pilot Drills & Rod

HPDL
HPDC
HSE

Product Code	Description	Ø (mm)	Total Length (mm)	Qty	Carton Qty (packs)
	CLA	MSHE	LL		
HPD	HSS Pilot Drill	6.35	75	1	10
HPDL	HSS Pilot Drill	6.35	105	1	10
HPDC	HSS Cobalt Drill	6.35	75	1	10
HSE	Extension Rod for Hex 11 Shank	-	300	1	6
					BHA01

124

Timeo

Diamond Cores & Blades

Core Types



Premium Dry Diamond Core

A premium quality 10mm turbo segmented universal core with rifled body for dust extraction. For use in most building materials including engineering bricks, clay products, and concrete block.



Dry Diamond Core

Universal dry diamond core with 8mm segments. For use in most building materials including engineering bricks, clay products, and concrete block.







Sintered Blades

Concentrate diamond powder segments are baked onto the blade body to form a matrix, giving a strong bond with good cutting performance and working life.

Laser Welded Blades

The segments are individually hot pressed separately to the blade body, which causes a super dense matrix to form giving superior life span and cutting ability. The segments are then laser welded to the steel body for a secure bond to prevent damage and guarantee the best cost per cut.

Cutting Edges

Segmented

Each defined cutting segment allows the blade to cool and expand during cutting. This enhances cutting performance, accuracy and the working life of the blade.

Turbo Segmented

Similar to segmented blades, these also use slots between segments to cool the blade and allow for expansion but with the added benefit of recess formed segments to give exceptional cutting speed with added dust extraction abilities.

Continuous Rim

With a continuous diamond matrix, these blades have exceptional cutting accuracy and chipping reduction. Making them ideally suited to cutting hard and brittle materials such as ceramic tiles and decorative stone such as marble.

Continuous Rim Turbo

These are a hybrid between continuous rim and segmented blades, which give a professional finish, superior cutting speed and a long working life.

All TIMCO diamond blades carry the **EN13236** standard

S Segmented C Continuous O Occasional Use

Frequent Use

General Purpose (PDCKS) Premium (GPCP & PREMDCK)

Diamond

Cores

Diamond Blades

Trade (GPL & GPLC) Premium (GPPL & MM)



Tile & Glass

Blades

Premium (TP)

Materials

Asphalt over concrete

Bricks:

Class A Engineering
Class B Engineering
Standard facing bricks

Clay products

Concrete:

Beams, kerbs, pipes & slabs

Block paving, flag stones

Flint aggregate

General purpose Heavy steel reinforcement

Light steel reinforcement Roof tiles

Concrete blocks:

Lightweight 3 - 7 Nm

Medium density 7 - 12 Nm

Solid density 12+ Nm

Cement screed

Slate tiles

Stone:

Gritstone
Limestone
Marble - Blocks & worktops

Granite - Blocks & worktops

Sandstone - Abrasive
Sandstone - Indian

York stone

Tiles:

Ceramic Granite Limestone Marble Natural Stone

Porcelain Slate Terracotta •

General Purpose

. . . .



Dry Diamond Core Bits & Accessories

Premium Dry Diamond Core Bits

NEW IMPROVED DESIGN



Premium grade diamond core drills for fast drilling into masonry, bricks and blocks. During drilling, the selfsharpening diamonds will not only give a clean and precise hole but also increase lifespan. Suitable for wet and dry cutting.

- · Long life high quality diamond
- Fast cutting 10mm turbo segments
- Rifled body for excellent dust extraction
- · Multiple slots for enhanced cooling
- Precision manufactured for low noise and vibration
- 1/2" BSP fitment
- · Rotary use only

Product Code	Drill Ø (mm)	Length (mm)	Segment Height (mm)	Pack Qty (pcs)	Carton Qty (packs)
		BO	(
GPCP22300	22	300	10	1	25
GPCP28300	28	300	10	1	25
GPCP32150	32	150	10	1	25
GPCP38150	38	150	10	1	25
GPCP48150	48	150	10	1	25
GPCP52150	52	150	10	1	25
GPCP65150	65	150	10	1	25
GPCP78150	78	150	10	1	25
GPCP82150	82	150	10	1	25
GPCP91150	91	150	10	1	10
GPCP107150	107	150	10	1	10
GPCP117150	117	150	10	1	10
GPCP127150	127	150	10	1	10
GPCP152150	152	150	10	1	6
					DCT02

Accessories Kit



Premium Dry Diamond Core Kit



5 premium grade diamond core drills for fast drilling into masonry, bricks and blocks. During drilling, the self-sharpening diamonds will not only give a clean and precise hole but also increase lifespan. Suitable for wet and dry cutting. Supplied with accessories and carry case.

- · Long life high quality diamond
- Fast cutting 10mm turbo segments
- · Rifled body for excellent dust extraction
- · Multiple slots for enhanced cooling
- Precision manufactured for low noise and vibration

- 1/2" BSP fitment
- · Rotary use only



Oty

Product Code	To Fit (mm)	Length (mm)	Description	Qty (pcs)
KIT (5 CORES	AND 5 A	ACCESSORIES)	
PREMDCK5	-	-	KIT	10
	38	150	Diamond Core	1
	52	150	Diamond Core	1
	65	150	Diamond Core	1
	117	150	Diamond Core	1
	127	150	Diamond Core	1
	1/2" BSP	240	Extension	1
	1/2" BSP	88	Hex Adaptor	1
	1/2" BSP	115	SDS Plus Adaptor	1
	8	200	Pilot Drill	1
	8	75	Taper Drift	1
				DOTOO

Dry Diamond Core Kit



Five of the most popular sizes and accessories in an aluminium case

- · Long life
- · 8mm segments
- · Core removal slots
- Low vibration
- 1/2" BSP fitment
- · Rotary use only

Drill Ø /

To Fit



Code	(mm)	(mm)	Description	(pcs)
KIT	(5 CORES	AND 5 A	ACCESSORIES)	
PDCK5	-	-	KIT	10
	38	150	Diamond Core	1
	52	150	Diamond Core	1
	65	150	Diamond Core	1
	117	150	Diamond Core	1
	127	150	Diamond Core	1
	1/2" BSP	240	Extension	1
	1/2" BSP	88	Hex Adaptor	1
	1/2" BSP	115	SDS Plus Adaptor	1
	8	200	Pilot Drill	1
	8	75	Taper Drift	1
				DCT02

Length

Adaptors & Extension



A 1/2" Hex with 1/2" BSP (male) thread, for use with a standard core drill.



SDS Adaptor

An SDS Plus with 1/2" BSP (male) thread, for use with an SDS plus drill, when in rotary mode only.



BSP Extension

1/2" BSP thread extension rod used where there is need for a deeper hole.

Product Code	Description	Total Length (mm)	To Fit	Qty	Carton Qty (packs)
	P/	ACK			
DCAH88P	Hex Adaptor	88	1/2" BSP	1	10
DCAH240P	Hex Adaptor	240	1/2" BSP	1	10
DCAS115P	SDS Plus Adaptor	115	1/2" BSP	1	10
DCAS240P	SDS Plus Adaptor	240	1/2" BSP	1	10
DCE240P	BSP Extension	240	1/2" BSP	1	10
					DCT02

Pilot Drill, Rod & Taper Drift



Taner Drift	Used for knocking taper tools out of
Taper Diffe	spindles and sockets.

Product Code	Description	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	
PACK						
DCPD13210	Pilot Drill	13	210	1	10	
DCPR225	Pilot Rod	12	225	1	10	
DCTD	Taper Drift	8	75	1	10	
					DCT02	



Diamond Blades & Wheels

Premium Diamond Blades

Turbo Continuous Cutting Edge



A premium quality diamond blade manufactured using the highest quality diamond powder and continuous turbo

cutting edge for superior performance and working life with laser welded technology for strength and durability.

- · 10mm segment height
- Extra long life
- Rapid and precise
- · Low noise and vibration

Product Code	Disc Ø (mm)	DiscØ (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)			
	PACK							
MM115222	115	4 1/2	22.23	1	10			
MM125222	125	5	22.23	1	10			
MM230222	230	9	22.23	1	25			
MM30020	300	12	20.00	1	10			
MM300222	300	12	22.23	1	10			
MM35020	350	14	20.00	1	10			
MM350254	350	14	25.40	1	10 DCT01			



*** Stone *** Hard Materials

Turbo Segmented Cutting Edge



A premium quality diamond blade manufactured using the highest quality turbo segments for superior cutting performance and working life with laser

welded technology for strength and durability.

- 12mm segment height
- Extra long life
- Rapid and precise · Low noise and vibration
- Self cooling

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
		PAC	K .		
GPPL115222	115	4 1/2	22.23	1	10
GPPL125222	125	5	22.23	1	10
GPPL230222	230	9	22.23	1	10
GPPL30020	300	12	20.00	1	10
GPPL300222	300	12	22.23	1	10
GPPL35020	350	14	20.00	1	10
GPPL350254	350	14	25.40	1	10
GPPL450254	450	18	25.40	1	5
					DCT01



Concrete
**** Brick
**** Block
**** Stone
*** Hard Materials

Trade Diamond Blades

Continuous Cutting Edge



A high quality diamond blade manufactured using premium diamond powder and a continuous turbo cutting edge.

- 10mm segment height
- · Long life
- · Fast cutting
- · Heavy duty body
- Self cooling

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)	
PACK						
GPLC30020	300	12	20.00	1	10 DCT01	





Segmented Cutting Edge



A high quality diamond blade manufactured using premium diamond powder and laser welded turbo segmented cutting edge.



- · Long life
- · Fast cutting
- Heavy duty body
- Self cooling

Product Code	DiscØ (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)		
PACK							
GPL115222	115	4 1/2	22.23	1	10		
GPL125222	125	5	22.23	1	10		
GPL230222	230	9	22.23	1	25		
GPL30020	300	12	20.00	1	10		
					DCT01		



Materials

General Purpose Diamond Blade

Segmented Cutting Edge



A sintered diamond blade manufactured using a heavy duty body and high quality cold pressed

diamond powder into a segmented cutting edge.







** *	***	***	***	**
Concrete	Brick	Block	Stone	Hard Materials
l				

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Segment Height (mm)	Pack Qty (pcs)	Carton Qty (packs)
			PACK			
GPE115222	115	4 1/2	22.23	7	1	10
GPE115222SET	115	4 1/2	22.23	7	3	10
GPE125222	125	5	22.23	7	1	10
GPE230222	230	9	22.23	10	1	25
GPE30020	300	12	20.00	10	1	10



Diamond Blades & Wheels

Tile & Ceramic Diamond Blades

Premium -Thin Turbo Cutting Edge



• Heavy duty self cooling body

Disc

(mm)

Product

Code

TP115222

Disc

(Inch)

4 1/2

22.23

10mm segment height





	* * *		
lore	Pack Qty	Carton Qty	
nm)		(packs)	

DCT01

General Purpose -Continuous Cutting Edge



- Heavy duty body
- 5mm segment height





r	orceiain

	Stone
_	

Product Code	Ø (mm)	Ø (Inch)	Bore (mm)	Qty (pcs)	Qty (packs)
		PACK			
TE10016	100	4	16.00	1	10
TE115222	115	4 1/2	22.23	1	10
TE180222	180	7	22.23	1	10 DCT01

Bonded Abrasives

Cutting Discs

- Used for cutting various types of metals
- Manufactured to European standard EN12413
- · High cutting speed
- High stability
- · Long life





Product Code	Disc Ø (mm)	Bore (mm)	T (mm)	Max RPM	Qty	Carton Qty (packs)
		ВС	ΟX			
FCM115222	115	22.23	2.5	13,300	50	4
FCM230222	230	22.23	3.2	6,500	25	2
FCM30020 T = THICKNESS	300	20.00	3.2	5,000	25	2 BAT01

Grinding Disc

- Used for grinding various types of metals
- Manufactured to European standard EN12413
- Rapid material removal
- High stability
- Long life



Product Code	Disc Ø (mm)	Bore (mm)	T (mm)	Max RPM	Qty	Carton Qty (packs)
		BO	ΟX			
DGM115222 T = THICKNESS	115	22.2	6.4	13,300	25	4 BAT01

Mortar Raking Blades

Segmented Cutting Edge





- For raking mortar
- 7mm segment height
- 6.35mm segment width
- Heavy duty body



Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
		PACK			
MRE115	115	4 1/2	22.23	1	10
MRE125	125	5	22.23	1	10
					D.OTOO

Cup Grinding Wheel

Double Row Segments





- A double row silver brazed blade. For smoothing and removing shutter marks from concrete.
- Vented for dust extraction
- 10mm segment depth

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
		BOX			
CGDE115	115	4 1/2	22.23	1	10 DCT04

Slitting Discs

- Used for cutting slits into various types of metals, including stainless steel / inox
- Manufactured to European standard EN12413
- High cutting speed
- High stability
- Long life





Product Code	Disc Ø (mm)	Bore (mm)	T (mm)		Qty	Carton Qty (packs)
		TII	N			
FCMT115222	115	22.2	1.0	13,300	10	40
		BO	X			

			ч			
10FCMT115222	115	22.2	1.0	13,300	10	40
		ВО	X			
FCMT115222	115	22.2	1.0	13,300	25	16
FCMT125222	125	22.2	1.0	12,200	25	16
FCMT230222	230	22.2	1.9	6,500	25	4
T = THICKNESS						BAT01

Circular Saw Blades



Blade Types

TCT (Tungsten Carbide Tip)



Professional quality blades made with high quality tungsten carbide tips to provide an excellent lifespan and flawless finish.

PCD (Polycrystalline Diamond)



High quality blades with polycrystalline diamond tipped teeth for faster, cleaner cutting ability and a longer life when cutting fibre cement board. Also ideal for laminated hoards

Cut Types

Rip Cut

Coarse Finish

For Softwood, Chipboard & Particle board OSB, Plasterboard

Rip/Cross Cut

Medium Finish

For Softwood, Chipboard & Particle board, OSB, Plasterboard, Soft Fibreboard, Plasterboard

Cross Cut

Fine Finish

For Softwood, Hardwood, Chipboard & Particle board, Fibreboard, MDF, OSB, Veneered Board, Plywood, Soft Fibreboard, Plasterboard

-5° Rake

Fine Finish

For Aluminium Thin Walled Extrusions, Aluminum Panels, Plastic Extrusions, Veneered Board

PCD

Course / Medium Finish

For Fibre Cement Board, Aqua Board, Veneered Board, MDF

TCT Circular Saw Blades

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	No. of Teeth	Cut Type	Finish Type	Included Bushing Ring Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
				TOT	CLAMSHELL	1-4			
04400040	4.40	51/	00.0		Circular Saw B				50
C1402016	140	5 1/2	20.0	16	Rip	Coarse •	-	1	50
C1502012	150	6	20.0	12	Rip	Coarse •		1	50
C1502040	150		20.0	40	Cross	Fine •		1	50
C1603016	160 160	6 1/4 6 1/4	30.0 30.0	16 24	Rip Rip/Cross	Coarse • Medium •	16.0 16.0	1	50 50
C1603024 C1653018	165	6 1/2	30.0	18	Rip/Cross	Coarse	16.0 & 20.0	1	50
C1841624	184	7 1/4	16.0	24	Rip	Coarse	10.0 & 20.0	1	50
C1841640	184	7 1/4		40	•	Medium •	-	1	
C1843024	184	7 1/4	16.0 30.0	24	Rip/Cross Rip	Coarse	-	1	50 50
C1843040	184	7 1/4	30.0	40	Rip/Cross	Medium •	-	1	50
C1843060	184	71/4	30.0	60	Cross	Fine •		1	50
C1903024	190	7 1/2	30.0	24	Rip	Coarse •	16.0 & 20.0	1	50
C1903040	190	7 1/2	30.0	40	Rip/Cross	Medium •	16.0 & 20.0	1	50
C2103032	210	81/4	30.0	32	Rip/Cross	Medium •	25.4	1	25
C2163024	216	8 1/2	30.0	24	Rip	Coarse •	-	1	25
C2163040	216	8 1/2	30.0	40	Rip/Cross	Medium •		1	25
C2163060	216	8 1/2	30.0	60	Cross	Fine •	-	1	25
C2163080	216	8 1/2	30.0	80	Cross	Fine •	-	1	25
C2303030	230	9	30.0	30	Rip	Coarse •	-	1	25
C2303040	230	9	30.0	40	Rip/Cross	Medium •	-	1	25
C2353024	235	91/4	30.0	24	Rip	Coarse •	16.0 & 20.0	1	25
C2353040	235	9 1/4	30.0	40	Rip/Cross	Medium •	16.0 & 20.0	1	25
C2353060	235	91/4	30.0	60	Cross	Fine •	16.0 & 20.0	1	25
C2503040	250	10	30.0	40	Rip/Cross	Medium •	16.0, 20.0 & 25.4	1	25
C2503060	250	10	30.0	60	Cross	Fine •	16.0, 20.0 & 25.4	1	25
C2503080	250	10	30.0	80	Cross	Fine •	16.0, 20.0 & 25.4	1	25
C2543030	254	10	30.0	30	Rip	Coarse •	-	1	20
C2543040	254	10	30.0	40	Rip/Cross	Medium •	-	1	20
C2543060	254	10	30.0	60	Cross	Fine •	-	1	20
C2603030	260	10 1/4	30.0	30	Rip	Coarse •	-	1	20
C2603060	260	10 1/4	30.0	60	Cross	Fine	-	1	20
C3003040	300	111/5	30.0	40	Rip	Coarse •	-	1	20
C3003060	300	11 %	30.0	60	Rip/Cross	Medium	-	1	20
C3003080	300	11 %	30.0	80	Cross	Fine •	-	1	20
C3153030	315	12%	30.0	30	Rip	Coarse •	-	1	20
C3153048	315	12%	30.0	48	Rip/Cross	Medium •	-	1	20
C3153060	315	12%	30.0	60	Rip/Cross	Medium •	-	1	20
						ular Saw Blade	es		
T1361024	136	5%	10.0	24	Rip/Cross	Medium •	-	1	50
T1501024	150	6	10.0	24	Rip/Cross	Medium •	-	1	50
T1651024	165	6 1/2	10.0	24	Rip/Cross	Medium •	-	1	50
T1651040	165 165	6 1/2	10.0 20.0	40 24	Cross	Fine • Medium •	-	1	50
T1652024	.00	6 1/2		24 40	Rip/Cross	Medium •	-	1	50 50
T1652040 T1903024	165 190	6 ½ 7 ½	20.0 30.0	24	Cross Rip		-	1	50
11903024	190	1 /2				Coarse •	-	_ '	50
70400004	216	8 1/2			itre Circular Sa	Coarse •		1	25
Z2163024			30.0	24	0° Rip		-		
Z2163048	216 250	8 1/2	30.0	48 48	0° Rip/Cross	Medium Medium	-	1	25 25
Z2503048 Z2503060	250	10 10	30.0 30.0	48 60	0° Rip/Cross 0° Cross	Fine •	-	1	25
22303000	200	10	30.0		° Circular Saw				20
A2162060	216	0.1/	20.0					1	25
A2163060	216	8 1/2	30.0	60 80	-5° Rake	Fine •	-	1	25
A2163080	216	8 1/2	30.0		-5° Rake	Fine •	-	1	25
A2503080 A3053048	250 305	10 12	30.0 30.0	80 48	-5° Rake -5° Rake	Fine • Medium •	-	1	25 20
A3053048 A3053060	305	12	30.0	60	-5° Rake	Medium •	-	1	20
A3053080	305	12	30.0	80	-5° Rake	Fine	-	1	20
A3033000	303	12	30.0	00	-J Nake	rine 🗸	-		CIR01

PCD Fibre Cement Saw Blades

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	No. of Teeth	Cut Type	Finish Type	Included Bushing Ring Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
					CLAMSH	ELL			
				PCD	Fibre Cement	Saw Blades			
PCD160204	160	6 1/4	20.0	4	PCD	Coarse / Medium	-	1	
PCD165204	165	6 1/2	20.0	4	PCD	Coarse / Medium	-	1	
PCD190204	190	7 1/2	20.0	4	PCD	Coarse / Medium	-	1	
PCD216308	216	8 1/2	30.0	8	PCD	Coarse / Medium	-	1	
PCD250306	250	10 equiv.	30.0	6	PCD	Coarse / Medium	-	1	
									CIDO4



Jigsaw Blades



Blade Material Types

Bi-M (Bi-Metal)

Combining the flexibility of a HCS body with a HSS hardened cutting edge, resulting in a tough, shatter resistant blade. Longer service life leads to greater cost effectiveness per blade.

HCS (High Carbon Steel)

High Carbon Steel Blades for use with softer materials, such as hard and soft wood, plastics and laminated boards.

HSS (High Speed Steel)

Hardened steel designed to cut hard materials such as mild steel, aluminium and other non-ferrous metals.

Cut Types

Straight

Standard blade type, comes in a variety of teeth types and blade lengths. Perfect for all general purpose applications.

Down

Reversed teeth to cut on the down-stroke. This prevents the splintering of decorative surfaces such as kitchen worktops.

Curve

These blades have a reduced blade depth to allow them to perform curved cuts.

Precision

These blades are made from a thicker plate to help achieve a 90° cut. It also makes this blade ideal for hardwood.

Teeth Types

MSS - Milled & Side Set

Rough/Coarse Cut

Basic tooth pattern used on the entry level blades. A quick but fairly rough cut.

MWS - Milled & Wavy Set

Fine/Medium Cut

This pattern is used to give a fine, straight cut.

SSS - Side Set & Sharpened

Fast/Medium Cut

This configuration gives a fast, medium cut.

• GTG - Ground/Taper Ground

Clean/Quick Cut


These top quality blades give a clean, quick cut in both wood and plastic.

Bi-Metal Blades

LONGER SERVICE LIFE!

AHGS14bi	BIM BIM	YIMCO Wood	AHC12	Rbi	ВІМ	YIM	60		V	Vood
Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	WL (mm)	TL (mm)	Cutting Cap. (mm)	TPI	Qty	Carton Qty (packs)
		PAC	K							
		Wood C	utting							
AHGS14BI	T144DF	All Wood Types	Straight	SSS	75	100	5.0-50.0	6	5	100
AHC12BI	T101BF	All Wood / Plastic	Straight	GTG -	75	100	3.0-30.0	10	5	100
AHC12RBI	T101BRF	Laminate	Down	GTG -	75	100	3.0-30.0	10	5	100
		Metal C	utting							
AMG11BI	T118AF	Steel / Stainless Steel / Thin Sheet Metal	Straight	MWS •	50	76	1.0-3.0	21	5	100
AMG12BI WL= WORKING	T118BF LENGTH TL=T	Steel / Stainless Steel / Alu. / Non-Ferrous OTAL LENGTH TPI = TEETH PER INCH	Straight	MWS •	50	76	2.5-6.0	12	5	100 JIG01

TCT High Carbon Steel Blade - Board Cutting



High Carbon Steel Blades - Wood Cutting

AHG13	HCS	YIMCO Wood	AHC14		нсѕ	יחויו	:0	7	Wo	ood
Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	WL (mm)	TL (mm)	Cutting Cap. (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
		PAC	K							
		Wood Cu	utting							
AHG13	T111C	Softwood/Plastic	Straight	MSS •	75	100	4.0-50.0	8	5	100
AHW12	T119B	Softwood / Insulation Mat.	Straight	MWS .	50	76	2.0-15.0	12	5	100
AHW12K	T119B0	Softwood / Insulation Mat.	Curve	MWS .	50	76	2.0-15.0	12	5	100
AHGS14	T144D	All Wood Types	Straight	SSS	75	100	5.0-50.0	6	5	100
AHGS24	T244D	All Wood Types	Curve	SSS	75	100	5.0-50.0	6	5	100
AHC14	T101D	All Wood / Plastic	Straight	GTG -	75	100	10.0-45.0	6	5	100
AHC12	T101B	All Wood / Plastic	Straight	GTG •	75	100	3.0-30.0	10	5	100
AHC14D	T101DP	All Wood / Plastic	Precision	GTG -	75	100	10.0-45.0	6	5	100
AHC12K	T101A0	Softwood / Laminate	Curve	GTG •	50	76	1.5-15.0	18	5	100
AHC12R	T101BR	Wood / Laminate / Plastic	Down	GTG -	75	100	3.0-30.0	10	5	100
AHC32R	-	Wood / Laminate / Plastic	Down	GTG •	105	130	3.0-65.0	10	5	100
WL= WORKING	LENGTH TL=TO	OTAL LENGTH TPI = TEETH PER INCH								JIG01

High Speed Steel Blades - Metal Cutting

AK14	Ж нз:	s TIMCO Alu	A	MG21	2	нѕѕ	Time	3	Meta	
Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	WL (mm)	TL (mm)	Cutting Cap. (mm)	TPI	Qty	Carton Qty (packs)
		PACI	<							
		Metal Cu	tting							
AK14	T127D	Non-Ferrous / Alu. / Steel / Plastic	Straight	MSS •	75	100	3.0 - 15.0	8	5	100
AMG107	T118G	Very Thin Sheet Metal	Straight	MWS .	50	76	0.5 - 1.5	32	5	100
AMG11	T118A	Thin Sheets of Steel and Stainless Steel	Straight	MWS •	50	76	1.0 - 3.0	21	5	100
AMG21	T218A	Thin Sheet / Steel	Curve	MWS •	50	76	1.0 - 3.0	21	5	100
AMG12	T118B	Steel / Stainless Steel / Non-Ferrous / Alu.	Straight	MWS •	50	76	2.5-6.0	12	5	100
AMG31	T318A	Pipes / Profiles / Thin Sheet Metal / Non-Ferrous	Straight	MWS .	110	132	1.0 - 3.0	21	5	100
AMG32	T318B	Steel / Non-Ferrous / Pipes	Straight	MWS •	110	132	2.5-6.0	12	5	100
WL= WORKING	LENGTH T	'L=TOTAL LENGTH TPI = TEETH PER INCH								JIG01



Jigsaw Blade Sets

Comprehensive set of jigsaw blades to cover a multitude of cutting requirements into wood, metal and plastic.





Handy re-usable storage case with slide open and close lid. Ideal for keeping jigsaw blades in order.



Set Code	Blade Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Capacity (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
			MIXED SE	T (10 PIE	CE)						
JIGSET10	-	-	-	-	-	-	-	-	-	10	10
	AHG13	T111C	Softwood / Plastic	Straight	MSS •	75	100	4.0 - 50.0	8.50	1	
	AHGS14	T144D	All Wood	Straight	SSS •	75	100	5.0 - 50.0	6.35	1	
	AHC12	2 T101B All Wood / Plastic		Straight	GTG •	75	100	3.0 - 30.0	10.00	2	
	AHC14	T101D	All Wood / Plastic	Straight	GTG •	75	100	10.0 - 45.0	6.35	1	
	AHC12R	T101BR	All Wood / Laminated Board / Plastic	Down	GTG •	75	100	3.0 - 30.0	10.00	1	
	AHW12K	T119B0	Softwood/Insulation	Curved	MWS .	50	76	1.5 - 15.0	19.00	1	
	AMG11	T118A	Thin Sheet Metal / Stainless Steel	Straight	MWS •	50	76	1.2 - 3.0	21.00	2	
	AMG12	T118B	Steel / Stainless Steel / Aluminium Non-Ferrous Metals	Straight	MWS •	50	76	2.5 - 6.0	13.00	1	
TPI = TEETH PE	R INCH										JIG01

Set Code	Blade Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Capacity (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
			MIXED SE	T (20 PIE	CE)						
JIGSET20	-	-	-	-	-	-	-	-	-	20	10
	AHG13	T111C	Softwood / Plastic	Straight	MSS •	75	100	4.0 - 50.0	8.50	2	
	AHGS14	T144D	All Wood	Straight	SSS •	75	100	5.0 - 50.0	6.35	2	
	AHC12	T101B	All Wood / Plastic	Straight	GTG •	75	100	3.0 - 30.0	10.00	4	
	AHC14	T101D	All Wood / Plastic	Straight	GTG •	75	100	10.0 - 45.0	6.35	2	
	AHC12R	T101BR	All Wood / Laminated Board / Plastic	Down	GTG -	75	100	3.0 - 30.0	10.00	2	
	AHW12K	T119BO	Softwood / Insulation	Curved	MWS .	50	76	1.5 - 15.0	19.00	2	
	AMG11	T118A	Thin Sheet Metal / Stainless Steel	Straight	MWS •	50	76	1.2 - 3.0	21.00	4	
	AMG12	T118B	Steel / Stainless Steel / Aluminium Non-Ferrous Metals	Straight	MWS •	50	76	2.5 - 6.0	13.00	2	
TPI = TEETH PER	RINCH										JIG01



Set Code	Blade Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Capacity (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
MIXED S		MIXED SE	T (16 PI	CE)							
JIGSET	-	-	-	-	-	-	-	-	-	16	10
	AHG13	T111C	Softwood / Plastic	Straight	MSS •	75	100	4.0 - 50.0	8	2	
	AHGS14	T144D	All Wood Types	Straight	SSS •	75	100	5.0 - 50.0	6	2	
AHC12 T101B All Wood / Plastic		Straight	GTG •	75	100	3.0 - 30.0	10	2			
	AHC14 T101D All Wood / Plastic		All Wood / Plastic	Straight	GTG •	75	100	10.0 - 45.0	6	1	
AHC12R T101BR		T101BR	All Wood / Laminated Board / Plastic	Down	GTG •	75	100	3.0 - 30.0	10	2	
	AHW12K	T119BO	Softwood / Insulation	Curved	MWS .	50	76	1.5 - 15.0	12	2	
	AMG11	T118A	Thin Sheet Metal / Stainless Steel	Straight	MWS •	50	76	1.2 - 3.0	21	3	
	AMG12	T118B	Steel / Stainless Steel / Aluminium Non-Ferrous Metals	Straight	MWS •	50	76	2.5 - 6.0	13	2	
TPI = TEETH PE	R INCH										JIG01



Reciprocating Saw Blades



Blade Material Types Bi-M (Bi-Metal)

Combining the flexibility of a HCS body with a HSS hardened cutting edge, resulting in a tough, shatter resistant blade. Longer service life leads to greater cost effectiveness per blade

Tungsten Carbide Tip

Combining the flexibility of a HCS body with TCT cutting edge, resulting in a tough blade which keeps its edge.

HCS (High Carbon Steel)

High Carbon Steel Blades for use with softer materials, such as hard and soft wood, plastics and laminated boards.

Teeth Types

MSS - Milled & Side Set

Rough/Coarse Cut

Basic tooth pattern used on the entry level blades. A quick but fairly rough cut.

MWS - Milled & Wavy Set

Fine/Medium Cut

This pattern is used to give a fine, straight cut.

SSS - Side Set & Sharpened

Fast/Medium Cut

This configuration gives a fast, medium cut.

GTG - Ground/Taper Ground

Clean/Quick Cut


These top quality blades give a clean, quick cut in both wood and plastic.

Cutting Materials


Soft Wood • Green Wood • Plastic • Plasterboard • Some Bricks •

Sheet Metal • Sandwich • Aluminium • Non-Ferrous • Stainless Steel

Bi-Metal Blades - Wood & Metal Cutting



Tungsten Carbide Tipped Blade - Block/Brick Cutting



HCS Blades - Wood Cutting

TIMEO

TPI = TEETH PER INCH

-	***		VVV	7//	7777	1777	7777	W	WY	
Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Cap. (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
			PACK							
A3021-150	S644D	Wood/Plastic/Sandwich	Curve	SSS •	125	150	6.0 - 100	6	5	20
A3023-200	S2345X	Wood / Man-Made Board / Plastic	Straight	SSS •	175	200	6.0 - 150	6-10	5	20
A3029-240	S1531L	Green Wood	Straight	SSS •	215	240	<190	5	5	20
A3035-240	S1542K	Green / Fuel / Damp Wood	Straight	SSS •	215	240	15.0 - 190	3	5	20
TPI = TEETH PER IN	CH									SAB01

Reciprocating Saw Blade Set



Comprehensive set of reciprocating saw blades to cover a multitude of cutting requirements into wood, metal and plastic.

Includes a handy re-usable storage case

Set Code	Blade Code	Bosch Equiv.	Materials	Cut Type		Working Length (mm)		Cutting Capacity (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
			MIXED SET	(10 PIE	CE)						
SABSET10	-	-	-	-	-	-	-	-	-	10	5
	A3029-240	S1531L	Green Wood	Straight	SSS	215	240	<190	5	2	
	A3020-150	S610VF	Thin Sheet Metal / All Wood / Nails	Straight	MSS	125	150	<100	5-8	2	
	A3035-240	S1542K	Green / Fuel / Damp Wood	Straight	SSS	215	240	15 - 190	3	2	
	A3015-150	S922AF	Steel / Thin Sheet Metal / Pipes	Straight	MWS	125	150	0.7 - 3.0	24	2	
	A3023-200	S2345X	All Wood / Plastic	Straight	SSS	175	200	6.0 - 150	6-10	2	
TPI = TEETH PE	R INCH										SAB01

SAB01

(A3029-240)

Multi-Tool **Blades**

MULTI-PACKS NOW AVAILABLE



Blade Material Types

Titanium Coated

High performance M42 bi-metal blades with a protective hardened titanium coat to improve performance and increase working life.

Bi-M (Bi-Metal)

Combining the flexibility of a HCS body with a HSS hardened cutting edge, resulting in a tough, shatter resistant blade. Longer service life leads to greater cost effectiveness per blade.

Carbon Steel

Carbon steel are typically used for timber cutting. Available in a range of widths and cutting depths to suit multiple jobs.

Cutting Materials

Titanium Coated

Softwood • Hardwood • Steel • Non-Ferrous • Sheet Metal • Plastic • Laminate

Bi-M (Bi-Metal)

Sheet Metal • Plastic • Laminate

Carbon Steel

Softwood • Plastic • Plasterboard

Titanium Coated Bi-Metal Blades - Wood & Metal Cutting

3x LONGER SERVICE LIFE!

Radial Blade



Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims.

Product Code	Size Ø (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)				
BLISTER PACK									
MTR87TN	87	26	1.3	1	10 MTB01				

Straight Fine

Cut Blade

For general work. Flush cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic.

Product Code	Size (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
	В	LISTER P	ACK		
MT32TN	32	54	1.4	1	10
MT32TN5	32	54	1.4	5	5
MT44TN	44	54	1.4	1	10
MT44TN5	44	54	1.4	5	5
MT69TN	69	42	1.4	1	10 MTR01

Bi-Metal Blades - Wood & Metal Cutting

LONGER SERVICE LIFE!

Radial Blade



Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims

Pack Carton

Product Code	Size Ø (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
	В	LISTER PA	ACK		
MTR87BI	87	26	1.3	1	10

Fine Straight **Cut Blade** Flush cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic.

Product Size Depth Pitch Qty Code (mm) (mm) (mm) (pcs)	Qty (packs)
BLISTER PACK	
MT10BI 10 40 1.4 1	10
MT20BI 20 40 1.4 1	10
MT20BI5 20 40 1.4 5	5
MT32BI 32 42 1.4 1	10
MT32BI5 32 42 1.4 5	5
MT44BI 44 54 1.4 1	10
MT44BI5 44 54 1.4 5	5
MT69BI 69 42 1.4 1	10
	MTB01

Carbon Steel Blades - Wood & Plastic Cutting

Radial Blade



Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims

Product Code	Size Ø (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Qty	Carton Qty (packs)
	E	PACK			
MTR87	87	26	1.4	1	10
					MTB01

Straight Fine **Cut Blade** Flush cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic.

Cuttina

Teeth

Product Code	Size (mm)	Depth (mm)	Pitch (mm)	Qty (pcs)	Qty (packs)
	E	LISTER F	PACK		
MT10FT	10	40	1.4	1	10
MT20FT	20	40	1.4	1	10
MT32FT	32	42	1.4	1	10
MT32FT5	32	42	1.4	5	5
MT44FT	44	54	1.4	1	10
MT69FT	69	42	1.4	1	10
MT69FT5	69	42	1.4	5	5 MTB01

Straight Coarse **Cut Blade**

Coarse cut blades are designed to give a quick, coarse cut into wood, plasterboard and many types of plastic.

Product Code	Size (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
	E	BLISTER P	ACK		
MT32CT	32	42	1.69	1	10
MT32CT5	32	42	1.69	5	5
MT44CT	44	54	1.69	1	10
MT69CT	69	42	1.69	1	10
MT69CT5	69	42	1.69	5	5
					MTB01



Serrated Wavy Edge Saw Blade



The serrated blade is ideal for cutting soft materials such as cardboard, polystyrene, carpet, rubber and leather.

Product Code	Size (mm)	Cutting Depth (mm)	Qty	Carton Qty (packs)
	BLIS	TER PA	CK	
MT69SE	69	42	1	10

Flexible Scraper Blade



Ideal for many scraping applications such as removing paint, glues and silicone.

Product Code		Cutting Depth (mm)	Qty	Qty
	BLIS	TER PA	CK	
MT52SC	52	35	1	10

Diamond Carbide Grit Carbon Steel Blades

Radial Blade



Ideal for cutting tiles, porous concrete and plaster

Product Code	Ø	Cutting Depth (mm)	Qty	Qty
	BLIST	ER PAC	CK	
MTR65CG	65	10	1	10



Designed to remove grout from in-between tiles. The boot design rapidly removes the grout without damaging the tiles.

Product Code		Cutting Depth (mm)	Qty	Qty
	BLIS	TER PA	CK	
MTBOOT	59	45	1	10 MTR01

Delta Sanding Pad



To be used in conjunction with triangular sanding sheets.
For sanding wood, metal and plastics.

	roduct Code	Size (mm)	Qty	Carton Qty (packs)
		BLISTER PA	ACK	
M	T93SP	93	1	5

Sanding Sheets



Universal use on most surfaces, the hook and loop backing makes it easy to remove from the sanding pad.

Product Code	Size (mm)	Grit	Qty	Carton Qty (packs)
	BLIST	ER PA	CK	
MTP60	93	60	10	120
MTP80	93	80	10	120
				MTR01

Multi-Tool Blade Sets



Convenient eight piece mixed set of popular blades.
Ideal for multiple applications.

Product Code	Blade Code	Size (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
		BLI	STER PACK			
MT8PSET	-	-	-	-	4	10
	MT10BI	10	40	1.4	1	
	MT20BI	20	40	1.4	1	
	MT32BI	32	42	1.4	1	
	MT69BI	69	42	1.4	1	
	MTR87BI	Ø 87	26	1.3	1	
	MT32CT	32	40	1.69	1	
	MT69CT	69	42	1.69	1	
	MT52SC	52	35	N/A	1	
						MTB01



Convenient four piece mixed set of popular blades.
Ideal for multiple applications.

Product Code	Blade Code	Size (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
		BLI:	STER PACK			
MT4PSET	-	-	-	-	4	10
	MT32BI	32	42	1.4	1	
	MT69BI	69	42	1.4	1	
	MT32CT	32	40	1.69	1	
	MT69CT	69	42	1.69	1	
						MTR01

Powertool Sanding



Sanding Belts



- Heat resistant backing
- · Long life
- · Anti-clog coating

Manufactured using a heat resistant cloth backing and premium quality aluminium oxide grit. Designed to maintain sanding performance, prolong lifespan and meet the extreme requirements of modern belt sanders.

Product	Size W x L		Abrasive	Pack Qty	Carton Qtv
Code	(mm)	Grit	Grade	(pcs)	(packs)
		PACI	K		
231069	75 x 533	40	Coarse •	5	60
231841	75 x 533	80	Medium •	5	60
231645	75 x 533	120	Fine •	5	60
231429	75 x 457	40	Coarse •	5	60
231987	75 x 457	80	Medium •	5	60
231321	75 x 457	120	Fine •	5	60
231147	100 x 610	40	Coarse •	5	60
231258	100 x 610	80	Medium •	5	60
231369	100 x 610	120	Fine •	5	60 ABB03

Punched 1/3 Sanding Sheets



- Crack resistant
- Long life
- Anti-clog coating

High quality aluminium oxide abrasive with a high strength heat and wear resistant backing paper to provide a superior lifespan. Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

Product Code	WxL (mm)	Grit	Abrasive Grade	Qty (pcs)	Qty (packs)
		PACI	<		
231050	93 x 185	80	Medium •	5	50
231855	93 x 185	120	Fine •	5	50
231666	93 x 185	180	Extra Fine •	5	50
231112	93 x 185	80/120/180*	Assorted •	5	50
					ABR03

*2 x 80 / 2 x 120 / 1 x 180 Grit

Unpunched ⅓ Sanding Sheets



- Crack resistant
- Long life
- Anti-clog coating

High quality aluminium oxide abrasive with a high strength heat and wear resistant backing paper to provide a superior lifespan. Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

Product Code	Size W x L (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
		PACI	<		
231467	93 x 230	60	Coarse •	5	50
231900	93 x 230	80	Medium •	5	50
231751	93 x 230	120	Fine •	5	50
231222	93 x 230	180	Extra Fine •	5	50
231599	93 x 230	80/120/180*	Assorted •	5	50 ABR03

* 2 x 80/ 2 x 120/ 1 x 180 Grit

Delta Sanding Pads



Size

- Crack resistant
- Hook & loop
- Anti-clog coating

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

Pack Carton

Product Code	WxL (mm)	Grit	Abrasive Grade	Qty (pcs)	Qty (packs)
		PACI	K		
231005	95 x 95	60	Coarse •	5	100
231119	95 x 95	80	Medium •	5	100
231410	95 x 95	120	Fine •	5	100
231360	95 x 95	180	Extra Fine •	5	100
231909	95 x 95	240	Extra Fine •	5	100
231333	95 x 95	80/120/180*	Assorted •	5	100

* 2 x 80/ 2 x 120/ 1 x 180 Grit

Detail Sanding Sheets



Size

- Crack resistant
- Hook & loop
- Anti-clog coating

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

Pack Carton

Product Code	WxL (mm)	Grit	Abrasive Grade	Qty (pcs)	Qty (packs)
		PAC	:K		
231753	95 x 136	80	Medium •	5	100
231081	95 x 136	120	Fine •	5	100
231811	95 x 136	180	Extra Fine •	5	100 ABR02

Random Orbital Discs



- Crack resistant
- Hook & loop
- Anti-clog coating

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

Pack Carton

Proc		Ø (mm)	Ø (inch)	Grit	Abrasive Grade	Qty (pcs)	Qty (packs)
				PACK			
231	019	125	5	60	Coarse •	5	100
231	555	125	5	80	Medium •	5	100
231	378	125	5	120	Fine •	5	100
231	200	125	5	180	Extra Fine	5	100
231	992	125	5	80/120/180*	Assorted •	5	100
231	084	150	6	60	Coarse •	5	100
231	080	150	6	80	Medium •	5	100
231	144	150	6	120	Fine •	5	100
231	719	150	6	180	Extra Fine	5	100
231	859	150	6	80/120/180*	Assorted •	5	100
							ABR03

* 2 x 80/ 2 x 120/ 1 x 180 Grit

Pack Carton

Drylining Discs

BEST SELLER

High quality sandpaper discs with white aluminium oxide abrasive for effective material removal. Perforated for excellent dust extraction. Available in a wide variety of abrasive grades to allow for varied results, from rapid material removal through to final finishing.



- Anti-slip hook & loop backing
- Lightweight and flexible backing paper
- Designed for use with all leading brands of drywall power sanders

Product Code	Ø (mm)	Ø (inch)	Grit	Abrasive Grade	Qty (pcs)	Qty (packs)
			BUND	LE		
231101	225	9	40	Coarse •	25	7
231546	225	9	60	Coarse •	25	7
231894	225	9	80	Medium •	25	8
231434	225	9	100	Medium •	25	8
231025	225	9	120	Fine •	25	8
231175	225	9	150	Fine •	25	8
231232	225	9	180	Extra Fine	25	8
231741	225	9	220	Extra Fine	25	8
						ABR03



Hand Sanding




Sandpaper Rolls



Manufactured using lightweight 180g backing paper, allowing for excellent flexibility and malleability without tearing and cracking. The premium quality aluminium oxide grit allows for excellent material removal.

Ideal for preparation of intricate & delicate applications.

Product Code	Length (m)			Abrasive Grade		Qty
		R	OLL			
231541	10	115	60	Coarse •	1	6
231999	10	115	80	Medium •	1	6
231405	10	115	120	Fine •	1	6 ABR01



Manufactured using premium 225g backing paper, allowing for hard wearing and flexible sanding performance. The premium quality aluminium oxide grit allows for excellent material removal. Ideal for hand and powertool sanding.

Product Code	Length (m)			Abrasive Grade	Qty	Qty (packs)
		F	OLL			
231022	10	115	60	Coarse •	1	6
231117	10	115	80	Medium •	1	6
231823	10	115	120	Fine •	1	6 ABR01

Deals Cartes



Manufactured using heavy duty 250g backing paper, allowing for long lasting and hard wearing sanding performance. Premium quality calcined aluminium oxide grit allows for excellent material removal.

Ideal for woodworking, painting and decorating.

Qty (packs)
6
6
6 ARR01

Full Sanding Sheets



High quality aluminium oxide abrasive with a high strength anti-crack backing paper to provide a superior lifespan. Ideal for heavy hand or power sanding on wood, paint, varnish, plaster and filler.

Product Code	Size W x L (mm)	Grit	Abrasive Grade	Qty	Carton Qty (packs)
		PACK			
231002	230 x 280	80	Medium •	5	10
231191	230 x 280	120	Fine •	5	10
231505	230 x 280	180	Extra Fine	5	10
231123	230 x 280	80/120/180*	Assorted •	5	10
					APPOS

* 2×80 / 2×120 / 1×180 Grit

Wet & Dry Sanding Sheets



Premium quality silicon carbide abrasive with a flexible waterproof backing paper. When used in conjunction with water this paper gives a smoother surface compared to dry sanding on metal, wood, paint and varnish whilst reducing dust.

Product Code	Size W x L (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
		PAC	K		
231485	230 x 280	600	Ultra Fine •	5	10
231636	230 x 280	1200	Ultra Fine	5	10
231357	230 x 280	180/320*	Assorted •	5	10
					ADDOO

* 2 x 180 / 3 x 320 Grit

Steel Wire Wools



Used by woodworkers and craftsmen when cleaning metal and wood in preparation for lacquers, varnishes and paints.



Dack Carton

Product Code	Weight (g)	Abrasive Grade	Pack Qty (pcs)	Cartor Qty (packs
	P/	ACK		
231659	200	Coarse •	1	48
231308	200	Medium •	1	48
231007	200	Fine •	1	48



Angle Grinder Wire Brushes



Steel Wire Brushes
Steel • Sheet Metal



Stainless Steel
Wire Brushes
Stainless Steel
Non- Ferrous • Aluminium

Crimped Steel Wire Brushes

Suitable for use with angle and bench grinders. The crimped wire is ideal for lightly removing loose paint, rust or dirt without scarring the base material. Use stainless steel to reduce the likelihood of cross contamination when cleaning the base material.

Cast Iron

Cup Brushes



Code	(111111)	AIDUI	(111111)	IV.L'INI	(pcs)	(packs)
		BLIS	TER PAC	:K		
	S	teel Wi	re Cup I	Brush		
75TCC	75	M14	0.3	12,500	1	5
100TCC	100	M14	0.3	8,500	1	5
125TCC	125	M14	0.3	6,500	1	5
150TCC	150	M14	0.3	6.500	1	5

						PTB02
S	tainle	ess Ste	el Wire	Cup Bru	ısh	
75TCCSS	75	M14	0.5	8,500	1	5
100TCCSS	100	M14	0.5	8,500	1	5 PTB09

Bevel Brushes



Stainless Steel Wire Bevel Brush 115TBCSS 115 M14 0.3 12,500 1 5

Wheel Brush with Reducer Set

150HWC



Includes reducing bushes reduces bore from 32mm to 25, 22, 20, 16 and 12mm (two of each).

		Wire		Pack	Carton
Product	Ø	Thickness	Max	Qty	Qty
Code	(mm) Arbor	(mm)	R.P.M	(pcs)	(packs)

BLISTER PACK							
Steel Wire Wheel Brush							
150HWC	150	32	0.3	6,000	1	5	
200HWC	200	32	0.3	4,500	1	5 PTB18	

Twisted Knot Steel Wire Brushes

Suitable for use with angle and bench grinders. The 0.5mm twist steel wire is hard wearing and gives an aggressive removal of paint, rust, rubber, concrete or dirt. The metal ring can be removed to increase usage life. Use stainless steel to reduce the likelihood of cross contamination when cleaning the base material.

Cup Brushes





Product Code	Ø (mm) A	Arbor	Wire Thickness (mm)		Qty			
BLISTER PACK								

Steel Wire Cup Brush								
80TCT	80	M14	0.5	8,500	1	5		
100TCT	100	M14	0.5	8,500	1	5		
						PTB10		
Stainless Steel Wire Con Brush								

Stainless Steel Wire Cup Brush								
100TCTSS	100	M14	0.5	8,500	1	5		
						PTB11		

Bevel Brushes



Product Ø Thickness Max Qty Qty
Code (mm) Arbor (mm) R.P.M (pcs) (packs)

 Stainless Steel Wire Bevel Brush

 100TBTSS
 100
 M14
 0.5
 12,500
 1
 5

Wheel Brushes

115TWT



Product Ø Thickness Max Qty Qty
Code (mm) Arbor (mm) R.P.M (pcs) (packs)

	DLISTER FACK							
Steel Wire Wheel Brush								
115TWT	115	M14	0.5	12,500	1	5		
						PTB16		
Stainless Steel Wire Wheel Brush								
115TWTSS	115	M14	0.5	12,500	1	5 PTR17		

 Steel Wire Wheel Brush

 125HWT
 125
 22
 0.5
 12,500
 1



Drill Wire Brushes



Nylon Wire

Sheet Metal •
Wood Stone



Steel Wire

Steel • Sheet Metal • Cast Iron

Nylon Brushes

The nylon brush is less aggressive and ideal for light de-burring, polishing and finishing.



1.3

4,500

4,500

12

Crimped Steel Wire Brushes

Crimped wire is ideal for lightly removing loose paint, rust or dirt without scarring the base material.



Product Code	Ø (mm)	Ø (inch)	Thickness (mm)	Max R.P.M	Qty (pcs)	Qty (packs)			
BLISTER PACK									
Steel Wire Cup Brush									
50SCC	50	1/4 Hex	0.3	4,500	1	12			
75SCC	75	1/4 Hex	0.3	4,500	1	12			
						PTB07			
	St	teel Wi	re Wheel	Brush	1				
50SWC	50	1/4 Hex	0.3	4,500	1	12			
75SWC	75	1/4 Hex	0.3	4,500	1	12			
100SWC	100	1/4 Hex	0.3	4,500	1	12			
						PTB04			
	:	Steel W	/ire End B	rush					
25SEC	25	1/4" Hex	0.3	4,500	1	20			
						PTR01			

Twisted Knot Steel Wire Brush



Shank

The twist brush is ideal for aggressive removal of paint, rust, rubber, concrete or dirt.

Pack Carton

	Product Code			Thickness (mm)			Qty (packs)	
	BLISTER PACK Steel Wire Wheel Brush							
	75SWT	75	1/4	0.5	12,500	1	12	
							PTR05	

Wire

Flap Discs & Preparation Discs

Zirconium Flap Discs

75SWN 75 1/4 Hex

100SWN



A premium, long life and heavy duty zirconium flap disc for consistent and rapid performance whilst grinding, finishing, removing paint and weld dressing.

Suitable for use with Stainless Steel (inox), Cast Iron, Alloy Metals and Wood.

Ideal for flat and curved surfaces.

- Heavy Stripping
- Rapid Abrasive Action
- Type 29
- Approved to EN13743

	Product Code	Ø (mm)	Ø (inch)	Bore (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	2nd Qty (packs)	Carton Qty (packs)
				P.	ACK				
	231020	115	4 1/2	22.23	P40	Coarse •	1	10	100
	231528	115	4 1/2	22.23	P60	Coarse •	1	10	100
	231351	115	4 1/2	22.23	P80	Medium •	1	10	100
	231051	115	4 1/2	22.23	P120	Fine 🔵	1	10	100
ı	вох								
	231444	115	4 1/2	22.23	P40	Coarse •	10	-	20
	231953	115	4 1/2	22.23	P60	Coarse •	10	-	20
	231862	115	4 1/2	22.23	P80	Medium •	10	-	20
	231006	115	4 1/2	22.23	P120	Fine 🔵	10	-	20
									ARROS

Nylon Stripping & Preparation Discs



A hardened nylon fibre strip disc for ultimate stock removal and surface preparation performance. Ideal for removing old paint, weld spatter, rust and corrosion without damaging the work piece.

Ideal for use on flat surfaces and for the removal of thermal bluing.

- Rapid Abrasive Action
- Reduced Loading Required
- Heavy Duty Backing
- Approved to EN13743

Product Code	Ø (mm)	Ø (inch)	Bore (mm)	Qty (pcs)	Qty (packs)	Qty (packs)		
PACK								
231363	115	4 1/2	22.23	1	10	100		
BOX								
231230	115	4 1/2	22.23	10	-	20 ABR05		
	Code 231363	Code (mm) 231363 115	Code (mm) (inch) PACK 231363 115 4½ BOX	Code (mm) (inch) (mm) PACK 231363 115 4½ 22.23 BOX	Code (mm) (inch) (mm) (pcs) PACK 231363 115 4½ 22.23 1 BOX	Code (mm) (inch) (mm) (pcs) (packs) PACK 231363 115 4½ 22.23 1 10 BOX		



Chucks, Keys and Adaptors

Heavy Duty Keyless Chuck



A keyless handtightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt

Suitable for 1.5mm -13mm drills bits.

Pack Carton

10 KEY01

Canacity

Product Code	Capacity (mm)	Mount (imp)	Qty (pcs)	Qty (packs)				
PACK								
HDVC12	1 5 12 0	1/"	- 1	10				

Clamping

Super Heavy Duty Keyless Chuck

Clamping



A keyless heavy duty hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 1000 watt. Suitable for 1.5mm -13mm drills bits.

Pack Carton

Product Code	Capacity (mm)	Mount (imp)	Qty (pcs)	Qty (packs)		
PACK						
SHDKC	1.5 - 13.0	1/2"	1	10		

Capacity

Single Handed **Keyless Chuck**



A keyless single handtightened three jaw chuck that fits drills with ½" shaft. Ideal for impact drills up to 750 watt.

Suitable for 1.5mm-13mm drills bits.

Product Code	Clamping Capacity (mm)	Capacity Mount (imp)	Pack Qty (pcs)	Carton Qty (packs)				
PACK								
SHKC13	1.5 - 13.0	1/2"	1	10 KEV01				

Keyless Chuck & SDS Plus Adaptor



A keyless handtightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt. Sold with an SDS plus adaptor. Suitable for 1.5mm-13mm drills bits.

Product Code	Clamping Capacity (mm)	Capacity Mount (imp)	Qty	Carton Qty (packs)
		PACK		
KKEY	1.5 - 13.0	1/2"	1	10

Chuck, Key & SDS Sets

A traditional keyed chuck that fits drills with 1/2" shaft. Suitable for



Clamping Capacity Pack Carton

Product Code	Capacity (mm)	Mount (imp)	Qty (pcs)	Qty (packs)
	P	ACK		
C13	1.5 - 13.0	1/2"	1	10
KEY	1.5 - 13.0	1/2"	1	10
				KEY01

Chuck Key & **SDS Plus Adaptors**



Product Code	To Fit	Qty (pcs)	Qty (packs)
	PACK		
AS2	½" keyed chuck	1	10
SDSCA	SDS plus to 1/2"	1	10
			KEY01



Impact Driver Bits

Impact Driver Bits



TX Dr	ive
	×
_	
2	v
I	ш

Product Code	Bit Size	Length (mm)	Qty (pcs)	Qty (packs)
	HAN	DY PAG	CK	
20TX25X6	TX20	25	10	5
25TX25X6	TX25	25	10	5
30TX25X6	TX30	25	10	5
40TX25X6	TX40	25	10	5
25TX50X6	TX25	50	5	5
30TX50X6	TX30	50	5	5
40TX50X6	TX40	50	5	5
50TX50X6	TX50	50	5	5
				ABT03

Product Code	Bit Size	Length (mm)	Pack Qty (pcs)	CDU Qty (packs)
	HAN	DY PAC	CK	
1PH25X6	PH1	25	10	5
2PH25X6	PH2	25	10	5
3PH25X6	PH3	25	10	5
2PH50X6	PH2	50	5	5
3PH50X6	PH3	50	5	5
	BLIST	TER CA	RD	
2PH90X6	PH2	90	1	24
2PH150X6	PH2	150	1	12
				ABT02

Square



Product Code		Length (mm)	Qty	Carton Qty (packs)
	HAN	DY PAG	CK	
2SQ25X6	SQ2	25	10	5
2SQ50X6	SQ2	50	5	5
				ABT04

Hex





Product Code	Bit Size	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
	HAN	DY PAG	CK	
3HX25X6	HX3	25	10	5
4HX25X6	HX4	25	10	5
5HX25X6	HX5	25	10	5
6HX25X6	HX6	25	10	5
8HX25X6	HX8	25	10	5
				ABT06

Double Ended Impact Driver Bits



Product Code		Length (mm)		Qty (packs)
	BLIS'	ΓER PA	CK	
2PZ65X6	PZ2	65	2	24
3PZ65X6	PZ3	65	2	24
				ABT01

Double Ended TX Drive



Code	Size	(mm)	(pcs)	(packs)
	BLIST	ER PA	CK	
25TX65X6	TX25	65	2	12
30TX65X6	TX30	65	2	12
40TX65X6	TX40	65	2	12 ABT03

Bit Length Qty

Pack Carton

Pack Carton

Double Ended Phillips



Product Code	Bit Size	Length (mm)	Qty (pcs)	Qty (packs)
	BLIS'	TER PA	CK	
2PH65X6	PH2	65	2	24
3PH65X6	PH3	65	2	24
				ABT02

Impact Driver Bit Sets



Convenient pocket sized mixed set of 25mm impact resistant bits with magnetic bit holder.

Set includes: PZ1(1), PZ2(2), PZ3(1), PH2(2), TX15(1), TX20(1), TX25(1), TX30(1), **Magnetic Bit Holder** (1).

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLIST	ER PACK	
228447	11	12 ABT07



Comprehensive mixed set of 25mm impact resistant bits with 60mm impact magnetic bit holder.

Set includes: PZ0(1), PZ1(2), PZ2(3), PZ3(2), PH0(1), PH1(2), PH2(4), PH3(2), TX10(1), TX15(1), TX20(2), TX25(2), TX27(1), TX30(2), TX40(1).

Magnetic Bit Holder (1).

Product Code	Pack Qty (pcs)	Carton Qty (packs)
SET		
28SETX6	28	12 ABT07



Set includes:

25mm Bits - PZ1(2), PZ2(9), PZ3(3), PH1(2), PH2(8), PH3(2), TX20(1), TX25(2), TX30(3), TX40(2), SQ2(1).

50mm Bits - PZ1(1), PZ2(3), PZ3(1), PH2(2), PH3(1), TX30(2). **Sockets** - 8mm(1), 10mm(1), 13mm(1).

Magnetic Bit Holder (1).

Product Code		Pack Qty (pcs)	Carton Qty (packs)
	SET		
228258		49	6
			ADTOX

Impact Driver Bit Holders & Adaptors

Impact Quick Release Bit Holders



Impact resistant quick adaptor chuck allows the user to rapidly change between multiple 1/4" hex drive accessories. Available in longer lengths to assist the user when working in awkward applications.

Product Code	Length (mm)	Qty	Carton Qty (packs)		
BLISTER CARD					
65MAQX6	65	1	24		
150MAQX6	150	1	12		
300MAQX6	300	1	12 ABT08		

Impact Magnetic Screw Holder



Impact resistant magnetic screw holder has been specifically designed for installation of flat head screws. The sliding magnetic sleeve securely holds the screw in place to allow single handed installations in vertical or horizontal applications.

Product Code	Length (mm)	Qty	Carton Qty (packs)	
BLISTER CARD				
53MSHX6	53	1	10 ABT08	

Impact Magnetic Bit Holders



A high quality magnetic 1/4" hex drive adaptor with a unique 'torsion zone' that enables the bit holder to withstand the extreme pressures exerted by an impact driver.

Product Code	Length (mm)	Qty	Carton Qty (packs)
E	LISTER C	ARD	
60MAX6	60	1	24
150MAX6	150	1	12
			ABT08

Impact Screw Guide



Impact resistant magnetic screw guide has a sliding sleeve designed so the user always drives the screw in at 90 degrees ensuring a flush finish. It also has the added benefit of reducing risk of finger injury as the sleeve covers the sharp screw threads

		To Suit			
	To Suit	Screw		Pack	Carton
Product	Screw Ø	Gauge	Length	Qty	Qty
Code	(mm)	(imp)	(mm)	(pcs)	(packs)
DI ICTED CADD					

75SGX6 3.0-5.0 4-10 75 1 24
ABT08

Impact Quick Release Adaptors



This impact resistant quick change adapter is used for converting an impact wrench into a 1/4" hex drive with Quick Release.

Product Code		Length (mm)	Qty	Carton Qty (packs)
BLISTER CARD				
38QCAX6	3/8"	50	1	24
12QCAX6	1/2"	50	1	24
				ARTOR

Impact HSS Drill Bits

Impact Quick Release HSS Drill Bits



This durable engineering quality HSS ground drill is designed for drilling sheet metal and wood with a 1/4" chuck impact driver.

Total Working Pack Carton

The quick change shank can be rapidly interchanged for easy and hassle free drilling.

Product Code	Drill Ø (mm)	Length (mm)	Length (mm)	Qty (pcs)	Qty (packs)
	В	LISTER C	ARD		
HSSG2X6	2.0	67	24	1	24
HSSG25X6	2.5	75	30	1	24
HSSG3X6	3.0	75	33	1	24
HSSG35X6	3.5	84	39	1	24
HSSG4X6	4.0	89	43	1	24
HSSG45X6	4.5	94	47	1	24
HSSG5X6	5.0	100	52	1	24
HSSG6X6	6.0	107	57	1	24
HSSG8X6	8.0	117	75	1	24
HSSG10X6	10.0	133	87	1	24
					ABT10

Impact Socket Drivers



Impact Socket Drivers

These professional grade impact nut drivers are designed to with stand the toughest fastening applications.

The powerful magnet allows for a secure grip and unyielding bit engagement. Ideal for use on hex head screws when installed with an impact driver.

Product Code	Socket Size	Length (mm)	Qty	Qty (packs)
	BLISTE	R CARD		
14SDX6	1/4"	65	1	24
7SDX6	7mm	65	1	24
8SDX6	8mm	65	1	24
10SDX6	10mm	65	1	24
13SDX6	13mm	65	1	24

Impact Sockets & Adaptors

Impact Sockets



High grade impact sockets for use in the most challenging applications. Made from high quality steel, the sockets are hardened and tempered for maximum strength and comes in a phosphate finish for greater corrosion resistance. Ideal for use in air impact wrenches and impact drivers.

Product Code	Socket Size (mm)	Length (imp)	To Fit (imp)	Pack Qty (pcs)	Carton Qty (packs)
		CLIP			
8ISHX6	8	3"	1/2"	1	25
10ISHX6	10	3"	1/2"	1	25
12ISHX6	12	3"	1/2"	1	25
13ISHX6	13	3"	1/2"	1	25
14ISHX6	14	3"	1/2"	1	25
15ISHX6	15	3"	1/2"	1	25
16ISHX6	16	3"	1/2"	1	25
17ISHX6	17	3"	1/2"	1	25
18ISHX6	18	3"	1/2"	1	25
19ISHX6	19	3"	1/2"	1	25
21ISHX6	21	3"	1/2"	1	25
24ISHX6	24	3"	1/2"	1	25
					ABT09

Scaffolders Short Impact Socket



21mm short impact socket with pin and ring to ensure a secure retention to powertool. Ideal when working at heights

and frequently used during scaffolding installation.

 Use with Impact drivers with 1/2" Square drive

Product Code			Qty	Carton Qty (packs)			
	BLISTER CARD						
228164	21	52	1	24 ABT09			

Impact Socket Adaptors



Impact resistant quick change adaptor is used for converting a 1/4" hex drive into a male (1/2" or 3/8") socket adaptor.

Product Code	Length (mm)	Square Size (imp)	Pack Qty (pcs)	Carton Qty (packs)	
BLISTER CARD					
38IAX6	50	3/8"	1	24	
12IAX6	50	1/2"	1	24	
				ARTOR	



Driver Bits

Driver Bits

Pozi





Made from S2 Carbon Steel



Product Code	Bit Size	Length (mm)		Qty (packs)
	HANI	DY PAC	:K	
1CB25PACK	PZ1	25	10	12
2CB25PACK	PZ2	25	10	12
3CB25PACK	PZ3	25	10	12
1CB50PACK	PZ1	50	5	12
2CB50PACK	PZ2	50	5	12
3CB50PACK	PZ3	50	5	12
1	1INI E	BIT PAC	CK	
2CB100GB	PZ2	100	1	12
2CB150GB	PZ2	150	1	12
2CB300GB	PZ2	300	1	12
	SMA	LL JAF	₹	
1CB25GJ	PZ1	25	100	30
2CB25GJ	PZ2	25	100	30
3CB25GJ	PZ3	25	100	30
2CB50GJ	PZ2	50	50	30
DI	SPEN	ISING.	JAR	
3CB25TUB	PZ3	25	500	4
				ABT01

TX Drive





Made from S2 Carbon Steel



Product Code	Bit Size	Length (mm)	Qty	Carton Qty (packs)
F	IANE	Y PAC	K	
10TX25PACK	TX10	25	10	12
15TX25PACK	TX15	25	10	12
20TX25PACK	TX20	25	10	12
25TX25PACK	TX25	25	10	12
30TX25PACK	TX30	25	10	12
40TX25PACK	TX40	25	10	12
30TX50PACK	TX30	50	5	12
M	IINI B	IT PAC	CK	
10TX25GB	TX10	25	2	12
	SMA	LL JAF	₹	
30TX25GJ	TX30	25	100	30
30TX50GJ	TX30	50	50	30
DIS	PEN	SING.	JAR	
30TX25TUB	TX30	25	500	4
30TX50TUB	TX30	50	250	4
				ABT03

Phillips





S2 Carbon Steel



Product Code	Bit Size	Length (mm)	Pack Qty (pcs)	CDU Qty (packs)
	HANI	DY PAC	K	
1PH25PACK	PH1	25	10	12
2PH25PACK	PH2	25	10	12
3PH25PACK	PH3	25	10	12
2PH50PACK	PH2	50	5	12
3PH50PACK	PH3	50	5	12
1	MINIE	BIT PAC	CK	
2PH100GB	PH 2	100	1	12
2PH150GB	PH 2	150	1	12
	SMA	LL JAF	₹	
2PH25GJ	PH 2	25	100	30
2PH50GJ	PH 2	50	50	30 ABT02

Hex





S2 Carbon Steel Pack Carton Product Bit Length Qty Qty

TWIN PACK 3HX25GB 3.0 25 2 24 4HX25GB 4.0 25 2 24 5HX25GB 5.0 25 2 24 6HX25GB 6.0 25 2 24 8HX25GB 8.0 25 2 24 ABT0E ABT0E ABT0E ABT0E ABT0E	Code	Size	(111111)	(pcs)	(packs)
4HX25GB 4.0 25 2 24 5HX25GB 5.0 25 2 24 6HX25GB 6.0 25 2 24 8HX25GB 8.0 25 2 24		1IWT	N PACI	K	
5HX25GB 5.0 25 2 24 6HX25GB 6.0 25 2 24 8HX25GB 8.0 25 2 24	3HX25GB	3.0	25	2	24
6HX25GB 6.0 25 2 24 8HX25GB 8.0 25 2 24	4HX25GB	4.0	25	2	24
8HX25GB 8.0 25 2 24	5HX25GB	5.0	25	2	24
	6HX25GB	6.0	25	2	24
ABT06	8HX25GB	8.0	25	2	24
					ABT06

Square



Product Code	Bit Size	Length (mm)	Qty	Cartor Qty (packs		
HANDY PACK						
2SQ25PACK	SQ2	25	10	12		
2SQ50PACK	SQ2	50	5	12		
MINI BIT PACK						

SQ2 25 2

24

Slotted







Product Code		Length (mm)	Qty	Carton Qty (packs)		
TWIN PACK						
5508SL25GB	5.5	25	2	24		
6010SL25GB	6.0	25	2	24		
7012SL25GB	7.0	25	2	24		
1016SL25GR	10.0	25	2	24		

Socket Drivers & Driver Bit Holders

Socket Drivers

NEW



Used for installing hexagon headed fasteners with a Also known as a 1/4" nut setter.

Product Code	Socket Size	Length (mm)	Туре	Qty	Qty (packs)
	BLI	STER	CARD		
6SDB	6mm	65	Hex	1	24
635SDB	1/4"	65	Hex	1	24
516SDB	5/16"	65	Hex	1	24
10SDB	10mm	65	Hex	1	24
11BHSDB	11mm	65	Bi-Hex	1	24
11SDB	11mm	65	Hex	1	24
13SDB	13mm	65	Hex	1	24
	S	MALL.	JAR		
516SDJ15	5/16"	65	Hex	15	30
10SDJ15	10	65	Hex	15	30
					ABT09

One Piece Magnetic Bit Holders



A magnetic 1/4" hex drive adaptor machined from a single piece of stainless steel to give extended life and durability. Available with or without a circlip to improve bit retention.

Made from Stainless Steel

Product Code	Length (mm)	Туре	Qty	Qty (packs)
MINI BIT PACK				
60MASSB	60	-	1	24
60MASSCB	60	Circlip	1	24
				ABT08

Two Piece Magnetic Bit Holders



An economic magnetic 1/4" hex drive adaptor manufactured from two pieces of carbon steel. Available with or without a circlip to improve bit retention.

• Made from Carbon Steel

Product Code	Length (mm)	Туре	Qty (pcs)	Qty (packs)
	MINI BI	T PAC	CK	
60MAB	60	-	1	24
60MACB	60	Circlip	1	24
150MACB	150	Circlip	1	12
300MACB	300	Circlip	1	12
	JA	AR .		
60MAJ	60	-	20	30
60MACJ	60	Circlip	20	30 ABT08

Quick Release Magnetic Bit Holders

NEW

Pack Carton



An economic magnetic 1/4" hex drive adaptor.

• Made from Carbon Steel

	Product Code	Length (mm)	Qty	Carton Qty (packs)
	MI	INI BIT PA	CK	
	60MAQRB	60	1	24
	150MAQRB	150	1	12
	300MAQRB	300	1	12
		BIT PACK	(
I	60MAQRJ15	60	15	30 ABT08

SDS Magnetic Bit Holder



A magnetic SDS Plus to 1/4" hex drive adaptor, ideal for converting your SDS-Plus drill in to a screwdriver when in rotary mode only

• Made from Carbon Steel

Product Code	Length (mm)	Qty	Carton Qty (packs)	
MINI BIT PACK				
80MASDSCB	80	1	24 ABT08	

2SQ25GB

Driver Bit Sets



Convenient pocket sized mixed set of the most commonly used S2 25mm bits with a magnetic bit holder.

• Made from S2 Carbon Steel

Set includes: PZ1(1), PZ2(2), PZ3(1), PH2(2), TX15(1),

TX20(1), TX25(1), TX30(1)

Magnetic Bit Holder (1)

Product Code	Qty (pcs)	Qty (packs)
BLISTE	ER PACK	
228030	11	12 ABT07

Pack Carton



Convenient protective case with rubber corners and a handy belt clip

• Made from S2 Carbon Steel

Set includes: PZ1(1), PZ2(5), PZ3(2), PH1(1), PH2(3), PH3(1), TX10(1), TX15(1), TX20(1), TX25(1), TX30(1), TX40(1), HX4(1), HX5(1), HX6(1), HX7(1), SL3.5(1), SL4.5(1), SL5.0(1) SL5.5(1) SL8.0(1), SQ2(1) Quick Release Bit Holder (1)

Product Code	Qty (pcs)	Qty (packs)			
BLISTER PACK					
DBSETG31	31	10 ABT07			

Dook Corton

Mixing **Paddles**



Paint Mixers



A general purpose mixer with a twin propeller design to reduce splashing and blend materials with ease. Suitable for use with paint, varnish, glaze, floor screed and more.

- Fast mixing
- Easy clean coating
- Multi-purpose hex shank
- Reduced splashing



Shank Pack Carton

· Easy material blending

Product Code	Size (mm)	Shank Type	Dia (mm)	Qty (pcs)	Qty (packs)
		EACH			
673147	80 x 400	Hex	9.0	1	40
673258	100 x 600	Hex	10.0	1	30
					MPD01

General Purpose Mixing Paddles



A high quality mixing paddle with helical fin design to allow for rapid and effortless mixing of a variety of viscous building compounds.

Suitable for use with tile adhesive, ready mixed plaster, floor screed, filler, cement compounds and more.

- Rapid & effortless mixing
- Heavy duty construction
- · Easy clean coating
- Multi-purpose hex shank
- Smooth & thorough mixing

HEX SHA	NK	
Shank	Pack	Carton

Product Code	Size (mm)	Shank Type	Dia (mm)	Qty (pcs)	Qty (packs)
EACH					
673369	100 x 600	Hex	9.0	1	12
673741	120 x 600	Hex	10.0	1	12
					MPD01

Professional Mixing Paddles



A professional grade, heavy duty paddle mixer with helical fin pattern for rapid and effortless mixing of the most viscous building compounds.

Suitable for use with tile adhesive, bonding mortar. jointing compound, board finishes & plaster, floor screed, cement compounds, filler and more.

Compatible with all standard paddle mixers with M14 fitting

- Rapid & effortless mixing
- Heavy duty construction
- Easy clean coating
- Protective rim
- Smooth & thorough mixing



THREADED

Product Code	Size (mm)	Shank Type	Qty (pcs)	Qty (packs)	
EACH					
673852	120 x 600	M14	1	12	
673963	140 x 600	M14	1	12	
673001	160 x 600	M14	1	12	
				MDD04	

Pack Carton



Hammers Axes Mallets

Pry Bars

Trowels

Wood Saws Mitre Boxes

Rasp Planes Knives & Blades

Bolt Croppers

Plasterers Jab Saw

Scissors & Wire Strippers
Pipe Shears & Tin Snips
Pliers, Cutters & Wrenches

Bolsters & Chisels

Aluminium Hawk Brick Jointers Grouting Float

Hand Tools

SQ.					
-					
			Spanner Sets & Wood Chisels	158	
			Screwdriver Sets	159-160	
			Bradawl	160	
			Hex Key Sets	161	
			Files & Rasps	162	
	145-		Bar Clamps	163	
		146	G & F Clamps	163	
		147	Quick Corner Clamps	163	
		147	Spring Clamps	163	
		148			
			Spirit Levels	164-165	
	149-	150	Measuring Wheel	166	
		150	Tape Measures	166	
		151	Squares & Rulers	167	
		151	Chalk Line & Powder	168	
			Builders Line & Rope	168	
			Stationery	169	
		152	Marxman Marking Tools	169	
		152			
		153			
		153	Riveters	170	
		153	Staplers	170	
		154	Wire Brushes	171	
		155	Levelling Tools	171	
	156-	157	Tile & Glass Scraper	171	
			• "		

Applicator Guns

172-173

157



Claw Hammer - One Piece

A high quality curved claw hammer, ideal for demanding jobs and fast nail driving. Manufactured from a single piece of hardened steel with a soft-grip handle to enhance comfort and reduce fatigue.



Claw Hammer - Fibreglass Handle



- Drop forged & heat treated for strength & durability
- Shock absorbing handle
- High strength fibreglass core for vibration resistance & increased user comfort
- Curved claw head for effortless nail & pin removal whilst increasing leverage whilst prying
- · Lightweight & balanced
- Ergonomic anti-slip grip for safety, increased user comfort & long lasting performance

Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
	E/	ACH		
468120	16	336	1	6
468121	20	336	1	6
				HAMOS

Claw Hammer



- Solid forged head for strength & durability
- 1.4mm hardened tubular shaft
- Textured grip for increased comfort & shock absorption

Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
468266	16	326	1	6 HAM05

Cross Pein Hammer



- Tempered striking faces to prevent chipping
- Precision engineered for maximum control & accuracy
- Ergonomic anti-slip grip for safety, increased user comfort & long lasting performance
- Reduced & polished head for accurate fastener driving & to prevent surface marking
- Shock absorbing handle

Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
	E/	ACH		
468122	4	299	1	6
468123	8	304	1	6
				HAM03





Brick Hammer



A premium quality brick hammer, manufactured from a single piece of toughened and hardened steel, with tempered strike faces and a soft-grip handle to reduce vibrations

- Precision ground chisel for controlled & accurate shaping of all masonry
- High strength single piece steel to maximise driving force whilst minimising user fatique
- Ergonomic anti-slip grip for safety, increased user comfort & long I asting performance

1/4	Sel .	
S		
		ı

Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	
EACH					
468124	20	317	1	6 HAM06	

Lump Hammer



A heavy duty and robust two piece lump hammer. The two piece design features a shock and break proof fibreglass handle with a hardened steel head. Ideal for demolition work and more.

- Heavy duty
- High strength fibreglass core for vibration resistance & increased user comfort
- Ergonomic anti-slip grip for safety, increased user comfort & long lasting performance
- Heat treated & tempered strike faces
- Shock absorbing handle



Product Code	Weight (lb)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	
EACH					
468125	2 1/2	269	1	6	
468126	4	292	1	4	
				ΗΔΜ04	



Mallets



A range of multi-purpose mallets, featuring solid rubber heads to deliver a firm blow with a locking and ergonomic ash wood handle which helps to prevent rebound.

- Ash wood handle for shock absorption & resistance to breaking
- Solid rubber head
- · Available in black & non-marking white rubber

Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
	E,	ACH		
	BL	.ACK		
468267	16	322	1	6
468268	24	340	1	6
468269	32	343	1	4
WHITE (NON-MARKING)				
468270	16	322	1	6
468271	24	340	1	6 HAM04

Bolsters & Chisels



Used to break and shape hard materials such as brick, block, stone and concrete. Featuring hardened and tempered strike faces for longevity and impact resistance. The heavy duty hand guards improve comfort, safety and shock resistance.





Precision ground cutting edge

Hardened & tempered strike faces

Shatter resistant

Masonry Bolster and Cold Chisel with Guard

A range of heavy duty masonry bolsters and cold chisels, manufactured from high quality carbon steel with hardened and impact resistant tips for a long working life. Featuring domed striking heads to prevent damage and heavy duty hand guards. Ideal for use on stone, brickwork, mortar and masonry.

- Hardened & tempered
- Shatter resistant
- Tough powder coating





Product	Size (mm)	Size (inch)	Pack Qty (pcs)	(packs)		
	CLIP					
	MASONRY BOL	STER				
468225	57 x 216	21/4×81/2	1	6		
468226	100 x 220	4x8½	1	6		
COLD CHIESEL						
468223	19 x 250	3/4 x 10	1	6		
468224	19 x 300	3/4 x 12	1	6		
				BOL01		

Bolster & Chisel Set

A mixed set containing three popular masonry bolsters and chisels, manufactured from high quality carbon steel with hardened and impact resistant tips for a long working life. Featuring domed striking heads to prevent damage and heavy duty hand guards. Ideal for use on stone, brickwork, mortar and masonry.






Product Code		Item	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
		вох			
	468227	-	-	3	4
		Cold Chisel	3/4 x 12	1	
		Point Chisel	12	1	
		Brick Bolster	4x8½	1	
					BOL01

Pry Bars



Utility Bar

A multi-purpose utility bar, designed to pry, lift and remove nails. Featuring dual nail pullers, extra wide chisel tips to prevent surface damage and hardened to withstand hammering.



Wrecking Bar

A range of contemporary style, hexagonal shaft wrecking bars manufactured from hardened and tempered carbon steel. Ideal for wrecking, prying and demolition jobs.



- Shatterproof steel
- · Nail remover & chisel
- · Impact resistant
- · Tough powder coating
- Forged heavy duty hex shank
- EN8D steel

Product Code	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
		CLIP		
468230	300	12	1	6
468231	450	18	1	6
468232	600	24	1	6
468233	750	30	1	6
468234	900	36	1	10 PRY02

Moulding Pry Bar

A multi-purpose moulding pry bar, for effortless removal of moulding, trimming and decorative timbers. Manufactured from hardened carbon steel with a hard wearing powder coated finish. Featuring an extra wide chisel tip to prevent damage to the surface with impact resistant tips for hammer striking.



- 2 in 1 pry bar & nail puller
- Extra wide chisel tip
- Impact resistant hardened steel
- · Tough powder coating
- EN9 Steel

			Size (inch)	Qty	Qty (packs)
			CLIP		
4	68228	250	10	1	6 PRY01







Bucket Trowel

A premium bucket trowel. Manufactured with a forged solid steel shank and an ergonomic soft-grip handle. Featuring rounded edges to prevent the trowel from digging into the bucket.





1.2

6 TWL04

468214

Brick Trowel Set

A set of premium trowels, manufactured with forged solid steel shanks and soft-grip handles. Featuring lacquered blades for quick and easy cleaning. Includes a gauging, pointing and brick trowel.





Product Code	Contents	L x W (inch)	Qty (pcs)	Qty (packs)
	PAG	CK		
468213			3	2
	Pointing Trowel	6 x 2 3/4	1	
	Gauging Trowel	7x3%	1	
	Brick Trowel	11 x 5 ½	1	

Margin Trowel Set

A set of three premium trowels. Manufactured with forged solid steel shanks and ergonomic softgrip handles with finger guards for superior user comfort and trowel control.





Product Code	Contents	Width (inch)	Pack Qty (pcs)	Carton Qty (packs)		
PACK						
468207			3	2		
	Tuck Pointing Trowel	1/2	1			
	Margin Trowel	1 1/2	1			
	Margin Trowel	2	1			
				TWL04		

Plastering Trowels



Plastering Trowel -Carbon Steel

A premium plastering trowel designed for professional application of finishing plaster. Featuring a tough and flexible carbon steel blade with an ergonomically designed soft-grip handle.





- Lacquered finish for easy cleaning
- Tempered blade for a strong working edge
- $\bullet \ \mathsf{Lightweight} \ \& \ \mathsf{tough} \\$
- Quick & easy to clean

Product Code	Length (inch)	Width (inch)	Blade Gauge (mm)	Pack Qty (pcs)	Carton Qty (packs)		
PACK							
468201	13	5	0.7	1	6		
468202	14	5	0.7	1	6		
468203	16	5	0.7	1	6		
					TWL03		

Jointing Knife

A hard wearing jointing knife, featuring a carbon steel blade and a soft-grip handle for user comfort. Ideal for applying jointing compound and filling small imperfections and holes.





 Hardened & tempered blade for superior strength

Product Code	Width (inch)	Blade Gauge (mm)	Pack Qty (pcs)	Carton Qty (packs)		
PACK						
468209	6	1.1	1	12 TWL04		

Aluminium Hawk

A premium and hard wearing aluminium hawk, manufactured from hard-rolled aluminium for strength and rigidity. Featuring an ergonomic soft-grip handle for user comfort and reduced fatique and rounded corners for safety.





- Strong & lightweight
 aluminium
- Ergonomic soft-grip handle to reduce fatique & enhance grip
- Protective hand guard for extra comfort

Product Code	Length (inch)	Width (inch)	Pack Qty (pcs)	Carton Qty (packs)			
PACK							
468274	13	13	1	6 TWI 02			

Bricklaying & Tiling Accessories



Radius Edging Trowel

A premium edging trowel with radius edging for finishing concrete bases and pads. Featuring a tough carbon steel blade with an ergonomically designed soft-grip handle and a lightweight aluminium shaft for user comfort, control and reduced fatigue. Polished for quick and easy removal of excess product.





- ½" Radius
- Solid forged steel blade
- Easy to clean laquered finish

Product Code	Length (inch)	Width (inch)	Gauge (mm)	Qty (pcs)	Qty (packs)
468208	10	4	0.75	1	12 TWL04

Brick Jointers

A range of professional brick jointers with chamfered edges for creating seamless mortar joints between bricks.





- Heavy duty
- Carbon steel
- Double sided
- Chamfered edges

Product Code	Size (inch)	Qty (pcs)	Qty (packs)
	PACK		
468215	1/2 - 5/8	1	12
468216	5/8 - 3/4	1	12
468217	3/4 - 7/8	1	12
468218	3/8 - 1/2	1	12
			TWL05





Grouting Float

A premium application float for spreading grout, which leaves a smooth and professional finish. Featuring an ergonomically designed handle for user comfort, bevelled and rounded edges to assist application.



- Solid & ergonomic handle
- Bevelled & rounded corners
- Rubber blade for a smooth finish
- Robust backing plate for long tool life

Product Code	Length (inch)	Width (inch)	Pack Qty (pcs)	Carton Qty (packs)			
PACK							
468273	9	4	1	6 TWI 02			

Adhesive Trowel - Square Notch

A high quality square notch trowel for spreading adhesives and viscous compounds, manufactured using a hardened and polished carbon steel blade for strength and easy cleaning, Ideal for tiling adhesive.



• Heavy duty steel blade

Product Code	L x W (inch)	Notch Size (mm)	Blade Gauge (mm)	Pack Qty (pcs)	Carton Qty (packs)
		PAC	CK		
468199	11 x 41/2	6	0.7	1	12
468200	11 x 41/2	10	0.7	1	12
					TWL01

Tile Adhesive Comb

NEW

A high strength tile adhesive comb with a square notched edge for fast and effective adhesive application. Featuring a stainless steel blade for easy cleaning and superior corrosion resistance.



- Stainless steel blade
- 6mm square notch
- Anti-slip handle
- Easy cleaning & corrosion resistant
- For use with tile adhesives

Product Code	Notch Size (mm)	Pack Qty (pcs)	Carton Qty (packs)			
PACK						
468272	6	1	20			
			TWI 01			







Tenon Saw

A premium 11tpi tenon saw. Featuring precision milled 2D teeth for maximum cutting accuracy. The soft-grip handle is designed to give user comfort and to maximise control during cutting.



- 2D precision teeth
- Super-soft-grip handle
- Snag resistant coating
- · Reinforced for stability
- Fine cut

Product Code	Length (inch)	Length (mm)	Per Inch (TPI)	Qty (pcs)	Qty (packs)		
PACK							
468196	14	350	11	1	10		

Tenon Saw & Mitre Box Kit

A premium 14" 11tpi tenon saw with precision milled teeth. Ideal for precise cutting wood. Includes a general purpose mitre box with $45^{\rm o}$ and $90^{\rm o}$ cutting angles.



- 2D precision teeth
- Super-soft-grip handle
- Impact & wear resistant
- Fine cut
- Reinforced for stability
- Mitre box: to cut wood up to 4³/₄" x 3" (120 x 75mm)
- Saw size: 14"
- Snag resistant coating

Product Code	Item	Clamping Capacity (inch / mm)	Pack Qty (pcs)	Carton Qty (packs)
		PACK		
468197	-	-	2	6
	Tennon Saw	-	1	
	Mitre Box	43/4x3/120x75	1	
				SAW03

Clamping Mitre Box

A multi-functional mitre box with soft-grip clamps to secure the workpiece in woodworking applications. Manufactured from high strength and wear resistant engineering plastic which features 22.5°, 45° and 90° angles for increased usability and cutting accuracy.



- Multiple cutting angle design
- Soft-grip clamps
- · High strength

Product Code	Clamping Capacity (inch / mm)	Pack Qty (pcs)	Carton Qty (packs)
	PACK		
468149	21/2 x 4/65 x 100	1	10
			CAMMOO



Plasterers Jab Saw

A premium jab saw with protective holster. Manufactured from hardened and polished 1.5mm steel for cutting through tough materials without bending. Perfect for punching through plasterboard.



- · Hardened 1.5mm blade
- 3D fast cutting teeth
- · Protective holster included

Product Code	Length (inch)	Length (mm)	Teeth Per Inch (TPI)	Pack Qty (pcs)	Carton Qty (packs)
		PAC	CK		
468198	7	175	7	1	10 SAW04

Multi-Purpose Rasp Plane

A multi-purpose rasp plane, used for flattening and shaping a workpiece. Manufactured from solid impact resistant plastic making it ideal for shaping and sanding drywall sheets, timber. foam, soft metals, fibreglass, low

density blocks and plastics. The larger size allows for two hand application for larger workpieces.

- · Strong plastic body for drop resistance & increased user comfort
- · Ergonomic handle
- · Rapid material removal
- Fine cutting steel blade
- Two handed use

Product Code	Size	Qty (pcs)	Qty (packs)
	BACKING CARD		
468150	255mm / 10"	1	12 FLE01

Heavy Duty Rasp Plane

A heavy duty rasp plane, used for flattening and shaping a workpiece. Manufactured from solid cast aluminium making it ideal for shaping and sanding drywall sheets, timber, foam, soft metals. fibreglass. low density block and plastics.



- High strength aluminium body
- Rapid material removal
- · Fine cutting steel blade
- Ergonomic grip
- · Single handed use

Product Code	Size	Qty (pcs)	Qty (packs)
	BACKING CARD		
468050	145mm/6"	1	12 FLE01

Knives & Blades

Folding Utility Knife

Compact and lightweight foldable utility knife with pack of 10 blades.



- Quick & easy release button for changing blade
- · Safety catch

Product Code	(mm)	Pack Qty (pcs)	(packs)
	PACK		
253017	60 x 19 x 0.6	1	10 BLD02

Safety Utility Knife

Retractable safety knife featuring an automatic blade system that retracts as soon as it leaves contact with the cut surface



· Blades manufactured from SK2 tool steel

Product Code	Blade Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	PACK		
253412	60 x 19 x 0.6	1	10
			RI DO2

Snap Off Utility Knife

Snap off utility knife with anti slip rubber grip handle and retractable blade. Integral storage compartment for spare blades



- Anti-slip rubber grip handle
- · Blades manufactured from SK2 tool steel

Product Code	Blade Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	PACK		
253483	100 x 18 x 0.6	1	10
			BLD02

Utility Knife Blades



to give a longer life and a sharper cut. For general purpose cutting of linoleum, Straight plastic, wood, carpet, cardboard etc. Compatible with all standard utility knives. Hooked blades with a sharp point for penetrating and cutting sheet material in particular floor coverings and plastic sheeting.

Manufactured using SK2 steel

Product Code	Туре	Blade Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
		PACK		
UBDISP	Straight	60 x 19 x 0.6	10	10
HBDISP	Hooked	51 x 19 x 0.6	10	10
		CASE		
UBCASE	Straight	60 x 19 x 0.6	100	16
	HANGI	NG DISPENS	ER	
UBHANG	Straight	60 x 19 x 0.6	50	4
UBHANG100	Straight	60 x 19 x 0.6	100	4 BLD01

Snap Off Utility Knife Blades



Snap off blades for standard retractable knives. Multiple cutting edges for longer life. Manufactured using SK2 steel to give a longer life and a sharper cut. For general purpose cutting of linoleum, plastic, wood etc.

Product Code	Blade Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	PACK		
UBSNAP9	80 x 9 x 0.6	10	10
UBSNAP18	100 x 18 x 0.6	10	10
			DI DO4

Scissors & Wire Strippers



Electricians Scissors

Heavy duty electricians scissors with micro serrated stainless steel blades for easily cutting through tough materials such as insulation materials, tapes, cable ties, wires and cables.



Tradesmans Scissors

All purpose scissors manufactured with hardened stainless steel blades for long lasting sharpness with ergonomic plastic handles for user comfort. Featuring tough ABS shatter resistant handles. Ideal for paper/card, fabric, cardboard, foam, thin plastic, roofing felt, adhesive tape and plastic cable.



Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
		PACK		
468184	91/2	240	1	6 PLR08

Cable & Wire Cutters

Premium cable and wire cutters, manufactured with hardened cutting laws capable of cutting copper and aluminium cables. Featuring soft-grip handles to reduce slipping and provide the perfect grip.





- Cuts materials up to 11mm²
- Super sharp cutting edge
- Hardened Cr-V jaws for long lasting performance
- Ergonomic soft-grip handles

Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	
PACK					
468186	8	200	1	6	



Pipe Shears & Tin Snips







Premium Pipe Shears



- cutting effortClean & straight cuttingTough & lightweight

Pipes

Product Code	To Suit Pipes (mm)	Pack Qty (pcs)	Carton Qty (packs)
В	LISTER	PACK	
468112	0-42	1	6

PLR09

Pipe Shears



Reduces Pipe Distortion



- Quickly cuts plastic pipe
- Fast cutting
 V-shaped blade

Product Code	Pipes (mm)	Qty (pcs)	Qty (packs)
В	LISTER	PACK	
468111	0-26	1	6 PLR02

Aviation Snips

Premium aviation snips, manufactured from heavy duty chrome vanadium for exceptional performance and tool life. Featuring induction hardened cutting edges to maintain sharpness and provide a clean cut. Left, right and straight cutting available individually or as a set of 3.



Tin Snips

PLR02

All purpose tin snips manufactured from hard wearing chrome vanadium, with polished and forged blades for making a variety of left, right and straight cuts. Featuring a rubberised coating for extra grip and comfort.



Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	
PACK					
468182	10	250	1	6	
468183	12	300	1	6	
				DI DOO	



Pliers, Cutters & Wrenches



General Purpose Pliers Set





A set of 3 pliers, manufactured from high grade chrome vanadium with hardened jaws and cutting edges ensuring that they stay sharper for longer. Featuring an ergonomic soft-grip handle to maximise user comfort and grip.

- · Hardened & tempered Cr-V jaws for long lasting performance
- · Precision milled teeth for maximum fastener grip
- · Precision angled blades for clean cutting & a longer tool life

Pack

Product Code	Contents	Size (inch)	Size (mm)	Qty (pcs)	Carton Qty (packs)
	P.	ACK			
468173				3	3
	Long Nose Pliers	6 1/2	165	1	
	Combination Pliers	6 1/2	165	1	
	Side Cutters	6 1/2	165	1	
					PLR04

Tradesmans Pliers Set





A set of 3 pliers ideal for professional gripping, cutting and snipping tasks. Manufactured from premium grade chrome vanadium with hardened jaws and cutting edges ensuring that they stay sharper for longer.

- · Hardened & tempered Cr-V jaws for long lasting performance
- · Precision milled teeth for maximum fastener grip
- · Precision analed blades for clean cutting & a longer tool life

D - -1

Product Code	Contents	Size (inch)	Size (mm)	Qty (pcs)	Carton Qty (packs)
		PACK			
468174				3	3
	Side Cutters	7	175	1	
	Combination Pliers	8	200	1	
	Water Pump Pliers	10	250	1	
					PLR04

Side Cutters

Premium multi-purpose side cutters, designed for snipping and cutting plastics and metals in a variety of trade and home tasks. Manufactured from high grade chrome vanadium with heat treated and hardened cutting edges ensuring that they stay sharper for longer. Featuring an ergonomic soft-grip handle to maximise user comfort and grip.



- · Cuts hard materials up to 1.6mm
- · Hardened & tempered Cr-V jaws for long lasting performance

Product Code	Size (inch)	Size (mm)	Qty	Carton Qty (packs)
		PACK		
468178	6	150	1	6 PLR01

Combination Pliers

Premium multi-purpose pliers, designed for a variety of gripping and snipping tasks. Manufactured from high grade chrome vanadium with hardened jaws and cutting edges ensuring that they stay sharper for longer





- · Cuts hard materials up to 1.6mm · Hardened & tempered Cr-V jaws for long lasting performance
 - Precision milled teeth for maximum fastener grip

Dook Corton

Product Code	Size (inch)	Size (mm)	Qty (pcs)	Qty (packs)
		PACK		
468175	6	150	1	6
468176	8	200	1	6
				PLR05

Long Nose Pliers

Premium multi-purpose long nose pliers, designed for a variety of gripping and snipping tasks in tight and difficult to reach places. Manufactured from high grade chrome vanadium with hardened jaws and cutting edges.





- · Cuts hard materials up to 1.6mm Hardened & tempered Cr-V jaws for long
 - lasting performance Precision milled teeth for maximum fastener grip

Product Code		Size (mm)	Qty	Carton Qty (packs)
		PACK		
468177	8	200	1	6
				PLR05

Water Pump Pliers

For gripping slippery surfaces, nuts, bolts and irregular objects. Manufactured from chrome vanadium for wear prevention and long life. The ergonomic handle maximises grip, prevents slipping and assists rotational force.



- Hardened & tempered Cr-V jaws for long lasting performance
- Precision milled teeth for maximum fastener grip

Product Code		Jaw Opening (mm)	Qty	Carton Qty (packs)
		PACK		
468170	8	30	1	6
468171	10	34	1	6
468172	12	40	1	6
				PI R03



Multi-Function Fencing Pliers

Multi-function pliers combining five tools into one, making them an essential tool for all fencing applications. Manufactured from high grade chrome vanadium for robustness and long lasting performance.





- 5 in 1 Cuts, Crimps, Grips, Strikes & Pries
- · Hardened & tempered Cr-V jaws
- · Precision milled teeth for maximum fastener grip
- · Anti-slip handles

Product Code	Size (inch)	Size (mm)	Qty	Carton Qty (packs)
		PACK		
468179	13 ½	340	1	6 PLR06

Professional End Cutters

Premium quality end cutting pliers. Manufactured from hardened and plated chrome vanadium for wear prevention and long working life. Featuring induction hardened tips for a long lasting sharp edge.





- 2 in 1 bevel & pincer for twisting or cutting nails, wires & rivets
- · Hardened Cr-V jaws

Product Code	Size (inch)	Size (mm)	Qty	Carton Qty (packs)
		PACK		
468188	8	200	1	6

End Cutters

Solid carpenters end cutting pliers, manufactured from hardened chrome vanadium with ground and polished jaws for high leverage and long lasting sharpness. Featuring a rubberised coating for extra grip and comfort





- · Cuts hard materials up to 1.6mm
- · Pincer head for increased cutting capacity & leverage
- · Hardened Cr-V jaws
- · Anti-slip handles

Product Code	Size (inch)	Size (mm)	Qty	Carton Qty (packs)
	ı	PACK		
468187	7	175	1	6

Adjustable Wrench

Professional adjustable wrenches manufactured from heavy duty chrome vanadium, hardened and tempered for exceptional tool life and performance. Featuring ergonomic soft-grip handles for superior user comfort, control and slip resistance.





- Heavy duty chrome vanadium steel
- Ergonomic soft-grip handle
- · High strength & durability
- · Anti-slip milled teeth
- Smooth adjustment mechanism

law Pack Carton

Product Code	Size (inch)	Opening (mm)	Qty (pcs)	Qty (packs)
		PACK		
468166	6	20	1	6
468167	8	28	1	6
468168	10	34	1	6
468169	12	38	1	6
				SPN01

Locking Pliers

Professional locking pliers with heavy duty engineered curved jaws for a superior grip on irregular and rounded surfaces. Manufactured from premium grade chrome vanadium with induction hardened teeth for maximum grip and tool life.





- Maximum jaw opening 48mm
- Heat treated locking Cr-V jaws
- Precision milled curved jaws for maximum fastener grip
- · Single handed release

Product Code	Size (inch)	Size (mm)	Qty	Carton Qty (packs)
		PACK		
468180	10	250	1	6 PLR07

Pipe Wrench

Robust and hard wearing pipe wrenches, manufactured from high grade chrome vanadium and drop forged cast iron to guarantee long tool life and exceptional performance. The precisely milled teeth create more grip as pressure is increased, reducing the chance of slipping and damage to



• Black powder-coated

Pack Carton

		(mm)		(packs)
		PACK		
468240	14	48	1	6
468241	18	70	1	3

Jaw

Bolt Croppers

Heavy duty bolt croppers, designed for effortlessly cutting through wire, chain, padlocks and bolts. Featuring adjustable hardened steel jaws with compound hinges to maximise leverage and cutting force.

Black powder-coated



Spanner Sets

Spanner Set -**Open-Ended**

A set of 8 metric open-ended spanners manufactured from high grade drop forged chrome vanadium steel.

- · High strength and durable
- Sold in reusable storage pack
- Anti-slip milled jaws
- Comfort grip
- Polished



20 x 22mm (Qty 1)					
Product Code	Pack Qty (pcs)	Carton Qty (packs)			
PA	CK				
468236	8	4			

Spanner Set -**Double Ring**

A set of 8 metric double ring spanners manufactured from high grade drop forged chrome vanadium steel.

- · High strength and durable
- · Sold in reusable storage pack
- Anti-slip milled jaws
- Comfort grip



Contents:

6 x 7mm (Qty 1), 8 x 9mm (Qty 1), 10 x 11mm (Qty 1), 12 x 13mm (Qty 1), 14 x 15mm (Qty 1),

16 x 17mm (Qty 1), 18 x 19mm (Qty 1), 20 x 22mm (Qty 1)

Product Code	Pack Qty (pcs)	Qty (packs)
Р	ACK	
468237	8	4
		CDMUS

Carton

Spanner Sets - Combination

Sets of 8 and 25 metric combination spanners manufactured from high grade drop forged chrome vanadium steel.

- High strength and durable
- Sold in reusable storage pack
- · Anti-slip milled jaws
- · Comfort grip
- Polished



Contents:

8mm (Qty 1), 9mm (Qty 1), 10mm (Qty 1),11mm (Qty 1), 13mm (Qty 1), 14mm (Qty 1), 17mm (Qty 1), 19mm (Qty 1)

Product Code	Pack Qty (pcs)	Qty (packs)
	PACK	
468238	8	4
		SPN02

Carton




Contents:

25 Piece Set (6 - 28, 30mm, 32mm)

Product Code	Pack Qty (pcs)	Qty (packs)
P/	ACK	
468239	25	4 SPN02

Bevel Edge Wood Chisels & Sets







Set of 7

Sharpening stone included

Product Code	Contents	Qty	Carton Qty (packs)
	SET OF 3		
468248	12mm (Qty 1), 19mm (Qty 1), 25mm (Qty 1)	3	3
	SET OF 7		
468249	6mm (Qty 1), 12mm (Qty 1), 19mm (Qty 1), 25mm (Qty 1), 32mm (Qty 1), 38mm (Qty 1), Oilstone (Qty 1)	7	5



(pcs) (packs)











вох

Slotted: 3 x 75mm,

5 x 100mm, 6.5 x 125mm Phillips: PH0 x 75mm, PH1 x 100mm, PH2 x 125mm

	Product Code		(pcs)	(packs)
		вох		
468130				6 SDR01











Slotted: 3 x 75mm, 5 x 100mm, 6 x 150mm

Phillips: PH0 x 75mm, PH1 x 100mm, PH2 x 150mm

Pozi: PZ1 x 100mm, PZ2 x 150mm

	Product Code		(pcs)	(packs)
		BOX		
468131			8	6 SDR01









Slotted: 5 x 38mm, 6 x 38mm, 3 x 75mm, 5 x 100mm, 6 x 150mm

Phillips: PH2 x 38mm, PH0 x 75mm, PH1 x 100mm, PH2 x 150mm.

	Product Code		(pcs)	(packs)
		BOX		
468132				
				SDR01

Magnetic Tips

For ease of use in hard to reach spaces

S2

For toughness & resistance to chipping prolonging tool life & preventing fastener damage





Ergonomic Handle

Designed with finger & thumb indents for increased user comfort whilst driving, allowing for maximum torque

Anti-Slip Grip

Rubberised for slip prevention & to maximise user comfort



Stubby Screwdriver Set

A set of premium stubby screwdrivers manufactured with hardened and tempered S2 tool steel blades for extra strength and durability with reduced blades and handles making them ideal for working in tight areas.



- · Hard wearing ground tips for optimal fastener driving
- · Ergonomic handles for controlled & comfortable grip
- · Magnetic tips to assist with installation
- · High fastener driving torque



Slotted: 4 x 38mm, 5.5 x 38mm.



Phillips: PH1 x 38mm, PH2 x 38mm.



Pozi: PZ1 x 38mm, PZ2 x 38mm.

	Product Code	Pack Qty (pcs)	Carton Qty (packs)
		PACK	
468133		6	6

Ratcheting Screwdriver & Bit Set

A ratcheting handle screwdriver with assorted driver bits and hex sockets. Featuring a soft-grip ratchet handle with adjustable angle control.



- · Adjustable angle handle for dual driving function
- Precise ratchet mechanism
- Comfort grip
- Magnetic tips



- Pozi: PZ0, PZ1, PZ2, PZ3.
- Phillips: PH0, PH1, PH2, PH3. **TX Drive:** TX10, TX15, TX20, TX25, TX27, TX30.
- **Slotted:** 3mm. 4mm (x2). 5mm (x2). 6mm. 7mm.
- **HX:** H3, H4, H5, H6. Square: S0. S1. S2. S3.



⁷/16"

Metric Sockets: 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm. 25mm 1/4" to Square Adaptor, 60mm Bit Adaptor, Ratchet Screwdriver.

	Product Code	Pack Qty (pcs)	Carton Qty (packs)
	PACK		
468136		46	6 SDR01

Precision Screwdriver Set

A set of premium precision screwdrivers, manufactured with hardened and tempered S2 tool steel blades for extra strength and durability



- · Hard wearing ground tips for optimal fastener driving
- Magnetised tips & rotating handle ends
- · Ergonomic handles for controlled & comfortable grip



Slotted: 1.5 x 50mm. 2.0 x 50mm. 2.5 x 50mm, 3.0 x 50mm.



Phillips: PH00 x 50mm, PH0 x 50mm.

	Product Code		Pack Qty (pcs)	Carton Qty (packs)
		PACK		
468134			6	12
				SDR01

Precision Screwdriver & Bit Set

A precision screwdriver with interchangeable driver bits, manufactured from hardened and tempered chrome vanadium for extra strength and durability.



- · Ergonomic anti-slip grip handle
- · Hardened driver bits for strength & durability
- · Rotating handle ends



Phillips: PH000, PH00, PH0, PH1.



Slotted: 2mm, 2.5mm, 3mm.



HX: H0.7, H0.9, H1.3, H1.5, H2. 100mm Extension

Product Pack Qty Carton Qty Code (pcs) (packs) 468135 18 12 SDR01

Bradawl

A robust and hard wearing bradawl, manufactured from high grade alloy steel for strength and durability. Featuring a soft-grip handle for user comfort and slip resistance.



- Super sharp round point
- Ergonomic soft-grip handle to increase user comfort
- Robust & hard wearing





Product Code	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
		PACK		
468137	75	3	1	12





T-Handle Hex Key Set

 $A \, set \, of \, T-handle \, metric \, hex \, keys, \, manufactured \, from \, hard \, wearing \, chrome \, vanadium \, with \, soft-grip \, handles. \, The \, T-handle \, shape \, allows \, for \, high \, torque \, during \, fastener \, driving \, with \, better \, user \, comfort.$



Hex Key Keyring Set

A set of metric hex keys on a convenient keyring. Manufactured from hardened steel with black oxide coating for rust prevention.



- Hard wearing ground tips, milled to maximise purchase & prevent cam-out
- Black oxide coated for rust protection

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
468219	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0	8	12 SDR03

Long Arm Ball End Hex Key Set

A set of metric hex keys, manufactured from high grade alloy steel for strength and durability. Featuring a standard hex head and ball end for better fastener driving at an angle and a long shaft for increased rotational torque.



- Precision ground tips, milled to maximise purchase & prevent fastener damage
- · Long shaft for greater rotational torque
- Corrosion resistant plating



Ball End allows for easy rotation in hard to access areas

Pack Carton Qty Qty (pcs) (packs)

Product Code	Contents	Qty (pcs)	Qty (packs)
	PACK		
468221	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0	9	6 SDR03

Long Arm TX Drive Key Set

A set of metric TX drive keys, manufactured from high grade alloy steel for strength and durability. Featuring a long shaft for increased rotational torque with precision ground tips to prevent fastener damage.



- Precision ground tips, milled to maximise purchase & prevent fastener damage
- Long shaft for greater rotational torque
- Corrosion resistant plating
- TX drive

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
	PACK		
468222	TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50	9	6

Files & Rasps



File Cleaning Brush See page 171

File & Needle File Set

A set of files and precision needle files, manufactured from hardened high grade steel. Ideal for general purpose and delicate metal fabrication and sharpening. Featuring soft-grip, anti-slip handles for user comfort. Supplied in a tough canvas protective case.




File & Rasp Set

A set of files and rasps, manufactured from hardened high grade steel. Featuring soft-grip, anti-slip handles for user comfort. Supplied in a tough canvas protective case.



Needle File Set

A set of needle files, manufactured from hardened high grade steel for professional tool life and performance during precision and delicate work. Featuring soft-grip handles for user comfort. Ideal for shaping metal, stone, ceramics, glass and other hard materials.




		SERVICE SERVICE
ontains:		24222
Round	Half Round	TYPYYY
Triangle	Flat Square Equalling	
Product Code	Contents	Pack Carton Qty Qty (pcs) (packs)
	PACK	
468252	Round (Qty 1), Half Round (Qty 1), Flat Square (Qty 1), Triangle (Qty 1), Equalling (Qty 1), Square (Qty 1)	6 10

Rasp Set

FI FO2

A set of three double sided rasps, manufactured from hardened high grade steel for long tool life. Ideal for shaping and finishing timber in carpentry applications such as cabinets and furniture making. Featuring soft-grip handles for user comfort and uniform tooth height to maximise material removal and finish. Supplied in a tough carvas protective case.



Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
	PACK		
468253	Flat (Qty 1), Round (Qty 1), Half Round (Qty 1)	3	3
			FLE02

Clamps



Quick Change Bar Clamp

A heavy duty single handed bar clamp and spreading tool. Ideal for assisting the support of materials during heavy gluing and clamping applications. With non-marking full face pads to distribute pressure evenly to reduce the risk of damage to the workpiece.



• 2 in 1 Clamps & Spreads

grip handle

• *Up to 135kg Clamping Force

N	F١	N	SI	7	F	
	_	•	\sim	-	_	

Product Code	Length (mm)	Clamping Capcity (inch / mm)	Force (kg)	Qty (pcs)	Qty (packs)	
	QUICK	CHANGE	BAR CLA	MPS		
468138	300	12/300	135	2	6	
468139	450	18/450	135	2	5	
468140	600	24/600	135	2	4	
468437	900	36/900	135	2	6	
MINI BAR CLAMPS						
468141	150	6/150	70	2	6	
468142	300	12/300	70	2	6	
* Up to 70kg for Mini Bar Clamps						

Heavy Duty Quick Change Bar Clamp

An engineered extra heavy duty bar clamp and spreading tool. Designed to withstand the toughest of clamping and spreading tasks with more than twice the clamping force (300kg) of a traditional bar clamp.



- Single-handed quick release
- Reinforced strong engineered plastic body
- Extended full face parallel cushioned grip pads
- Non-slip hardened steel bar with I-beam construction for added strength
- 2 in 1 tool-free change from clamp to spreader
- Adjustable foot for work bench convenience

Product Code	Size Length (mm)	Clamping Capcity (inch / mm)	Clamping Force (kg)	Pack Qty (pcs)	Carton Qty (packs)
		PACK			
468647	450	18/450	300	1	6
468332	600	24/600	300	1	6
468015	900	36/900	300	1	6
					CL NADA

Quick Corner Clamp Set

For quick and effortless single-handed clamping of boards and frames with a maximum clamping force of 25kg per clamp. Ideally used as a mounting aid while assembling shelves, cupboards and frames.



- · Quick and easy
- Reinforced strong engineered plastic body
- Clamping force up to 25kg per clamp
- · Anti-pinch design
- · Adjustable clamping capacity, 2-26mm
- Non-slip screw mechanism

Product Code	Size Length (mm)	Clamping Capcity (inch / mm)	Force (kg)	Qty	Carton Qty (packs)
		PACE	(
468846	26	1/26	25	4	10 CLM04

F Clamp

Heavy duty F clamps with super soft-grip handles for ergonomic and comfortable use. Featuring a hardened slip resistant steel bar with solid jaws to provide a maximum clamping force of 270kg. Featuring soft plastic protective jaws to help prevent damage to the workpiece.



	Product Code	Size Length (mm)	Clamping Capcity (inch / mm)	Pack Qty (pcs)	Carton Qty (packs)
			ACK		
4	68143	150	6/150	1	20
4	68144	300	12/300	1	20
4	68145	500	20/500	1	10
4	68058	800	32/800	1	10
_					CL MO2

G Clamp

Extra heavy duty, cast iron G clamps. Featuring strong threaded steel spindles and extra tough powder coating for corrosion resistance.



Clamping Pack Carton Product Size Size Qty Qty Code (inch) (mm) (kg) (pcs) (packs) 3 x 1 ¾ 468147 4x2 100 x 50 470 6

Spring Clamp Set

A heavy duty and hard wearing spring clamp set, manufactured from resin infused plastic and using high sprung steel for super strong clamping up to 15kg



 Ergonomic comfort grip handle
 Heavy duty

gripper pads

Solid plastic body

 Clamping Pack
Product Force Qty

 Code
 Contents
 (kg)
 (pcs)
 (packs)

 PACK

 468148
 2* (Qty 2), 2.5* (Qty 2)
 12/15
 4
 10

 CLM04

Carton



Precision Magnified Vials

Precision vials ensure clear visibility from distance or low light environments

Dual Milled Surfaces



E 0

Soft-Grip Handle

5x Stronger Robust **Aluminium Frame**

High strength & durable powder coated profile

Μοι	ılded	rubber	end ca	ps&	
rein	force	d vials	protect	agai	nst
dro	p and	shock	damag	е	



Super Strong Magnets

Rare earth magnets provide a 2x stronger hold



Highly **Accurate**

+/- 0.5mm per metre

Product Code	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
		EACH		
468159*	400	16		10
468160	600	24		10
468161	900	32		10
468162	1200	48		10
468163	1800	71		10
	ET OF 4			
	225,600,			

*Vertical viewing window not included

LEV03

Professional Toolbox Spirit Level




A premium quality 9" toolbox level, manufactured using robust aluminium and shock proof end caps with V-grooved milled surfaces for guaranteed accuracy. Featuring three premium encased vials to maximise performance, lifespan and visibility.

Product Code	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
		PACK		
468152	225			10 LEV03



Box Spirit Levels

A strong and lightweight aluminium box level, ideally suited for measuring and levelling in carpentry, electrical installing, bricklaying and many other trade and DIY applications.



Toolbox Spirit Level

A tough 9" toolbox level, made from solid hard wearing plastic. Features three vials for use at multiple angles with a magnetic base. Ideal for tight and cramped spaces.



- Tough & lightweight body
- Magnetic base
- 3 vials
- +/- 1mm/m accuracy

Scaffold Spirit Level

A hard wearing and impact resistant scaffolder's level, manufactured from a solid steel body with protected and shock resistant vials. Featuring rare earth magnets for 2x stronger hold and a milled face for maximum accuracy, making it ideal for use with metal pipework and scaffolding.



- Die-cast aluminium body for maximum durability
- Impact & shock proof
- Magnetised with rare earth magnets for 2x magnetic power
- Magnified vials for easy visibility
- Solid block vials for shock resistance
- Precision engineered for +/- 0.5mm/m accuracy

Product Code	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)		
EACH						
468153	250	10	1	10 LEV04		

Post Level

A tough and solid plastic post level. Designed for quick and easy levelling of fence and gate posts, structural steel and timber and other vertical applications. Includes two horizontal vials with an elasticated band and magnetic plates for handsfree use.



- Magnetised
- Three vials
- Convenient & lightweight
- Robust solid plastic frame
- For use with timber, metal or concrete posts
- Elasticated for hands free levelling



Product Length Code (mm)		Length (inch)	Qty (pcs)	Qty (packs)				
	BACKING CARD							
468165	125	5	1	10				
				LEV04				


Product Code	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)			
EACH							
468151	225	9	1	10			
				I FV01			



Tape & Wheel Measures

Measuring Wheel - Digital

A strong and portable measuring wheel with digital read out. The lightweight aluminium frame features telescopic sections for portability and easy storage. Includes an integrated stand and carry case.



Open Reel Tape Measure

A heavy duty and robust open reel tape measure, constructed from high strength shock resistant plastic and a 50m anti-stretch fibreglass tape with metric and imperial measurements. Features a soft-grip handle with rubberised edges, high speed winding mechanism and integrated ground spike.



- Anti-stretch & easy clean
- 3x faster winding compared to a standard open reel tape measure
- Built-in ground spike
- Metric & imperial scales
- Drop resistant body
- Class 3 accuracy

Product Code	Size (m x mm)	Qty	Carton Qty (packs)
	CLAMSHELL		
863987	50 x 13	1	12 TME06

Closed Reel Tape Measure

A professional closed reel tape measure, featuring a robust and soft-grip case, 30m stretch resistant fibreglass tape and geared mechanism for 3x faster winding.



- 30m stretch resistant fibreglass tape
- 3x faster winding compared to a standard closed reel tape measure
- $\bullet \ \mathsf{Shock} \, \& \, \mathsf{drop} \, \mathsf{proof} \,$
- Non-conductive fibreglass tape
- Metric & imperial scales
- Class 3 accuracy
- Product Code
 Size (m x mm)
 Product Qty Qty (pcs) (packs)

 CLAMSHELL

 863654
 30x13
 1
 6

 TMED6

Tape Measure

Trade quality tape measure with a locking button, strengthened belt clip, hand strap and a 25mm nylon coated blade to provide a convenient standout in excess of 2.3m. Class 2 accuracy and MID 2006 compliant for precise measuring in either metric or imperial units.



- Class 2 accuracy
- MID Certified
- Locking button
- Strengthened belt clip
- Hand strap
- Metric & imperial scalesStand out in excess
- of 2.3m

Product Code	Size (m)	Qty (pcs)	Qty (packs)
	PACK		
5MTAPEM	5	1	6
8MTAPEM	8	1	6
			TMF06



Squares & Rulers

Combination Square

A robust and precision engineered square with metric and imperial scales. Features 45° and 90° angles with a built in level vial and scribe. Predominantly used in woodworking, metalworking and stone masonry.

5 in 1 Try & Mitre Square, Depth & Height Gauge, Spirit Level



- Maximum accuracy
- Built-in scribe
- Standard head for marking 45° & 90° angles
- $\bullet \ \mathsf{Precision} \ \mathsf{milled} \ \mathsf{mechanism} \ \mathsf{for} \ \mathsf{smooth} \ \mathsf{operation}$
- Etched & indented scales for durability
- Stainless steel blade & zinc alloy body

Product Code	Size (mm)	Accuracy (mm)	Qty	Carton Qty (packs)		
BACKING CARD						
863963	300	±0.25	1	6 TME05		

Try Square

A robust and lightweight aluminium try square with metric and imperial scales. An essential tool for woodworking, featuring a precision engineered 90° angle for accuracy. Silver anodised for corrosion resistance and scratch protection with laser engraving easy legibility.



- · Solid aluminium
- Maximum accuracy
- · Etched scales for durability
- · Metric & imperial scales

Product Code	Size (mm)	Accuracy (mm)	Qty	Carton Qty (packs)			
CLIP							
863852	250	±0.30	1	10			
				TME05			

Triangular Scale Ruler NEW

A professional scale ruler made from lightweight, super strong aluminium. The 6 scales allow for easy conversion of drawings and measurements. Ideal for engineers, architects or draftsmen.



Product Code	Size (inch)	Size (mm)	Accuracy (mm)	Qty	Carton Qty (packs)		
BACKING CARD							
863468	12	300	±0.15	1	20 TME03		

Steel Ruler & Fixings **Gauge and Ruler**

A highly accurate steel ruler, suitable for a variety of tasks. Featuring a stainless steel blade with class 2 metric and imperial measurement scales. A multi-purpose stainless steel ruler and fixing measurement gauge. Designed specifically to identify the length, gauge and head size of metric and imperial fasteners.

> • Stainless steel · Etched scales



Product Code	Size (inch)	Size (mm)	Accuracy (mm)	Qty (pcs)	Qty (packs)
		WALL	ET.		
863741	12	300	±0.15	1	10
863123	24	600	±0.20	1	10
863456	40	1000	±0.20	1	10
863227	12	300	±0.20	1	10
					TME03


Framing & Carpenter's Square

A long armed solid steel measuring square,

manufactured for precise metric and imperial measurements. Suitable for various carpentry applications including cabinetry and laying out hips, rafters and staircases.



- · Precision engineered
- · Metric & imperial scales



Rafter Square

A lightweight and precise triangular square. This multi-purpose square combines the functions of a try square, combination square and framing square in one. Featuring a 0° to 90° protractor scale for use as a saw guide with embedded degree markings for easy legibility.



- 3 in 1 combination square, try square & protractor
- · Maximum accuracy
- · Durable etched scales for ease of visibility
- Calculate angles of roof frames quickly & easily
- · Built-in notches for scribing
- Robust aluminium frame

Product Code	Size (mm)	Accuracy (mm)	Qty	Carton Qty (packs)
	BACKI	NG CARD		
863554	300	±0.25	1	8 TMF05





Blue Polypropylene Rope



General purpose rope suitable for towing, mooring, barrier rope, lorry tie, agricultural and industrial uses. Also used as a cable draw cord. Ideal for all general purpose building use.

Winder



Short & Long Coil



1
Wagon Rope

Product Code	Ø x Length (mm x m)	Working Load (kg)	Break Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		WIN	IDER			
BR330W	3.0 x 30	12	70	1	50	450
BR620W	6.0 x 20	60	350	1	30	240
BR815W	8.0 x 15	100	600	1	20	120
BR1010W	10.0 x 10	160	980	1	18	144
		SHOR	T COIL			
BR630C	6.0 x 30	60	350	1	24	96
BR830C	8.0 x 30	100	600	1	16	144
BR1030C	10.0 x 30	160	980	1	12	48
BR1230C	12.0 x 30	220	1570	1	8	32
		LONG	G COIL			
BR6220C	6.0 x 220	60	350	1	4	-
BR8220C	8.0 x 220	100	600	1	2	-
BR10220C	10.0 x 220	160	980	1	-	-
BR12220C	12.0 x 220	220	1570	1	-	-
						ROP01
		WAGO	N ROPE			
767711	9.0 x 27	333	900	1	12	96 ROP02

Builders Line

Ideal for staking sites prior to concreting, landscaping or bricklaying. Used as guidelines for building & landscaping.



Tube & Winder Tube

Produc	t Code	Locath	Pack	Carton
Pink	Yellow	Length (m)	Qty (pcs)	Qty (packs)
	JBE & WINDER			
PBL100W	YBL100W	100	1	30
TUBE ONL				
PBL100T	YBL100T	100	1	30

Stationery



Carpenters Pencils

Broad design for easy grip and wider marking on rough surfaces.

- Rectangular shape won't roll away on an inclined surface



Code		(pcs)	(packs)
	TUBE		
863946		12	40
	DISPLAY BOX		
863223		72	20

Builders Permanent Markers

For use on multiple materials including cardboard, paper, plastic, glass, tile, metal, masonry and wood.



- Vivid colour
- · Low odour
- · Non-toxic ink
- · Erases cleanly & easily

Product Code	Colour	Tip Type	Pack Qty (pcs)	Carton Qty (packs)
	BLISTER	PACK		
736111	Black	Fine	2	12
736222	Black	Chisel	2	12
736333	Black	Fine & Chisel	2	12
	BO			
736444 BI	ack, Red, Blue & Green	n Fine	4	12

Whiteboard Markers

Whiteboard marker pens are manufactured using non-toxic, low odour and easy to erase ink.



- Vivid colour
- · Quick drying
- Water & UV resistant

Product Code	Colour	Tip Type	Qty	Carton Qty (packs)
	ВОХ			
736555	Black, Red, Blue & Green	Fine	4	12 PEN02

PROFESSIONAL MARKING TOOL

Carton

TME02









MARKS A FIXING POINT THROUGH FITTINGS, **FIXTURES & BATTENS**







Riveters



Hand Riveter



A robust steel hand riveter, with a soft-grip handle for user comfort.

Ideal for DIY and professional use such as engineering, mechanics, roofing construction and more.

- Powder coated for a long lasting & durable finish
- Soft-grip handle for user comfort
- 4 interchangeable nosepieces
- Nosepiece spanner included

Product Code	To Suit Rivets (mm)	Qty	Carton Qty (packs)
	BOX		
784555	3.0, 3.2, 4.0 & 4.8	1	10

Lazy Tong Riveter



A heavy duty riveter designed for repetitive work. During installation the lattice mechanism increases driving force, reducing work time and effort. Ideal for professional use such as engineering, mechanics, roofing construction and more.

- Lattice mechanism increases driving force
- 5 interchangeable nosepieces
- Nosepiece spanner included
- Powder coated for a long lasting & durable finish

Product Code	To Suit Rivets (mm)	Qty	Qty (packs)
	ВОХ		
784101	3.0, 3.2, 4.0, 4.8, 6.0 & 6.4	1	10 RVG01

Staplers









An all steel light duty staple gun, ideal for most professional and DIY applications. Suitable for use with light duty staples.

- \bullet Pinch point free design for safe & comfortable grip
- Convenient rear loading magazine
- Also compatible with Type 53, JT21 & A-Type staples

Product Code	Staple Size (mm)	Qty	Carton Qty (packs)
	BLISTER PACK		
370505	6-10	1	4
			EST01

Heavy Duty Stapler



An all steel professional staple gun, ideal for heavy duty applications. Suitable for use with heavy duty staples.

T50

- Adjustable staple depth controller for greater flexibility
- Convenient bottom loading magazine
- Also compatible with Type 140, T50 & G-Type staples

Product Code	Staple Size (mm)	Qty	Carton Qty (packs)
	BLISTER PACK		
370321	6-14	1	6 FST01

Hammer Tacker



A heavy duty and durable all steel constructed hammer tacker. Ideal for applications requiring rapid and effortless staple installation such as roofing membrane. Suitable foruse with heavy duty staples.

- Anti-slip soft-grip handle for user comfort
- · Complete with convenient rear loading magazine
- Also compatible with Type 140, T50 & G-Type staples

Product Code	Staple Size (mm)	Qty	Carton Qty (packs)
	BLISTER PACK		
370987	6-10	1	10 EST01



Wire Brushes



Wooden Handle Wire Brush



Ideal for the professional user when preparing surfaces to remove paint, rust, scale, grout or dirt.

Stainless steel reduces contamination of the base material

Product Code		Material	Qty	Carton Qty (packs)
		вох		
3SBHD	3 x 18	Steel	1	10
4SBHD	4 x 18	Steel	1	10
3SBSS	3 x 16	Stainless	1	10
4SBSS	4 x 16	Stainless	1	10
	ITH S	CRAPER	- BO	
488BHD	/ v 18	Stool	1	10

WBR01

Plastic Handle Wire Brush



A moisture and chemical resistant ergonomic handle.

Ideal for the professional user when preparing surfaces to remove paint, rust, scale, grout or dirt.

Product Code	No. of Rows	Material	Qty	Carton Qty (packs)
		вох		
4SBP	4 x 15	Steel	1	10
6SBP	6 x 15	Steel	1	10
				WBR01

File Cleaning Brush



For cleaning embedded filings from both wood and metal files.

Product Code		Material	Qty	Carton Qty (packs)
		вох		
FCB	110 x 40	Steel	1	10 WRR01

Wire Hand Brush



A high density wire brush with an ergonomic plastic handle. Ideal for a more aggressive removal of paint, rust, scale, grout or dirt. Sold in three brush types to suit a variety of applications.

Product Code Mater	Qty rial (pcs)	Qty (packs)
В	OX	
RWHB Stee	el 1	12
BWHB Stainless	Steel 1	12
YWHB Bras	s 1	12 WBR01



Air Wedge



A strong inflatable air bag that saves time during the fixing and levelling of internal doors, door frames, double glazed windows and external door frames.

Simply place frame into position, slide the deflated wedge into gap and inflate gently, trapping the frame in position allowing fixings to be installed.

Multiple additional uses including lifting and levelling of heavy furniture, washing machines, fridge freezers, kitchen units, water tanks, etc. prior to permanent fixings or levels being installed. Essential problem solving piece of kit for those working alone.

Product Code	Max. Rec. Load (kg)	Qty	Carton Qty (packs)
	EACH		
744101	150	1	30 SHI04

Glazing Shovel



Glazing shovels are mainly used during the professional installation of glazing units to toe and heel in order to prevent dropping and dragging. The shovel is manufactured from High Impact ABS (Acrylonitrile Butadiene Styrene) for outstanding impact resistance.

They are also used to correctly locate glazing and wedge packers.

Product Code	Length (mm)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
	Ε	ACH		
744665	260	68	1	25 SHI03

Tile & Glass Scraper



Perfect for the easy removal of dirt, excess adhesives, sealants and grout from tiles and glazing. Supplied with replaceable blades. Complete with blade guard.

Product Code	Blade Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
	BLISTER	PACK	
253258	100	1	6
			BLD03

Applicator Guns

Professional Foil & Cartridge Applicator Gun



- · Long life & Fast flow · Comfort grip
- Lightweight
- Non-drip



ASA01

Foil & Cartridge **Applicator Gun**



- · Powder coating
- Fast flow & Non-drip
- · Quick release
- · Lightweight

	•	
Product Code	Pack Qty (pcs)	Carton Qty (packs)
	вох	
222378	1	12

ΔSΔ01

Foil Applicator Gun **Nozzles**



Manufactured from a 100% recyclable hard wearing material. Designed to form an air tight seal with the foil to prevent premature product expiration. When replacing foils of the same product. the same nozzle can be reused to reduce nozzle and product wastage.

	Product Code		Qty	Carton Qty (packs)	Qty
		BAG			
732845			6	5	400 ASA02

Professional Resin Gun



- Twin 5mm gripper plates providing four point contact with the plunger rod
- · Non-drip mechanism

Product Code	Pack Qty (pcs)	Carton Qty (packs)
Р	ACK	
DECIMOUN	- 1	10

ASA01

Professional Sealant Gun




- With a convenient hook end for hanging
- Swivel action barrel for easy application into tight corners
- · Patented non-drip mechanism

	Pack	Carton
Product Code	Qty (pcs)	Qty (packs)
	PACK	
PROGUN	1	12 ASA01

Skeleton Gun



- 2.3mm strengthened side plates and a 6mm gripper plate
- · Convenient hook end for hanging
- · Riveted front cap for reinforcement and integrated cleaning pin



PU Foam **Applicator Guns**



Professional PU Foam Applicator Gun



- · Excellent flow control
- Lightweight
- Hard wearing PTFE coated internal components

u nozzies for small gaps.				
Product Code	Pack Qty (pcs)	Carton Qty (packs)		
	вох			
783113	1	20		

ASA01

PU Foam Applicator Gun



- · Heavy duty steel body
- Stainless steel non-blocking valve
- Polypropylene hand grip
- · Lubricated trigger

Pack Carton Product Qty Code (pcs) (packs)

783556 20

Economy PU Foam Applicator Gun



- Constructed from lightweight plastic
- Steel barrel and brass needle
- · Ergonomic grip
- Stainless steel internals and non-return valve

	Product Code	Pack Qty (pcs)	Carton Qty (packs)
		BAG	
	783992	1	36

ASA01



ENR297324

ENR297331

ENR297409

ENR083071

ENR295634

ENR248357

*Source Nielsen global Scan-latest 52 weeks ending July 2019 ©2020 Energizer. Energizer, the Energizer Character design, and certain graphic designs are trademarks of Energizer Brands, LLC and related subsidiaries.

Alkaline Power C E93

Alkaline Power D F95

Alkaline Power 9v 522

Alkaline A76/LR44 Coin

Alkaline LR1/E90

Lithium CR2032 Coin

С

D

A76

LR1/E90

CR2032

2

2

FNG 01



Brushes & Rollers

Painting & Decorating

Painting Accessories Professional Roller Frame 178 Paint Roller Extension Poles 178 Mini Roller Frames 178 Roller Plastic Trays 178 Paint Scuttles 178 Paint Kettle 178 **Preparation & Finishing** Protective Films 179 **Dust Sheets** 179 Plastic Sheets & Accessories 180 **Decorators Knives Set** 181 181 Stripping Knife Surface Preparation Filling Knives Set 181 **Fillers** 181 Instant Paintable Caulk 182 **Acrylic Caulks** 182 Tile & Glass Scraper 182

Sealant Remover & Profiler Sets

182

Cleaning Professional Synthetic Paint Brushes 175 Paint Panther Paint & Varnish Remover 183 **Contractors Paint Brushes** 175 Sugar Soap 183 Masonry Paint Brushes 175 White & Methylated Spirits 183 Multi-Purpose Block Brush 176 Paint Brush Cleaner 183 **General Purpose Brushes** 176 Low Odour Turps Substitute 183 Mini Rollers 176 Jumbo Sponges 184 **Professional Rollers** 177 **Wipes** 184 Masonry & Contractors Rollers 177 Rolls, Rags & Cloths 184



Brushes & Rollers



Contractors Paint Brushes



A high quality paint brush featuring thick bevelled bristles for good paint holding, even dispersion and ease of cutting in. It includes a traditional shaped handle for user comfort.

- · For use with all paints & varnishes
- · High paint loading for good coverage
- · Shock absorbing handle
- Mix of synthetic & natural bristles
- · Smooth paint release
- Ergonomic handle for better comfort & control



Paint brushes are available in Sets of 5 or 10

Product Code			Qty	Qty (packs)
Р	LAST	IC HE	ADE	R
720074	25	1	1	12
720080	38	1 1/2	1	12
720333	50	2	1	12
720158	63	2 1/2	1	6
				PAI02



	Contents	Set of 5	Carton Qty (packs)
inter.	CLAN	4SHEL	L
网络	Product Code	720737	6
SEC.	1"/25mm	1	
44.6	1"/28mm	-	
	1 ½"/38mm	2	
	2"/50mm	2	
	3"/75mm	-	

ton ty cks)	Contents	Set of 10	Carton Qty (packs)
	CLA	4SHEL	L
6	Product Code	720579	6
	1"/25mm	-	
	1"/28mm	3	
	1 ½"/38mm	3	
	2"/50mm	3	
	3" /75mm	1	

Masonry Paint Brushes

A high quality paint brush featuring robust and hard wearing bristles for exceptional paint loading, spreading and long life. Suitable for painting on all rough textured surfaces.



- · For use with all paints on semi-rough & rough surfaces
- · Exceptional paint loading & spreading
- · High quality natural and synthetic mixed bristles
- Easy to clean plastic handle



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
	PLAST	IC HEADER		
720002	100	4	1	10
720681	125	5	1	6
				PAI02

Multi-Purpose Block Brush

A high quality paint brush featuring robust and hard wearing bristles for exceptional paint loading, spreading and long life. Suitable for painting on all rough textured surfaces.



- 100% Synthetic bristles for optimum pick up & release
- Attached bucket hook



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
	HEAD	DER CARD		
720773	140 x 40	5½ x 1½	1	6

General Purpose Brushes

A range of an economic & general purpose brushes for applying adhesives, sealing agents and a variety of other liquids.

The Economy General Purpose Brush features an ergonomic wooden handle, the General Purpose Brush features an easy to clean plastic handle. Both have stainless steel ferrules.



- For use with stains, adhesives, resins & other woodcare products & treatments
- 100% pure lily bristles
- Good all around compatibility

Product Code	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
	UN	IT		
EC	CONOMY G	ENERAL PU	RPOSE	
	- WOOI	DEN HANDL	.E	
720910	13	1/2	1	12
720384	25	1	1	12
720667	38	1 1/2	1	12
720409	50	2	1	12
720671	75	3	1	12
720385	100	4	1	12
GENE	RAL PURPO	SE - PLAST	IC HAN	DLE
720992	13	1/2	1	12
720050	25	1	1	12
720441	38	1 1/2	1	12
720690	50	2	1	12
720374	75	3	1	6
720523	100	4	1	6
			04100	



Foam Mini Roller Sleeve Refills

A set of high density foam mini roller sleeves for achieving a supreme finish on flat surfaces. They can achieve a perfectly smooth or textured finished when painting. Compatible with $4^{\prime\prime}$ (100mm) paint roller systems.







Foam Sleeve

Highly absorbent foam allows for greater paint pick-up which will allow a larger surface area to be covered.

- For use with gloss, primer, varnish & all oil & solvent-based paints on flat surfaces
- Smooth bubble-free finish
- Guaranteed no fibre loss
- High density superfine foam

Product Code			Core Ø (mm / inch)		Qty	Carton Qty (packs)
			BAG			
720879	100	4	6mm/1/4"	12	10	10 PAI01

Professional Mini Roller, Frame & Tray Set

A set of 2 roller sleeves, a professional mini roller frame and tray. Including a professional woven



acrylic sleeve and a hi-density foam roller sleeve for a perfect finish on a variety of surfaces.

- Professional coverage & finish
- Woven fabric & superfine foam sleeves





& water-based paints on smooth & semirough surfaces



For gloss, primer, varnish & all oil & solvent-based paints on flat surfaces

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
	BAG - SET OF 4		
720010		4	10
	Professional Mini Roller Sleeve Refill	1	
	Mini Foam Roller Sleeve Refill	1	
	Mini Roller Frame	1	
	Mini Plastic Roller Tray	1	
			PAI01




Professional Roller, Frame & Tray Set push and screw fit handle and tray 12mm Medium Pile Allows for faster coverage onto smooth surfaces with minimal splatter Professional coverage & finish **Excellent** paint Pack Carton Product Code Qty Qty (pcs) (packs) pick up Contents For use with BAG - SET OF 7 emulsion & 720238 water-based Professional Roller Sleeve Refill paints on smooth Professional Roller Frame & semi-rough Plastic Roller Tray surfaces

Masonry Mini Roller & Masonry Roller **Refill Sleeves**

Long and thick pile roller sleeves designed for higher paint pick up and maximum surface coverage. Made from acrylic fabric for extra long life and durability on rough surfaces.







12mm Short Pile Masonry Mini Roller



18mm Short Pile Masonry Roller

ΡΔΙΩ1

- For use with masonry, emulsion & water-based paints on rough surfaces
- · 40% greater coverage
- · Improved paint loading
- · Professional finish

Pile Pack Carton Core Ø Product Size Size (mm / Depth Qty Qty (mm) (inch) (mm) (pcs) (packs)

BAG								
	MAS	ONRY	MINI	ROLLER RI	EFILL	SLEEV	ES	
	720354	100	4	6mm / 1/4"	12	1	10	
	MASONRY ROLLER REFILL SLEEVES							
	720620	230	9	44 mm / 13/4"	18	1	5	

Contractors Roller, Frame & Tray Set

A set containing 5 contractors roller sleeves, a roller frame with push fit handle and tray









12mm Short Pile

Allows for faster coverage onto smooth surfaces with minimal

· For use with emulsion, waterbased & undercoat paints on smooth & semi-rough surfaces

Good paint pick up

	BAG - SET OF 7
720129	
	Contractors Roller Sleeve Refi
	Standard Roller Frame
	Plastic Roller Tray

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
	BAG - SET OF 7		
720129		7	4
	Contractors Roller Sleeve Refill	5	
	Standard Roller Frame	1	
	Plastic Roller Tray	1	
		PAI01	





Painting Accessories

Professional Roller Frame

A professional bird cage roller frame with ergonomic plastic handle. Featuring a dual purpose push fit and reinforced screw handle for extension pole fitment. Compatible with 9" (230mm) paint roller systems.

- Cage frame style
- Dual purpose push fit & reinforced screw fit extension pole fitment
- High strength drop resistant plastic
- Moulded handle for user comfort
- Thumb rest for enhanced control

Product Code	Size (inch)	Core Ø (mm / inch)	Qty	Carton Qty (packs)		
HEADER CARD						
700054	040	44 (43/11	4	40		

Paint Roller Extension Poles

High strength and lightweight extension poles with twist and lock functionality, help to perfect the finish in hard to reach areas. Available in 2 lengths and compatible with TIMCO Professional Roller Frames.

- Lightweight
- Strong & durable
- Twist & lock mechanism
- Screw fit & push fit adaptor

Product Code	Size (mm)	Size (feet)	Pack Qty (pcs)	Carton Qty (packs)			
UNIT							
720999	1200			10			
700500	0000	0.17	4	40			

Mini Roller Frames

Professional push fit roller frames with ergonomic plastic handles. Long handle mini roller frame (720647) has an extended head for access in hard to reach areas. Both compatible with 4" (100mm) paint roller systems.



- Push fit extension pole fitment
- High strength drop resistant plastic
- Ergonomic handle for better user comfort
- Available in two handle lengths: 280mm & 530mm



Product Code	Handle Length (mm)	(mm / inch)	W x L (mm)	Qty (pcs)	Qty (packs)
	H	IEADER (CARD		
720542	280	6mm/1/4"	100 x 280	1	10
720647	530	6mm/1/4"	100 x 530	1	10
					PAI01

Paint Scuttles

A rigid plastic paint scuttle, used for increasing the effectiveness of a paint roller in both loading and paint dispersion.

2.5L&5L-Compatible with 4"(100mm) or smaller paint rollers.

15L - Compatible with 12" (300mm) or smaller paint rollers. Not suitable for 15" rollers.



- Strong & durable plastic construction
- Ribbed to aid paint loading
- Internal graduated measurement scale



Product Code	Volume (L)	Pack Qty (pcs)	Carton Qty (packs)
	UNIT		
720971	2.5	1	6
720443	5	1	6
720697	15	1	6 PAI01

Roller Plastic Trays

Rigid plastic paint roller trays for use with a range of roller systems. Manufactured from robust, hard wearing plastic.

720764 - Mini Plastic Roller Tray - Compatible with all 4" mini roller systems.

720222 - Plastic Roller Tray - Compatible with all 9" roller systems.



- Strong & durable plastic construction
- Ribbed to aid paint loading
- Mini Roller Tray Legs allow for extra stability when in use



Product Code	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
	U	NIT		
720764	100	4	1	6
720222	175	9	1	6
				PAI01

Paint Kettle

A tough and durable paint kettle, manufactured from solid plastic with a metal handle. Ideal for mixing and storing paints.



- Strong & durable plastic construction
- Allows more convenient painting



Product Code	Volume (L)	Qty	Carton Qty (packs)
	UNIT		
720809	2.5	1	6 PAI01



Protective Boards, Films & Dust Sheets



Protective Films Highly effective self-adhesive protective film. Carpet and hard surface films protect against foot traffic, debris, spills etc. during decoration and building works. Note: Please ensure you have read and fully understood the usage guidelines before installation. MOQ Product Code Length (m) Width Qty (pcs) (packs) (packs) (mm) CARPET 25CP 600 50CP 600 216 100CF 600 PRO01 HARD SURFACE (NOT SUITABLE FOR MARBLE) Safer than dust One man 25HP 288 sheets application 50HP 216 PR003 Protects against Leaves no GLASS residue 25WP 600 50WP 50 600 0.05mm thickness Easy peel

Professional Dust Sheets

High quality dust sheet for multiple uses including floor and furniture covering during decoration.



Product Code	Size (ft)	Weight (kg)	Qty	Qty (packs)		
PACK						
CDS129	12 x 9	1.71	1	10		
CDS1212	12 x 12	2.00	1	10		
				PRO10		

Pack Carton

Laminated Dust Sheets

High quality dust sheet with a lamination to greatly reduce risk of paint and liquid soaking through. Also avaliable in handy size ideal for smaller jobs.



Product Code	Size (ft)	Weight (kg)	Qty (pcs)	Qty (packs)
		PACK		
CDSL129	12 x 9	1.59	1	10
CDSL63	6x3	0.24	1	10
				PR010

Pack Carton

Stair Runner Dust Sheet

High quality and cut to a convenient width to suit standard staircases avoiding need to fold which reduces risk of trips and falls.



F	Product Code	Size (ft)	Weight (kg)	Qty	Carton Qty (packs)
			PACK		
-	21/2250	24 v 3	1 12	1	10

Economy Dust Sheet

Multi-pack of dust sheets for multiple uses including floor and furniture covering during decoration. Helps protect from dust, dirt, paint splashes and spatter.



Product Code	Size (ft)	Weight (kg)	Qty	Qty (packs)
	P	ACK		
CDS129P3	12 x 9	1.40	3	4 PR010

Plastic Sheets

& Accessories

Protective Cling Sheet

A 200m² static charged polythene dust sheet roll that clings to surfaces without the need for tape or adhesive. These static sheets attract dust and over-spray providing excellent protection during decorating and renovation works.









Product Code	Size (m)	Thickness (microns)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
PCS504	50 x 4	8.5	1	6	72

Protective Sheet Cutter



sheet easily and safely.



	Product Code		Qty (pcs)	Carton Qty (packs)
		вох		
PSCUTTER			1	50

Protective Zipper Door



Provides a dust sealed temporary doorway for concealment of work areas. Transparent for safety and to allow light to pass through. Caution: Polythene should not be used when hot paint stripping.



Product Code	Size (m)	Thickness (microns)	Qty	Carton Qty (packs)	Pallet Qty (packs)
		PACK			
PZD	2.1 x 1.2	100	1	10	360 PR008

Polythene Dust Sheets

PDS43 - An economical way to protect possessions and furniture during decoration and renovation works.

PDS502 - Large waterproof polythene sheet for larger scale decoration and renovation works Caution: Polythene should not be used when hot paint stripping.





PDS502

Product Code	Size (m)	Thickness (microns)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		PACK / RC	DLL		
PDS43	3.65 x 2.75	8	1	100	1800
PDS502	50 x 2	8	1	20	160
					00040

General Purpose Builders Sheets

Large plastic sheets with a thickness of 32 microns providing a waterproof protective barrier during decorating and building renovation work.



Product Code	Size (m)			Carton Qty (packs)
	R	OLL		
DPS254	25 x 4	32	1	16
DPS504	50 x 4	32	1	16
				DDO05

Support Pole

The highly flexible adjustment make these telescopic supports perfect for drywall construction work. Also function on sloping roofs as the supports find a secure hold with their swivelling PVC contact pads.

Can also be used for the quick and easy hanging of plastic sheeting to create sealed areas for dust and dirt retention in work areas on site.



- Robust design with an extendable range from 1.6m up to 2 9m
- One-person assembly
- · Safe working load -50kg

Product Code	Size (m)	Qty (pcs)	Qty (packs)	
	EACH			
775101	1.6 - 2.9	2	10 PR009	

Masking Tapes

Trade quality, general purpose masking tape made from saturated semi-crepe paper with pressure sensitive natural



See Page 186

Knife Sets & Fillers

Decorators Knives Set

NEW

A set of premium decorating knives manufactured using strong and flexible stainless steel blades with ergonomic soft grip handles. Ideal for most surface preparation tasks



- Made from stainless steel
- 1.2mm hardened & tempered blade
- Improved comfort & controlLong lasting
- performance



Stripping Knife

NEW

A premium stripping knife with a hardened and tempered stainless steel blade for strength and rigidity. Used for removing paints, adhesives and other coatings from surfaces prior to painting and decorating.



- Made from stainless steel
- Tapered edge for rapid paint & material removal
- 1.2mm hardened & tempered blade

1	
X	
1	160

	Product Width Blade Body Code (inch) Thickness (mm)		Pack Qty (pcs)	Carton Qty (packs)					
l	HEADER CARD								
	720038	3	12	1	12				

Surface Preparation Filling Knives Set

NEW

A set of assorted preparation knives manufactured from stainless steel for superior flexibility and corrosion resistance. Ideal for mixing lightweight fillers when patching cracks and small imperfections during wall, ceiling and woodwork filling tasks.



- · For use with lightweight decorating fillers
- 0.3mm blade thickness for superior strength & flexibility

Made From Stainless Steel

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
	BAG - SET OF 4		
720875		4	12
	50mm Preparation Knife	1	
	80mm Preparation Knife	1	
	100mm Preparation Knife	1	
	120mm Preparation Knife	1	
			PAI03

Ready Mixed Surface Filler A versatile filling and sealing compound, developed to give a tough and durable surface repair. Ideal for repairing holes, architraves, plasterwork, cracks and imperfections in skirting, render around windows and door frames & more. Fills up to 10mm per layer Interior use Easy to apply Fully cured in 24 hours Flexible & waterproof seal Skin formation in 30 mins Suitable for oil & water-based paints Pack Carton Pallets Product Size Thickness Qty Qty (pcs) (packs) (packs) Code (kg) TUB 432 FLR02

Fine Surface Filler

A ready to use, fine grade interior smoothing and filling compound.

Once cured, it forms a tough, durable repair that can be sanded and painted over with oil and water-based paint.

 $\label{local_local} Ideal for repairing cracks, fine nicks and shallow depressions in walls and ceilings.$



- Interior use
- Fully cured in 24 hours
- Water based
- Easy to overpaint
- Low odour
- · Flexible when drying
- Skin formation in 30 minutes

Fills up to 3mm per layer



Product Code	Size (g)	Layer Thickness (mm)	Qty	Carton Qty (packs)	Qty
		TUB			
357001	600	3	1	6	432 FLR02

Multi-Purpose Powder Filler

A multi-purpose plaster based repair compound. After setting it can be sanded and painted and sets hard enough to accept screws and nails. Ideal for filling screw holes, scratches and deep cracks on plaster, brick, wood and most other common building materials in internal & external environments before painting.



- Interior & exterior
- Smooth finish
- Dries white • Fasy to mix
- apply & sand
- Shrinking and cracking resistant
- 1 part water to 2-2½ parts powder
- Sets in 1 2 hours

Fills up to 10mm per layer



Product Code	Size (kg)	Layer Thickness (mm)	Qty	Carton Qty (packs)	Qty
		вох			
357002	1.8	10	1	6	240 FLR02

Caulks, Tile & Glass Scraper, Sealant Remover & Profiler Sets



Acrylic Caulks

A general purpose fast drying and flexible decorator's filler and sealant. Adheres to most substrates and can be overpainted with most paint



types or papered over. For sealing and filling of internal gaps and cracks such as those between plasterwork, decorative mouldings, skirting boards and architraves.

- Fast curing
- Interior use
- Water resistant
- Lightweight
- Easy tooling
- Low odour



Product Code	Size	Colour	Qty (pcs)	Qty	Qty (packs)	Qty (packs)
		CAR	TRIDO	iΕ		
732871	300ml	White	1	12	12	936
732001	380ml	White	1	-	12	744
						SEA04

Tile & Glass Scraper

Perfect for the easy removal of dirt, excess adhesives, sealants and grout from tiles and glazing. Supplied withreplaceable blades. Complete with blade guard.



- Wider blade for quicker use
- Ergonomic plastic body with soft TPR handle for comfort in use
- Complete with blade quard



Product Code			Carton Qty (packs)
	BLISTER PACK		
253258	100	1	10 BLD03



Sealant Remover & Profiler Kit

NEW

 $A \ multi-functional \ all \ in one \ kit designed \ to \ guarantee \ professional \ results \ when \ removing \ and \ reapplying \ sealants, \ grouts, \ fillers \ and \ caulks.$

The kit includes a heavy duty sealant removal tool to cleanly and effortlessly remove old product, and a sealant profiler which includes 5 quick and easy to change profiles.





- Ergonomic grip for better comfort & control
- Tough & durable
- Easy to clean
- Integrated sealant nozzle cutting blade



Product Code	Contents	Pack Qty (pcs)	Secondary Qty (packs)	Carton Qty (packs)
	BACKING CARD	- SE	ΓOF 7	
720592		7	10	60
	3mm Changeable Tip	1		
	6mm Changeable Tip	1		
	10mm Changeable Tip	1		
	13mm Changeable Tip	1		
	17mm Changeable Tip	1		
	Applicator Tool	1		
	Removal Tool	1		

Sealant Profiler Set

NEW

A set of silicone and acrylic sealant profiling tools. The four piece set has multiple different ways to shape sealants whilst preventing bumps and gaps in sealant beads, giving professional results every time.



- Anti-slip hard rubber prevents products sticking
- Large & small radius features for recessing joints
- Easy to clean surface



Product Code	Contents	Qty	Secondary Qty (packs)	Qty	
CASE - SET OF 4					

A combination of curved,
720127 straight & angled 4 12 144
sealant tools



Cleaning

Paint Panther Paint & Varnish Remover Barrettine

A highly effective, incredibly fast paint and varnish stripper to remove many types of coatings. Gel

consistency ideal for vertical and other less accessible areas to be treated. Methylene chloride free.





- Easy to apply
- Market-leading paint stripping power
- Lower odour compared to other leading brands
- Reduced evaporation rate to boost stripping efficiency
- Removes metallised paints
- Gel formula to cling to vertical surfaces







After 2 mins After 5 mins*

*This was a controlled experiment using 4 layers of paint.

Product Code	Size	Pack Qty (pcs)	Qty	Carton Qty (packs)
	TIN			
STPP50	500ml	1	6	6
STPP001	1L	1	6	6
				RAR02

Paint Brush Cleaner

A solvent-based cleaner containing emulsifiers that remove wet household paints and varnishes from brushes, rollers and pads.

- · Fast cleaning solution
- For use on brushes and rollers
- Ready to use
- For all traditional one part paints



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BOTTLE		
720357	500ml	1	12 PDC01

Sugar Soap

A water-based solution that removes dirt, grime and other contaminants from surfaces prior to decorating. Assists the adhesion of paint to the surface.



- Ready to use cleaner & degreaser
- · Enhances paint finish
- Cleans and prepares all surfaces
- Removes grease, dirt & nicotine stains



Product Code	Size	Qty (pcs)	Qty (packs)
	BOTTLE		
720040	500ml	1	6 PDC01

Low Odour White Spirits

A thinner for traditional paints, varnishes and for general cleaning/degreasing of paint brushes.



- Fast & effective
 thinner & cleaner
- Low odour formula



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BOTTLE		
720468	750ml	1	12
720951	2L	1	6 PDC01

Low Odour Turps Substitutes

Turps substitute, also known as turpentine substitute, is used as a general purpose cleaning solvent or as a thinner for oil based paints.



- Powerful cleaning & maintenance
- Quickly removes paint from brushes, rollers and surfaces
- Low odour formula



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BOTTLE		
720167	750ml	1	12
720983	2L	1	6 PDC01

Mineralised Methylated Spirit

For thinning French polish and cleaning glassware, most hard surfaces and more.



- Cleaner, degreaser
 & stain remover
- Smear free hard surface cleaner
- Fuel for alcohol burners & camping stoves

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BOTTLE		
720886	2L	1	6 PDC01

Wipes, Rags & Cloths
See Page 184





Wipes, Rags & Cloths





Extra Tough Builders Wipes



Multi use wipes formulated to clean and remove wet and semi-cured paint, grease, glues, sealant, adhesive, bitumen, tar, expanding foam, oil, silicone and permanent marker.

Contains aloe vera and an anti-bacterial additive.

	Product Code		Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
		TUB			
SCRUB			100	6	480

Textured Heavy Duty Wipes



A heavy duty textured wipe designed to remove the most stubborn substances, such as paint, grease, glue, sealant, adhesives, bitumen, tar, expanding foam and many other wet and semi-cured substances.

Contains aloe vera and an anti-bacterial additive.

	Product Code		Qty (pcs)	Qty (packs)	Qty (packs)
		TUB			
HDSCRUB			75	6	480 WPE01

Stockinette Roll



ldeal for cleaning and polishing. Frequently used to clean up grease and oil.

- 100% cotton
- · Highly absorbent
- · Easily cut to size

Product Code	Length (m)	Weight (g)	Pack Qty (pcs)	Carton Qty (packs)		
PACK						
SSR400	4.8	400	1	10 WPE02		

Microfibre Cleaning Cloths



Ultra soft and absorbent cloths, providing lint free and non-abrasive cleaning and polishing to multiple surfaces. Washable and reusable.



Assorted Wiping Rags



Large quantity of mixed rags in a vacuum pack for convenient storage and dispensing. Ideal for general cleaning and wiping jobs on site.

Product Code	Weight (kg)	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
973138	10	N/A	10 WPE02

Centrefeed Rolls



Large highly absorbent 2 ply rolls for everyday spills on site, at home and in the office. Can be used with dispensers by removing centre core or used on their own for quick and easy portable cleaning or hand drying.

Pack Carton

Product Code	Туре	Height (mm)	Length (m)	Qty (pcs)	Qty (packs)	
		PACI	K			
		BLU	E			
973508	Standard	170	150	6	10	
973169	Economy	170	60	6	10	
WHITE						
973359	Standard	170	150	6	10 WPF02	

Roll

Jumbo Sponges

A synthetic, high water loading capacity sponge. Ideal for cleaning and wiping down surfaces on site and around the home. Available individually or in a pack of 3.





- High water holding capacity
- Cleans surfaces & removes excess grout and adhesives
- Tear resistant foam

Product Code	Size (mm)	Qty (pcs)	Qty (packs)
	BAG		
720394	225 x 50	1	12
	PACK		
720100	225 x 50	3	6 PAI04

Pack Carton



Adhesives & Chemicals

	/		
Tapes			
General Purpose Tapes	186	Lithium Greases	199
Building Tapes	187	2 Stroke & 4 Stroke Oil	199
Plumbing & Electrical Tapes	187	Chainsaw Oil	199
Safety & Hazard Tapes	188		
		Oil & Grease Remover	200
Contact Adhesives & Superglue	189	Adhesive Residue Remover	200
Admixtures	189	Label Remover	200
Wood Adhesives	190	Welder's Anti-Spatter	200
Grip & Fill	190	Air & Gas Leak Detector	200
Adhesive Sealants	191	Cordless Nail Gun Cleaner	200
Sealants & Sealant Remover	192		
Acrylic Sealants & Applicator Guns	193	Paints	
Expanding Foams	194	Galvanising & Metal Paint	201
Applicator Guns & Fillers	195	Finishing Paint	201
		Very High Temperature Paint	201
		Primer	201
Decor & Wood Fillers	196	Stain Concealing Paint	201
Metoset Liquid Mortar	196	Survey & Spot Marker	202
		Survey & Spott larker	LUL
Briwax Woodcare			
	107	Barrettine	
Finishing Wax & Spray Spray Wax & Sticks	197	Barrettine Wood Treatment 20	03-205
Spray wax & Sticks	197		
		Exterior Multi-Purpose Cleaner	206
Multi-Purpose Lubricant	198	Brick, Masonry & Patio Cleaner	206
Silicone Lubricant	198	Path, Patio & Driveway Sealer	206
Copper Anti-Seize	198	Wood / PVCU / Glass Cleaners	207
Cutting & Tapping Lubricant	198	Cleaner & Degreaser	207
Chain Lubricant	198	Grout Cleaner	207
Graphite Lock Lubricant	198	Calcium, Lime & Rust Remover	207



General Purpose Tapes



Heavy Duty Cloth Tape



- Easy tear
- · High tensile strength
- Strong adhesion
- Temperature resistant from -5° to 60°C
- Water resistant

A super strength tape ideal for use within construction, industry, home and garden. It is designed to be used in multiple indoor and outdoor applications.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
		ROLL			
HDCTBLACK	Black	50	50	1	24
HDCTSILVER	Silver	50	50	1	24
HDCTWHITE	White	50	50	1	24
					TAP01

Cloth Tape



- Adheres to multiple surfaces
- Easy tear
- Tough and strong
- Weather resistant

A medium quality cloth tape used to repair, fasten, bundle, strengthen, mark, plus much more.

Product Code	Colour	Length (m)	Width (mm)	Qty (pcs)	Qty (packs)
		ROLL			
CTBLACK	Black	50	48	1	36
CTSILVER	Silver	50	48	1	36
CTWHITE	White	50	48	1	36
					TAP01

Double Sided Cloth Tape



- Professional results
- Easily removable
- · Easy tear

A strong double sided cloth tape designed to stick two surfaces together where an invisible joint is required. Ideal for fixing carpets, signs and protective sheeting to multiple surfaces. (Backing tape is yellow).

Product Code	Colour	Length (m)	Width (mm)	Qty	Carton Qty (packs)
		ROLL			
DSCT	White	25	50	1	24

Packaging Tape

PACKS OF 3



- Strong
- Excellent adhesion

A quality tape giving an instant and secure fixture, ideal for sealing boxes, attaching labels and general packing applications.

Product Code	Colour	Length (m)	Width (mm)	Qty	Carton Qty (packs)
		ROLL			
PTC	Clear	50	48	3	18
PTB	Brown	50	48	3	18 TAP02

Masking Tape



- Easy to tear and apply to curved / irregular surfaces
- Compatible with solvent and water based paints
- Excellent adhesion to wide range of surfaces
- Clean and precise removal

Trade quality, general purpose masking tape made from saturated semi-crepe paper with pressure sensitive natural rubber adhesive. Made in Europe.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Qty (packs)
ROLL					
SMT25	Cream	50	25	1	72
SMT38	Cream	50	38	1	48
SMT50	Cream	50	50	1	36
					TAP03

Hook and Loop Tape



Versatile stick on hook and loop tape often used to affix products to surfaces and mounting displays at exhibitions. Simply cut to required length.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs
		BOX			
HLT5	White	5	20	1	32
					TAP04



Building Tapes



Aluminium Foil Tape



- Flame retardant
- Heat & moisture resistant
- Backing paper for easy application

Used in jobs requiring moisture and chemical resistance, thermal conductivity, flame resistance, heat and light reflectance and is weather resistant. Perfect for joining foil covered insulation, sealing off pipes and ducts.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
		ROLL			
AFT50	Silver	45	50	1	36
AFT75	Silver	45	75	1	24
AFT100	Silver	45	100	1	18
					TAP05

Extreme Temperature Aluminium Foil Tape



- Flame retardant
- Service range -35° to 120°C
- All year around applications

Extreme temperature aluminium tape for use in both cold and warm environments or applications Ideal for HVAC industry, covered outdoor use or jobs conducted during the winter months.

Product Code	Colour	Length (m)	Width (mm)	Qty	Carton Qty (packs)
		ROLL			
AFT50ET	Silver	45	50	1	36 TAP05

Reinforced Aluminium Foil Tape



- Flame retardant
- Heat & moisture resistant
- High strength and tear resistant

Aluminium foil tape with an integral fibre mesh which provides reinforcement for tougher applications where a stronger joint is required.

Product Code	Colour	Length (m)	Width (mm)	Qty	Carton Qty (packs)
		ROLL			
AFT50RE	Silver	45	50	1	36

Drywall Joint Tape



- Quick and easy to apply
- Strong & thin jointing of plasterboards
- Eliminates blisters and bubbles

A professional grade self-adhesive drywall tape, which is manufactured using a strong 9 x 9 fibreglass weave for high mechanical strength. Made in Europe.

Product Code	Colour	Length (m)	Width (mm)	Qty (pcs)	Qty (packs)
		ROLL			
4890DJT	White	90	48	1	24 TAP06

Double Sided Damp Proof Membrane Jointing Tape



Damp Proof Membrane See page 236

- High adhesion
- Backing paper for easy application

A high performance double sided butyl tape used for bonding DPMs. Use with TIMCO PVC builders tape to provide a continuous damp proof seal between two sheets, where joints cannot be avoided.

Product Code	Colour	Width (mm)	Length (m)	Qty	Carton Qty (packs)
		ROLL			
DSDJT	Black	50	10	1	12 TAP07

High Strength PVC Builders Tape



- Flame retardant
- Silage sheeting
- Jointing & Patching
- Masking
- Residue free

Strong versatile PVC tapes used for residue free masking and the jointing of PVC, polythene sheets and membranes. Frequently used for sealing contamination barriers, polythene dust sheets, silage covers and bales.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
		ROLL			
HSBT	Black	33	75	1	36
HSOBT	Orange	33	50	1	36

Plumbing & Electrical Tapes

PTFE Thread Seal Tape



- WRAS approved
 & suitable for
 potable water
- Convenient storage spool

Thread sealing tape used for a variety of plumbing applications including those involving potable water. Please note: Water use only. Not suitable for gas.

Product Code			Thickness (mm)		Qty	Carton Qty (packs)
			ROLL			
PTFE2	12	12	0.075	White	2	125
PTFE10	12	12	0.075	White	10	25 TAP09

PVC Insulation Tape

PACKS OF 10

- BS EN 60454
 - · Flame retardant
 - Highly dielectric strength



Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
	F	ROLL			
ITBLACK	Black	25	18	10	12
ITWHITE	White	25	18	10	12
ITGREY	Grey	25	18	10	12
ITRED	Red	25	18	10	12
ITBLUE	Blue	25	18	10	12
ITGREEN	Green	25	18	10	12
ITYELLOW	Yellow	25	18	10	12
ITBROWN	Brown	25	18	10	12
ITGYSTRIPE (Green / Yellow	25	18	10	12 TAP10

Self Amalgamating Tape



A self fusing emergency repair tape which will provide a watertight seal to leaking pipes or hoses. Suitable for jointing, splicing and repairing cables, hoses, plastic and metallic tubes.

Product Code	Colour	Length (m)		Qty	Carton Qty (packs)
		ROLL			
SAT3	Black	3	25	1	48



Safety & Hazard Tapes



Hazard Tape



- Weather resistant
- · Highly visible
- Tough and strong

A durable self adhesive PVC hazard tape, ideal for marking floors, walls and hazardous areas. Can be used internally and externally.

Product Code	Colour	Length (m)		Qty	Qty (packs)
		ROLL			
HAZT	Black / Yellow	33	50	1	36 TAP12

Hazard Cloth Tape



- Highly visible
- Tough and strong
- Easy tear

A highly visible cloth tape used for marking out hazardous or restricted areas. Ideal for marking floors, doors and walls. Internal and external use.

Product Code	Colour	Length (m)		Qty	Qty (packs)
	R	OLL			
CTHAZRW	Red/White	33	50	1	36
CTHAZYB	Black/Yellow	33	50	1	36

Anti-Slip Tape



Manufactured using a high grade P60 grit to offer excellent grip, commonly used where there is risk of slip hazards such as stairs, shop fronts, ramps and paths etc. Three layers of Acrylic Solvent glue gives excellent adhesion to multiple surfaces.

- Adheres to multiple surfaces
- Backing paper for easy application

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
		ROLL			
ASTSTRIPE B	lack/Yellow	10	50	1	36
ASTBLACK	Black	10	50	1	36 TAP13

Barrier Tape



- Highly visible
- Weather resistant



A durable non-adhesive polythene barrier tape, ideal for marking out hazardous areas. Can be used internally and externally. 500m comes in a convenient dispensing box for easy storage and application.

	Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ı		F	ROLL			
	BART	Red/White	100	70	1	24
	BARTYB	Yellow / Black	100	70	1	24
		1	вох			
	BART500	Red/White	500	70	1	12
	BARTYB500	Yellow / Black	500	70	1	12
						TAP12

High Visibility Wet Paint Tape



Highly visible non-adhesive wet paint tape ideal for the safe marking of hazardous areas during decoration and renovation. 500m comes in a convenient dispensing box for easy storage and application.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
	F	ROLL			
WPT100	Yellow / Black	100	70	1	24
WPT500	Yellow / Black	500	70	1	12
					TAP12

Underground Tape



Ideal for burying above service cables and pipes to warn against damage to underground utility lines during subsequent excavation.

Product Code		Туре	Length (m)	Width (mm)	Qty (pcs)	Qty (packs)
			ROLL			
	UTWP	Water Pipe	365	150	1	6
	UTSP	Sewer Pipe	365	150	1	6
	UTTC	Telephone Cable	365	150	1	6
	UTFO	Fibre Optic Cable	365	150	1	6
	UTEC	Electric Cable	365	150	1	6
	UTGP	Gas Pipe	365	150	1	6 TAP14

Pack Carton



Contact Adhesive & Superglue



Multi-Purpose Adhesive



A premium grade adhesive initially developed for the carpet and flooring industry. Effectively bonds PU and foam backed carpets, carpet tiles and underlay to concrete, screed, timber and metal. Heat resistant to 60°C. To achieve a higher bonding strength, apply the adhesive to both surfaces.

- · Easy application
- 30 seconds cure time
- Low odour
- · Interior use only



Product Code	Size	Colour	Qty	Carton Qty (packs)	Pallet Qty (packs)
		SPRAY			
247544	500ml	Amber	1	12	1848

Instant Contact Adhesive





Suitable for plastic, PVCu, rubber, ceramic, metal, glass, wood, MDF, paper, card, fabric, formica, stone, concrete, cork, linoleum, leather & porcelain.



· Forms an extremely strong instant bond once the two surfaces have been ioined

	 Heat resistant to
n	90°C (spray) and
nd	80°C (liquid)

- · Easy application
- Water resistant
- · Interior & exterior

Pack Carton Pallet

Deal Carton Pallot





Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs)
		SPRAY			
247789	500ml	Clear	1	12	1848
					AHS01
		TIN			
247235	250ml	Clear	1	12	1656
247359	500ml	Clear	1	12	768
					AHS01

Instant Bond Mitre Kit





- High viscosity formulation
- · Strong adhesive
- · Water resistant
- Temperature resistant from -55° to 80°C
- Dries clear
- · Can be used for small gap filling
- · Interior use only

Mitre superglue is a fast setting (approx 90 seconds) medium to high strength all purpose adhesive. Use mitre bond activator to create an instant bond (approx. 10 seconds) when fixing with mitre

Suitable for use on a variety of surfaces such as plastics, PVCu, metal, wood, MDF, leather, rubber. ceramics and much more.

Product Code	Contents	Size	Qty (pcs)	Qty (packs)	Qty
	KIT				
	247321		1	24	1440
	Mitre Superglue	50g	1		
	Bond Activator	200ml	1		
					AHS01

Admixtures

Premium SBR Bond



A premium quality latex based primer, admixture and bonding agent. The reinforced anti-foaming polymer formula increases the durability and flexibility of concrete, mortar renders floor screeds and adhesive compounds.

Ideally suited for pointing, patching, bedding, waterproofing, tanking and flooring, especially in wet, humid, damp environments.

- Salt resistant
- Reduces surface dusting
- Freeze-thaw stable
- Water resistant
- · Interior & exterior

Product Code	Size	Qty	Carton Qty (packs)	Qty
	BOTTLE			
236010	5L	1	4	192 ADM01

PVA Bond



A multi-purpose bonding agent, primer, sealer, cement and plaster admixture.

Ideal for priming unsound surfaces prior to plastering or painting and as an adhesive on wood. cork and textiles. Suitable for most applications where at

least one surface is porous, for general dust sealing on flaking paintwork/walls etc and as a cement and plaster admixture.

- Improves flexibility & frost resistance
- Reduces surface dusting & porosity
- Improves adhesion
- Mortal & Plaster Admixture BS EN 5270
- · Concrete additive
- Dries clear





Wood Adhesives



Internal D3 Wood Adhesive



A high quality, resin based wood adhesive for all wood bonding. It can be used internally and provides a high strength, impact resistant bond. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use.

Can also be used in short term wet, damp and humid environments such as kitchens, bathrooms, washrooms and covered external applications

- Fully conforms to the BS 14256
- Dries clear
- Sets in 10 mins
- Hybrid resin formula
- Paintable
- Easy to clean



Product Code	Size	Qty	Carton Qty (packs)	Pallet Qty (packs)
	BOTTL	E		
247458	500ml	1	20	480
247258	1L	1	12	384
247513	5L	1	4	192 AHS02

Premium Internal & External D4 Wood Adhesive



A solvent free wood adhesive based upon the latest hybrid resin technology. Can be used internally or externally giving a high strength, 100% waterproof, impact and temperature resistant bond.

Ideal for woodworking, joinery and timber construction.

- Hybrid resin formula
- Super strong bonding
- Paintable
- Sets in 10 mins
- Easy to clean
- · 100% weatherproof
- Dries clear
- Odourless



Product Code	Size	Qty	Qty (packs)	Qty
	BOTTL	E.		
247471	1L	1	12	384 AHS02

PU Wood Adhesive




A premium grade polyurethane wood adhesive that will bond hard, soft, exotic and painted wood. This rapid curing foaming adhesive expands into materials to form an incredibly strong bond with a superior curing time compared to traditional PVA based wood adhesives.

Suitable for use with softwood, hardwood, chipboard, fibreboard, MDF, plywood and most porous and non-porous substrates.

- Quickly adheres to all wood types
- · 100% weatherproof
- Medium viscosity
- Internal & external
- Can be applied to damp surfaces
- Polyurethane formula
- Temperature resistant from -30° to 150°C
- D4 BS EN 204

Product Open Code Size Time		Colour	Qty (pcs)	Qty (packs)						
BOTTLE - LIQUID										
247708	750g	5min	Brown	1	6					
247834 750g		30min	Brown	1	6					
	CARTRIDGE - GEL									
247010	310ml	5min	Translucent	1	12					
247433	310ml	30min	Translucent	1	12					
					AHS02					



Grip & Fill - Solvent Free



For plasterboard, skirting boards & architraves, electrical conduit, brick, ferrous metal and more. A direct bond adhesive formulated for professional users. Designed to give a high adhesive strength to most building materials in trade and DIY applications. The unique formula also achieves exceptional gap filling results on uneven surfaces.

- Medium viscosity
- · Easy application
- Strong adhesion
- Movement resistant
- Adheres to damp surfaces
- Odourless
- Interior

			Pack	MOQ	Pallet
Product			Qty	Qty	Qty
Code	Size	Colour	(pcs)	(packs)	(packs)
		CARTRIDGE			
247318	350ml	White	1	12	600

Grip & Fill Nozzles Bag of 6 Code: 247121



ADHESIVES & SEALANTS

MDF Concrete **Brick** Stone Wood Metal Plastic . Ceramic . Glass





Hybrid polyme











INSTANT GRAB ADHESIVE

9 in 1 Instant Grab Adhesive has been developed to give superior bonding strength to all building materials, even in wet conditions.

Instant Grab Adhesive

- High viscosity for an instant grip
- Pre-cut notched nozzle for enhanced application

Setsin

• Perfect for internal & external applications

Clear Grab Adhesive

- Medium viscosity for easy toolability

Workswith wetsurfaces

Dries clear making it perfect for kitchen
 & bathroom applications

Features and Benefits:

Paintable

Product Code	Size	Colour	Viscosity	Qty	Carton Qty (packs)	Qty
247138	290ml	White	High	1	12	936

Product Code	Size	Colour	Viscosity	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
247972	290ml	Clear	Medium	1	12	936

Anti-slump formula





ADHESIVE & SEALANT

9 in 1 Adhesive & Sealants have been developed to give superior bonding and sealing performance to all building materials, even in wet conditions.

Universal Adhesive & Sealant

• Medium viscosity for easy toolability

Setsin

- Available in four colours to suit a variety of applications

Crystal Clear Adhesive & Sealant

- Dries crystal clear making it perfect for kitchen & bathroom applications
- UV protected to stay crystal clear longer
- Medium viscosity for easy toolability

Features and Benefits:

Water

AHS03

Product Code	Size	Colour	Viscosity	Qty	Carton Qty (packs)	Pallet Qty (packs)
247468	290ml	White	Medium	1	12	936
247357	290ml	Grey	Medium		12	936
247697	290ml	Brown	Medium		12	936
247146	290ml	Black	Medium		12	936

Product Code	Size	Colour	Viscosity	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
247336	290ml	Crystal Clear	Medium	1	12	936
						AHS03





Sealants



Acetoxy Silicone



A general purpose, single component silicone which offers a flexible water tight seal to most surfaces including glass, painted surfaces, ceramics, sanitaryware and most nonporous surfaces

For sealing around most types of door and window frames, kitchen units, pipes, sanitary fixtures and duct work. Can also be used for draught proofing.

- · Interior & exterior
- Fast curing
- Water resistant
- · Absorbs movement
- · Strong bond
- Low odour
- Easy tooling
- 12.5% elasticity

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
	GE				
732480	300ml	White	1	12	936
732098	300ml	Clear	1	12	936
732741	300ml	Black	1	12	936
732852	300ml	Brown	1	12	936
					SEVU3

Premium LMN Silicone



A premium grade, low modulus neutral curing silicone, which has excellent adhesion to virtually all substrates, both porous and non-porous. A long lasting flexible sealant for a wide variety of domestic, commercial and industrial applications including expansion joints, curtain walling and glazing systems. Ideal for external sealing around PVCu, timber and aluminium frames.

- · Interior & exterior
- Fast curing
- Water & UV resistant
- · Absorbs movement
- · Strong bond
- Low odour
- · Easy tooling
- 12.5% elasticity

Product Code	Size	Colour	Qty	Carton Qty (packs)	Pallet Qty (packs)
	CARTRIDG	iΕ			
732120	300ml	White	1	12	720
732792	300ml	Clear	1	12	720
					SEA02

Fire Rated Silicone



A premium grade, neutral curing fire retardant silicone sealant, with a fire resistance of up to 4 hours in linear joints, with excellent elasticity of up to 25%. It withstands temperatures of up to 120°C to prevent the spread of fire, smoke and toxic gases.

Ideal for plaster, glass, metal, wood and masonry.

- B1 fire rated
- Tested in accordance with EN 1366-4
- Unito 4 hours fire resistance
- Water & weather resistant
- · Interior & exterior
- UV resistant
- Up to 30mm wide joints
- Anti-slump
- 25% elasticity

			Pack	Carton	Pallet			
Product			Qty	Qty	Qty			
Code	Size	Colour	(pcs)	(packs)	(packs)			
CARTRIDGE								
732003	300ml	White	1	12	1248			
					SEA02			

Premium Bathroom Silicone



A premium grade silicone containing active anti-fungal compounds to prevent bacteria, mildew and black mould growth in areas of very high humidity and condensation It creates a permanently watertight and flexible seal.

Ideal for tiles, ceramics, metal, glass, wood, plastic, laminate and linoleum.

- Interior & exterior
- Mould & bacteria repellent
- Excellent adhesion
- · Permanently waterproof
- 20% elasticity
- Fast curing

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)			
	CARTRIDGE							
732004	300ml	White	1	12	1248			
732005	300ml	Clear	1	12	1248			
					SEA02			

Bathroom & Sanitary Silicone



A high grade, sanitary silicone containing powerful anti-fungal compounds to prevent mould growth Typically used in areas of high humidity such as bathrooms, kitchens and washrooms. Ideal for domestic or commercial applications. Adheres to most nonporous surfaces without the use of a primer and gives a clean and professional finish.

- Interior
- · Permanently elastic
- Waterproof
- · Mould repellent
- Low odour
- 20% elasticity

Product Code	Size	Colour	Qty	Carton Qty (packs)	Pallet Qty (packs)				
	CARTRIDGE								
732750	300ml	White	1	12	936				
732653	300ml	Clear	1	12	936				

Sealant Remover



A quick and easy method of removing cured acrylic and silicone sealants from ceramic tiles, glass, painted surfaces and most plastics. The thick gel coat penetrates and breaks down the silicone for effortless removal. Ideal for shower trays, baths, sinks, toilets, basins, window frames and more.



- For acrylic & silicone
- · Safe on all surfaces
- Multi-materials
- Interior & exterior
- · Fast acting

Product Code	Size	Colour	Qty	Carton Qty (packs)	Pallet Qty (packs)			
BOTTLE								
732104	100ml	White	1	12	2976			

Acrylic Sealants



Acrylic Caulk



A general purpose fast drying and flexible decorator's filler and sealant. Adheres to most substrates and can be overpainted with most paint types or papered over. For sealing and filling of internal gaps and cracks such as those between plasterwork, decorative mouldings, skirting boards and architraves.

Pack MOO Carton Pallet

- Fast curing
- Interior
- Water resistant
- Lightweight
- Easy tooling
- · Low odour

Product Code	Size	Colour	Qty (pcs)	Qty	Qty (packs)	Qty (packs)
		CAR	TRIDO	ŝΕ		
732871	300ml	White	1	12	12	936
732001	380ml	White	1	-	12	744
						SFA04

Instant Paintable Caulk



A premium grade, acrylic sealant that has been developed to be overpainted immediately after application with water based and synthetic paints. Formulated for interior use, it will adhere to most surfaces without primers and gives long lasting flexibility in applications where movement can occur. Ideal for plaster, plasterboard, painted surfaces, decorative moulding, wallpaper and tiles.

- Instantly paintable
- Interior
- Long lasting flexibility
- Reduced cracking
- Low odour
- Reduced
 discolouration

			Pack	Carton	Pallet
Product			Qty	Qty	Qty
Code	Size	Colour	(pcs)	(packs)	(packs)
	C	ARTRIDO	3E		
732002	300ml	White	1	12	1248
					SEA04

Fire Rated Intumescent & Acoustic Acrylic Sealant



Fire & Acoustic Seals Fire Rated Intumescent and Acoustic Acrylic Sealant is an emulsion based sealant that swells when subjected to temperatures in excess of 125°C that restricts the passage of smoke and fire. Suitable for fire rated cladding, doors & walls.

- · Extensively tested
- Certifire Approved CF5840
- BS 476 Part 20/22
- 12.5% flexibility
- Flexible & smooth finish

Pack MOO Pallot

- Crack resistant
- Can be overpainted with most paints
- Excellent adhesion

Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs
	C/	ARTRID	GE		
FAWHITE	310ml	White	1	25	1600 PFM02

Applicator Guns

Up to 380ml Cartridges

Professional Foil & Cartridge Applicator Gun

Constructed with a heavy gauge aluminium barrel, reinforced steel mechanism and ergonomic grip for precise application and long lasting performance.


- Long life & fast flow
- Comfort grip
- · Lightweight
- Non-drip



Foil & Cartridge Applicator Gun

Constructed using light weight materials for ease of use with quick release end caps for fast removal and replacement of foils and cartridges.

- Powder coating
- Fast flow & non-drip
- Quick release
- Lightweight




Professional Sealant Gun

- A 48mm heavy duty sealant and caulking gun
- Swivel action barrel for easy application into tight corners
- With a convenient hook end for hanging
- Patented non-drip mechanism



Skeleton Gun

- A 48mm gun for dispensing sealants, caulk and adhesives
- 2.3mm strengthened side plates and a 6mm gripper plate
- Convenient hook end for hanging
- Riveted front cap for reinforcement and integrated cleaning pin





Expanding Foam



B3 Fill & Fix Expanding PU Foam



A high quality polyurethane based expanding foam designed to give excellent thermal and acoustic characteristics. Expands up to 30 times its original volume. Ideal for filling and insulating irregular or awkward gaps where the foam can expand and fill the cavity to prevent heat loss and deaden sound. Can be used as a temporary fix prior to mechanical anchors being installed to window and door frames.

- CFC Free
- Fast curing & cut
- Sandable
- Paintable
- · Can be plastered
- Up to 30 x expansion
- Excellent thermal & acoustic insulation

Product Code	Туре	Size	Qty	Qty	Carton Qty (packs)	Qty
CAN						
247641	Gun Grade	750ml	1	12	12	336
247596	Hand Held	750ml	1	12	12	336
SPARE STRAWS						
247999	-	-	12	-	20	480

B1 Fill & Fix Fire Rated Expanding PU Foam



A premium quality fire resistant polyurethane based expanding foam formulated to give excellent performance in a majority of fire critical applications. The complex cell structure also gives the foam excellent thermal and acoustic characteristics. Coloured pink for easy identification Please note: For 30 and 60 ations ls Fire

- · 4 hour fire rated
- · CFC Free
- Fast curing & cut
- Paintable
- · Can be plastered
- Up to 30 x expansion

minute fire door applicat
use Fire & Acoustic Seal
Door Foam (FAS-750G)

insulator • BS 476-20

• Heat & acoustic

- FN 1366-4
- DIN 4102-1

Product Code	Туре	Size	Qty (pcs)	Qty (packs)	Qty (packs)
		CAN			
247760	Gun Grade	750ml	1	12	624
247704	Hand Held	750ml	1	12	624
SPARE STRAWS					
247999	-	-	1	20	480
					PUF01

Fill & Fix **PU Foam Cleaner**



Designed to rapidly dissolve, remove and clean uncured PU foam from surfaces and for cleaning PU foam applicator guns. Complete with dual fitting nozzle for connecting to guns for cleaning or for direct spraying onto surfaces.

- · Cleans tools and surfaces
- Solvent based
- Extends tool life Leaves work
- surfaces clean
- · Easy application



Product Code	Size	Qty (pcs)	Qty (packs)	Qty (packs)
	CAI	N		
247893	500ml	1	12	504 PUF01

Fire & Acoustic Seals **FD60 Fire Door Foam**



A revolutionary polyurethane foam designed to seal the cavities between walls and fire door frames The product has been extensively tested to achieve 30 and 60 minutes fire resistance in a wide range of construction and building fire stopping applications.


Tested in accordance with: RS 476: Part 20 & 22, BS EN 1634-1, BS 8214 Compatible with TIMCO plastic packers

One can fills the

- No need for mineral fibre wool or mastic
- Quick and easy to apply in just 3 minutes
- cavities of 3-4 doorsets up to 30mm in width per doorset

Product Code	Туре	Size	Qty	Qty (packs)	Qty (packs)
		CAN			
FAS-750G	Gun Grade	750ml	1	12	120

Drywall Adhesive Fill & Fix Expanding PU Foam





A ready to use, fast curing and low expansion polyurethane adhesive for guick, easy and clean bonding of plasterboard, insulation panels, floorboards and shower/bathroom panels to a variety of building materials.

- · Fast curing, plaster in as little as 1 hour
- Limited expansion for fast & accurate application
- Coverage 15m²
- Excellent initial bond
- No mixing, no water, no waste, no mess
- Fills gaps & levels uneven surfaces
- · Suitable for vertical applications
 - · Remains flexible & does not become brittle
 - Paintable
 - CFC Free
 - Can be applied between +5°C & 30°C
 - · Gloves included



Product Code	Туре	Size	Qty	Carton Qty (packs)	Pallet Qty (packs)
		CAN			
247864	Gun Grade	750ml	1	12	336 PUF01



Applicator Guns

Spare extension nozzles available! Product Code: 247014 | Qty: 25pcs

Professional PU Foam Applicator Gun



Box also includes two extension tubes and two tapered nozzles for small gaps.

- · Excellent flow control
- · Lightweight
- · Hard wearing PTFE coated internal components

Product Code	Qty	Carton Qty (packs)					

783113 CAC01

PU Foam Applicator Gun



- Heavy duty steel body
- Stainless steel non-blocking valve
- Polypropylene hand grip
- · Lubricated trigger

Product Code	Qty	Carton Qty (packs)			
вох					

20

CAC01

783556

Economy PU Foam Applicator Gun



- Constructed from lightweight plastic
- Steel barrel & brass needle
- Ergonomic grip
- Stainless steel internals & non-return valve

Product	Qty	Carton Qty
Code	(pcs)	(packs)
	DAG	

36 CAC01

Fillers

Made in the UK

Ready Mixed Surface Filler



A versatile filling and sealing compound, developed to give a tough and durable surface repair to a variety of internal applications.

Ideal for repairing holes, cracks and imperfections in skirting, architraves, plasterwork, render around windows and door frames & more.

- Interior
- Flexible and waterproof seal
- · Fully cured in 24 hours
- Easy to apply
- Suitable for oil and water based paints
- Skin formation in 30 minutes



Produc Code		Layer Thickness (mm)	Qty	Carton Qty (packs)	Qty
		TUB			
357003	1	10	1	6	432
					FLR02

Fine Surface Filler



A ready to use, fine grade interior smoothing and filling compound.

Once cured, it forms a tough, durable repair that can be sanded and painted over with oil and water-based paint.

Ideal for repairing cracks, fine nicks and shallow depressions in walls and ceilings.

- Interior
- Fully cured in 24 hours
- Water based
- · Easy to overpaint
- Low odour
- Flexible when drying
- Skin formation in 30 minutes



Product Code	Size (g)	Layer Thickness (mm)	Qty	Carton Qty (packs)	Qty
		TUB			
357001	600	3	1	6	432 FLR02

Multi-Purpose Powder Filler



A multi-purpose plaster based repair compound. After setting it can be sanded and painted and sets hard enough to accept screws and nails. Ideal for filling screw holes, scratches and deep cracks on plaster, brick, wood and most other common building materials in internal & external environments before painting.

- Interior & exterior
- Smooth finish
- · Dries white
- · Easy to mix, apply & sand
- Shrinking and cracking resistant
- 1 part water to 2-21/2 parts powder
- Sets in 1 2 hours



Product Code	Size (kg)	Thickness (mm)	Qty	Qty (packs)	Qty
		BOX			
357002	1.8	10	1	6	240
					FLR02



Metolux Fillers & Liquid Mortar

Metolux 2 Part Decor All Purpose Filler



Metolux 2 Part Universal Decor Filler is a fast hardening two component polyester filling paste for the repairing of holes and surface imperfections in a wide range of materials including wood, metal, concrete, plaster and fibreglass.

- Easy to sand after 20 minutes
- · Easy to blend

Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
	TIN		
500g	Light Grey	1	6
1.5kg	Light Grey	1	6
6.0kg	Light Grey	1	2
			MFL01
	500g 1.5kg	TIN 500g Light Grey 1.5kg Light Grey	Qty Size Colour (pcs) TIN

Metolux 1 Part Wood Filler

Metolux 1 Part Wood Filler is a pre-coloured high strength polyester wood filler. Used for the filling and repair of small pinholes and cracks up to 5mm deep in timber. Particularly suited to flat face-up applications and for materials such as MDF and chipboard. Ideal for interior use



· Handy 250ml pack size

- Fast drying
- · Easy application
- Easy to sand
- · Very low odour

Product Code	Size	Colour	Pack Qty (pcs)	Cartor Qty (packs
		TIN		
65388	250ml	White	1	6
65389	250ml	Pine	1	6
65390	250ml	Light Oak	1	6

Dark Oak

250ml

LIGHT OAK

Metolux 2 Part Styrene Free Wood Filler



Metolux 2 Part Styrene Free Wood Filler is a two component high strength polyester wood filler. It provides a strong high quality repair to wood imperfections.

Supplied in pre-coloured blends to match your wood type. The weatherproof formulation is ideal for internal and external applications with additives to help flex with the natural movement of timber.

· Professional grade

Pack Carton

· Easy to mix • Easy to sand Can be painted. stained, varnished and waxed



REDWOOD







DARK TEAK	 Non slump
MAHOGANY	

Product	Ciro	Colour	Qty	Qty (packs)
Code	SIZE	******	(pcs)	(packs)
		TIN		
65431	275ml	White	1	6
65432	770ml	White	1	6
65433	3.3L	White	1	2
65437	275ml	Pine	1	6
65438	770ml	Pine	1	6
65439	3.3L	Pine	1	2
65440	275ml	Light Oak	1	6
65441	770ml	Light Oak	1	6
65442	3.3L	Light Oak	1	2
65434	275ml	Dark Teak	1	6
65435	770ml	Dark Teak	1	6
65443	275ml	Light Redwood	1	6
65444	770ml	Light Redwood	1	6
65446	275ml	Dark Mahogany	1	6
65447	770ml	Dark Mahogany	1	6 MFL01
	Code 65431 65432 65433 65433 65437 65438 65439 65440 65441 65442 65442 65435 65443 65444 65446	Code Size 65431 275ml 65432 770ml 65432 770ml 65438 770ml 65439 3.3L 65440 275ml 65441 770ml 65442 3.3L 65434 275ml 65434 275ml 65434 770ml 65443 770ml 65444 770ml 65445 770ml	Code Size Colour TIN 65431 275ml White 65432 770ml White 65433 3.3L White 65437 275ml Pine 65438 770ml Pine 65449 3.3L Pine 65440 275ml Light Oak 65441 770ml Light Oak 65434 275ml Dark Teak 65435 770ml Dark Teak 65443 275ml Light Redwood 65444 770ml Light Redwood 65444 770ml Dark Mahogany	Code Size Colour (pcs) TIN 65431 275ml White 1 65432 770ml White 1 65433 3.3L White 1 65437 275ml Pine 1 65438 770ml Pine 1 65440 3.3L Pine 1 65440 275ml Light Oak 1 65441 770ml Light Oak 1 65434 275ml Dark Teak 1 65435 770ml Dark Teak 1 65443 275ml Light Redwood 1 65444 770ml Light Redwood 1 65445 275ml Dark Mahogany 1

Metolux 2 Part Metoset Liquid Mortar

Metolux 2 Part Liquid is a two component polyester liquid mortar for crack and chip repair. Alternatively it can be used to fix threaded rod or rebar into concrete, stone or plain brick. Ideal for filling cracks and cavities in difficult to reach areas.

- · Easy to apply
- · Rapid setting
- · Internal & external
- Paintable
- · Useful to fill cavities, cracks or difficult access areas
- High mechanical and physical resistance



Product Code	Size	Colour	Qty (pcs)	Qty (packs)
		TIN		
65628	1.0kg	Grey	1	6
65627	5.0kg	Grey	1	2
				MFL01

Metolux Hardener



Spare hardener for use with: 2 Part Styrene Free Wood Filler 2 Part Decor All Purpose Filler

Product Code	Size	Qty	Carton Qty (packs)
	TUB	E	
78792P	40g	2	10 MEL 01



Original Finishing Wax



Briwax Original is formulated with fast drying, stronger solvents which speed up drying and also increase the cleaning ability of the wax slightly. This means that it will renovate older dirtier furniture and leave you with the deep grain enriching Briwax shine. Unsealed wooden surfaces should be smooth, dry and clean.



Product Code	Colour	Size	Pack Qty (pcs)	Carton Qty (packs)
	TIN			
BW0501241521	Honey	400g	1	36
BW0501464821	Teak	400g	1	36
BW0502000021	Clear	400g	1	36
BW0502101221	Antique Brown	400g	1	36
BW0502101421	Antique Mahogany	400g	1	36
BW0502101521	Antique Pine	400g	1	36
BW0502143121	Tudor Oak	400g	1	36
BW0502161321	Dark Oak	400g	1	36
BW0502280321	Jacobean	400g	1	36
BW0502341921	Medium Brown	400g	1	36
BW0502403621	Old Pine	400g	1	36
BW0502445621	Rustic Pine	400g	1	36
BW0502464721	Spanish Mahogany	400g	1	36
BW0502540121	Walnut	400g	1	36
BW0502542121	Silver Grey	400g	1	36
BW0303000005	Clear	5L	1	4
BW0303101205	Antique Brown	5L	1	4
BW0303101505	Antique Pine	5L	1	4
BW0303280305	Jacobean	5L	1	4
BW0303341905	Medium Brown	5L	1	4
BW0303445605	Rustic Pine	5L	1	4
				BWX01

Quick Dry Hard Wax Oil



Briwax Hard Wax Oil is a water based clear satin finish that is hard wearing, water and stain resistant that will dry to an attractive, durable, natural finish. Suitable for use on internal woodwork subject to a high degree of wear.

Brings out the natural beauty of the wood, making the colours richer. Easy to apply and maintain, leaving a wear, water and stain resistant finish to woodwork.

Product Code	Colour	Size	Qty (pcs)	Qty (packs)
	7	ΓIN		
BWHOILW1000	Satin	1L	1	3
BWH0ILW2500	Satin	2.5L	1	2
				BWX01

Spray Wax



The grain enhancing beauty of a Briwax finish, in an easy to use, convenient aerosol pack. Can be used in exactly

the same way as Briwax or as a regular maintenance product for most types of furniture.

Contains no silicones.

Product Code		Pack Qty (pcs)	MOQ Qty (packs)
	CAN		
BW9301000018		1	12

Wax Filler Sticks



Wax Filler Sticks are for the repair of scratches, cracks and small holes on wooden and plastic surfaces. They are available in dark, medium, light and grey. The Wax Filler Sticks are ideal for small damaged areas of furniture.

Apply using light pressure with the tip of the spatula and clean off surplus to leave a smooth flat surface. Each pack contains 4 shades to help with colour matching. For a close colour match, blend different shades of softwax by successive applications using light to dark colours.

Product Code	Colour	Size (ml)	Qty	Carton Qty (packs)
	PACK			
BWSWSLGT	Light Shades	40	4	6
BWSWSMED	Medium Shades	40	4	6
BWSWSDK	Dark Shades	40	4	6
BWSWSGRY	Grey Shades	40	4	6
				BWX01



Lubricants



Multi-Purpose Lubricant

Developed to penetrate, loosen, maintain, protect and clean metal surfaces. Specially formulated to rapidly penetrate into hard to reach areas.



Ideal for drying electrical systems, stopping hinges and latches from squeaking, maintaining locking mechanisms, reducing tool wear and tear, priming ignition systems, loosening seized nuts and holts and much more

· Premium quality oil suspended in a low viscosity dispersing fluid

Pack Carton Pallets

- Excellent moisture repelling properties
- · Resists corrosion
- Maintains lasting performance of a variety of metal components
- Temperature resistant from -50 to 200°C
- · Complete with an easy to use 360° spray nozzle, for precise application in hard to reach and confined spaces

Product Code	Size	Qty (pcs)	Qty (packs)	Qty (packs)
	CAN	,		. ,
237789	480ml	1	12	912 AER01

Silicone Lubricant

Formulated for applications where there are plastic or rubberised components, due to the absence of any chemicals which cause hardening and splitting. Ideal for window seals and slides, runners, bearings, o-rings, textile equipment and more



- · Low odour
- Non-staining
- Protects
- Temperature resistant from -50 to 200°C
- · Long lasting
- No heavy hydrocarbons that can cause cracking, squeaking, splitting and hardening



Product Code	Size	Qty	Qty (packs)	Qty
	CAN			
237357	380ml	1	12	1140 AER01

Copper Anti-Seize

A premium pure copper lubricant with a graphite additive, suspended in a high quality grease It maintains and protects steel, stainless steel, cast iron, copper & brass components from high temperatures, corrosion and seizure.



Ideal for all automotive, industrial and construction uses including: threaded fasteners, brake pads and callipers, manifolds and exhausts, boiler parts, flanges and pipes.

- · Protects
- Copper formulation resists high temperatures
- Heat resistant up to 1100°C
- Water resistant
- · The graphite additive allows for easy assembly and dismantling of a wide range of metal applications

Packs Carton Pallate

Product Code	Size	Qty	Qty (packs)	Qty
	CAN			
237456	380ml	1	12	1140 AER01

Cutting & Tapping Lubricant

Formulated to significantly reduce friction and wear, increase cutting speeds, protect and extend tool life and ensure a consistent high quality surface finish

Ideal for all machine shops, tool-rooms and maintenance departments.



- Contains extreme pressure additives
- Prevents pitting, galling and metal seizure
- · Improves tooling accuracy
- · Suitable for use on hard to work metals including stainless steel titanium aluminium and tool steel
- Complete with an easy to use 360° spray nozzle, for precise application in hard to reach and confined spaces

Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237159	380ml	1	12	1140 AFR01

Chain Lubricant

Designed to penetrate, maintain, protect and clean chain, wire rope and moving metal parts. The high viscosity formula gives excellent lubricant retention, preventing "fling off" and unnecessary wear and maintenance

Ideal for chain, gears, wire rope, pulleys, rollers, bearings and more.



- The Molybdenum disulphide additive gives exceptional long lasting friction reduction
- Prolongs the performance and lifespan of moving metal parts and surfaces
- · Prevents corrosion and reduces dirt and grime build up, even in wet and humid environments



Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237123	380ml	1	12	1140

Graphite Lock Lubricant

A graphite lock lubricant engineered to penetrate locking, hinging and latching mechanisms, ensuring long lasting, smooth operation. Containing microscopic graphite grains to prevent seizing and stop a build up of grime.

Ideal for mechanisms such as padlocks, hinges, locks, latches and more.



- Easy to use
- · Long lasting lubrication
- · Excellent water resistance
- · Anti-seize formulation
- No grease
- · Enhanced durability





Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237009	80ml	1	12	2016 AER01



Greases & Oils





White Lithium Grease



An opaque viscous lubricant with a non-thinning heat resistant formulation to ensure long term performance Ideal for industrial marine and automotive applications where water ingress can be detrimental to lubrication

- · Highly visible
- Superior corrosion
- Temperature resistant from - 20 to 140°C
- · Extremely effective in areas requiring water resistance

Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237482	380ml	1	12	1140

Premium Lithium Complex Grease



A premium quality and long life, lithium complex grease with extreme pressure additives, making it suitable for the most demanding antifriction and high load applications. Ideal for effective and long lasting lubrication in harsh, hot, wet and dusty applications in the agriculture, construction and automotive industries.

- mechanical stability
- High water resistance
- · Very high temperature resistance

•	Resists oxidation
	and corrosion

- Excellent pumpability
- Temperature resistant from -30 to 150°C

Product Code	Colour	Size	Carton Qty (packs)	Qty				
CARTRIDGE								
26002	Red	400g	12	1200				
				L RNO1				

Lithium **EP2 Grease**



A high quality, multipurpose lithium grease with high pressure additives, making it suitable for all antifriction and medium to high load conditions. Ideal for industrial, construction and automotive applications such hydraulic systems, wheel bearings and pump systems.

- · Good mechanical stability
- Water resistant
- · High temperature resistance
- · Resists oxidation and corrosion
- · Good pumpability
- Temperature resistant from -30 to 140°C

Product Code	Colour	Size	Carton Qty (packs)	Pallets Qty (packs)
CARTRIDGE				
526001	Cream/Brown	400g	12	1200 LBN01

2 Stroke Engine Oil



Supplied in a

- · Semi-synthetic
- High performance
- Low smoke formulation
- A premium formula, high performance two-stroke engine oil. Using the latest additive technology and synthetic and fine mineral based oils it is capable of withstanding the high demands of modern engines and machinery. Ideal for lawnmowers, strimmers, motorcycles, scooters, small generators and onboard engines
- · Prevents power loss
- · Protects internal parts
- Reduced exhaust contaminants

Product Code	Size	Qty	Carton Qty (packs)	Qty
	BOTTL	E		
526005	1L	1	12	450 LBN02

4 Stroke Engine Oil



A premium quality lubricant, designed to maintain viscosity in a variety of operating temperatures. Containing a detergent inhibitor to assist sludge control, with added wear resistance and antioxidant properties. Ideal for a wide variety of engines in marine, agricultural and site applications such as lawnmowers, air compressors, small capacity petrol engines and more

- 10W-30
- Mono-Grade
 - sludging
- · Prolongs engine life Temperature
- Reduces internal fluctuation tolerant

Product Code		Qty	Carton Qty (packs)	Qty
	BOTTLE			
526004	11	1	15	450

Chainsaw Oil



A heavy duty and high viscosity oil formulated using premium base oils and tacky modifiers. Developed to help reduce wear and extend the tool lifetime. Ideal for lubricating bars and chains on

pump fed chainsaws.

- · Anti-fling agents
- · Anti corrosion
- · Extends bar & chain life

Product		Qty	Carton	Qty
Code	Size BOTTLE	(pcs)	(packs)	(packs)
526003	1L	1	15	450 LBN02



Maintenance & Cleaning Sprays



Oil & Grease Remover



A solvent based degreaser, which penetrates, lifts and easily removes heavy oils, grease and tar deposits from most metals and hard plastic surfaces.

Ideal for automotive, industrial, general workshop maintenance and surface preparation.



· Quick drying

with water

· Immediately emulsifies

clean and residue free

- Powerful degreasing performance
- Highly effective at penetrating and lifting unwanted
- · Leaves the surface contaminants

		Packs	Carton	Pallets
Product		Qty	Qty	Qty
Code	Size	(pcs)	(packs)	(packs)
	CAN			
237156	380ml	1	12	1140
				AER03

Adhesive Residue Remover



A powerful and rapid acting solvent based cleaning solution. Can be used for the safe removal of unwanted adhesive residue, wax, ink, sealants and much more Ideal for surface degreasing and cleaning before paint, adhesive and sealant application.



- · Powerful cleaning
- · Rapid acting
- · Degreases
- Removes wax & ink
- Non-aggresive solvent formulation
- Leaves no film
- Low odour

		Packs	Carton	Pallets
Product		Qty	Qty	Qty
Code	Size	(pcs)	(packs)	(packs)
	CAN			
237004	480ml	1	12	912
				AFR03

Label Remover



A unique blend of citrus and hydrocarbon oils used to quickly penetrate and neutralise the adhesive allowing for effortless and safe removal of unwanted self adhesive labels and stickers.

Ideal for removing labels from products including pipe fittings, hand tools, bracketry and hardware



- Safe on most materials
- Fast penetration
- · Pentrates through paper labels
- Breaks down adhesive residue
- · Removes some inks & dyes

Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237005	200ml	1	12	1680 AER03

Welder's Anti-Spatter



Specifically formulated to eliminate the need to remove unsightly spatter. which significantly reduces working time.

Ideal for welds, working areas and equipment.



- Non-flammable
- · Can be easily removed after weldina
- · Low odour and colourless

Code

- · Quick drying
- Silicone and petroleum free, so does not interfere with post welding coatings
- Packs Carton Pallets Qty Qty Qty (pcs) (packs) (packs) Product Size 1140

Air & Gas Leak Detector



Professional formulation, designed to quickly and reliably detect the smallest leak in pressurised systems. Reacts instantly upon contact with gas and air pressure, forming a stream of bubbles to identify the

Ideal for refrigeration units, air conditioning systems, exhausts, pipes, valves, screw connectors, welded seams and more

- Water based
- Instant reaction
- Non-flammable
- · Complete with an easy to use 360° spray nozzle, for precise application in hard to reach and confined spaces

Packs Carton Pallets

Qty Qty Product Qtv (pcs) (packs) (packs) Code Size 237023 1140

Cordless Nail Gun Cleaner



A powerful and fast acting cleaner, formulated for removing exhaust gas residue, dirt and grime from cordless nail guns. Regular use enhances the performance and extends the life of the powertool. Suitable for use on most leading brands of cordless nailing tools



- · Powerful cleaning
- · Fast acting
- · Extends tool life
- · Safe on plastics
- Leaves no residue
- Enhances tool performance

Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237003	300ml	1	12	1140 AER03

Paints





Galvanising Paint



A premium quality zinc spray that gives excellent corrosion resistance as either a primer or topcoat of metals after grinding, welding, cutting and drilling. Ideal for threaded fasteners, exposed metal edges and welds, conduit, fencing and railings, gates, signs, rails and more



- Sacrificial zinc coating forms a hard-wearing bond to ferrous metals
- The high zinc purity blends with previously galvanised coatings
- Paintable
- Gives a professional finish or a suitable base layer for acrylic, alkyd, p/u alkyd and epoxy paints
- · Actively fights rust and corrosion

Product Code	Size	Colour	Qty	Carton Qty (packs)	Pallet Qty (packs)			
CAN								
237750	380ml	Cold Galvanised	1	12	1140			
237002	380ml	Bright Galvanised	1	12	1140			
					AER02			

Metal Paint



г



- Quick drying
- · Hard-wearing
- Direct to rust application
- Smooth finish

quick drying, hard-wearing
nd long lasting paint for
netal surfaces. Formulated
o be used as a primer,
indercoat and top coat in
ne application.
deal for metal gates, fences,
loors, garden furniture,
ailings and more.



- · Prevents rusting
- · Interior & exterior
- · Primer, undercoat and top coat

Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs)
		CAN			
237006	380ml	Smooth Black	1	12	1140
237007	380ml	Smooth White	1	12	1140
237008	380ml	Smooth Silver	1	12	1140

Finishing Paint



A multi-purpose acrylic based finishing paint designed to give a professional and corrosion resistant finish to most substrates including: ferrous metals stainless steel aluminium, plaster, wood and some plastics. Ideal for ironmongery,

garden furniture, decorative fixtures, concealing unsightly surfaces and repairing damaged paint surfaces





- The fast drying, UV resistant and flexible formula gives a drip-free application
- Temperature resistant from -
- · Enhanced colour pigments for a long lasting finish
- 50 to 80°C Pack Carton Pallet

Product Code	Size	Finish	Qty (pcs)	Qty (packs)	Qty (packs)
		CAN			
237128	380ml	Matt Black	1	12	1140
237190	380ml	Gloss Black	1	12	1140
					AER02

Very High Temperature Paint



A hard-wearing heat and flame resistant coating for metal surfaces.

During the curing process a durable silicone matrix is formed to give protection againt extreme temperatures

Ideal for stoves, heaters, fireplaces and surrounds, boiler flues, machinery, exhausts, radiators, incinerators, furnaces and

- · Corrosion resistant coating
- Withstands temperatures up to 650°C
- Fast drying formula
- · Single coat
- · No primer required
- · Non-drip and run free
- · Interior & exterior

Product Code	Size	Colour	Qty	Carton Qty (packs)	Pallet Qty (packs)
		CAN			
237896	380ml	Matt Black	1	12	1140
					AER02

Primer



GREY

RED OXIDE

Formulated to maximise the adhesion of finishing paints to metals and hard plastics. Excellent high build formula fills and masks surface imperfections, resulting in a smooth and consistent finish

AER02

Ideal for welded seams. machinery and equipment, ironmongery, fences, gates and commercial steelwork.

- · The corrosion resistant properties enhance finishing paint performance
- Temperature resistant from -50 to 80°C
- · Protects exposed metal surfaces after welding and

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		CAN			
237320	380ml	Red Oxide	1	12	1140
237480	380ml	Grey	1	12	1140
					VEDU3

Stain Concealing Paint



MATT

A fast drying spray paint which permanently prevents existing stains reappearing through paint finishes. Can be overpainted in 15 minutes

Ideal for concealing stains caused by water, grease, nicotine, rust, soot, graffiti and more on a wide variety of materials.

- · Quick drying
- Low odour
- · Cracking & peeling resistant
- · Touch dry in 15 mins
- · Interior & exterior
- Coverage: 0.7-0.8m²

Product Code	Size	Colour	Qty	Carton Qty (packs)	Pallet Qty (packs)				
	CAN								
237001	400ml	Matt White	1	12	840				



Survey & Spot Markers



Survey & Spot Markers



A rapid drying marking paint for applying semi-permanent markings to soil, grass, concrete and most hard surfaces. Ideal for a variety of uses including: highway maintenance, site excavation, turf marking, landscaping and marking cable positions prior to drilling and cutting.

Lasts at least 3 months on most hard surfaces. Applications to wet and damp surfaces may decrease performance.

- Contains built-in bright colour pigments for a bold finish
- Includes a heavy duty, non clogging nozzle for inverted use
- Includes dual trigger pads for compatibility with survey marking applicators

Product Code	Size	Colour	Application*	Packs Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
			CAN			
237369	750ml	White	General marker	1	12	684
237025	750ml	Yellow	General marker	1	12	684
237798	750ml	Blue	Water	1	12	684
237206	750ml	Red	Electricity	1	12	684
237047	750ml	Green	Cablework	1	12	684
237225	750ml	Black	Covering old lines	1	12	684
237900	750ml	Orange	Hazards	1	12	684
*SURVEY MARKING AP	PLICATIONS INCLUDE	BUT ARE NOT LIMITED				AER02



Barrettine Wood Treatment



Wood Protective Treatment

A wood protector for sealing rough, sawn or smooth timber. It contains water repellent resins and a biocide film preserver to prevent the surface growth of mould and algae.







DARK



- I ow odour formula
- · UV fade resistant colour pigments
- · Deep penetrating oil/spirit formula
- Up to 6m² per litre coverage
- · Harmless to beneficial insects & plants when dry



Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
		TIN			
PTCL005	5L	Clear	1	2	156
PTDB005	5L	Dark Brown	1	2	156
PTLB005	5L	Light Brown	1	2	156 BAR01

Universal Preserver

A clear wood preserver and primer that provides a colourless finish for further painting or varnishing. Can be used on untreated wood or treated timber outdoors.



- · Deep penetrating oil/spirit
- · Low odour formula
- Up to 5m² per litre coverage
- · Quality primer resins for excellent adhesion
- · High level, longlasting wood protection & wood preservation

Pack MOO Pallet



Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs)
		TIN			
UNCL005	5L	Clear	1	2	156 BAR01

Wood Preserver

A high-quality, low odour oil/spirit wood preservative that is deep penetrating. Used for protecting wood against wood-destroying fungi (wet rot), wood discolouring fungi and wood-boring insects.



- Deep penetrating oil/spirit
- · Low odour formula
- · Superb quality water repellant resins
- UV fade resistant colour pigments
- Up to 6m² per litre coverage
- High level, long-lasting wood protection boow 3 preservation

Deals MOO Dellas



Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs)
		TIN			
WOCL005	5L	Clear	1	2	156
WODB005	5L	Dark Brown	1	2	156
WOLB005	5L	Light Brown	1	2	156
WOST005	5L	Summer Tan	1	2	156
					BAR01

Decking Oil - All In One

Specifically formulated for use on pressure treated and preservative impregnated timber offering superb protection to deck boards, deck tiles and halustrades



- UV faderesistant piaments
- Contains a surface biocide preserver to protect against mould
- Harmless to beneficial insects & plants when dry
- Up to 8m² per litre coverage







				Pack	MOQ	Pallet
	Product			Qty	Qty	Qty
	Code	Size	Colour	(pcs)	(packs)	(packs
I			TIN			
	DOCL005	5L	Clear	1	2	156
	DOCP005	5L	Amber Light Oak	1	2	156
	DOD0005	5L	Dark Oak	1	2	156
	DON0005	5L	Natural Oak	1	2	156

Decking Oil - Anti-Slip

A premium quality topcoat decking oil incorporating anti-slip technology. Improves grip on decking, handrails and wooden steps. Awarded 'Best Garden Product' in the DIY Week awards 2019.





- · A low sheen finish with UV stabilisers helps to slow wood turning grey
- · Resists flaking or cracking with excellent water heading
- Oils and protects
- Contains a surface biocide to protect against fungal and mould attack · Harmless to
- beneficial insects & plants when dry
- Up to 17m² per litre coverage

			Pack	MOQ	Pallet
Product			Qty	Qty	Qty
Code	Size	Colour	(pcs)	(packs)	(packs)
		TIN			
DTAS25	2.5L	Clear	1	4	260
					RAP01





Log Cabin & Decking **Treatment**



Log Cabin & Complete Decking Treatment is specifically formulated to oil and protect log cabins, decking boards, deck tiles and balustrades made from pretreated, pressure treated or preservative impregnated timber.



CLEAR

- · Contains surface biocide to aid in the prevention of surface mould and algae
- Contains added **UV** Stabilisers
- · Regular treatment provides superb water repellency
- Resists flaking / peeling, whilst water repellence helps prevent timber splitting and cracking
- Harmless to heneficial insects and pets when dry
- Up to 8m² per litre coverage

Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
		TIN			
LCDT005	5L	Clear	1	2	156
					RAR01

Timber Cut End Preserver

Specially formulated to be used on pressure-

treated timber where it has been cut, drilled or worked in any way to expose the untreated inner

wood. Protects against decay such as wet rot,

discolouring fungus and wood boring insect attack.

Wood Reviver

Wood Reviver will turn back the clock, restoring grey, UV-damaged wood to its original warm tones. Wood Reviver can also rescue wood from stains caused by surface mould, tannin runs, watermarks, iron, rust and light dirt.



• Ready to use

formulation

Low VOC and

chlorine bleach free

blackened/grey wood

• Instantly renovates



- · Removes rust stains from fixings
- Restores the original tone of the wood
- Up to 4m² per litre coverage

Product Code	Size	Qty	Qty (packs)	Qty
	BOTTLE			
WORE001	1L	1	6	552
				BARO1

Polyurethane Varnish

A high quality satin finish. Gives excellent durability to kitchen furniture, internal doors and other joinery products.

Ideal for internal doors & joinery, kitchen furniture and worktops



- High durability varnish
- Up to 14m² per litre coverage

Product Code	Size	Finish	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)				
	TIN								
PSVA001	1L	Clear Satin	1	9	324 BAR01				

Woodworm Killer

A traditional woodworm treatment for a deep penetrating low odour oil/spirit based woodworm killer. It prevents & exterminates woodworm and wood boring insects from treated timber.





- Low odour formula
- For internal & external timber structures
- Up to 3.3m² per litre coverage

Product Code	Size	Qty	Carton Qty (packs)	Qty				
	BOTTLE							
SPWW50	500ml	1	6	870 BAR01				

Yacht Varnish

A tough, top-quality varnish with a high gloss finish. Protects against cracking and flaking caused by UV light. Also provides complete and long-lasting protection under testing weather conditions.



- · High durability varnish
- · Tough, top quality varnish
- · High gloss finish
- Up to 14m² per litre coverage
- · For interior and exterior use



	oduct Code	Size	Finish	Qty	Carton Qty (packs)	Pallet Qty (packs)			
	TIN								
CG	YV001	1L	Clear Gloss	1	9	324			



- Protects vulnerable exposed end grain
- to protect cuts and
- Deeply penetrates
- notches Product
- Size Finish Code (pcs) (packs) (packs) TEGR001 468 1L Green 6

& other cut pressure

Pack Carton Pallet

treated timbers

Up to 6m² per litre

coverage

Qty Qty Qty





Quick Drying Floor Varnish

Nourishes and protects, whilst providing a lasting depth of sheen that naturally enhances the beauty of wood flooring.



- Quality interior floor varnish
- Durable, clear finish for wooden floors and work surfaces
- Pack Carton Pallet Product Size Qty Qtv Qtv

• Up to 14m² per litre

coverage

Finish Code (pcs) (packs) (packs) QDFV25 288 Clear Satin

Traditional Floor Wax

A clear quick drying wax finish which nourishes and protects whilst providing a lasting depth of sheen that naturally enhances the beauty of wood flooring



- · Quality interior floor
- · Long lasting depth of sheen
- Nourishes and protects Up to 16m² per liitre
 - coverage

Product Code	Size	Finish	Qty	Carton Qty (packs)	Pallet Qty (packs)
		TIN			
CFWX25	2.5L	Clear	1	4	288
					BAR01

Danish Oil

A blend of oils and resin which provide an attractive lustre finish to all woods. Ideal for Scandinavian furnishings, doors, panelling, wood turning and more.



Ideal for doors. panelling, wood turning etc.



- · Apply using a brush or lint-free cloth
- Blend of oils and resins to provide an attractive lustre finish to interior woods
- If using outside, apply wood preservative first
- Up to 10m² per litre coverage

Pack Carton Pallet

Product Code	Size	Qty (pcs)	Qty (packs)	Qty (packs)
	TIN			
OIDA50	500ml	1	12	1056 BAR01

Teak Oil

An oil for the treatment and enhancement of untreated wood. Teak Oil penetrates unsealed wood leaving a natural, water resistant finish.



- Quick and easy to apply
- Dries to a satin-matt finish

Ideal for garden furniture or traditional matt finished interior furniture



- Up to 10m² per litre coverage
- Preserves the natural beauty of wood

Pack Carton Pallet Product Size Qty Qtv Qtv Code (pcs) (packs) (packs) OITE50 1056

Raw Linseed Oil

A traditional completely natural oil from the extract of flax seed which penetrates unsealed wood leaving a natural, water resistant finish with a slightly enhanced colour that darkens slightly with age.



Ideal for oak beams, cricket bats, garden canes and instruments.



· Offers a matt finish

· Highly water

resistant

coverage



- Suitable for interior and exterior use
- Up to 10m² per litre
- Pack Carton Pallet Product Qty Qty Size Qtv Code (pcs) (packs) (packs)

OIRL50 12 1056

Boiled Linseed Oil

A natural linseed oil blended with driers to improve drying times. Boiled Linseed penetrates unsealed wood leaving a natural, water resistant finish with a slightly enhanced colour that darkens slightly with age.



Suitable for interior and exterior use



- · A quicker drying alternative Linseed
- Low VOC content
- Up to 10m² per litre coverage

OIBL 50

- · Blended with driers to improve drying times
- · Provides natural protection for wood surfaces

Pack Carton Pallet Product Size Qty Qty Qtv Code (pcs) (packs) (packs)

> 1056 RAR01



Cleaners



Exterior Multi-Purpose Cleaner Concentrated

A multi-purpose cleaning product for removing dirt, algae, mould, fungi and general grime build up from a variety of external surfaces such as PVCu, hard plastics, glass, rubber, metal and more



Ideal for cleaning conservatories greenhouses, windows, roof lights, flat roofs and more

The pH neutral and biodegradable formula contains a citronella additive to repel insects and neutralise unwanted odours with added carnauba wax to leave surfaces looking clean and shiny

- Anti-static agent to reduce dirt and grime
- pH neutral to protect delicate plastics and rubbers
- Built in water softener
- · Safe & easy to use as a concentrate
- · No streaking and spotting
- Easy to use 40 dose dispensing bottle
- One 25ml dose dilutes to 10L of water
- · Also suitable for interior cleaning tasks

Product Code	Size	Qty (pcs)	Qty (packs)	Qty (packs)
	E	OTTLE		
257001	1L	1	10	550 CLR01

Brick, Masonry & Patio Cleaner

A heavy duty acid based cleaner for removing dirt, grime and unwanted stains from stone, concrete, bricks and blocks. Ideal for removing leaf stains from patio slabs, stubborn algae from block paving, cement and mortar stains from brickwork and rust marks



- Fast acting
- High strength
- · Acid based
- Dissolves mortar
- stains
- · Exterior use only
- Water clean up
- Not suitable for use on calcareous or polished stone and tarmacadam

Over 3x the coverage of other leading brands. Clean up to 30m



Product Code	Size	Qty	Qty (packs)	Qty
	BOTT	ΓLE		
257002	4L	1	4	160
				CLR01

Path, Patio & Driveway **Cleaner Concentrated**



A non-toxic revolutionary cleaning treatment for a variety of exterior surfaces. An easy to use formula that requires no rinsing, scrubbing or



or pressure washing

Formulated to effectively kill algae, mould, fungi, moss and green growth on concrete, brick, stone,

- · Long lasting
- protection
- · Easy to use
- Up to 140m² coverage

pressure washing

No rinsing, scrubbing

paving, decking, tarmacadam and much more.

- · Spray and leave
- · Pet and wildlife safe
- · Non-toxic and bleach free
- Eco friendly organic and biodegradable
- Packs Carton Pallets Product Qty Qty Qtv Size (pcs) (packs) (packs) Code 257112 128

Path, Patio & **Driveway Sealer**

A water based environmentally friendly sealing agent, formulated to provide long lasting moisture and UV resistance. It leaves brick, concrete and

stonework looking revitalised whilst protecting against weathering, efflorescence moss and mould growth.





Over 3x the coverage of other leading brands

Ideal for all types of external masonry, including natural and artificial stone, limestone, sandstone, slate, brick and concrete paving

- · Exterior use only
- · Moisture repellent
- Enhances
- UV resistant
- · Non-yellowing
- Eco friendly Stain resistant Concentrated
- formula appearance Packs Carton Pallets

Product Code	Size	Qty (pcs)	Qty (packs)	Qty (packs)
	BOTTLE			
257003	1L	1	4	360
				CLR01

Exterior Wood Cleaner

A fast acting, water based decking cleaner, formulated for use on all timber, composite and plastic decking. The super concentrated formula

removes dirt, grime, fungi and algae making it ideal for light cleaning and thorough restoration





Ideal for all external timbers, including fencing, trellis, pergolas, garden furniture and more.

- · Exterior use only
- · Fast acting
- Just add water
- · Easy application
- Concentrated formula

Product Code	Size	Qty	Carton Qty (packs)	Qty
	BOTTLE			
257004	500ml	1	12	1056
				CLR01

PVCu Cleaner

A heavy duty cleaner for transforming weathered and dirty PVCu surfaces

It provides protection and makes PVCu look as good as new.



Ideal for window and door frames, conservatories. cladding, soffits, fascias and more



- · Ready to use
- · Heavy duty
- No scrubbing
- · Removes mould, dirt and grime

		Packs	Carton	Pallets
Product		Qty	Qty	Qty
Code	Size	(pcs)	(packs)	(packs)
	BOTTL	E.		
257105	1L	1	12	528
				CLR02

Glass Cleaner

A rapid drying glass cleaner that effortlessly removes dirt and grease whilst leaving a streak and static free finish.



Ideal for windows and mirrors but also suitable for tiling. PC monitors and TVs.



- · Rapid drying
- Removes dirt & grease

Product

Code

 Streak free • Static free

	Packs	Carton	Pallets
	Qty	Qty	Qty
Size	(pcs)	(packs)	(packs)

BOTTLE					
257106	1L	1	12	528	
				CL DO	

Multi-Purpose Citrus Cleaner & Degreaser

A powerful, multi-purpose cleaner and degreaser. It contains natural citrus solvents which penetrate deep into oils, greases, adhesive residue and dirt, allowing for quick and easy cleaning.



Ideal for a variety of hard surfaces such as plastic, metal and wood in home. office, commercial, automotive and agricultural applications.



- Natural solvents
- · Interior and exterior
- Streak free & Static free

Product

 Not suitable for use on marble, natural stone or glass

Packs Carton Pallets

Qty

Qty

Code	Size	(pcs)	(packs)	(packs)
	BOTTLE			
257110	1L	1	12	528

CLR02

Multi-Purpose Calcium, **Lime & Rust Stain Remover**



A multi-purpose cleaner and disinfectant that removes fats, soaps, limescale, algae, rust, copper stains and other contaminants from a variety of surfaces around the home and workshop



Ideal for bathrooms, washrooms, kitchens, hand tools, garden tools, site machinery and automotive applications.


- · Interior and exterior
- · Fresh fragrance
- Concentrated
- · Chrome safe
- · Fast acting • Environment safe

Product Code	Size	Qty	Carton Qty (packs)	Qty
	BOTTLE	Ε		
257108	1L	1	12	528

Grout Cleaner



A powerful cleaning agent formulated for removing dirt and grime from grout. Contains buffing and deep cleaning properties to leave grout lines looking as good as new.



Ideal for all types of grout between wall tiles, floor tiles and brick.

- · Interior and exterior
- · Ready to use
- · Fast acting
- · Acid free
- · Removes black damp
- · Coloured grout safe

Product Code	Size	Qty	Qty (packs)	Qty	
	BOTTL	.E			
257107	1L	1	12	528	

For Wipes, Rags & Cloths See page 184



Heavy Duty Cleaner & Degreaser



A professional degreasing solution, formulated for removing stubborn stains, scuff marks, oils and greases, in the home, garden, on site and in the workshop. It penetrates contaminants and lifts them from the surface, allowing for easy removal.

Ideal for metal, glass, plastic, painted surfaces, wood and masonry.

- Interior and exterior
- High penetration power
- · Fast water solubility
- · Highly dilutable
- Dissolves grease, oil, dirt, wax & glue
- Removes uncured PU foam



Product Code	Size	Qty	Carton Qty (packs)	Qty		
BOTTLE						

160 CLR02



Workwear, PPE & Safety

Hi-Vis Clothing	
Vests, Fleeces & Polo Shirts	214
Jackets	215
Trousers	215

PPE

Ear Protection	216
Knee Pads	216
Eye Protection	217-218
Safety Goggles & Face Shield	219
Safety Masks	220
Gloves	221-223
Coveralls & Shoe Covers	224

First Aid

First Aid Kit	S	225
Eye Care		225
Plasters		225
•		

Cleaning

Hand Cleaners	226
Sanitisers	226
Soaps	226

Workwear

Trousers & Shorts	209-210	Safety	
Overalls	210	Tarpaulins & Tie Downs	227
T-Shirts, Fleeces & Hoodies	211	Barrier Fencing	227
Jackets & Bodywarmers	211	Safety Signs	227
Waterproof Clothing	212	Ratchet Straps & Bungee Cords	228
Accessories	213	Lifting Slings	228



Workwear



Workman Trousers & Shorts

Multi-purpose work trousers & shorts, made using breathable and reinforced fabric for extra comfort and durability.

- Robust stitching for long lasting seams
- · Heavy duty & dust proof
- Breathable fabric
- Tapered style trousers for best look & fit
- Trousers feature top entry knee pad pockets
- Heavy duty YKK zip fly
- Polyester & cotton blend
- Hammer strap
- 8 pockets

Reinforced holster pockets and belt loops for improved durability & protection from scuffs, tears & abrasions.





Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
WTGBK3030	W30 L30	1	20
WTGBK3032	W30 L32	1	20
WTGBK3230	W32 L30	1	20
WTGBK3232	W32 L32	1	20
WTGBK3234	W32 L34	1	20
WTGBK3430	W34 L30	1	20
WTGBK3432	W34L32	1	20
WTGBK3434	W34L34	1	20
WTGBK3630	W36 L30	1	20
WTGBK3632	W36 L32	1	20
WTGBK3634	W36 L34	1	20
WTGBK3830	W38 L30	1	20
WTGBK3832	W38 L32	1	20 wwT02



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
WSGBK30	W30	1	20
WSGBK32	W32	1	20
WSGBK34	W34	1	20
WSGBK36	W36	1	20
WSGBK38	W38	1	20
WSGBK40	W40	1	20
			MANTOA

Yardsman Trousers

General purpose trousers made using lightweight and sturdy fabric.

- Hard wearing fabric
- Polyester & cotton blend
- Regular fitting for a variety of jobs
- · Single-stitched seams
- 5 belt loops
- Front zip fly
- Hammer strap
- Top entry knee pad pockets
- 8 pockets



Knee pad inserts available, sold separately -Product Code: 770301





Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
YTBK3032	W30 L32	1	20
YTBK3232	W32 L32	1	20
YTBK3432	W34L32	1	20
YTBK3632	W36 L32	1	20
YTBK3832	W38 L32	1	20
YTBK4032	W40 L32	1	20
			WWT01

Overalls



Yardsman Overalls

General purpose lightweight and durable overalls. Ideal for light working duties such as engineering, automotive and cleaning.

- Flexible polycotton for all day comfort
- Hard wearing fabric
- Polyester & cotton blend
- Elasticated waist for full mobility
- Two open chest pockets with press studs for easy access
- Large swing pockets with high strength inner stitching
- Full length concealed press studs
- Adjustable elasticated waist





Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
YOMBM	M (Chest: 42")	1	10
YOMBL	L (Chest: 46")	1	10
YOMBXL	XL (Chest: 50")	1	10
YOMBXXL	XXL (Chest: 54")	1	10
			WW001



T-shirts, Hoodies & Fleeces



Short & Long Sleeve Trade T-Shirts

Packs of 3 short or long sleeve t-shirts for a variety of work types. Made from breathable fabric for added comfort and seasonal layering.

- Classic fit & quick drying
- Hypoallergenic lightweight fabric
- Easily layered up in cooler seasons
- Pack contains mix of red, green & grey marl colours



GREEN



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
	SHORT SLE	EVE	
TTMIXM	M (Chest: 42")	3	34
TTMIXL	L (Chest: 46")	3	34
TTMIXXL	XL (Chest: 50")	3	32
	LONG SLEE	VE	
LSTTMIXM	M (Chest: 42")	3	20
LSTTMIXL	L (Chest: 46")	3	20
LSTTMIXXL	XL (Chest: 50")	3	18
			WWH01

Hoodies

A heavyweight hoodie with elasticated hem and cuffs for warmth and comfort. Ideal for everyday use in a variety of work environments.

- Breathable & warm fleece lining
- · Elasticated hem & cuffs for added warmth
- · Excellent colour retention
- Adjustable draw cord hood

Cotton & polyester blend
 Heavy duty & durable



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
HOODIEGM	M (Chest: 42")	1	22
HOODIEGL	L (Chest: 46")	1	22
HOODIEGXL	XL (Chest: 50")	1	20 wwH05

Half Zip Overhead Fleeces

Lightweight and tough overhead fleece with half front zip. Made from premium grade microfleece fabric for added user comfort.

- Premium grade microfleece
- $\bullet \ \mathsf{Lightweight} \, \& \, \mathsf{breathable} \, \mathsf{material}$
- · Elasticated cuffs with thumb hole
- Good colour retention
- Insulation against cold
- Half-length front zip
- 100% polyester
- · Bound hem





Black

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
HZOFBM	M (Chest: 42")	1	20
HZOFBL	L (Chest: 44")	1	20
HZOFBXL	XL (Chest: 48")	1	20 wwh04

NEW


Jackets & Bodywarmers



Padded Bodywarmers

A premium padded bodywarmer with anti-pilling microfleece lining for superior user comfort and warmth.

· Super lightweight



- 4 way stretch fabric for comfort & movement
- Easy to clean & fast drying
- Hard wearing polyester fabric
- Soft lined collar
- 3 pockets



Black &

Charcoal

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
PB1101M	M (Chest: 46")	1	30
PB1101L	L (Chest: 48")	1	30
PB1101XL	XL (Chest: 50")	1	30



Waterproof Clothing



Waterproof Lined Rain Jackets

A heavy duty and lightweight lined rain jacket and hood made from tough fabric for durable and long lasting waterproofing. With a concealed back vent for increased user comfort.

- · 100% waterproof
- Heavy duty
- · Reflective strips
- Lightweight lining
 Two-way adjustable drawcord hood
- Turned hem & front zip
- Wind resistant adjustable cuffs

 2 lower pockets with nylon zips





Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)			
BAG						
LRJ1001M	M (Chest: 48")	1	25			
LRJ1001L	L (Chest: 50")	1	25			
LRJ1001XL	XL (Chest: 52")	1	25 WWR01			



Rain **Jacket** & Trousers Lightweight and relaxed fit 2-piece waterproof rain suit, with easy pull-on design. Made to be waterproof, windproof and breathable for all weather Compression protection and dry working comfort. storage pouch 100% waterproof & breathable Elasticated waist trousers with press stud ankle cuffs Maximum resistance to continuous 2K 2K Construction for 2000mm constant water exposure & breathability Easy to clean & stain resistant Zip-fastened jacket with elasticated cuffs Pack Carton Qty Qty (pcs) (packs) Product Code Size (mm) R.IT801GM M (Chest: 48") RJT801GL L (Chest: 50") 30 RJT801GXL XL (Chest: 52")

Waterproof Trousers

Heavy duty and lightweight waterproof trousers with elasticated waist for added user comfort.

- 100% waterproof
- Loose fit & durable fabric
- Reflective bands for visibility
- · 2 open side pockets
- 100% polyester
- Non-breathable
- Press stud ankle cuffs





Grey

Product Code	Size	Qty	Carton Qty (packs)
	BAG		
WT901M	M (Waist: 30", Leg: 32")	1	50
WT901L	L (Waist: 32", Leg: 32")	1	50
WT901XL	XL (Waist: 34", Leg: 32")	1	50 WWR03





Accessories

Work Belt

Heavy duty belt made from a woven polyester fabric blend, with a quick-release and lock buckle. One size fits all.

- Suitable for all work trousers
- Woven polyester strap
- · High strength
- · Cut to length





Product Code	Size	Qty	Carton Qty (packs)
	BAG		
WBB2848	L-XL	1	50

Trade Socks

Premium quality socks, designed with a padded sole to give the wearer optimal comfort. The reinforced heel and toe provide abrasion resistance. Suitable for a vast majority of trades as well as for everyday use.

- · Reinforced heel & toe
- Premium polywoven fabric for durability
- Shock absorption padded sole
- Fully elasticated for comfort





Product Code	Size	Pack Qty (pcs)
	BAG	
TSOCKL	UK 7 - 12	3 WWA03

Pro Beanie

A soft knit fabric, one size fits all beanie hat designed to be soft, warm and very comfortable. With added Thinsulate® lining for the ultimate insulation and user comfort.

- Microfleece thinsulate® inner lining
- Soft & warm acrylic
- Elasticated fit for comfort
- Deep cuff & quick drying





Product Code	Size	Qty (pcs)
	BAG	
BEANIE	One Size	1 WWA02

Fleece Neck Warmer

A double layered, one size fits all neck warmer, designed to give the wearer a super soft and warm feel whilst not inhibiting movement. Featuring insulated and wind resistant fabric for enhanced performance and comfort.

- Microfleece thinsulate® inner lining
- · Lightweight & wind resistant
- Super soft material
- Insulated inner layer
- · Elasticated fit for comfort
- Quick drying





Product Code	Size	Pack Qty (pcs)
	BAG	
NWGREY	One Size	1 WWA02

Hi-Vis Clothing

The movement of machinery and vehicles in the workplace presents major risks to staff and visitors. There are more than 5,000 incidents involving transport in the workplace each year. Staying visible with the use of high visibility clothing is essential when working on construction sites and in warehouses and significantly reduces this risk.

conditions and risks for a particular worker.

	Class1	Class 2	Class3
Reflective Tape	0.10 sqm	0.13 sqm	0.20 sqm
Fluorescent Material	0.14 sgm	0.50 sgm	0.80 sgm

Hi-Vis Class 1 – The lowest level of visibility. An example would be Hi-Vis

Hi-Vis Class 2 – The intermediate level of visibility. An example would be a Hi-Vis sleeveless vest.

Hi-Vis Class 3 – The highest level of visibility. An example would be a Hi-Vis Jacket.

Class 3 can be achieved in two ways. Simply select an item to Class 3 such as a Parka jacket or combine items with total reflective material equal to or greater than a single Class 3 item



Executive Vests

High visibility executive waistcoat with highly reflective panels to body and shoulders for visibility, particularly during the hours of darkness. Secure zip fastening with multiple utility pockets for ID card, mobile phone, pens and two bellowed front pockets plus a radio loop D ring.

- · Zipper fastening
- 50mm reflective tape on body and shoulders
- 100% knitted polyester
- Conforms to EN ISO 20471:2013+A1:2016



Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
	EACH			
	Yellow			
HVEVSML	Small	1	1	50
HVEVMED	Medium	2	1	50
HVEVLRG	Large	2	1	50
HVEVXL	XLarge	2	1	50
HVEVXXL	XX Large	2	1	50
HVEV3XL	XXX Large	2	1	50
HVEV4XL	XXXX Large	2	1	50
	Green			
HVVYGSML	Small	1	1	50
HVVYGMED	Medium	2	1	50
HVVYGLRG	Large	2	1	50
HVVYGXL	XLarge	2	1	50
HVVYGXXL	XX Large	2	1	50
HVVYG3XL	XXX Large	2	1	50
HVVYG4XL	XXXX Large	2	1	50
	Blue			
HVVYBSML	Small	1	1	50
HVVYBMED	Medium	2	1	50
HVVYBLRG	Large	2	1	50
HVVYBXL	XLarge	2	1	50
HVVYBXXL	XX Large	2	1	50
HVVYB3XL	XXX Large	2	1	50
HVVYB4XL	XXXX Large	2	1	50
				CTH01

Vests

High visibility yellow waistcoat with highly reflective panels to body and shoulders for visibility particularly during the hours of darkness.

- · Hook & loop fastening
- 50mm reflective tape on body & shoulders
- · 100% knitted polyester
- · Conforms to ENISO

HVV3XL

HVV4XI



2

50

Polo Shirts

Hardwearing and comfortable high visibility yellow polo shirt with panels that reflect light to maximise visibility, particularly during the hours of darkness.

- 50mm reflective tape
- Breathable Bird Eye fabric
- Conforms to EN ISO 20471:2013+A1:2016





Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
	EACH			
	SHORT SL	EEVE		
HVSSPSML	Small	2	1	20
HVSSPMED	Medium	2	1	20
HVSSPLRG	Large	2	1	20
HVSSPXL	X Large	2	1	20
HVSSPXXL	XX Large	2	1	20
HVSSP3XL	XXX Large	2	1	20
HVSSP4XL	XXXX Large	2	1	20
	LONG SLE	EVE		
HVLSPSML	Small	3	1	20
HVLSPMED	Medium	3	1	20
HVLSPLRG	Large	3	1	20
HVLSPXL	X Large	3	1	20
HVLSPXXL	XX Large	3	1	20
HVLSP3XL	XXX Large	3	1	20
HVLSP4XL	XXXX Large	3	1	20
				CTHOS

Sweatshirts With Hood

XXX Large

XXXX Large

Ideal for colder outdoor and dry working environments. A high visibility yellow fleece sweatshirt with reflective bands for improved visibility during the hours of darkness. · Ribbed waist and wrists · Fleece lined • 50mm reflective

- tape on body, shoulders and arms
- · Conforms to EN ISO 20471:2013+A1:2016

Product Code	Size	Hi-Vis Class	Qty (pcs)	Qty (packs)
	EACH			
HVSWEATSML	Small	3	1	10
HVSWEATMED	Medium	3	1	10
HVSWEATLRG	Large	3	1	10
HVSWEATXL	XLarge	3	1	10
HVSWEATXXL	XX Large	3	1	10
HVSWEAT3XL	XXX Large	3	1	10
HVSWEAT4XL	XXXX Large	3	1	10 CTH03

rimee

Fleeces

Ideal for colder outdoor and dry working environments, this high visibility yellow polar fleece jacket incorporates

reflective bands for improved visibility during the hours of darkness

- 50mm reflective tape on body, shoulders & arms
- · Elasticated wrists
- Conforms to EN ISO 20471:2013+A1:2016

Product Code	Size	Hi-Vis Class	Qty (pcs)	Qty (packs)
	EACH			
HVFJSML	Small	3	1	20
HVFJMED	Medium	3	1	20
HVFJLRG	Large	3	1	20
HVFJXL	X Large	3	1	20
HVFJXXL	XX Large	3	1	20
HVFJ3XL	XXX Large	3	1	20
HVFJ4XL	XXXX Large	3	1	20 CTH04

Bomber Jackets

Bomber jacket in high visibility yellow with reflective bands for improved visibility, particularly during the hours of darkness. Waterproof hood concealed

utility pockets with zip and hook & loop storm flap fastening. Quilted lining and fleece cuffs for warmth and comfort.



- 50mm reflective tape on body, shoulders & arms
- · Two way zippers with storm proof flap
- · Hook & loop adjustable wrists
- Conforms to EN ISO 20471:2013+A1:2016
- · Waterproof conforms to EN 343:2019, protection against rain

Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
	EACH			
HVJSML	Small	3	1	10
HVJMED	Medium	3	1	10
HVJLRG	Large	3	1	10
HVJXL	X Large	3	1	10
HVJXXL	XX Large	3	1	10
HVJ3XL	XXX Large	3	1	10
HVJ4XL	XXXX Large	3	1	10 CTH04

Parka Jackets

Parka jacket in high visibility yellow with reflective bands for improved visibility during the hours of darkness. Waterproof hood concealed in collar and multiple utility

pockets with zip and hook & loop storm flap fastening Longer length with quilted lining and fleece cuffs for warmth and comfort



- 50mm reflective tape on body, shoulders & arms
- · Fleece lined collar and wrist cuffs
- Zip with storm proof flap
- Hook & loop adjustable wrists
- Conforms to EN ISO 20471:2013+A1:2016
- Waterproof conforms to EN 343:2019, protection against rain

Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
	EACH			
HVPJSML	Small	3	1	10
HVPJMED	Medium	3	1	10
HVPJLRG	Large	3	1	10
HVPJXL	X Large	3	1	10
HVPJXXL	XX Large	3	1	10
HVPJ3XL	XXX Large	3	1	10
HVPJ4XL	XXXX Large	3	1	10 CTH04

Softshell Jackets

Grey and high visibility yellow softshell weatherproof jacket with reflective bands for improved visibility, particularly in the hours of darkness. Ideal for colder outdoor working environments.

- 50mm reflective tape on body, shoulders and arms
- Hook & loop adjustable wrists
- Waterproof



Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
	EACH			
HVSJSML	Small	3	1	10
HVSJMED	Medium	3	1	10
HVSJLRG	Large	3	1	10
HVSJXL	X Large	3	1	10
HVSJXXL	XX Large	3	1	10
HVSJ3XL	XXX Large	3	1	10
HVSJ4XL	XXXX Large	3	1	10

Executive Trousers

High visibility yellow workwear trousers with reflective tape for extra visibility. Elasticated waist with zip fly. 35% cotton and 65% polyester woven fabric with two hip pockets and two additional utility thiah pockets.



- 50mm reflective tape round both legs
- · Elasticated waistband with belt loops
- · Zip fly with button
- 2x hip pockets and 2x thigh pockets
- Conforms to EN ISO 20471:2013+A1:2016



Product Code	Size	Hi-Vis Class	Qty	Carton Qty (packs)		
EACH						
HVTRSMED	Medium	1	1	20		
HVTRSLRG	Large	1	1	20		
HVTRSXL	X Large	1	1	20		
HVTRSXXL	XX Large	1	1	20		
HVTRS3XL	XXX Large	1	1	20		

Elasticated Waist Trousers

High visibility yellow waterproof over trousers with reflective tape for extra visibility. 100% Polyester.



- 50mm reflective tape round both legs
- Pocket slits to allow easy access to wearers trouser pockets
- Conforms to EN ISO 20471:2013+A1:2016
- Waterproof conforms to EN 343:2019, protection against rain
- · Elasticated waistband

Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)		
EACH						
HVETRSMED	Medium	1	1	20		
HVETRSLRG	Large	1	1	20		
HVETRSXL	X Large	1	1	20		
HVETRSXXL	XX Large	1	1	20		
HVETRS3XL	XXX Large	1	1	20 CTH05		




Ear Protection

The ear protector chosen should provide enough attenuation to protect your hearing but consideration should also be given to it's compatibility with other items of PPE being worn such as safety glasses.

Attenuation is the process of losing noise energy and it is the attenuation data that should be examined when selecting appropriate ear defenders.

The Single Number Rating or SNR value can be used to compare the level of noise attenuation offered by different hearing protectors.

The higher the SNR, the higher the level of noise attenuation or protection is provided by the hearing protection.



Ear Defenders





Noise level reduction

Carton

Ideal for long comfortable use in medium sound environments.

Product Code	Size	Pack Qty (pairs)	Qty (packs)
	BLISTER PACK		
770390	One Size	1	6



Noise level reduction

SNR

An economic cupped ear defender, ideal for periodical wear when in low sound environments Carton Pack Oty Oty

Code	Size	(pairs) (packs)
	BAG	
770111	One Size	1 10 EAR02

Disposable PU Ear Plugs





Product Code	Size	Pack Type	Pack Qty (pairs)	
	PACK / JAR	/ BOX		
770191	One Size	Pack	5	50
770867	One Size	Jar	50	48
770049	One Size	Box	200	10
				EAD01

Knee Pads

Professional Knee Pads





Product Code	Size		Carton Qty (packs)
	BOX		
770789	One Size	1	15 KNE01

Knee Pads



These knee pads mould around your knees to give ultimate protection and comfort for long periods of time





Size

One Size

BOX

Code

770456

Pack Qty Carton Qty (pairs) (packs) 16

Knee Pad Inserts




Durable foam knee pad inserts for standard pocketed trousers and overalls





Product Pack Qty Carton Qty Code (pairs) (packs) PACK 770301 One Size 20 KNE01

Timeo



Premium & Sports Style Safety Glasses



Premium Safety Glasses - Half Frame



UV Protection

EN 170

770379

Clear

12

Slimfit Safety Glasses - Full Clear Frame

Moulded silicone comfort lining to temple & nose pad

Modern slim fit safety glasses with additional side protection. Ergonomically designed to give ultimate comfort and protection on all head shapes and sizes. The soft rubber lining on the arms and around the nose give extra comfort and grip around the ears, temple and nose when worn for long periods. The clear lenses provide excellent visibility and are treated with an advanced micro coating to

Optical Class 1 Grade F Lens UV Protection

prevent scratches.

Anti-scratch

lens coating

CE Approved EN 166 F EN 170



Wide vision


polycarbonate lenses

Product Lens Qty Qty Code Colour (pcs) (packs)

770505 Clear 1 12

Timeo

Safety Glasses



Comfort Safety Glasses




Lightweight safety glasses with soft overmold to arms giving extra comfort and grip around the ears and temples when worn for long periods. Available in three lens types to suit varying light conditions of indoor and outdoor workplace environments. Treated with an advanced coating to prevent scratches.

Optical Class 1	CE Approved
Grade F Lens	EN 166 F
UV Protection	EN 170 / EN 172 (Smoke Lens)

Product Code	Lens Colour	Qty	Qty (packs)
	BAG		
770999	Clear	1	12
770010	Amber	1	12
770618	Smoke	1	12 EYE01

Standard Safety Glasses



Anti-scratch lens coating

Lightweight economic safety glasses designed to be comfortable and secure. Available in three lens types to suit varying light conditions of indoor and outdoor workplace environments. Treated with an advanced coating to prevent scratches.




Optical Class 1	CE Approved
Grade F Lens	EN 166 F
UV Protection	EN 170 / EN 172 (Smoke Lens)

Product Code	Lens Colour	Qty	Carton Qty (packs)
	BAG		
770023	Clear	1	12
770340	Amber	1	12
770800	Smoke	1	12 EYE01

Overspecs

Slimfit Overspecs




Comfortable overspec glasses to provide a low profile solution when used with spectacles. The arms are extremely flexible and the soft rubber lining gives extra comfort and grip around the ears and temples when worn for long periods. Treated with an advanced micro coating to prevent scratches.

Optical Class 1 Grade F Lens UV Protection CE Approved EN 166 F EN 170



Product Code	Lens Colour	Qty	Carton Qty (packs)
	BAG		
770753	Clear	1	10

Overspecs



An economic overspec designed to give front and side eye protection. Ideal for short term usage such as visiting factories and workshops. Can also be worn as standard safety galsses. Side vented to reduce mist build-up and the curved arms give increased comfort.

Optical Class 1 Grade F Lens UV Protection

CE Approved EN 166 F EN 170





Product Code	Lens Colour	Qty	Carton Qty (packs)
	BAG		
770159	Clear	1	12

Wraparound Safety Glasses



Lightweight wraparound glasses designed to give enhanced peripheral vision whilst also increasing side protection. The arms are adjustable to accommodate all head sizes and the lenses are treated with an advanced coating to prevent scratches.

Optical Class 1 Grade F Lens UV Protection CE Approved EN 166 F EN 170





Product Code	Lens Colour	Qty	Carton Qty (packs)
	BAG		
770571	Clear	1	12

Safety Goggles & Face Shield



lens coating

Safety Goggles

Sport Style Safety Goggles



A low profile high end pair of goggles, designed to ensure the user has consistent performance for long periods of wear. The extra soft rubber gasket moulds around the face to give extreme comfort and ultimate protection from liquids, vapours, chemicals and dust. The curved single piece shock and impact resistant lens

maximises peripheral vision

Optical Class 1
Grade B KN Lens

EN 1

UV Protection

CE Approved EN 166 3 4 B (Frame) EN 166/EN170 (Lens)



Product Code	Lens Colour	Pack Carton Qty Qty (pcs) (packs)
	BOX	
770963	Clear	1 6

Premium Safety Goggles



A slim line mid range goggle designed to protect the eyes from impact, dust, chemicals, paints

The low profile design ensure consistent comfort around the face when worn for long periods of time. The extra wide adjustable head strap gives additional comfortable around the head and prevents the goggles from slipping when used with a safety helmet or bump cap.

and maximum protection

Optical Class 1 Grade BT Lens UV Protection


and liquids.

CE Approved EN 166 F (Frame) EN 166 3 4 BT/EN 170 (Lens)



Product Code	Lens Colour	Qty Qty (pcs) (packs)
	BAG	
770258	Clear	1 10 EYE02

Safety Goggles



An economic goggle designed to protect the eyes from impact, dust and liquids. Ideal for short term usage such as sanding, spraying and cleaning. The indirect vents will prevent mist build-up and liquid ingress.




Optical Class 1 Grade F Lens UV Protection CE Approved EN 166 F (Frame) EN 166 1 F / EN 170 (Lens)



Product Code	Lens Colour	Qty	Qty (packs)
	BAG		
770147	Clear	1	10
			EVE02

Face Shield





Lightweight flip-up detachable full face visor with an integral brow guard. Sold with an adjustable head harness to fit all head shapes and sizes.

· CE Approved to EN 166 3 B

Optical Class 1 CE Approved Grade B Shield EN 166 3 B

One Size

770654

oduct ode	Size	Qty	Carton Qty (packs)
	BAG		



Safety Masks Our range of dust masks provide clean and safe air when working in potentially hazardous conditions.

Designed using the very latest technology in filtration material, the masks prevent harmful particles passing through.


Often an essential requirement of certain workplaces, all TIMCO masks are fitted with easy-breath exhalation valves and there are various filter protection levels in the range. FFP3 - Highest Level FFP2 - Moderate Level



FFP3 Masks With Valves

Assigned Protection Factor (APF): 20 Equivalent to 99% Filter efficiency. CE Approved to EN149

Protects against medium to high levels of dust from home repair, woodworking, construction or water based mist.



A medium to high protection moulded mask with a 360° full face soft band for optimum comfort, fit and breathing.

Max	360° enhanced
Comfort	full face band


Product Code	Size	Qty	Carton Qty (packs)
	BOX		
770525	One Size	5	20
	BAG		
770120	One Size	3	50
			FCV02

FFP2 Masks With Valves

Assigned Protection Factor (APF): 10 Equivalent to 94% Filter efficiency.

CE Approved to EN149

Protects against low to medium levels of dust from home repair or water based mist.



A low to medium protection moulded mask with a enhanced soft nose band for improved comfort, fit and breathing.

Max	Enhanced nose	
Comfort	band	
		╚

Product Code	Size	Qty	Carton Qty (packs)
	BOX		
770359	One Size	10	20
	BAG		
770045	One Size	3	50 - FCV02

Fold Flat



A medium to high protection folding mask for comfort, fit and breathing. Foldable for convenience.

Max	Soft foam nose
Comfort	band for comfort

Product Code	Size	Qty (pcs)	Qty (packs)
	BOX		
770834	One Size	10	20
	BAG		
770008	One Size	3	50 FCV02

Pack Carton

Fold Flat



A low to medium protection folding mask with a soft nose band for improved comfort, fit and breathing. Foldable for convenience.

Max	Soft foam nose
Comfort	band for comfort

Product Code	Size	Qty	Carton Qty (packs)
	BOX		
770919	One Size	10	20
	BAG		
770737	One Size	3	50 FCV02

NEW

Dack Carton

Gloves

designed for the toughest and harshest vear-round domestic, work site and commercial environments

materials, the TIMCO safety glove range is risk of serious injury such as cuts, abrasion handling rough or heavy materials, gloves











CAT II - Intermediate Risk

EN ISO 21420

- 0 = Cut
- 0 = Abrasion Rating 0-4 Rating 0-5
- 0 = Tear Rating 0-4 0 = Puncture Rating 0-4 Rating A-F



Impact Cut Gloves

Sandy Nitrile Coated HPPE Fibre and Glass Fibre Gloves with TPR Pads

High Performance Polyethylene

TPR (thermo plastic rubber) pads for back of hand and finger protection





Designed to combat hand and finger injuries specifically in industries with high risk of crushing impact hazards. Fitted with strategically placed TPR segments to help prevent damage to back of hand and

fingers. Cut resistant liner and

longer, fastening cuffs for wrist

protection and comfort.





4 = Abrasion

2 = Puncture


P = Impact

C = EN ISO 13997

Protection

X = Cut

4 = Tear



	Product Code	Size	Qty (pairs)	Qty (packs)
100		PACK		
4	770945	Medium	1	12
	770036	Large	1	12
CHE P	770007	X Large	1	12
- 0				GI 008

High Cut Gloves

PU Coated HPPE Fibre with Glass Fibre Gloves



Provides a high level of cut and puncture resistance whilst giving excellent grip. Ideal for environments where there is a high risk of cut and puncture.



- 4 = Abrasion X = Cut
- 4 = Tear
- 2 = Puncture C = EN ISO 1399

Product Code	Size	Qty (pairs)	Qty (packs)
	PACK		
770885	Medium	1	12
770745	Large	1	12
770228	XLarge	1	12
			GL008

Medium Cut Gloves

PU Coated HPPE Fibre with Glass Fibre Gloves



Elasticated knitted cuffs for comfort

Seamless liner with breathable back

Provides a medium level of cut and puncture resistance whilst giving excellent grip and dexterity. Ideal for environments where there is a medium risk



- 4 = Abrasion X = Cut 4 = Tear 2 = Puncture B = EN ISO 13997
- Pack Carton Qty Product Qty Code Size (pairs) (packs) 770209 Medium 12 770040 Large 12 770715 X Large 12

Light Grip Gloves

Crinkle Latex Coated Polyester Gloves



A strong general purpose glove with excellent grip and durability. Tight fitting for improved dexterity.



- 2 = Abrasion1 = Cut
- 3 = Tear 1 = Puncture

Product Code	Size	Qty	Carton Qty (packs)
	PACK		
770852	Medium	1	12
770164	Large	1	12
770746	X Large	1	12 GL002

Timeo

Toughlight Grip Gloves

Sandy Latex Coated Polyester Gloves



Elasticated knitted cuffs for secure fit

A highly flexible and extremely comfortable glove. Excellent breathability with good grip and anti-slip properties.





Multi-Pack

Available

Product Code	Size	Qty	Carton Qty (packs)
	PACK		
770558	Medium	1	12
770847	Large	1	12
770347	X Large	1	12
	MULTI-PACK		
770112	Large	12	10
770064	X Large	12	10

Secure Grip Gloves

Smooth Nitrile Foam Coated Polyester Gloves



Elasticated knitted cuffs for comfort Seamless liner with breathable back

4 = Abrasion

= Puncture

1 = Cut

2 = Tear

Multi-Pack

Available

Designed to give excellent grip. A supple, lightweight glove giving a secure grip in wet, dry & oily conditions whilst not impeding dexterity.



Product Code	Size	Qty	Carton Qty (packs)
	PACK		
770846	Medium	1	12
770716	Large	1	12
770944	X Large	1	12
	MULTI-PACK		
770700	Large	12	10
770864	X Large	12	10
			GL007

Durable Grip Gloves

PU Coated Polyester Gloves



Elasticated knitted cuffs for comfort

Seamless liner with breathable back

Multi-Pack

Designed for precision work. This tough, tight fitting and durable glove is ideal when handling small components.





3 = Abrasion 1 = Cut 3 = Tear 1 = Puncture

Product Code	Size	Qty	Carton Qty (packs)
	PACK		
770249	Medium	1	12
770736	Large	1	12
770649	X Large	1	12
	MULTI-PACK		
770324	Large	12	10
770718	X Large	12	10
			GI 006

Eco-Grip Gloves

Crinkle Latex Coated Polycotton Gloves

An economic general use glove with good

grip ideal for construction, manufacturing,

landscaping, warehousing, farming and



2 = Abrasion

1 = Puncture

1 = Cut

2 = Tear

Pack Carton Product Size (pairs) (packs) Code **PACK** 770226 Medium 12 770194 12 Large 770667 XLarge 12 MULTI-PACK 770583 Medium 12 10 770189 12 Large 10 770524 XLarge 12 10

Warm Grip Gloves





Strong general purpose glove with excellent thermal insulation, durability and grip. Ideal for the colder months or in temperature controlled warehouses.



2 = Abrasion	١
1 = Cut	l
3 = Tear	l
1 = Puncture	l

	Product Code	Size	Qty (pairs)	Qty (packs)
		PACK		
ı	770826	Medium	1	12
	770496	Large	1	12
	770766	X Large	1	12
,				GL005

Pack Carton

many more.

Waterproof Grip Gloves

Sandy Nitrile Foam Coated Polyester Gloves



Elasticated knitted cuffs for comfort Double dip process for full hand water resistance

A waterproof, flexible and durable glove designed to grip most surfaces when wet. Ideal when working outdoors or in damp environments.





	4 = Abrasion
ı	1 = Cut
ı	2 = Tear
	1 = Puncture

Product Code	Size	Qty (pairs)	Qty (packs)
	PACK		
770446	Medium	1	12
770775	Large	1	12
770485	XLarge	1	12 GL004

PVC Grip Gloves

PVC Coated Cotton Interlock Gloves



Fully waterproof glove, up to the wrist with a soft cotton knit for comfort and excellent protection against a range of substances, chemicals and oils



X Large

770690

Aqua Thermal Grip Gloves

Sandy Latex Coated Polyester Gloves



Polyester and acrylic napping brushed double thermal liner with full hand-dipped orange latex. Excellent grip and comfort.



cuffs for comfort

CE Approved

EN 388

2 = Cut
4 = Tear
2 = Puncture

X = Convective
2 = Contact
1 = Water
permeability

Pack Carton

2 = Abrasion

waterproof coating

Size		Qty (packs)
PACK		
Medium	1	12
Large	1	12
XLarge	1	12 GL012
	PACK Medium Large	PACK Medium 1 Large 1

PVC Gauntlets

PVC Coated Cotton Interlock Gloves



High abrasion resistance

770333

12

GL009

Designed to resist water, most liquids and oils

12

GL009

Fully waterproof glove, excellent protection against a range of substances, chemicals and oils.



X Large

Diamond Textured Extra Strength Nitrile Gloves



Extra strength disposable nitrile gloves with diamond texture grip. Ideal for industrial and engineering work when handling components covered with oils, paints, dirt and grime.



CE Approved





Product Code	Size	Qty (pcs)	Qty (packs)
	BOX		
770728	Medium	50	10
770394	Large	50	10
770808	X Large	50	10 GL010

Nitrile Gloves

Industrial grade (Non-medical)



EN ISO 374-5:2016

EN ISO 374-1:2016 +A1: 2008/Type C

Strong and economical, these disposable nitrile gloves are ideal for light work when handling certain chemicals, oils, paints, dirt and grime. Also provides protection against bacteria, fungi, viruses & liquids.





Product Code	Size	Qty	Carton Qty (packs)
	BOX		
770009	Medium	100	10
770691	Large	100	10
770118	X Large	100	10 GL010

Coveralls




Cat III Type 5 / 6 Coveralls

A Cat 3 Type 5/6 SMS protective disposable coverall with hood gives ultimate protection against substances such as vapours, asbestos, paint, dust, spray and splatter.



- Head to ankle protection
- Two way zip
- Tape seal over zip
- Latex & silicone free
- Elasticated hood and cuffs (hands & ankles)

SMS triple layer fabric for enhanced protection





Type 5: EN ISO 13982 - 1 Particulate Protection



Type 6: EN 13034 Protective clothing against liquid chemicals



Class 1: EN 1073 - 2 Barrier to radioactive particulates

€ 0624



EN 1 149-5:2018 Electrostatic Properties

Product Code	Size	Height (inch)	Chest (inch)	Pack Qty (pcs)	Carton Qty (packs)
		EACH			
770244	Medium	5'6" - 5'9"	36 - 39"	1	50
770633	Large	5'8" - 6'0"	39-43"	1	50
770094	X Large	5'11" - 6'2"	43 - 46"	1	50
770642	XX Large	6'1" - 6'4"	46 - 49"	1	50
770229	XXX Large	6'3" - 6'7"	49 - 52"	1	50
					COV01



General Purpose Coveralls

A lightweight polypropylene coverall with hood to protect against low risk substances such as paints, dust, sprays and splatters.



- Elasticated, hood, cuffs and ankles ensure a tight seal to prevent ingress
- Lightweight polypropylene protection
- Protects against: paints, dust, sprays and splatter



Product Code	Size	Height (inch)	Chest (inch)	Qty (pcs)	Qty (packs)
		EACH			
770334	Medium	5'6" - 5'9"	36 - 39"	1	50
770582	Large	5'8" - 6'0"	39 - 43"	1	50
770167	X Large	5'11" - 6'2"	43 - 46"	1	50
770705	XX Large	6'1" - 6'4"	46 - 49"	1	50
770836	Large	6'3" - 6'7"	49 - 52"	1	50 COV01



Shoe Covers



A hard wearing waterproof shoe cover with a breathable and elasticated ankle. Ideal for tradesmen who need to keep footwear on for safety reasons whilst working indoors but want to help keep customers' homes clean and dry. Textured sole for extra grip on slippery surfaces. Suitable for shoe sizes UK5 - UK12.

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
		BAG		
770755	UK 5-12	Blue	40	800
				COV02

First Aid



1 Aura Box = up to 30 recycled plastic bottles



100 % OF AN AURA BOX IS MADE FROM RECYCLED PLASTIC

BS Workplace First Aid Kit



LOWRISK (eg. shops, offices)		HIGH RISK (eg. construction sites, workshops)	
Small	Less than 25 people	Small	Less than 5 people
Medium	25 - 100 people	Medium	2 - 25 people
Large	1 kit per 100 people	Large	1 kit ner 25 neonle

BS8599-1 is the first new standard for statutory First Aid Kits in the workplace since 1997.

These kits reflect the changes in both workplace practice and risks, making them demonstrably more 'fit for purpose' in today's environment, when compared to the old HSE kits.

Durable and stylish polypropylene case. Wall mountable with integrated bracket.

Product Code	Description	Qty (packs)
	CASE	
MED330	Small Workplace First Aid Kit	10
MED343	Medium Workplace First Aid Kit	10
MED348	Large Workplace First Aid Kit	5 FAD01

HSE Workplace First Aid Kit



Content based on 1997 Approved Code of Practice.

Durable polypropylene box with green safety clips, integrated carry handle, and a secure airtight lid provides protection from dust and water

Product Code	Description	Carton Qty (packs)
	CASE	
MED112	10 Person Workplace First Aid Kit	10
MED113	20 Person Workplace First Aid Kit	10
MED114	50 Person Workplace First Aid Kit	5
		FAD01

Eye Care

Deluxe eye wash station with eye pods and insert. Durable and stylish polypropylene case. Wall mountable with integrated bracket.

Fast and effective treatment. Meets current



Product Code	Description	Qty (packs)
	CASE	
MED904	Deluxe Eye Wash Station	10
	BOTTLE / BOX	
MED900	Saline Eye Wash - Bottle of 500ml	10
MED901	Eye Wash Pods 20ml - Box of 25	10
		FAD01

Heavy Bleed & Burns Kit

mountable with integrated bracket.

Specifically designed to provide rapid and effective treatment to the kind of serious injuries tradespeople may face on site. Includes a major bleed trauma dressing and sterile burn dressings. Durable and stylish polypropylene case. Wall



Product Code	Description	Carton Qty (packs)
	CASE	
MEDX050	Heavy Bleed & Burns Kit	10
		FAD01

Car & Van First Aid Kit

Components have been specifically selected for ease of use and for coping with minor road traffic accident injuries without the need for training and during the critical period prior to the arrival of emergency services.



Contained in a convenient soft zip bag, this kit should be considered as essential in every car, taxi, van and truck.

Product Code	Description	Carton Qty (packs)
	BAG	
MED3014	Car and Van First Aid Kit	10 FAD01

Note: Max. 8 passengers

Accident Book



A mandatory requirement for the workplace. These data protection compliant accident books have clear instructions on use and guidance for record keeping included.

Product Code	Description	Number of pages	Pack Qty (pcs)	Carton Qty (Packs)
PACK				
MFD999	Accident Book	40	5	7

Plasters

Handy packs of washproof, fabric and heavyweight fabric plasters with stretch and cushioning for maximum comfort and protection. Individually wrapped and sterile.



Washproof Plasters

Product Code	Qty	Carton Qty (packs)		
BOX				
MED536	100	10		

Fabric Plasters



Product Code	Pack Qty (pcs)	Carton Qty (packs)
	BOX	
MED516	100	10

Heavyweight Fabric Plasters



Product Code	Qty	Carton Qty (packs)

BOX MED2210 100 5 FAD01



Hand Cleaners, Sanitisers & Soaps



Extra Heavy Duty Hand Cleaners



Formulated to remove the most stubborn oils, greases, paints, diesel, adhesive residue and general dirt and grime. Ideal for: Workshops, construction sites, agriculture, engineers, plumbers, landscapers and more.

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BOTTLE		
432000	500ml	1	30
432022	4L	1	4
	PUMP BOTTLE		
432011	4L	1	4
			HCL01

- Superior cleaning performance
- Pumice scrub
- Moisturising additives
- Orange citrus fragrance
- 100% solvent free

Heavy Duty Hand Cleaners



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	BOTTLE		
432033	500ml	1	30
432055	4L	1	4
	PUMP BOTTLE		
432044	4L	1	4 HCL01

Formulated to remove general dirt and grime, light oils, adhesive residue, paint and more. With added walnut scrub to reduce skin irritation after frequent use.

Contains natural citrus all and moist urisers to all and moist urisers to

Contains natural citrus oil and moisturisers to leave the skin feeling clean, fresh and smooth.

- Superior cleaning performance
- Walnut scrub
- Moisturising additives
- · Lime fragrance
- 100% solvent free

Alcohol Hand Sanitiser

Alcohol-based hand sanitiser which rapidly kills, protects and stops the spread of germs, bacteria and viruses, including E-coli, Salmonella, Tuberculosis, Influenza, SARS, Rhinoviruses, Coronaviruses and more.



- Quick drying
- Moisturises and doesn't dry skin out like iso-propanol based sanitisers.
- Contains 62% premium grade alcohol which conforms to BS EN standards
- Suitable for food preparation and healthcare applications

Product Code	Size	Pack Qty (pcs)	Qty (packs)
	PUMP BO	OTTLE	
432066	500ml	1	20 HCL02

Hospital Grade Anti-Bacterial Hand Soap

Hospital grade, water-based hand cleaner with both anti-bacterial and anti-microbial properties.

Quickly kills viruses, germs and bacteria such as MRSA, C-difficile, E-coli, Salmonella and Listeria.

The gentle, foaming agents help to lift contaminants and leave the hands feeling fresh and clean.



- · Hospital grade
- BS EN certified
- Medically certified

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	PUMP B	OTTLE	
432088	500ml	1	12 HCL02

Active Hands Luxury Soap

A pearlised hand cleaner suitable for all general-purpose cleaning and washroom use.

The premium water blended formula gently removes dirt, grime and kills germs while leaving hands and skin smelling fresh and clean. Non-ionic surfactants help remove dirt and oil easily without forming a 'soap scum' in hard water.



- · Petroleum and solvent free
- Fragrant
- Gentle on hands and skin

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	PUMP BO	OTTLE	
432099	500ml	1	12
			HCL02

Active Hands Cream

A multi-purpose alcohol free sanitiser, moisturiser and barrier cream for use in the workplace.

The moisturising formula will protect skin from cracking and damage, leaving it feeling soft and refreshed, whilst its anti-bacterial properties kill germs and stop the spread of bacteria for up to two hours.



- · Quick drying
- Non-greasy
- Suitable for food preparation and healthcare applications

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
	PUMP B	OTTLE	
432077	250ml	1	12
			HCI 02

Tarpaulin & Tie Downs



Light & Heavy Duty Tarpaulins

Great for convenient coverina of outdoor equipment and materials to protect from the elements





Liaht Duty

Heavy Duty

Pack Carton Pallet

- UV Treated for extended use outdoors
- · Reinforced hem with polypropylene fibre rope
- Rust proof aluminium eyelets

Mesh /

Product Code	Size (m)	Weave Count	Weight (gsm)	Qty (pcs)	Qty (packs)	Qty (packs)
			PACK			
HEAVY DUTY						
TTH23	2x3	14 x 14	180+	1	18	450
TTH45	4x5	14 x 14	180+	1	5	125
TTH58	5x8	14 x 14	180+	1	2	50
LIGHT DUTY						
TTL23	2x3	8x8	80	1	40	1000
TTL45	4x5	8x8	80	1	12	300
TTL58	5x8	8x8	80	1	6	150
						PRO11

Tarpaulin Tie Down Clips





Provide instant anchor points when using bungee cords, guylines, tie downs or rope to secure tarpaulins, canopies and covers. Aggressive teeth bite and hold without damaging material.

Carton

Product Code	Length (mm)	Width (mm)	Pack Qty (pcs)	Qty (packs)
TTC10	80	40	10	50 PRO15

Tarp Tie Down Bungee Balls





Multiple uses including: securing tarpaulins over frames such as market stalls, boat and vehicle covers, trampoline surrounds and covers. Can also be looped around items for bundling.

Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
TTB10	230	10	50

Safety



Barrier Fencing & Pins



Temporary fencing made from a durable, we ather proof andreusable plastic.

Suitable for cordoning off restricted areas.

The barrier fencing pin is frequently used with barrier fencing, warning tape or rope to fence off building work and other 'off-limit' areas

Zinc plated pins for corrosion resistance.

Code	Colour	(m)	(m)	(mm)	(pcs)	(packs)
BARRIER FENCING						
PACK						
775248	Orange	50	1		1	20
775123	Green	50	1		1	20
						PRO13
PIN						
BOX						
775685	-	-	1.2	10	10	10

A-Frame Safety Signs

Light weight safety signs with double-sided printing, for temporary marking of potential hazards in the workplace or in public areas. Foldable for

Size H x W x D (mm) - 610 x 300 x 30



Product Code	Туре	Qty (pcs)	Qty (packs)	Qty (packs)
	BAG			
747321	Cleaning in Progress	1	20	80
747015	Slippery Surface	1	20	80
747987	Trip Hazard	1	20	80
747654	Wet Paint	1	20	80
747159	Work in Progress	1	20	80
747753	Wet Floor	1	20	80
747852	Keep Out	1	20	80
747246	Hazardous Area	1	20	80

Fire Door Signs

NEW

Fire door signage to communicate information about fire doors. Legal requirement for all business buildings with fire doors. Screw fix for quick installation.



- Face fixing
- Fixings included
- · Satin Anodised Aluminium



Product Code	Туре	Pack Qty (pcs)	Carton Qty (packs)
	BAG		
725109BX	Keep Locked	1	50
725135BX	Keep Shut	1	50
	TIMPAC		
725109	Keep Locked	1	10
725135	Keep Shut	1	10 BSA08

Straps, Slings & Bungee Cords



Ratchet Straps & Tie Down

Cam Buckle Tie Down



Ideal for quickly securing light loads during transit or storage. Tested to EN 12195-2



WxL Break Pack Carton
Product (mmx Strength Qty Qty
Code m) (kg) (pcs) (packs)

Code	` m)	(kg)	(pcs)	(packs)	
PACK					
Working Load 122kg					

5CBTD2 25x5 245 2 40 PAD10

Standard Duty Strap



Ideal for quickly securing light loads during transit or storage.

Tested to EN 12195-2

WxL Break Pack Carton
Product (mmx Strength Qty Qty
Code m) (kg) (pcs) (packs)

250/

PAD09

Code	m)	(Kg)	(pcs)	(packs)
		PACK		
S Ho	ok - Wo	orking l	Load 2	50kg
5RS2S	25 x 5	500	2	10
5RS4S	25 x 5	500	4	5
J Ho	ok - Wo	orking l	Load 3	50kg
5RS2J	25 x 5	700	2	10

_ _ _ _ _



Ideal for securing light duty loads during transit or storage. Endless design without hooks. Tested to EN 12195-2

Endless Strap



 $\begin{array}{cccc} & W\times L & Break & Pack & Carton \\ Product & (mm\times Strength & Qty & Qty \\ Code & m) & (kg) & (pcs) & (packs) \end{array}$

Coue	111)	(kg)	(pcs)	(packs)		
PACK						
Working Load 500kg						
5RSNH	25 x 5	1000	2	10 PAD09		

Commercial Duty Strap



Ideal for quickly securing medium loads during transit or storage. Tested to EN 12195-2 1000 KG

WxL Break Pack Carton
Product (mmx Strength Qty Qty
Code m) (kg) (pcs) (packs)

IACK						
J Hook - Working Load 1000kg						
6RS2J	35 x 6	2000	2	5 PAD09		

Heavy Duty Strap



Ideal for quickly securing heavy loads during transit or storage. Tested to EN 12195-2

Product Code		Break Strength (kg)	Qty	Carton Qty (packs)
		PACK		
JHod	ok - Wo	orking Lo	ad 25	00kg
5RS1J	50 x 5	5000	1	6

10RS1J 50 x 10

15RS1J 50 x 15 5000

Lifting Slings

2 Tonne Lifting Sling



3 Tonne Lifting Sling



High quality durable flat lifting slings designed for the safe moving of heavy loads on site. Double stitched duplex layer for maximum durability with reinforced becket eye to ensure strength and longevity. Lightweight for ease of use.



 $Conforms \ to \ current \ regulations \ for \ safe \ and \ reliable \ use \ on \ site.$

Product Code	Length (mm x m)	Qty (pcs)	Qty (packs)			
	PAC	(
Working Load 2000kg						
723485	60 x 2	1	16			
723413	60 x 3	1	12			

Product Code	Length (mm x m)	Qty (pcs)	Qty (packs)
	PACI	K	
V	orking Loa	d 3000l	kg
723604	90 x 2	1	10
723684	90 x 3	1	9

Midthy

Please note: A safety factor of 7:1 has been applied in order to calculate the stated maximum working loads. Working loads should never be exceeded.

Bungee Cords









Ideal for quickly securing light loads during transit or storage

- Bungee Cords tested to BS AU 258
- Mixed Bungee Cords tested to BS AU 258 (Excluding size 4.5mm x 25cm)

Product Code	Ø (mm)	Length (cm)	Working Load (kg)	Pack Qty (pcs)	Carton Qty (packs)
		BAG - 2 F	cs		
60BUN	8.0	60	30	2	100
100BUN	8.0	100	30	2	100
		TUBE - 8 PCS	MIXED		
BUNMIX8	-	-	-	8	25
	4.5	25	N/A	4	
	8.0	60	30	2	
	8.0	80	30	2	
	1	TUBE - 20 PC	S MIXED		
BUNMIX20	-	-	-	20	10
	4.5	25	N/A	4	
	8.0	45	30	4	
	8.0	50	30	4	
	8.0	60	30	4	
	8.0	75	30	4	
					PAD11



Building Hardware

Builder's Metalwork

Masonry Hangers	
Timber Hangers	
Restraints	
Wall Starter Kits	
Truss Clip	
Angle Bracket	
Flat Connector Plate	
Herringbone Joist Strut	
Nail Plate	
Universal Framing Anchor	
Timber Connector	
Helical Bar	
Brick Reinforcement Coil	
Fixing Band	
Waterbar	
Drywall Bracket	
Cramps & Ties	

Building Supplies

Internal Grille Vents

Loft Doors & Access Panels

Damp Proof Membrane

Danacio iapo	
Spacers	
Roof-line & Above	
Weeps & Drill Vents	
Underfloor Ventilation	
Through-Wall Ventilation	

205....

Builders Bulk Bags	
Sandbags	
Rubble Sacks	



Masonry & Multi-Functional Hangers



Single Piece Masonry Hanger



Straight top flange. No welds. Hangers above 150mm are manufactured 10mm less to allow for notching and regularised timber.



*Eurocode 6 | #BS5628

Technical Data						
Width (mm)	47					
Height (mm)	100	125	140	165	190	215
Bearing (mm)	80 75					
No. of Nail Holes	6					
Characteristic value (kN)*	9.7					
Safe working load (kN)#	5.4					

(11111) (11111) (poo) (poo)	Product Code	WxHxB (mm)	Joist WxH (mm)	MOQ Qty (pcs)	Qty Break (pcs)
-----------------------------	-----------------	---------------	----------------------	---------------------	-----------------------

Oouc	(11111)	(111111)	(pcs)	(pcs)	
вох					
Galvanised Steel - 2.4mm					
47100MH	47 x 100 x 80	47 x 100	10	50	
47125MH	47 x 125 x 80	47 x 125	10	50	
47147MH	47 x 140 x 80	47 x 150	10	50	
47175MH	47 x 165 x 75	47 x 175	10	5	
47200MH	47 x 190 x 75	47 x 200	10	50	
47225MH	47 x 215 x 75	47 x 225	10	50 BMW01	

Welded Masonry Hanger



Hangers above 150mm are manufactured 10mm less to allow for notching and regularised timber.



Technical Data					
Width (mm)	47	75	90	100	150
Height (mm)			All		
Bearing (mm)		80		75	90
No. of Nail Holes			6		
Characteristic value (kN)*			6.7		
Safe working load (kN)#			3.5		
					000000

Product Code	WxHxB (mm)	Joist WxH (mm)	MOQ Qty (pcs)	Qty Break (pcs)	
BOX					

BOX				
G	alvanised Ste	el - 2.4mi	n	
75150WMH	75 x 140 x 80	75 x 150	10	50
75175WMH	75 x 165 x 80	75 x 175	10	50
75200WMH	75 x 190 x 80	75 x 200	10	50
75225WMH	75 x 215 x 80	75 x 225	10	50
90150WMH	90 x 140 x 80	90 x 150	6	30
90175WMH	90 x 165 x 80	90 x 175	6	30
90200WMH	90 x 190 x 80	90 x 200	6	30
90225WMH	90 x 215 x 80	90 x 225	6	30
100150WMH	100 x 140 x 75	100 x 150	6	30
100175WMH	100 x 165 x 75	100 x 175	6	30
100200WMH	100 x 190 x 75	100 x 200	6	30
100225WMH	100 x 215 x 75	100 x 225	6	30
150200WMH	150 x 190 x 90	150 x 200	6	30
150225WMH	150 x 215 x 90	150 x 225	6	30
A2 - 3	04 Stainless	Steel - 2.	4mm	
47100WMHS	47 x 100 x 80	47 x 100	6	30
47150WMHS	47 x 140 x 80	47 x 150	6	30
47175WMHS	47 x 165 x 80	47 x 175	6	30
47200WMHS	47 x 190 x 80	47 x 200	6	30
47225WMHS	47 x 215 x 80	47 x 225	6	30
100150WMHS	100 x 140 x 80	100 x 150	6	30
100175WMHS	100 x 165 x 80	100 x 175	6	30
100200WMHS	100 x 190 x 80	100 x 200	6	30
100225WMHS	100 x 215 x 80	100 x 225	6	30 BMW01

Installation Guidelines

- Ensure the back plate of the hanger sits flat against the wall and is securely fixed.
- A minimum of three block courses (675mm) must be constructed above the hanger before the joist is loaded.
- Nail the side flanges with 3.75 x 30 galvanised square twist nails.
- Allow enough time for the mortar to cure before any load is applied.
- Maximum gap between the wall and joist is 6mm.
- Joist should be square cut and sit tight to the back of the hanger.
- Hangers 150mm and above are manufactured 10mm less to allow for notching and regularised timber.

Multi-Functional Hanger



Designed for use with different fixings to give greater flexibility and improved performance.

NOTE: Total length refers to the length of the hanger when flat.

Technical Data						
Total Length (mm)	240	346	404	504		
Width (mm)	47		All			
Bearing (mm)	85					
Characteristic value (kN)*	N/A	12.8	19.8	25.1		
SWL (kN)# - Short term	N/A	6.4	9.9	12.55		
SWL (kN)# - Medium term		6.1	9.4	11.95		
SWL(kN)# - Long term	N/A	5.3	8.25	10.45		
*Eurocode 6 #BS	5628	SWL-S	afe Work	ing Load		

Total No. of MOQ Qty

Product Code	WxHxB (mm)	Length (mm)	Nail Holes	Qty (pcs)	Break (pcs)	
		вох				
	Galvanised	Steel	- 2.0m	m		
47346MFH	47 x 150 x 85	346	25	10	50	
47404MFH	47 x 179 x 85	404	33	10	50	
47504MFH	47 x 229 x 85	504	49	10	50	
76346MFH	76 x 135 x 85	346	49	10	50	
76404MFH	76 x 164 x 85	404	25	10	50	
76504MFH	76 x 214 x 85	504	33	10	50	
90504MFH	90 x 207 x 85	504	49	10	50	
100346MFH	100 x 123 x 85	346	25	10	50	
100404MFH	100 x 152 x 85	404	33	10	50	
100504MFH	100 x 202 x 85	504	49	10	50	
150404MFH	150 x 127 x 85	404	33	10	50	
150504MFH	150 x 177 x 85	504	49	10	50	
Mini Multi-Functional Hanger						
	Galvanised Steel - 1.6mm					
47240MMFH	47 x 97 x 85	240	18	10	5 BMW02	

Installation Guidelines

• All holes should be nailed using 3.75 x 30 square twist nails or equivalent.

Timber Hangers



No Tag Timber Hanger



Superior design allows the use of fewer nails for faster installation. Increased leg lengths, all widths can take up to a 220mm deep joist.



MOQ Qty

Otv Break

Technical Data			
Width (mm)	All		
Length (mm)	All		
Bearing (mm)	60		
Characteristic value (kN) Eurocode 5	14.41		
No. of nail holes	23		
Safe working load (kN) BS5628 - Short term	7.21		
Safe working load (kN) BS5628 - Medium term	6.86		
Safe working load (kN) BS5628 - Long term	6.0		

Code	(mm)	(mm)	(pcs)	(pcs)
		BOX		
	Galvanise	ed Steel - 0.8m	m	
44TH	44 x 281 x 60	44 x 125 to 220	20	100
47TH	47 x 279 x 60	47 x 125 to 220	20	100
63TH	63 x 271 x 60	63 x 125 to 220	20	100
75TH	75 x 265 x 60	75 x 125 to 220	20	100
90TH	90 x 258 x 60	90 x 125 to 220	20	100
100TH	100 x 253 x 60	100 x 125 to 220	10	50

Joist Wx H

Product

WxLxB

Standard Timber Hanger



Designed to give a quick and simple solution for various timber to timber connections such as joists and stairwell trimmings. Increased leg lengths, all widths can take up to a 225mm deep ioist

MOQ Qty

Technical Data			
Width (mm)	All		
Length (mm)	All		
Bearing (mm)	50		
Characteristic value (kN) Eurocode 5	15.44		
No. of nail holes	32		
Safe working load (kN) BS5628 - Short term	7.72		
Safe working load (kN) BS5628 - Medium term	7.35		
Safe working load (kN) BS5628 - Long term	6.43		

Produc Code	t WxLxB (mm)	Joist W x H (mm)	Qty (pcs)	Break (pcs)		
		вох				
	Galvanis	sed Steel - 1.0m	nm			
125TH	125 x 300 x 50	125 x 100 to 225	10	50		
150TH	150 x 300 x 50	150 x 100 to 225	10	50 BMW03		
	A2 - 304 Stainless Steel - 1.0mm					
47THS	47 x 277 x 50	47 x 100 to 225	20	100		
76THS	76 x 300 x 50	76 x 100 to 225	20	100		

Long Leg Timber Hanger



Product

WxLxB

Specifically designed for deeper timber to timber applications. Ideal for loft conversions and "under-slung" floor joist applications where the hanger extends below the supporting beam. Increased leg lengths, all widths can take up to a 250mm deep joist.

MOQ Qty

Qty Break

Technical Data					
All					
All					
50					
28.04					
46					
14.02					
13.35					
11.68					

Code	(mm)	(mm)	(pcs)	(pcs)
		BOX		
	Galvanised	l Steel - 1.2m	m	
44450LTH	44 x 453 x 50	44 x 150 to 250	10	50
47450LTH	47 x 445 x 50	47 x 150 to 250	10	50
76450LTH	76 x 435 x 50	76 x 175 to 250	10	50
90450LTH	90 x 425 x 50	90 x 150 to 250	10	50
100450LTH	100 x 420 x 50	100 x 150 to 250	10	50
125450LTH	125 x 450 x 50	125 x 175 to 250	10	50
150450LTH	150 x 450 x 50	150 x 175 to 250	10	50
				BMW03

Joist WxH

Installation Guidelines

- Ensure the back plate of the hanger sits flat against the timber:
- Joist should be square cut and sit tight to the back of the hanger.

100THS 100 x 300 x 50 100 x 100 to 225 10

 Fix the joist in every hole with 3.75 x 30 galvanised square twist nails (for stainless steel applications use 2.36 x 30 stainless steel annular ringshank nails).

Mini Timber Hanger



Timber to timber joist hangers, suitable for light duty applications such as ceiling joists, decking and trimmers.

NOTE: Tag on base of the hanger helps avoid rotation.

Technical Data					
Туре	THM	THMS	THMP		
Material	Galv	SS	Galv		
Width (mm)	All	All	All		
Characteristic value (kN) Eurocode 5	8.34	9.5	9.5		
Safe working load (kN) BS5628 - Short term	4.17	4.75	4.75		
Safe working load (kN) BS5628 - Medium term	3.97	4.53	4.53		
Safe working load (kN) BS5628 - Long term	3.47	3.96	3.96		

Installation Guidelines

- \bullet Ensure the back plate of the hanger sits flat against the timber.
- Joist should be square cut & sit tight to the back of the hanger.
- Fix the joist in every hole with 3.75 x 30 galvanised square twist nails (for stainless steel applications use 2.36 x 30 stainless steel annular ringshank nails).

Product Code	WxHxB (mm)	Joist W x H (mm)	No. of Nail Holes	MOQ Qty (pcs)	Qty Break (pcs)
		BOX			
	Galvar	nised Steel - :	1.0mm	1	
38THM	38 x 75 x 50	38 x 75 to 100	14	20	100
44THM	44 x 68 x 50	44 x 75 to 100	14	20	100
47THM	47 x 67 x 50	47 x 75 to 100	14	20	100
	La	arger Joist Si	ze		
38THMP	38 x 100 x 50	38 x 100 to 150	20	20	100
44THMP	44 x 97 x 50	44 x 100 to 150	20	20	100

 47THMP
 47x96x50
 47x100 to 150
 20
 20
 100

 A2 - 304 Stainless Steel - 1.0mm

 44THMS
 44x97x50
 44x75 to 100
 20
 10
 50

 47THMS
 47x96x50
 47x75 to 100
 20
 10
 50

Restraints & Wall Starters



Heavy Duty Restraint Straps



Generally used for horizontal restraint such as roof trusses. rafters and joists tied to masonry. Designed to BS 5268 Part 3 and other building standards for lateral restraint. Manufactured from galvanised steel, for ultimate corrosion resistance use stainless steel



MOQ Qtv

Total MOQ Qty

Bent Strap

Code	(mm)	(mm)	(mm)	(pcs)	(pcs)
		BUNDL	E.		
0	Galvanised Steel - 4.0mm				
400BRSH	300	100	400	10	50
600BRSH	500	100	600	10	50
800BRSH	700	100	800	10	50
1000BRSH	900	100	1000	10	50
1200BRSH	1100	100	1200	10	50
1500BRSH	1400	100	1500	10	50
1600BRSH100	1500	100	1600	10	50
1600BRSH	1450	150	1600	10	50
	Stainles	s Steel	- 4.0mr	n	
1000BRSHS	900	100	1000	10	50
1200BRSHS	1100	100	1200	10	50
					BMW06

Flat Strap

Product Code	Total Length (mm)	QTY (pcs)	Break (pcs)
	BUNDLE		
Gal	vanised Steel - 4.0)mm	
1000FRSH	1000	10	50 BMW06

Twisted Strap

Product Code	Length (mm)	Twist (mm)	Total Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BUNDLE					
Galvanised Steel - 4.0mm					
600TRSH	500	100	600	10	50
1000TRSH	900	100	1000	10	50

Light Duty Restraint Straps



Generally used for vertical restraint such as holding down a wall plate. Manufactured from galvanised steel, for ultimate corrosion resistance use stainless steel



MOQ Qty

Total MOQ

Qtv

FN 845-1

Total MOQ Qty

Bent Strap

Product Code	Length (mm)	Bend (mm)	Length (mm)	Qty (pcs)	Break (pcs)
		BUNDL	.E		
	Galvanis	sed Stee	el - 2.4m	m	
300BRSL	200	100	300	10	50
600BRSL	500	100	600	10	50
800BRSL	700	100	800	10	50
1000BRSL	900	100	1000	10	50
1200BRSL	1100	100	1200	10	50
1500BRSL	1400	100	1500	10	50
Stainless Steel - 2.4mm					
1000BRSLS	900	100	1000	10	50 BMW08

Flat Strap

Product Code	Total Length (mm)	Qty (pcs)	Break (pcs)
	BUNDLE		
Ga	lvanised Steel - 2.4	mm	
1000FRSL	1000	10	50
St	ainless Steel - 2.4r	nm	
1000FRSLS	1000	10	50
			BMW08

Twisted Strap

Product Code	Length (mm)	Twist (mm)	Length (mm)	Qty (pcs)	Break (pcs)
		BUNDL	E.		
	Galvanis	sed Stee	el - 2.4m	m	
1000TRSL	900	100	1000	10	50 BMW08

Installation Guidelines

For horizontal restraint

• Use a minimum of seven 3.75 x 30mm square twist nails or equivalent fixed to timber joists/ rafters

For vertical restraint

- Use a minimum of ten 3.75 x 30mm square twist nails or equivalent fixed to timber joists/rafters.
- · When used as a vertical restraint to hold down a wallplate. Use a minimum length of 900mm

Engineered Heavy Duty Restraint Strap



Lightweight design makes it easy to handle, yet retains its structural strength so it can be used instead of traditional heavy duty straps in both horizontal and vertical applications.

Product Code	Length (mm)	Bend (mm)	Total Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
		BUNDL	.E		
	Galvanis	sed Stee	el - 1.4m	m	
600ERSH	500	100	600	10	50
800ERSH	700	100	800	10	50
1000ERSH	900	100	1000	10	50
1200ERSH	1100	100	1200	10	50
1600ERSH	1500	100	1600	10	50
					BMW07

Installation Guidelines

For horizontal restraint

• Use a minimum of six 3.75 x 30mm square twist nails or equivalent fixed to timber joists/rafters.

Wall Starter Kit

A stainless steel system, designed to join new walls to existing masonry, suitable for both internal and external brick or block walls.

Kit includes: x2 Wall rails, x5 Plugs, coach screws, washers, x10 Wall rail connectors.



Technical Data				
Length (mm)	1170			
Design Shear Strength per 2.4m (kN)*	5.1			

*Fixing into existing AAC block work with a compressive strength of 3.5N/mm2

	Product Code	Width (mm)	Length (mm)	(2 x Profiles) (mm)	Qty (pcs)	Break (pcs)	
BOX							
	Stainless Steel						
	269666	41	1170	2340	12	40	

Structural Fixings



Truss Clip



For fixing trusses, girders and rafters to wall plate. Can also be used for general applications as a multi-purpose connector to provide restraint whenever two timber members cross.

Technical Data					
Width (mm)	38	47			
Characteristic value (kN) Eurocode 6	6.3	36			
Safe working load (kN) BS5628 - Short term	3.	18			

			No. of	MOQ	Qty
Product	Width	Total Height	Nail	Qty	Break
Code	(mm)	(mm)	Holes	(pcs)	(pcs)

BOX						
Galvanised Steel - 1.0mm						
38TC	38	110	12	25	125	
47TC	47	110	12	25	125 BMW05	

Angle Bracket



Product Length x Height

A versatile and general purpose 90° bracket used to strengthen timber joints.

Available in galvanised steel. For ultimate corrosion resistance use stainless steel.

MOQ Qty

Break

Technical Data						
LxH(mm)	50x50	60x40	90x90	150x90	150x150	
Nail Holes (3.75mm)	11	13	15	19	23	
Nail Holes (6.0mm)	9	7	-	-	-	
Bolt Holes (M8)	-	-	4	5	6	
Bolt Holes (M10)	-	-	3	3	3	
Bolt Slots (M10)	2	2	2	3	4	

Code	(mm)	(mm)	(pcs)	(pcs)				
BAG								
	Galvanised S	teel - 2.0n	nm					
5050AB*	50 x 50	62	25	100				
6040AB*	60 x 40	62	25	100				
9090AB	90 x 90	62	25	100				
15090AB	150 x 90	62	15	60				
150150AB	150 x 150	62	15	45				
A2 Stainless Steel - 2.0mm								
6040ABS*	60 x 40	62	25	100				
9090ABS	90 x 90	62	25	100				

Width

Flat Connector Plates



Versatile flat brackets for timber jointing and general repair work.

Pack Qty

Technical Data					
Length (mm)	100	180	240	300	
Nail Holes (3.75mm)	11	15	19	23	
Screw Holes (6.0mm)	9	-	-	-	
Bolt Holes (M8)	-	4	5	6	
Bolt Holes (M10)	-	3	3	3	
Bolt Slots (M10)	2	2	3	4	

Product Code	Length (mm)	Width (mm)	Qty (pcs)	Break (packs)	
Galvanised Steel - 2.0mm					
FCP100	100	62	5	10	
FCP180	180	62	5	10	
FCP240	240	62	5	10	
FCP300	300	62	5	10	
				DMMMOO	

Herringbone Joist Strut



		Strut	Pack	Qty
Product	Joist Centre	Length	Qty	Break
Code	(mm)	(mm)	(pcs)	(packs)

BUNDLE						
Galvanised Steel - 1.0mm						
HJS400	400	480	10	10		
HJS450	450	523	10	10		
HJS600	600	680	10	10		
				RMW04		

Nail Plate



A versatile perforated plate used for connecting or repairing timber. Strengthening ribs for added rigidity. All holes are pressed countersunk to aid location of the nail and to give a flush finish.



Product Width Length Qty Break Code (mm) (mm) (pcs) (pcs)

	ь	<i>/</i> ^				
	Galvanised S	teel - 1.0r	nm			
42NP	42	178	20	100		
85NP	85	178	20	100		
104NP	104	154	20	100		
169NP	169	178	10	60		
178NP	178	338	10	50		
A2 Stainless Steel - 1.0mm						
85NPS	85	178	20	100		
				BMW09		

Universal Framing Anchor



For strong nailed joints and economical secondary connections in timber framing.

Framing Anchors are an effective, versatile and economical method of providing strong, mechanical joints.

MOQ

Qty

Product Code	Width (mm)	Height (mm)	Qty (pcs)	Break (pcs)			
BOX							
Galvanised Steel - 1.0mm							
UFA	40 x 40	124	25	500			

BMW03



Timber Connector



Designed to increase the joint strength when bolting two pieces of timber together.





Code	(mm)	(mm)	(mm)	(pcs)	(packs)		
	Ga	alvanised	l Steel				
		вох					
TCD50	50	14.0	M12	100	2		
					CAB05		
		BAG					
TCD50B	50	14.0	M12	15	5		
					BAG33		
PACK							
TCD50P	50	14.0	M12	6	10		
					PAK51		

Helical Bar



Chemical Resin	See page
For helical grout for stitching & repairs.	97

Brick Reinforcement Coil

Produced for brick and block work reinforcement. It's primary usage is to prevent cracking. For ultimate corrosion resistance use stainless steel



Product Code	Width (mm)	Length (m)	Pack Qty (pcs)	Qty Break (packs)			
	C	:OIL					
	Galvan	ised Steel					
63BRCG	65	20	1	20			
100BRCG	100	20	1	20			
175BRCG	175	20	1	20			
Stainless Steel							
63BRCSS	65	20	1	20			
100BRCSS	100	20	1	20			
175BRCSS	175	20	1	20			
225BRCSS	225	20	1	20 BMW12			

Waterbar

A steel bar for fitting into door sills for weather protection.

Traditionally used with wooden doors, the water bar is fitted into the threshold so that the front door closes against it, sealing any gaps and preventing wind and rain from entering the property.

Product Code	Length (m)	Width (mm)	Qty (pcs)	Break (pcs)				
	BUNDLE							
Galvanised Steel - 4.0mm								
TWB1	1	28	10	50				
TWB2	2	28	10	50				

Helical Flat Roof Fixing



Hammer driven fixing frequently used for securing structural 6mm plywood composite insulation board to flat roofing systems.

Made from high tensile steel, the fixing twists into timber without the need for pre-drilling.

Product Code	Size (mm)	MFT (mm)	Pack Qty (pcs)	Qty Break (packs)				
BAG								
Zinc								
269745	8.0 x 90	55	25	60				
269991	8.0 x 135	100	25	48				
269425	8.0 x 165	130	25	48				
269637	8.0 x 195	160	25	42				
269244	8.0 x 220	185	25	36				
269763	8.0 x 250	215	25	32				
269278	8.0 x 270	235	25	30				
	MFT=	Max. Fixtur	e Thicknes	s / BMW16				

Hip Iron



BMW15

Fixing Band



A versatile perforated metal strip which can easily be cut or bent to provide a quick and reliable light weight brace suitable for suspending pipework, cables and doing general repairs.

Product Code	Width (mm)	Length (m)	Qty (pcs)	Break (packs)				
CASE* / BAG								
Galvanised Steel								
1210FB*	12	10	1	10				
1810FB*	18	10	1	10				
2510FB*	25	10	1	10				
Stainless Steel								
2010FBS	20	10	1	10				
				DMM/42				

Coloured Fixing Band

Manufactured from galvanised steel to give a high level of corrosion resistance. Colour coated to match the application.



Product Code			Qty (pcs)	Break (packs)				
CASE								
White								
1210FBWHITE	12	10	1	10				
Black								
1210FBBLACK	12	10	1	10 BMW13				

Pack

Drywall Bracket

Designed especially for connecting plasterboard dry lining systems to masonry walls, concrete soffit and timber joists.



Product Code	Total Length (mm)	Pack Qty (pcs)	Qty Break (packs)
	BOX		
	Zinc		
DB195	195	100	6
DB295	295	100	4 DLB01



Cramps & Ties



Safety Frame Cramp



Product Code	Width (mm)	Projection (mm)	Upstand (mm)	Qty (pcs)	Break (packs)			
		BOX						
Stainless Steel - 2.0mm								
100SFCS	19	100	50	250	10			
150SFCS	19	150	50	250	10			
200SFCS	19	200	50	250	10			
					BMW10			

Heavy Duty Fishtailed Cramp



Product Code	Width (mm)	Projection (mm)	Upstand (mm)	Qty (pcs)	Break (pcs)		
BAG							
Galvanised Steel - 2.3mm							
100FFC	25	100	50	25	100		
150FFC	25	150	50	25	100		
200FFC	25	200	50	25	100		
					DEMMA		

Window Board Tie



		Projection (mm)					
BOX							

			вох			
Galvanised Steel - 2.0mm						
WBT10	12	147	25	10	-	50
WBT	12	147	25	1	100	BMW10


Movement Ties

NEW

MOO Otv

When used with debonding sleeves, provide restraint in one direction and horizontal movement for expansion and contraction found in long spans of brickwork. The tie sits inside the debonding sleeve allowing the tie to move in situ.





Movement Tie Debonding Sleeves

NEW

Pack MOO Otv

Designed for use with movement ties to provide restraint in one direction and horizontal movement for expansion and contraction found in long spans of brickwork. The debonding sleeve is located over the tie to allow the tie to move.



Timber Frame Tie

Timber Frame Ties are suitable for tying masonry outer cladding to softwood structural framework of domestic dwellings and industrial/commercial buildings up to 4 storeys and not greater than 15m in beight



- Complies with a DD140 Type 6 tie.
- Meets with the appropriate parts of NHBC standards.
- Supplied with annular rings hank nails.

Code (mm) (mm) (mm)		(mm)	(pcs)	(packs)				
	BOX							
		Stainles	s Steel					
269413	19	130	50	250	10			
269846	19	155	75	250	10			
269719	19	180	100	250	10			
					RMW10			

Screw-in Frame Tie



Product Code			Thread Dia (mm)	Pack Qty (pcs)	Qty Break (packs)					
		BOX								
	Zinc & Yellow									
150SFT	150	40	6	100	4					

Cavity Wall Ties

Perfect for masonry cavity walls in domestic houses and small commercial buildings of up to three storeys and maximum 15m in height. Manufactured from A2 Stainless Steel for ultimate corrosion resistance.

Type 2 - General Duty Wall Ties

275WT2 275 x 3 Up to 150



Product Code	Length x Gauge (mm)	Cavity Width (mm)	Max. Wall Height (m)	Pack Qty (pcs)	Qty Break (packs)			
		BUNDL	.E					
	A2 Stainless Steel							
225WT2	225 x 3	76 to 100	15	250	10			
250WT2	250 x 3	101 to 125	15	250	10			

15







Type 4 - Light Duty Wall Ties

Length x

Gauge

Product

10

RMW10



Cavity

Width

Max. Wall Pack

Height Qty Break

Code	(mm)	(mm)	(m)	(pcs)	(packs)	
BUNDLE						
	A2	2 Stainless	Steel			
200WT4	200 x 2.3	50 to 75	10	250	10	
225WT4	225 x 2.3	76 to 100	10	250	10	
250WT4	250 x 2.7	101 to 125	10	250	10	
275WT4	275 x 2.7	up to 150	10	250	10	
					BMW10	

Insulation Retaining Discs

Used with a cavity wall tie to hold insulation material against the inner wall of the cavity.





Product Code	Diameter (mm)	Colour	Qty (pcs)	Oty Break (packs)
	B	AG		
LOCIRD65BL	65	Black	250	6
LOCIRD80R	80	Red	250	4
				BMW10

Damp Proofing

Damp Proof Membrane



Handy Pack

Commonly used to protect a building's concrete slab from moisture rising from the foundations. A damp proof membrane or DPM is a versatile product and can also be used for a wide range of applications such as creating a protective surface before laying laminate or wood floors. BBA certified.

- Membrane made from 100% recycled materials
- •EN 13967:2012

		Thickness (Microns)	Thickness (Gauge)	Qty (pcs)	Oty Break (packs)	
			ROL	L		
	887125	4 x 12.5	500	2000	1	10
	887025	4 x 25.0	250	1000	1	10
	887425	4 x 25.0	300	1200	1	10
						TTS01
			HANDY I	PACK		
	887405	4 x 5.0	250	1000	1	10 TTS01

Damp Proof Course



Damp proof course or DPC offers a protective barrier and is used within the inner layers of brick or block walls to protect buildings from rising damp.

Pack MOO

• 100% recycled materials

Product Code		L (m)	Thickness (Microns)		Qty (pcs)	Qty (packs)
			ROL	L		
887100	100	30	500	2000	1	9
887112	112	30	500	2000	1	8
887150	150	30	500	2000	1	6
887225	225	30	500	2000	1	4
887300	300	30	500	2000	1	3
887450	450	30	500	2000	1	2
887600	600	30	500	2000	1	2 TTS02

Double Sided Damp Proof Membrane Jointing Tape

A high performance double sided butyl tape used for bonding DPMs. Use with High Strength PVC Builders Tape to provide a continuous damp proof seal between two sheets, where joints cannot be avoided.



- High adhesion
- Backing paper for easy application

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
		ROLL			
DSDJT	Black	10	50	1	12

High Strength PVC Builders Tape

A strong versatile PVC tape used for jointing PVC and polythene sheets and membranes.

Frequently used for sealing contamination barriers, polythene dust sheets, silage covers and bales.



- Flame retardant
- Perfect for electrical, patching & jointing applications


Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
		ROL	L		
HSBT	Black	33	75	1	36 TAP08







Horseshoe Shims



Used for easy and quick levelling of battens, drylining systems, stud work, door and window frames.

- Polypropylene material
- Resistant to weather changes
 - Waterproof
 - Bag and tub includes two sizes




Packers



A solution for multiple applications. Used to ensure correct weight distribution of glazed units and increase security around fixing points during frame fitting.

- Polypropylene material
- Resistant to weather changes
- Waterproof
- Strong and durable



Individual Packs

Product Code	Size (mm)	Thickness (mm)	Colour	Pack Qty (pcs)	Carton Qty (packs)
281	1M - BU	LK BOX -	1,000	PCS	
P1GREENBU	28 x 100	1.0	Green	1,000	10
P2BLACKBU	28 x 100	2.0	Black	1,000	10
P3WHITEBU	28 x 100	3.0	White	1,000	10
P4GREYBU	28 x 100	4.0	Grey	1,000	10
P5BLUEBU	28 x 100	5.0	Blue	1,000	10
P6REDBU	28 x 100	6.0	Red	1,000	10
	28MM ·	- BAG - 20	00 PCS		
P1GREEN	28 x 100	1.0	Green	200	5
P2BLACK	28 x 100	2.0	Black	200	5
P3WHITE	28 x 100	3.0	White	200	5
P4GREY	28 x 100	4.0	Grey	200	5
P5BLUE	28 x 100	5.0	Blue	200	5
P6RED	28 x 100	6.0	Red	200	5 SHL01

Mixed Packs

Product Size Code (mm		T (mm)	Colour	Shim Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
	MIX	ED BA	G - 100	PCS		
	45 x 35	1.0	Yellow	20		
	45 x 35	3.0	Blue	20		
SHIM100	45 x 35	5.0	Brown	20		
	45 x 35	6.0	Black	10	100	22
	100 x 50	1.0	Yellow	10		
	100 x 50	3.0	Blue	10		
	100 x 50	5.0	Brown	10		
	MIX	ED BA	.G - 200	PCS		
	45 x 35	1.0	Yellow	20		
	45 x 35	2.0	Green	20		
	45 x 35	3.0	Blue	20		
	45 x 35	4.0	Red	20		
	45 x 35	5.0	Brown	10	200	
SHIM	45 x 35	6.0	Black	10		8
SHIM	100 x 50	1.0	Yellow	20		0
	100 x 50	2.0	Green	20		
	100 x 50	3.0	Blue	20		
	100 x 50	4.0	Red	20		
	100 x 50	5.0	Brown	10		
	100 x 50	6.0	Black	10		
	MIX	ED TU	IB - 400	PCS		
	45 x 35	1.0	Yellow	40		
	45 x 35	2.0	Green	40		
	45 x 35	3.0	Blue	40		
	45 x 35	4.0	Red	40		
	45 x 35	5.0	Brown	20		
CHIMTUD	45 x 35	6.0	Black	20	400	20
SHIMTUB	100 x 50	1.0	Yellow	40	400	20
	100 x 50	2.0	Green	40		
	100 x 50	3.0	Blue	40		
	100 x 50	4.0	Red	40		
	100 x 50	5.0	Brown	20		
	100 x 50	6.0	Black	20		

T=Thickness / SHI01

Mixed Packs

	Product Code	Size (mm)	T (mm)	Colour	Qty (pcs)	Qty	Break (packs)
		24MM -	BULK	BOX -	1,000	PCS	
		24 x 100	1.0	Green	200		
		24 x 100	2.0	Black	160		10
	744957	24 x 100	3.0	White	200	1,000	
	144951	24 x 100	4.0	Grey	120	1,000	10
		24 x 100	5.0	Blue	200		
		24 x 100	6.0	Red	120		
		28MM -	BULK	BOX -	1,000	PCS	
		28 x 100	1.0	Green	200		
		28 x 100	2.0	Black	160		
	744224	28 x 100	3.0	White	200	1.000	10
	144224	28 x 100	4.0	Grey	120	1,000	10
		28 x 100	5.0	Blue	200		
		28 x 100	6.0	Red	120		
						T=Thickne	ess / SHI02

Mixed Packs

Product Code	Size (mm)	T (mm)	Colour	Packer Qty (pcs)	Qty	Qty Break (packs)
	28M	4 - BA	AG - 20	00 PCS		
	28 x 100	1.0	Green	30		
	28 x 100	2.0	Black	40	200	5
PACKER	28 x 100	3.0	White	50		
PAUNER	28 x 100	4.0	Grey	20		
	28 x 100	5.0	Blue	20		
	28 x 100	6.0	Red	40		
	28MI	4 - Tl	JB - 40	OO PCS		
	28 x 100	1.0	Green	60		
	28 x 100	2.0	Black	80		
DACKEDTUD	28 x 100	3.0	White	100	400	20
PACKERTUB	28 x 100	4.0	Grey	40	400	20
	28 x 100	5.0	Blue	40		
	28 x 100	6.0	Red	80		
					T=Thickn	ess / SHI02

Wedge Strips



Product Code	Size (mm)	Thickness (mm)	Qty	Carton Qty (packs)
TIMBAG				
745233	100 x 20	1-8	50	5
				DA004





THE NEW (ALMOST) INVISIBLE WALL WEEP FROM TIMLOC



- Low profile water outlet

 Ensuring minimal visibility when fitted, the water outlet is unobtrusive to the naked eye.
- Venturi effect outlet tube Reduces pressure, allowing for optimal water drainage.
- Full height upstand to cavity side
 Enables drainage, reducing the risk of
 blockage if cement builds up in the cavity.
- 4 External ribs & tapered profile
 To key mortar for a secure fixing.



Roof-line & Above



Push-in Soffit Vent







Product Code	Colour	Size (mm)	Pack Qty (pcs)
	вох		
LOC1139	Grey	70.0	10
LOC1140	White	70.0	10
L0C1141	Black	70.0	10
L0C1142	Brown	70.0	10
			RLN01

Roll Out Dry Fix Ridge Pack



Convenient 'single pack' mechanical fixing solution for roof ridge installations.

Product Code	Size (m)	Pack Qty (pcs)
В	OX	
L0C54700	6	1



Ambi-Verge Universal Dry Fix Verge System



Universal dry fix verge system for profiled roof tiles. A robust, attractive and weather resistant alternative to wet mortar bedding.

Product Code	Colour	Size (mm)	Pack Qty (pcs)
	BOX		
LOC99141	Grey	405 x 95/160	20
LOC99142	Brown	405 x 95/160	20
LOC99143	Black	405 x 95/160	20
LOC99144	Terracotta	405 x 95/160	20
_			RLN01

Ambi-Verge Eaves Starter



Code	Colour	(mm)	(pcs)
	BOX		
LOC99153	Grey	105 x 155	1
LOC99154	Black	105 x 155	1
LOC99155	Brown	105 x 155	1
LOC99156	Terracotta	105 x 155	1
			RLN01

Universal Verge Ridge/Apex End Cap

Ridge end caps, available in round or angled design.

Round End Cap





Product Code	Colour	Size (mm)	Pack Qty (pcs)
	BOX		
LOC99136	Black	265 x 240	1
LOC99112	Brown	265 x 240	1
LOC99114	Terracotta	265 x 240	1
LOC99113	Grey	265 x 240	1
			DI NO.

Angled End Cap





Product Code	Colour	Size (mm)	Pack Qty (pcs)
	BOX		
LOC99107	Black	265 x 240	1
LOC99108	Brown	265 x 240	1
LOC99110	Terracotta	265 x 240	1
LOC99109	Grey	265 x 240	1
			DI NO.

Weeps & Drill Vents


Invisiweep Wall Weep



Cavity Wall Weep Vent



Multi-function product for discharging water from external walls and cavity ventilation.



Product Code Colour		Size HxWxL(mm)	Pack Qty (pcs)	
		BOX	(
LOC1143BB		Blue/Black	65 x 10 x 100	50
LOC1143BL		Black	65 x 10 x 100	50
LOC1143BR		Brown	65 x 10 x 100	50
LOC1143BU		Buff	65 x 10 x 100	50
L0C1143CL		Clear	65 x 10 x 100	50
L0C1143GR		Grey	65 x 10 x 100	50
LOC1143TE		Terracotta	65 x 10 x 100	50
LOC1143WH		White	65 x 10 x 100	50
		VENT Ext	ension	
L0C1144		Clear	50mm	100
				CNA02

Drill Vent




Cavity ventilator and drainage weeps. Often fitted retrospectively to improve existing ventilation.

Product Code	Colour	Size (mm)	Drill Hole ((mm)	Pack Qty (pcs)		
вох						
LOCDV1	Natural	80	25	50		
LOCDV2	Buff	80	25	50		
LOCDV3	Terracotta	a 80	25	50 CNA02		



Underfloor Ventilation

Telescopic Underfloor Ventilator & Extension Accessories



To provide ventilation below suspended ground floors. Telescopic and adjustable to suit numerous brick courses.

Pack Carton

Product Code	Size	Qty (pcs)	Qty (packs)			
	вох		,			
Tele	escopic Underfloor	Vent				
LOC1201	up to 5 course	20	-			
LOC1201XL	5 to 7 course	10	-			
Ho	rizontal Front Exter	nsion				
LOC1203	+115mm	20	-			
	Vertical Extension	n				
LOC1204	+150mm	20	-			
Ho	Horizontal Rear Extension					
LOC1206	+100mm	1	20			
	Duct Adapter					
LOC1205	to suit 110mm	1	20 CNA01			

Airbrick - Plastic

Used in conjunction with underfloor vent system and cavity sleeves to provide ventilation below suspended ground floors and through external walls.



Product Code	Colour	Size W x H x D (mm)	Pack Qty (pcs)
	BOX		
LOC1201ABBB	Blue/Black	215 x 69 x 60	20
LOC1201ABBL	Black	215 x 69 x 60	20
LOC1201ABBR	Brown	215 x 69 x 60	20
LOC1201ABBU	Buff	215 x 69 x 60	20
LOC1201ABGR	Grey	215 x 69 x 60	20
LOC1201ABTE	Terracotta	215 x 69 x 60	20
LOC1201ABWH	White	215 x 69 x 60	20 CNA01

Through-Wall Ventilation





Aero-Core Anti-Draught Ventilators

Combination ventilator sets for background venting and heat producing appliances.



Aero-Core

Aero-Core with Cowl & Baffle

Aero-Core with High Rise





Product Code		Colour	Size (mm)	Pack Qty (pcs)	
		BOX			
А	er	o-Core with I	Baffle		
LOCACV7BR		Brown	127 x 350	1	
LOCACV7TE		Terracotta	127 x 350	1	
				TWV02	
Aero	-C	ore with Cow	l & Baffle		
LOCACV7CBR		Brown	127 x 350	1	
LOCACV7CTE		Terracotta	127 x 350	1	
LOCACV7CWH		White	127 x 350	1	
				TWV02	
Aero-Core with High Rise					
LOCACV7HRTE		Terracotta	127 x 350	1	

Cavity Sleeves

Tough, flexible ventilators for external walls.

Telescopic Extension



Baffle

 Product Code
 Size (inch)
 To Suit
 Pack Qty (pcs)

 BOX

 Cavity Sleeve

 L0C12021
 9x3
 Single airbrick
 1

 L0C12022
 9x6
 Two airbricks stacked
 1

			1WV02			
Telescopic Extension						
LOC1237	9x3	+90mm	1			
LOC1236	9x6	+90mm	1			
			TWV02			
Baffle						
LOC1238	9x3	2 x per 9 x 6 sleeve	1			

External Cowl

External cowl used to sustain airflow but reduce draughts.



Code	(mm)	(inch)	(pcs)
	BOX		
	Terracotta		
LOCABC93TE	255 x 95	9x3	1
LOCABC96TE	255 x 160	9x6	1
LOCABC99TE	255 x 230	9 x 9	1
			TWV02
	Brown		
LOCABC93BR	255 x 95	9x3	1
LOCABC96BR	255 x 160	9 x 6	1
LOCABC99BR	255 x 230	9x9	1
			TWM02





Internal Grille Vents



Plastic Grille Vents


Internal white plastic louvre vents for sustaining airflow and reducing drafts. Please note: Flyscreen and Hit & Miss vents are not to be used for gas appliance ventilation.

Louvre Vent



Product Code	Size (mm)	Size (inch)	Qty (pcs)			
	BOX					
White						
L0C1218W	165 x 89	6x3	1			
LOC1207W	242 x 89	9x3	1			
L0C1211W	242 x 165	9x6	1			
L0C1212W	242 x 242	9x9	1			
			TWV01			

Hit & Miss Louvre Vent



TWV01

Louvre Vent with Flyscreen



Product Code	Size (mm)	Size (inch)	Qty (pcs)
	BOX		
	White		
LOC1218WF	165 x 89	6 x 3	1
LOC1207WF	242 x 89	9x3	1
LOC1211WF	242 x 165	9x6	1
L0C1212WF	242 x 242	9 x 9	1
			TMM/01

Pack

Access Doors & Panels


Loft Access Door

Plastic insulated loft access doors provide simple, easy access through a ceiling into the loft space.



Product Code	Size (mm)	Pack Qty (pcs)
	BOX	
	Drop In	
LOC1168	562 x 665	1
		TAC02
	Hinged	
LOC1169	562 x 662	1
		TAC02

Slotted Loft Door Operating Pole



Access Panel

Used in both residential and commercial projects. Access panels (also referred to as access hatches) are vital in order to access concealed electrical, plumbing and building services.



Product Code	Size (mm)	Pack Qty (pcs)
	вох	
	Clip Fit	
LOCAP110	115 x 165	1
LOCAP200	205 x 205	1
	Hinged	
LOCAP150	155 x 235	1
LOCAP300	305 x 305	1
LOCAP450	470 x 470	1
		TAC01



Refuse



Builders Bulk Bags

Manufactured from durable polypropylene and designed with an open top, a flat base and lifting loops. Ideal for the transport of all building materials including rubble, gravel, sand, aggregate as well as topsoil, logs, garden waste and non-toxic industrial waste.

- Tested and certified to carry 1 tonne
- Woven 30% recycled polypropylene
- Fully recyclable
- Open top & flat base
- Strong woven lifting loops





Product Code	Size (cm)	Working Load (kg)	Pack Qty (bags)			
PACK						
BBB1000	900 x 900 x 800	1000	2 PRO12			

Heavy Duty Rubble Sacks



Manufactured from strong and durable tear resistant 11×10 woven polypropylene, these reusable sacks are available in two sizes and have draw string tops for tying off. Ideal for use on site for building and landscaping waste



Prod Cod			eight \gsm)	Weight (g)	Pack Qty (bags)	Carton Qty (packs)
		P	ACK			
SRSHD	6090 6	0 x 90	60	70/pce	10	35
SRSHD	80120 80	x 120	60 1	132/pce	10	15
						-PRO12

Sandbags

When filled with sand, sandbags provide an effective way to prevent or reduce the risk of flood damage. Also used for temporary weighing down of road signs, gazebos and tarpaulins.



- String at top for convenient tying off
- Ideal for temporary wall building to prevent flood damage
- Reusable



Hessian Sandbag	
Biodegradable	
The second second	The same of

Product Code	Туре	Colour	Size (cm)	Pack Qty (bags)		
PACK						
775666	Polypropylene (PP)	White	33.5 x 80	50		
775174	Hessian	Natural	34 x 75	50		
				PRO16		

Rubble Sacks

Convenient and compact rolls of 30 sacks, manufactured from recycled polyethylene. Ideal for general waste on building sites and landscaping work.



Product Code	Size (mm)	Thickness (microns)	Pack Qty (bags)	Carton Qty (rolls)	Pallet Qty (packs)
		ROLL			
SRS30	535 x 820	85	30	8	240 PRO12



Security & Ironmongery

Ironmongery

Fire Door Hinges	244
Intumescent Accessories	244-245
Door & Cabinet Hinges	246-249
Specialist Hinges	250-251
Satin Anodised Aluminium Accessories	252
Satin Anodised Aluminium Door Bolts	253
Satin Anodised Aluminium Pull Handles	254
Contractors Door Handles & Packs	255
Antique Style Hinges & Handles	256-257
Internal Door Latch Packs	258
Internal Door Handle Range	259-260
Door Latches & Catches	260
Door Locks	261-262
Door Bolts	263
Door & Window Security	264
Furniture Fixings	265
Jointing Biscuits, Plates & Braces	266
Door Stops & Hooks	267
Hanging Rails & Accessories	268
Storage & Shelving	269

Security

Padlocks	270
Chains & Cables	271
Key Storage & Accessories	271
Chains & Cables	271
Squire Security	272-279



Fire Door Hinges

Ball Bearing Fire Door Hinges

- Smooth ball bearing action
- \bullet Suitable for 30 & 60 minute fire doors
- For doors with heavy traffic tested to 200,000 cycles
- · CE Approved BS EN 1935
- Fit with intumescent hinge pads (Not included) when fitting fire doors to adhere to fire regulations.





Technical Data								
Hinge Grade	13	11	7					
Size L x W (mm)	101 x 76	101 x 76	76 x 50					
Thickness (mm)	3.0	2.6	2.0					
Knuckle Ø (mm)	14.2	12.5	11.0					
Rec. Screw Ø (mm/imp)	5.0/10	5.0/10	4.5					
Max. Door Weight (kg)	120	80	40					



Electro Brass



Epoxy Black



Epoxy

White

Sa



Antique Brass

Grade 13

• Ideal for heavy doors up to 120kg



Grade 11

· Ideal for heavy doors up to 80kg



Grade 7

• Ideal for heavy doors up to 40kg



	Floud	Coue			Pack	Carton
Electro Brass	Polished	Satin	Matt Black	LxW (mm)	Qty (pair)	Qty (packs)
		GRAD	E 13 - ST	AINLESS STEEL		
			BLISTE	R PACK		
334777	334843	334052	334161	101 x 76	1	5
334617	334080	334903	334741	101 x 76	1.5	5
			В	OX		
334027	334457	334111	334308	101 x 76	1	40
334006	334444	334519	334366	101 x 76	1.5	40

Product Code

	Produc	t Code			Pack	Carton
Electro Brass	Polished Chrome	Satin Chrome	Satin Nickel	LxW (mm)	Qty	Qty (packs)
			GRAD	DE 11 - STEEL		
				TIMPAC		
334753P	334988P	334040P	-	101 x 76	1	10
				BOX		
334753	334988	334040	334555	101 x 76	1	40

		Proc	luct Code	•				Pack	Cartor
Electro Brass	Polished Chrome	Satin Chrome	Satin Nickel	Epoxy Black	Epoxy White	Antique Brass		Qty (pairs)	Qty
			GRA	DE 7 - S	TEEL				
				TIMPAC	:				
334101P	334159P	334654P	-	334321P	-	-	76 x 50	1	10
				BOX					
334101	334159	334654	334789	334321	334267	334034	76 x 50	1	60

Intumescent Accessories

Intumescent Fire Only Seals



- Tested to BS476 Part 22, BS EN 1634-1
- Laboratory ageing tested for 100 years
- Rapid high-pressure multi-directional expansion
- Supplied with self adhesive backing for ease of installation

Produ	ct Code			Fire		Carton
White	Brown	rown (mm) (mm)		Rating (mins)	Qty (pcs)	Qty (packs)
	S	INGLE	DOOR	PACK		
487762	487284	10 x 4	1050	30	5	20
487661	487097	15 x 4	1050	30 & 60	5	20
		BUL	K PAC	K		
487053	487964	10 x 4	2100	30	50	4
487222	487773	15 x 4	2100	30 & 60	50	4

Intumescent Fire & Smoke Seals



- Supplied with additional brush
- seal to slow the spread of smoke • Tested to BS476 Part 22, BS EN 1634-1
- Laboratory ageing tested for 100 years
- Rapid high-pressure multi-directional expansion
- Supplied with self adhesive backing for ease of installation

ct Code			Fire		Carton
Brown	WxD (mm)				Qty (packs)
S	INGLE	DOOR	PACK		
487336	10 x 4	1050	30	5	20
487558	15 x 4	1050	30 & 60	5	20
	BUL	K PAC	K		
487671	10 x 4	2100	30	50	4
487515	15 x 4	2100	30 & 60	50	4
	Brown S 487336 487558	Brown (mm) SINGLE 487336 10 x 4 487558 15 x 4 BUL 487671 10 x 4	Brown Wx D L (mm)	NxD	WxD

Intumescent Hinge Pads

NEW SIZES

FHB03



Intumescent hinge pads are an essential requirement when fitting hinges to fire doors as they seal any gaps in the rebate and prevent the transfer of heat from the hinge to the door and frame in the event of a fire.

• Tested to BS476 Part 22, BS EN 1634-1

TIMPAC	Product Code	WxL (mm)	Depth (mm)	Rating (mins)	Qty (pcs)	Qty (packs
TIMPAC			BAG			
	487385	31 x 100	1.0	30	6	250
■ 487402 18 × 75 1.0 30.8.60 6 200			TIMPA	3		
40/402 10 1/3 1:0 30 00 0 200	487492	18 x 75	1.0	30 & 60	6	200
487357 30 x 100 1.0 30 & 60 6 200	487357	30 x 100	1.0	30 & 60	6	200

Universal Intumescent Tubular Latch, Deadlock & Sashlock Kits

NEW

TIMCO FlexiFire HS is a graphite-based elastomeric sheet material custom cut for use on rebated hardware such as tubular latches, deadlocks and sashlocks. FlexiFire HS has an expansion ratio in excess of 15 times its original volume.

- Safe to handle and easy to use (no PPE required)
- Excellent temperature insulation before and after exfoliation
- Completely non-toxic and non-fibrous
- Unaffected by moisture, humidity, atmospheric pollution
- When heated to approximately 180°C graphite located at the surface begins to exfoliate
- · FlexiFire has been tested extensively to both
- BS476 Part 22 & EN1634-1



Tubular Latch



Deadlock



Sashlock

Pack Carton




Product Code	Size	Thickness (mm)	Rating (mins)	Qty (pcs)	Qty (packs)
		TIMPA	С		
	TU	BULAR LA	TCH KIT		
487050	Universal	1.0	30 & 60	1	100
	l	DEADLOC	K KIT		
487677	Universal	1.0	30 & 60	1	100
		SASHLOC	K KIT		
487359	Universal	1.0	30 & 60	1	100 ITS02

Intumescent Letterbox

A stylish ABS framed, telescopic letterbox, with metal flaps and fitted with a high performance intumescent liner. In the event of fire the intumescent liner expands rapidly and seals off the letterbox opening, preventing the spread of fire and smoke whilst maintaining the integrity of the fire door assembly.

- Fire tested to BS 476 part 22: 1987 & BS EN 1634-1
- Acoustic tested to BS EN ISO 140-3: 1995 Achieving 32dB Rw
- Security tested to BS EN 13724 Clause 6.6.5 (Compliant within scope of PAS 23/24)
- Smoke tested to BS 476 part 31/1: 1983
- Integral sound dampening bumpers
- Ergonomic curved edge design

Polis




Product shown is Satin Anodised Aluminium with black frame

ge design	Product C	ode		Size		Fire	Pack	Carton
	Satin Anodised Aluminium	Polished Silver	Polished Gold	LxH (mm)	Frame Colour	Rating (mins)	Qty (pcs)	Qty (packs)
		ВС	OX - FIXIN	IGS INCL	UDED			
The same of	487438	487457	487158	272 x 70	Black	30	1	10
100	487009	-	-	272 x 70	Silver	30	1	10
shed	487051	487299	487279	305 x 70	Black	30	1	10
old	487382	-	-	305 x 70	Silver	30	1	10
olu								ITS03

Applique Drop Down Seal

NEW

The seals are activated by the closing action of the door, dropping down to seal only when the door is closed. This leaves the door threshold clear and flat, without the need for high fixed thresholds. Designed to form an effective barrier against the outside climate, noise, light, fire, smoke and insects. They provide a cost-effective solution for document part E and part M of the latest UK building regulations relating to disability access and energy conservation.



- Galvanised steel flat springs and reinforced actuators
- Acoustic testing BS EN ISO 140-3: 1995 rating of up to 37dB Rw
- Fire tested to BS476: Part 20/22: 1987 to 60 mins
- Smoke tested to BS EN 1634-3: 2004

Product Code	Size		Maximum	Fire	Pack	Carton
Satin Anodised Aluminium	LxH (mm)	Width (mm)	Drop (mm)	Rating (mins)	Qty (pcs)	Qty (packs)
	BOX	- FIXINGS II	NCLUDED			
487918	730 x 40	13	14	60	1	5
487647	830 x 40	13	14	60	1	5
487250	930 x 40	13	14	60	1	5
487333	1030 x 40	13	14	60	1	5





Door & Cabinet Hinges



Performance Ball Raced Hinge

Ideal for heavy, high quality doors in domestic applications.

- · Four ball bearing raced knuckles to prevent wear and provide a lifetime of silent, smooth door operation
- Button tip for improved aesthetics
- · Manufactured from solid brass to guarantee no rust and a superior finish
- · Avaliable in a variety of finishes



Technical Data							
Size LxW (mm)	76 x 50	102 x 76					
Thickness (mm)	2.50	3.00					
Knuckle Ø (mm)	8.0	10.0					
Screw Size (mm)	4.0 x 25	5.0 x 30					
Rec. Screw Ø (mm)	4.0	5.0					
Rec. Screw Gauge (Imp.)	8	10					
Max. Door Weight (kg)	40	80					





Antique

Bronze



Polished

Chrome

Brass



Satin

Pack Carton

Chrome

Product Code

Polished Brass	Antique Brass	Bronze	Polished Chrome	Satin Chrome	LxW (mm)	Qty (pair)	Qty (packs)
		BOX -	FIXINGS	INCLUDED)		
234953	234842	234185	234011	234444	76 x 50	1	80
234751	234268	234759	234050	234591	102 x 76	1	40
							BDH05

Twin Ball Bearing Hinge - 201 Stainless Steel

Designed for use on medium duty doors in domestic applications.

- · Two lubricated ball bearings prevent knuckle wear for long lasting performance
- Ball bearings provide a smooth door
- operation • Button tip for improved aesthetics
- · Manufactured from stainless steel for superior rust protection







Technical Data							
Size L x W (mm)	76 x 51						
Thickness (mm)	2.0						
Knuckle Ø (mm)	11.6						
Rec. Screw Ø (mm)	4.0						
Rec. Screw Gauge (Imp.)	8						
Max. Door Weight (kg)	40						

Produc	ct Code			
Polished Stainless Steel	Satin Stainless Steel	LxW (mm)	Qty	Carton Qty (packs)
ВО	X - FIXING	S INCL	UDED)
340999	340123	76 x 51	1	50 DHB01

Twin Ball Bearing Hinge - Steel

Designed for use on medium duty doors in domestic applications.

- Two lubricated ball bearings prevent knuckle wear for long lasting performance
- · Ball bearings provide a smooth door operation
- Button tip for improved aesthetics
- Manufactured from steel with a variety of plating finishes



Technical Data						
Size L x W (mm)	76 x 51	102 x 76				
Thickness (mm)	2.2	2.7				
Knuckle Ø (mm)	10.6	12.6				
Hole Ø (mm)	6.0	7.0				
Rec. Screw Ø (mm)	4.0	5.0				
Rec. Screw Gauge (Imp.)	8	10				
Max. Door Weight (kg)	40	80				









Antique





Black



Chrome White

			oddol oodo					Pack	Carton
Satin Nickel	Electro Brass	Antique Brass	Polished Chrome	Satin Chrome	White	Black	LxW (mm)	Qty (pair)	Qty (packs)
BOX - FIXINGS INCLUDED									
340147	340843	340573	340456	340987	340369	340258	76 x 51	1	50
340101	340321	-	340555	340670	-	-	102 x 76	1	40
									DHB01

Double Phosphor Bronze Washered Hinge

Ideal for hanging internal doors in domestic applications.

- Double washers prevent knuckle wear for long lasting performance
- Brass pin and phosphor bronze washers guarantee no rust
- Hinge manufactured from solid brass to guarantee no rust and a superior finish

Pack Carton

· Avaliable in a variety of finishes

Technical Data							
Size L x W (mm)	76 x 50	102 x 67	102 x 75				
Thickness (mm)	2.50	3.50	3.50				
Knuckle Ø (mm)	8.0	10.0	10.0				
Screw Size (mm)	4.0 x 25	5.0 x 30	5.0 x 30				
Rec. Screw Ø (mm)	4.0	5.0	5.0				
Rec. Screw Gauge (Imp.)	8	10	10				
Max. Door Weight (kg)	24	40	60				



Product Code

Polished Brass	Antique Brass	Bronze	LxW (mm)	Qty (pair)	Qty (packs)
	BOX - F	IXINGS	INCLU	DED	
234158	234147	234114	76 x 50	1	80
234269	234100	234249	102 x 67	1	40
234358	234910	234762	102 x 75	1	40 BDH02





Antique Bronze Brass



Double Stainless Steel Washered Hinge

Ideal for hanging internal doors in domestic applications

- Double washers prevent knuckle wear for long lasting performance
- Stainless steel pin and washers for superior rust protection
- Hinge manufactured from solid brass to guarantee no rust and a superior finish
- · Avaliable in a variety of finishes

Product Code

Technical Data							
Size L x W (mm)	76 x 50	102 x 67	102 x 75				
Thickness (mm)	2.50	3.50	3.50				
Knuckle Ø (mm)	8.0	10.0	10.0				
Screw Size (mm)	4.0 x 25	5.0 x 30	5.0 x 30				
Rec. Screw Ø (mm)	4.0	5.0	5.0				
Rec. Screw Gauge (Imp.)	8	10	10				
Max. Door Weight (kg)	24	40	60				



Polished Chrome	Satin Chrome	LxW (mm)	Pack Qty (pair)	Carton Qty (packs)		
BOX - FIXINGS INCLUDED						
234381	234635	76 x 50	1	80		
234412	234951	102 x 67	1	40		
234708	234210	102 x 75	1	40 BDH03		



Satin Chrome

Double Steel Washered Hinge

Ideal for hanging internal doors in domestic applications.

- Double washers prevent knuckle wear for long lasting performance
- Economy steel pin and washers
- Hinge manufactured from solid brass to guarantee no rust and a superior finish

Pack Carton

• Avaliable in a variety of finishes

Technical Data							
Size L x W (mm)	76 x 50	102 x 67					
Thickness (mm)	2.00	2.20					
Screw Size (mm)	4.0 x 25	5.0 x 30					
Rec. Screw Ø (mm)	4.0	5.0					
Rec. Screw Gauge (Imp.)	8	10					
Max. Door Weight (kg)	20	25					



Product	Codo

Polished Brass	Polished Chrome	Satin Chrome	LxW (mm)	Qty (pair)	Qty (packs)
	TIMPAC -	FIXINGS	INCLU	DED	
234555P	234731P	234426P	76 x 50	1	10
234898P	234129P	234684P	102 x 67	1	10
	BAG - F	IXINGS I	NCLUD	ED	
234555	234731	234426	76 x 50	1	10
234898	234129	234684	102 x 67	1	10 BDH04






Polished Chrome

Chrome

Strong Steel Butt Hinge (451)

Ideal for use on heavy duty doors

- A heavy duty version of the plain butt hinge
- Manufactured from thicker gauge steel for added strength
- Fixed pin for use with inward and outward opening doors



10

40

Rec. Screw Gauge (Imp.)

Max. Door Weight (kg)



Butt Hinges

An economy hinge for a variety of uses.





Chrome



Chrome



White



Black

Fixed Pin (1838)

Coloured

- · Fixed pin for use with inward and outward opening doors
- Manufactured from steel with a variety of plating finishes





Technical Data								
Size LxW (mm)	25 x 25	38 x 34	63 x 44	75 x 50	90 x 60	100 x70		
Thickness (mm)	1.2	1.2	1.5	1.5	1.7	1.7		
Knuckle Ø (mm)	5.0	5.6	6.8	7.3	8.7	9.3		
Rec. Screw Ø (mm)	3.0	3.5	3.5	4.0	4.0	4.5		
Rec. Screw Gauge (Imp.)	4	6	6	8	8	9		
Max. Door Weight (kg)	2	2	10	20	25	30		

Product Code						Dook	Carton		
Self Coloured	Zinc	Electro Brass	Polished Chrome	Satin Chrome	White	Black	LxW (mm)	Qty	Qty (packs)
TIMPAC - FIXINGS INCLUDED									
-	434364P	-	-	-	-	-	25 x 25	1	10
-	434225P	-	-	-	-	-	38 x 34	1	10
-	434789P	-	-	-	-	-	63 x 44	1	10
434963P	434831P	434701P	434607P	-	-	434329P	75 x 50	1	10
434025P	434158P	434167P	434123P	-	-	434401P	100 x 70	1	10
		В	AG - EX	CLUDES	FIXING	S			
434005	434364	434652	-	-	-	-	25 x 25	1	200
434475	434225	434587	-	-	-	-	38 x 34	1	200
-	434789	434269	-	-	-	-	63 x 44	1	90
434963	434831	434701	434607	434817	434099	434329	75 x 50	1	90
434841	434069	434456	-	-	-	-	90 x 60	1	50
434025	434158	434167	434123	434555	434303	434401	100 x 70	1	60
BULK BOX - EXCLUDES FIXINGS									
-	434886	-	-	-	-	-	75 x 50	10	200
									IDH01

Loose Pin (1840)

- · Loose pin for easy door removal
- Recommended for internal doors
- Manufactured from steel with a variety of finishes



Technical Data							
Size L x W (mm)	75 x 50	90 x 60	100 x 71				
Thickness (mm)	1.5	1.7	1.7				
Knuckle Ø (mm)	7.2	8.7	9.3				
Rec. Screw Ø (mm)	4.0	4.0	4.5				
Rec. Screw Gauge (Imp.)	8	8	9				
Max. Door Weight (kg)	20	25	30				

		Product	Code				Pack	Carton
Zinc	Electro Brass	Polished Chrome	Satin Chrome	White	Black	LxW (mm)	Qty (pair)	Qty (packs)
		TIMP	AC - FIXI	NGS INC	CLUDED)		
434642P	434659P	434435P	434006P	-	-	75 x 50	1	10
		BAG	G - EXCLI	JDES FI	XINGS			
434642	434659	434435	434006	434720	434655	75 x 50	1	90
434317	434208	434237	-	-	-	90 x 60	1	50
434482	434101	434118	434520	434498	434319	100 x 71	1	60 IDH02



Strong Security Hinge (451/S)

Ideal for use in public areas and outward opening

- \bullet Interlocking lugs prevent door removal due to vandalism
- Manufactured from thicker gauge steel for added strength



Technical Data				
Size Lx W (mm)	100 x 72.5			
Thickness (mm)	2.5			
Knuckle Ø (mm)	12.0			
Rec. Screw Ø (mm)	5.0			
Rec. Screw Gauge (Imp.)	10			
Max. Door Weight (kg)	40			

Product Code		Pack Carton
Zinc	LxW (mm)	Qty Qty (pair) (packs)
434210	100 x 72.5	1 30

Narrow Uncranked Butt Hinge (5050)

A narrow economy hinge for a variety of uses.

- · Narrow hinge leafs for use with thinner doors
- Fixed pin for use with inward and outward opening
- · Manufactured from steel and available in self colour and zinc finishes



Technical Data							
Size L x W (mm)	75 x 48	100 x 58	127 x 65	150 x75			
Thickness (mm)	1.5	1.5	1.7	2.0			
Knuckle Ø (mm)	7.2	8.3	8.8	9.0			
Rec. Screw Ø (mm)	4.0	4.0	5.0	5.0			
Rec. Screw Gauge (Imp.)	8	8	10	10			
Max. Door Weight (kg)	20	30	40	50			

Produc	ct Code		Pack	Carton			
Self Coloured	Zinc	LxW (mm)	Qty (pair)	Qty (packs)			
BAG - EXCLUDES FIXINGS							
434645	434015	75 x 48	1	90			
434324	434255	100 x 58	1	60			
434422	434149	127 x 65	1	30			
434119	434999	150 x 75	1	20			
				IDH14			

Cast Iron Butt Hinge (200)

Commonly used for specialised applications

- Manufactured from cast iron to match period door ironmongery
- · Fixed pin for use with inward and outward opening doors
- Available in self colour and black finishes



Technical Date	ta	
Size L x W (mm)	75 x 50	102 x 60
Thickness (mm)	3.5	4.0
Knuckle Ø (mm)	12.0	12.0
Rec. Screw Ø (mm)	4.0	4.5
Rec. Screw Gauge (Imp.)	8	9
Max. Door Weight (kg)	20	30

Produc	ct Code		Pack	Carton
Self Coloured	Black	LxW (mm)	Qty	Qty (packs)
	BAG - EX	CLUDES FIXING	GS	
434176	434905	75 x 50	1	50
434444	434731	102 x 60	1	30
				IDH12

Solid Drawn Hinge

Ideal for hanging light cupboard and cabinet doors in quality joinery projects.

- \bullet Manufactured from solid drawn brass to guarantee no rust and a superior finish
- Avaliable in a variety of finishes



Technical Data							
Size L x W (mm)	38 x 22	50 x 28	64 x 35	75 x 40			
Thickness (mm)	1.30	1.45	2.00	2.00			
Knuckle Ø (mm)	4.8	5.0	5.0	6.6			
Screw Size (mm)	3.0 x 12	3.0 x 15	3.0 x 15	3.5 x 25			
Rec. Screw Ø (mm)	3.0	3.0	3.0	3.5			
Rec. Screw Gauge (Imp.)	4	4	4	6			





Brass



Bronze

Polished Chrome

Chrome

Product Code Carton Polished Polished Satin Antique LxW Qty Qty Brass Brass Chrome Chrome (pair) (packs) (mm) **PLAIN BAG - FIXINGS INCLUDED** 234789 234471 234357 234617 234482 38 x 22 250 234654 234582 234204 234329 234593 50 x 28 250 234846 234682 234321 234963 234448 64 x 35 250 234016 234159 234023 234279 234571 75 x 40 250



Plain Bearing Flush Hinge

Ideal for hanging light cupboard and cabinet doors in quality joinery projects.

- Flush finish enables a quick and easy fitting with no morticing required
- · Brass bearing to prevent wear and provide a lifetime of silent, smooth door operation
- · Manufactured from high quality extruded brass to guarantee no rust and a superior finish
- Avaliable in a variety of finishes







Brass







Dook Corton

Product Code

Polished Brass	Antique Brass	Bronze	Polished Chrome	Satin Chrome	LxW (mm)	Qty (pair)	Qty (packs)		
BAG - FIXINGS INCLUDED									
234077	234579	234862	234606	234432	60 x 41	1	100		
234316	234685	234111	234553	234797	75 x 50	1	100		
							DDH07		

Hurlinge - Fixed Pin (104)

Ideal for use in a variety of joinery applications. Commonly used for light cupboards, cabinets, bifold, louvre doors and shutters.

- · Offset knuckle provides an even appearance between the door and frame
- · Flush finish enables a quick and easy fitting with no morticing required
- · Lugs on the knuckle for quick and simple alignment
- · Manufactured from steel and available in a variety of finishes



Technical Data					
Size L x W (mm)	75 x 55	101 x 66			
Thickness (mm)	1.5	2.0			
Knuckle Ø (mm)	8.0	9.0			
Rec. Screw Ø (mm)	3.5	4.0			
Rec. Screw Gauge (Imp.)	6	8			
Max. Door Weight (kg)	20	30			





Polished Brass Chrome

Product Code

Zinc	Electro Brass	Polished Chrome	LxW (mm)	Pack Qty (pair)	Carton Qty (packs)			
BAG - EXCLUDES FIXINGS								
434457	434367	434202	75 x 55	1	90			
434142	434819	434666	101 x 66	1	60			

Flush Hinge (105)

Ideal for use in a variety of joinery applications. Commonly used for light cupboards, cabinets, bifold, louvre doors and shutters.

- $\bullet\,$ Flush finish enables a quick and easy fitting with no morticing required
- Manufactured from steel and available in a variety of finishes



Technical Data							
Size L x W (mm)	38 x 28	50 x 38.5	63 x 37	75 x 51			
Thickness (mm)	1.2	1.2	1.2	1.5			
Knuckle Ø (mm)	6.5	6.5	6.5	8.0			
Rec. Screw Ø (mm)	3.5	3.5	3.5	3.5			
Rec. Screw Gauge (Imp.)	6	6	6	6			
Max. Door Weight (kg)	2	5	10	12			





Brass

Product Code

Pi	roduct Cod	e		Pack	Carton
Zinc	Electro Brass	White	LxW (mm)	Qty (pair)	Qty (packs)
		TIM	PAC - FIXINGS INCLUDED		
434451P	434464P	-	38 x 28	1	10
434056P	434872P	434915P	50 x 38.5	1	10
434900P	434946P	-	63 x 37	1	10
434777P	434174P	-	75 x 51	1	10
		BA	AG - EXCLUDES FIXINGS		
434451	434464	-	38 x 28	1	200
434056	434872	434915	50 x 38.5	1	200
434900	434946	-	63 x 37	1	90
434777	434174	-	75 x 51	1	90 IDH07

Hurlinge - Loose Pin (104Z)

Ideal for use in a variety of joinery applications. Commonly used for light cupboards, cabinets, bifold, louvre doors and shutters.

- · Offset knuckle provides an even appearance between the door and frame
- Loose pin for easy door removal

Product Code

7inc

- Flush finish enables a quick and easy fitting with no morticing required
- Lugs on the knuckle for quick and simple alignment
- · Manufactured from steel and available in a variety of finishes



Technical Data		
Size LxW (mm)	75 x 52	100 x 66
Thickness (mm)	1.5	2.0
Knuckle Ø (mm)	8.0	9.0
Rec. Screw Ø (mm)	3.5	4.0
Rec. Screw Gauge (Imp.)	6	8
Max. Door Weight (kg)	20	30





Electro Brass

Polished Chrome

	Touuci Co	ue		Dook	Carton
	Electro Brass	Polished Chrome	LxW (mm)	Qty	Qty (packs)
		TIMI	PAC - FIXINGS INCLUDED		
)	434728P	-	100 x 66	1	10
		BA	G - EXCLUDES FIXINGS		

4344327	4347 201	-	100 X 00		10
		BAG - EXCLUDE	S FIXINGS		
434002	434976	434641	75 x 52	1	90
434432	434728	434258	100 x 66	1	60
					IDH0




Specialist Hinges

Rising Butt Hinge (466)

Designed for uneven floor surfaces or obstructions such as deep pile carpets.

- Spiral knuckle lifts the door throughout the opening cycle
- Quick and easy removal of doors
- Self-closing design
- Avaliable in left and right handed opening
- Manufactured from steel and available in zinc and electro brass finishes

Technical Data						
Size L x W (mm)	75 x 72	100 x 86				
Thickness (mm)	2.5	3.0				
Knuckle Ø (mm)	14.0	15.5				
Rec. Screw Ø (mm)	4.0	5.0				
Rec. Screw Gauge (Imp.)	8	10				
Max. Door Weight (kg)	30	40				





	Product Code								
Zinc Left Hand	Zinc Right Hand		s Electro Brass Right Hand	LxW (mm)	Pack Qty (pair)	Carton Qty (packs)			
	TIMPAC - FIXINGS INCLUDED								
434910P	434349P	-	-	75 x 72	1	30			
	BAG - EXCLUDES FIXINGS								
434910	434349	434483	434639	75 x 72	1	30			
434157	434792	434458	434127	100 x 86	1	20			
						IDUAG			

Lift Off Hinge (457)

Designed to enable the door to be lifted out of the frame.

- For doors that may require emergency access when closed
- Quick and easy removal of doors
- Avaliable in left and right handed opening
- Manufactured from steel in a zinc finish



Produ	ct Code			
Zinc Zinc Left Right Hand Hand		LxW (mm)	Qty	Carton Qty (packs)
BA	G - EXC	LUDES	FIXIN	GS
434706	434467	75 x 62	1	50
434815	434307	101 x 63	1	30
				IDIIAC

Technical Data				
Size L x W (mm)	75 x 62	101 x 63		
Thickness (mm)	2.0	3.0		
Knuckle Ø (mm)	10.3	13		
Rec. Screw Ø (mm)	4.0	5.0		
Rec. Screw Gauge (Imp.)	8	10		
Max. Door Weight (kg)	20	30		

Ball Bearing Stormproof Hinge (1951)

Designed to fit stormproof rebated casement frames in quality joinery projects.

- Ball bearing raced knuckles to prevent wear and provide a lifetime of silent, smooth door operation
- Cranked knuckle to assist with weatherproofing
- Manufactured from high quality extruded brass to guarantee no rust and a superior finish
- Available in a variety of finishes



Technical Da	Polis	
Size Lx W (mm)	64 x 55	Chro
Thickness (mm)	2.5	-
Knuckle Ø (mm)	8.0	100
Screw Size (mm)	4.0 x 25	
Rec. Screw Ø (mm)	4.0	11
Rec. Screw Gauge (Imp.)	8	Sat
Max. Door Weight (kg)	40	Chro

P	Dack	Carton			
Polished Brass	Polished Chrome	Satin Chrome	LxW (mm)	Qty	Qty
	FIXING	GS			
234584	234236	234761	64 x 55	1	80

Stormproof Hinge (1951)

Designed to fit a stormproof rebated casement frame

- Allows the door to pivot away from the frame
- Cranked knuckle to assist with weatherproofing
- Manufactured from steel and avaliable in a variety
 of finishes



Technical Data				
Size LxW (mm)	63 x 58			
Thickness (mm)	1.8			
Knuckle Ø (mm)	10.0			
Rec. Screw Ø (mm)	4.0			
Rec. Screw Gauge (Imp.)	8			

F	Product Cod	е		Dook	Carton	
Zinc	Brown	White	LxW (mm)	Qty	Qty (packs)	
TIMPAC - FIXINGS INCLUDED						
434105P	-	-	63 x 58	1	10	
BAG - EXCLUDES FIXINGS						
434105	434077	434643	63 x 58	1	80	

Counter Flap Hinge

Designed for all counter types. A popular choice for public bars.

- Lies flat when open
- Manufactured from high quality extruded brass to guarantee no rust and a superior finish
- Available in a variety of finishes



Polished Brass

White

Technical Data				
Size L x W (mm)	100 x 40			
Thickness (mm)	2.5			
Screw Size (mm)	4.0 x 25			
Rec. Screw Ø (mm)	4.0			
Rec. Screw Gauge (Imp.)	8			
Max. Door Weight (kg)	10			

Polished Chrome



Satin Chrome

P	Dook	Carton			
Polished Brass	Polished Chrome	Satin Chrome	LxW (mm)	Qty	Qty (packs)
BOX - E		XCLUDE	S FIXING	GS	
234999	234807	234340	100 x 40	1	100 BDH08



Backflap Hinge - Uncranked Knuckle (404)

 ${\sf Ideal}\, for\, thin\, doors\, or\, folding\, joints\, on\, furniture.$

• Fits to the surface when the material is too thin for butt hinges



Technical Data						
Size L x W (mm)	25 x 74	32 x 76	38 x 87	50 x 106	65 x 147	75 x 167
Thickness (mm)	1.5	1.5	1.5	2.0	2.3	2.5
Knuckle Ø (mm)	6.6	6.6	7.7	8.8	8.8	8.8
Rec. Screw Ø (mm)	3.5	3.5	4.0	4.5	4.5	4.5
Rec. Screw Gauge (Imp.)	8	8	8	9	9	9

Produ	ct Code		Pack	Carton
Self Coloured	Zinc	LxW (mm)	Qty (pair)	Qty (packs)
		TIMPAC - FIXINGS INCLUDED		
-	434846P	32 x 76	1	10
-	434715P	38 x 87	1	10
-	434843P	50 x 106	1	10
		BAG - EXCLUDES FIXINGS		
434328	-	25 x 74	1	150
434461	434846	32 x 76	1	150
434783	434715	38 x 87	1	100
434029	434843	50 x 106	1	100
434164	434554	65 x 147	1	60 IDH08

Piano Hinge

Commonly fitted to piano lids, plus a wide variety of other uses, providing a neat solution. Also known as continuous hinge

- Surface mounted no rebating required for quick and easy installation
- Designed to run the full length of the door or cabinet for extra stability
- · Easily cut to required length

Product Code

Manufactured from steel are available in electro brass and nickel finishes



Technical Data							
Size L x W (mm)	1800 x 25	1800 x 32	1800 x 38				
Thickness (mm)	0.88	0.88	0.88				
Knuckle Ø (mm)	4.5	4.5	4.5				
Rec. Screw Ø (mm)	3.0	3.0	3.0				
Rec. Screw Gauge (Imp.)	4	4	4				



Electro Brass	Nickel	LxW (mm)	Pack Qty (pair)	MOQ Qty (packs)
		BOX - FIXINGS INCLUDED		
434181	434471	1800 x 25	1	20
434248	434067	1800 x 32	1	20
434563	434911	1800 x 38	1	20 IDH16

Parliament Hinge

Commonly used when projecting architraves prevent the door from opening fully.

- Projecting knuckle allows the door to open to 180° maximising doorway and room space
- Manufactured from high quality extruded brass to guarantee no rust and a superior finish
- · Available in a variety of finishes

Size L x W (mm)

Thickness (mm)

Knuckle Ø (mm)

Projection (mm)

Rec. Screw Ø (mm)

Rec. Screw Gauge (Imp.)

Max. Door Weight (kg)



Technical Data

4 00

11.0

5.0

30

50





Polished Chrome 102 x 100 | 102 x 125 | 102 x 150



Chrome

RDHOS

ı	Product Code	Э		Pack	Carton
Polished Brass	Polished Chrome	Satin Chrome	LxW (mm)	Qty (pair)	Qty (packs)
BOX - FIXINGS INCLUDED					
234813	234337	234002	102 x 100	1	20
234297	234919	234500	102 x 125	1	20
234460	234364	234222	102 x 150	1	20

4 00

11.0

5.0

10

30

75

4 00

11.0

5.0

10

30

100





Satin Anodised Aluminium Accessories & Handles

Flush Pull

Flush pulls are a simple recess pull that allows doors to slide in front of one another without catching any door hardware. These are morticed into the face of the door providing a flush finish. Ideal for pocket, sliding or folding doors.

- · Flush fitting
- · Face fixing
- · Internal use only



Product Code		Dools	Carton
Satin Anodised Aluminium	Size (mm)	Qty	Qty (packs
BAG -	FIXINGS INCLUD	ED	
725141BX	89	1	20
TIMPAC	- FIXINGS INCLU	DED	
725141	89	1	5 85,000

Single Robe Hook

Commonly fitted to doors or walls to provide a hanger for robes, bathroom towels or similar.

- Face fixing
- Internal use only



Product Code			
Satin Anodised Aluminium	Size (mm)	Qty	Carton Qty (packs)
BAG -	FIXINGS INCLUDE	ED	
725142BX	47 x 19	2	50
TIMPAC	- FIXINGS INCLUI	DED	
725142	47 x 19	2	5 BSA04

Hat & Coat Hooks

Commonly fitted to doors or walls to provide a hanger for hats, coats or similar.



Face fixing
Internal use only



Product Code		Dook	Carton
Satin Anodised	Size	Qty	Qty
Aluminium	(mm)	(pack)	(packs)
BAG -	FIXINGS INCLUDI	ED	
725144BX	125 x 19	2	50
TIMPAC	- FIXINGS INCLU	DED	
725144	125 x 19	2	5
725145	125 x 19	5	5
			BSA04

Door Stops

A selection of door stops designed to prevent damage from handles hitting the wall when the door is opened. Each features a rubber buffer to protect doors from damage.



Projection







Product Code			Pack	Carton
Satin Anodised Aluminium	Туре	Size (mm)	Qty	Qty (packs)
BAG	- FIXINGS II	NCLUD	ED	
725180BX	Projection	70	3	50
725182BX	Round	38	3	50
725183BX	Oval	50	1	50
TIMPA	C - FIXINGS	INCLU	DED	
725180	Projection	70	3	5
725182	Round	38	3	5
725183	Oval	50	1	5

Casement Stay

Casement stays are used for securely holding wooden windows in an open position.

- For wooden casement windows
- Universal application (suitable for left or right opening windows)

Product Code



Satin Anodised Aluminium	Size (mm)	Qty	Carton Qty (packs)
BAG - F	IXINGS INCLU	DED	
725193BX	200	1	50
725198BX	254	1	50
TIMPAC -	FIXINGS INCL	UDED	
725193	200	1	5
725198	254	1	5
			WHW02

Wedge Pattern Casement Fastener

Wedge pattern casement fastener designed to secure wooden windows in a closed position. The handle closes over the wedge which is fixed to the window frame.





Product Code			0		
Satin Anodised Aluminium	Size (mm)	Pack Qty (pack)	Carton Qty (packs		
BAG - FIXINGS INCLUDED					
725187BX	100	1	50		
TIMPAC - FIXINGS INCLUDED					
725187	100	1	5 WHW02		

Toilet Roll Holder

Wall mounted toilet roll holder with spring-loaded insert. Perfect for holding 1 roll of toilet paper.



- Face fixingAluminium construction

Satin Anodised Aluminium	Size (mm)	Qty	Carton Qty (packs)
BAG -	FIXINGS INCLUDE	D	
725186BX	135 x 80	1	25
TIMPAC	- FIXINGS INCLUI	DED	
725186	135 x 80	1	5 BSA08



Letter Plate

Letter plate with gravity flap which can be opened by lifting upwards. The gravity flap automatically closes once the flap is released. Bolt through fixing for a secure fitting.

- Gravity flap
- Rear fixing
- Suitable for internal & external applications
- · Fixings included

Product Code



11000010000	Toddot oodc	Dack	Carton		
Satin Anodised Aluminium	Size (mm)	Qty	Qty (packs)		
BAG - FIXINGS INCLUDED					
725979BX	254 x 76	1	10		
TIMPAC - FIXINGS INCLUDED					
725979	254 x 76	1	5 BSA08		

Covered Escutcheon

Covered escutcheon with rotating cover for privacy.

- Suitable for internal & external applications
- Provides privacy
- Face fixing
- Fixings included



Product Code	Size (mm)	Qty	Carton Qty (packs)
Satin Anodised Aluminium			
BAG -	FIXINGS INCLUDE	D	
725059BX	38	2	50
TIMPAC	- FIXINGS INCLUI	DED	
725059	38	2	5 BSA08

Cylinder Door Pulls

Cylinder door pulls provide a method of pulling a door closed when no pull handle or door knob is present. Available for use with Euro or standard profile cylinders.





Euro Standard

		Dock	Carton
Type (mm)	Length (mm)	Qty	Qty (packs)
BAG			
Euro	70 x 42	1	50
Standard	70 x 42	1	50
TIMPA	C		
Euro	70 x 42	1	5
Standard	70 x 42	1	5 BSA09
	(mm) BAG Euro Standard TIMPA Euro	(mm) (mm) BAG Furo 70 x 42 Standard 70 x 42 70 x 42 TIMPAC Euro 70 x 42	(mm) (mm) (pack) BAG Euro 70x42 1 Standard 70x42 1 TIMPAC Euro 70x42 1

Door Bolts

Lever Action Flush Bolt

Lever action flush bolts are morticed into the face or leading edge of the door providing a flush finish. Commonly fitted to internal double doors to secure the slave door leaf in place.

• Flush fitting

- · Internal use only
- · Suitable for French and double doors



Product Code		Bolt	Pack	Carton	
Satin Anodised Aluminium	Size (mm)	Ø (mm)	Qty	Qty (packs)	
BA	BAG - FIXINGS INCLUDED				
725140BX	155 x 20	10	1	10	
TIMPAC - FIXINGS INCLUDED					
725140	155 x 20	10	1	5	

Necked Barrel Bolt

Necked barrel bolts are used for securing recessed fitted doors in a closed position.

- · Face fixing
- · Internal use only



Product Code



Pack Carton

Satin Anodised Aluminium	Size L x W (mm)	Qty (pack)	Qty (packs)
BAG -	FIXINGS INCLUD	ED	
725224BX	75 x 25	1	10
TIMPAC	- FIXINGS INCLU	DED	
725224	75×25	1	5 BSA02

Straight Barrel Bolt

Ideal for securing flush fitting doors in a closed position.

- · Face fixing
- Internal use only



Product Code Satin Anodised Aluminium	Size L x W (mm)	Qty	Carton Qty (packs)
BAG - I	FIXINGS INCLUE	ED	
725204BX	50 x 25	1	10
725205BX	75 x 25	1	10
725217BX	100 x 25	1	10
TIMPAC	- FIXINGS INCLU	JDED	
725204	50 x 25	1	5
725205	75 x 25	1	5
725217	100 x 25	1	5 BSA02

Bathroom Indicator Bolt

Bathroom indicator bolt with a slide-action to engage the bolt. For use on toilet doors, the red/green indicator appears when the bolt is locked/unlocked to indicate if occupied or not.



- · Aluminium construction
- Internal use only



Product Code	C:	Bolt	Dook	Carton
Satin Anodised Aluminium	Size L x W (mm)	Ø (mm)	Qty	Qty (packs)
BAG -	FIXINGS IN	ICLUDI	ED	
725170BX	66 x 32	9.5	1	50
TIMPAC	- FIXINGS	INCLU	DED	
725170	66 x 32	9.5	1	5 BSA02





Pull Handles

Oval Grip Pull Handle

Door pull handle with off-set oval grip. Also known as cranked handles. For use in internal and external applications.

- Face fixing
- Solid aluminium construction
- Suitable for internal & external applications



Satin Anodised Size Plate L x W Qty Qty	Product Code		.		
Aluminium (mm) (mm) (pack) (packs	Satin Anodised Aluminium	Size (mm)		Qty	Qty
BAG - FIXINGS INCLUDED	B.	AG - FIXINGS	INCLUDE	D	
725084BX 228 36 x 30 1 10	725084BX	228	36 x 30	1	10
TIMPAC - FIXINGS INCLUDED	TIM	PAC - FIXING	S INCLU	DED	
725084 228 36 x 30 1 5	725084	228	36 x 30	1	5

D Shaped Pull Handle On Rose

D shaped pull handle on rose suitable for internal and external applications. Featuring concealed fixings under the screw on rose.

- Suitable for internal & external applications
- Face fixing



Product Code		Handle		Pack	Carton
Satin Anodised Aluminium	Size (mm)	Ø (mm)	Rose Ø (mm)	Qty	Qty (packs)
BA	G - FIX	INGS IN	ICLUDE	D	
725091BX	152	19	54	1	10
725092BX	229	19	54	1	10
725094BX	305	19	54	1	10
TIME	AC - FI	XINGS	INCLUI	DED	
725091	152	19	54	1	5
725092	229	19	54	1	5
725094	305	19	54	1	5 BSA09

D Shaped Cabinet Handle

Traditional D shaped pull handle with round bar profile is suitable for internal applications. Rear concealed bolt through fixing for a secure fitting.

- Suitable for internal applications
- Rear fixing



BSA08

Product Code						
Satin Anodised Aluminium	Size (mm)	Handle Ø (mm)	Pack Qty (pack)	Carton Qty (packs)		
BAG - FIXINGS INCLUDED						
725098BX	100	10	1	10		
725102BX	150	10	1	10		
TIMPA	C - FIXING	S INCLU	DED			
725098	100	10	1	5		
725102	150	10	1	5 CRH01		

Bow Handle

Bow shaped pull handle suitable for internal and external applications.

- Suitable for internal & external applications
- Face fixing



Product Code		D	Deal	0	
Satin Anodised Aluminium	Size (mm)	Rose Ø (mm)	Qty	Carton Qty (packs)	
BAC	- FIXINGS	INCLUD	ED		
725096BX	145	34	1	10	
TIMPAC - FIXINGS INCLUDED					
725096	145	34	1	5 BSA09	

Finger Plates



Finger Finger Finger Plate Plate Plate Pull Push

Face fixing

Finger plates for protecting the push side of a door and hide any fixings from the pull handle on the opposite side. Face fixing with four pre-drilled countersunk fixing holes.

Also available with the

text PULL or PUSH engraved at the top of the plate providing clear instructions for the user.

Product Code				Pack	Carton
Satin Anodised Aluminium	Туре	Size (mm)	Thickness (mm)	Qty	Qty (packs)
	BAG - FIX	INGS IN	CLUDED		
725137BX	Finger Plate	305 x 76	1.2	1	20
725138BX	Finger Plate Pull	305 x 76	1.2	1	20
725139BX	Finger Plate Push	305 x 76	1.2	1	20
	TIMPAC - F	IXINGS II	NCLUDED		
725137	Finger Plate	305 x 76	1.2	1	5
725138	Finger Plate Pull	305 x 76	1.2	1	5
725139	Finger Plate Push	305 x 76	1.2	1	5







Contractors Door Handles & Packs

Lever Latch Door Pack

Complete internal door set, pack includes everything to hang and operate a latching door.



- · Complete set includes latch & hinge
- · For internal latching doors
- Suitable for most wooden doors

Handle: Backplate Size L x W (mm)	103 x 40
Latch: Size (mm)	64
Hinge: Size (mm)	76

Technical Data

	Product
	Satin And Alumin
0	ВС
	200235

Product Code			0.1			
Satin Anodised Aluminium	Handle Length (mm)	Qty	Carton Qty (packs)			
BOX - FIXINGS INCLUDED						
200235	100	1	40			

Contractors 3 Lever Lock Door Pack

Complete internal/external lock set, pack includes everything to hang and operate a locking door.



- Complete set includes lock & hinges
- · For internal locking doors
- Suitable for most wooden doors

Technical Data				
Handle: Backplate Size L x W (mm)	154 x 40			
Sashlock: Size (mm)	64			
Hinge: Size (mm)	100			



Product Code Handle Pack Carton Satin Anodised Length Qty (mm) (pack) (packs) **BOX - FIXINGS INCLUDED**

200967 100 20

Contractors Handles

Available in four styles, lock, latch, euro profile and bathroom. Suitable for most wooden doors





Product Code

Technical Data						
Type Latch Lock & Euro Profil						
Handle: Backplate Size L x W (mm)	103 x 40	154 x 40	155 x 40			
Handle: Length (mm)		100				

Satin Anodised Aluminium	Handle Type	Pack Qty (pack)	Qty	
BAG -	BAG - FIXINGS INCLUDED			
200851BX	Latch	1 Pair	50	
200304BX	Lock	1 Pair	50	
200146BX	Bathroom	1 Pair	50	
200647BX	Euro		50	
BLISTER PACK - FIXINGS INCLUDED				
200851	Latch	1 Pair	4	
200304	Lock	1 Pair	4	
200146	Bathroom	1 Pair	4	
200647	Euro	1 Pair	4 BSA09	





Antique Style Hinges & Handles

Butterfly Hinges



Black Antique Butterfly pattern hinge, surface fixing ideal for small cupboards or boxes.

• Made from steel

Antique Black

Technical Data			
Size Lx W (mm)	70 x 48		
Thickness (mm)	2.50		
Rec. Screw Ø (mm)	3.5		
Rec. Screw Gauge (Imp.)	6		

Product Code

Antique Black	LxW (mm)	Qty	Carton Qty (packs)
BAG	- FIXINGS INCLUDI	ED	
434474	70 x 48	1	5

Unequal Hinges



Black Antique Unequal pattern working hinges for internal doors to give a decorative finish.

Made from steel

Technical Data			
Size L x W (mm)	105 x 86		
Thickness (mm)	5.5		
Rec. Screw Ø (mm)	3.5		
Rec. Screw Gauge (Imp.)	6		

Product Code

Antique Black	LxW (mm)	Qty (pair)	Qty (packs)		
BAG - FIXINGS INCLUDED					
442523	105 x 86	1	5 IDH20		

Curly Tail Casement Fastener



Curly Tail casement fastener for traditional wooden casement windows.

• Made from steel

Technical Data			
Size L (mm)	86		
Handle Back Plate Size L x W (mm)	63 x 19		
Hook Back Plate Size L x W (mm)	63 x 19		
Mortice Back Plate Size L x W (mm)	63 x 19		
Rec. Screw Ø (mm)	3.5		
Rec. Screw Gauge (Imp.)	6		

Product Code

Antique Black		Handle Length (mm)	Qty	Carton Qty (packs)
	BAG	- FIXINGS INCLUDE	D	
	949946	86	1	5

Crown / Coronet Hinges



Black Antique Crown/ Coronet pattern working hinges for doors to give a decorative finish.

Pack Carton

Made from steel

Technical Data			
Size L (mm) 317			
Thickness (mm)	5		
Rec. Screw Ø (mm)	3.5		
Rec. Screw Gauge (Imp.)	6		

Product Code		Dook	Carton
Antique Black	LxW (mm)	Qty	Qty (packs)
E	BAG - FIXINGS INCLUDED		
442875	317 x 107	1	5

Scroll Necked Bolt

Necked slide bolt for doors & cupboards. For use when the door and frame are not flush. Supplied with matching fixing screws.

• Made from steel

Antique Black

10

BSA02




Product Code Bolt Bolt Pack Carton Length Length Qty (mm) (inch) (pcs) (packs)

5

128

Spear Hinges



Black Antique spear pattern working hinges for doors to give a decorative finish.

• Made from steel

Technical Data				
Size L (mm) 161 237				
Thickness (mm)	5	5		
Rec. Screw Ø (mm)	3.5	3.5		
Rec. Screw Gauge (Imp.) 6 6				

Product	
Code	

200843

Antique Black	LxW (mm)	Band Length (mm)	Band Length (inch)	Pack Qty (pair)	Carton Qty (packs)		
BAG - FIXINGS INCLUDED							
442005	161 x 90	142	6	1	5		
442674	237 x 108	213	9	1	5		
					IDIII40		

TIMEO

Fleur De Lys Pull Handle



Fleur De Lys style pull handle, face fixing.

Made from steel



Product Code Antique Black	Size (mm)	Size (inch)	Qty	Carton Qty (packs)
BAG	- FIXINGS	INCLUD	ED	
200131	100	4	1	20
200761	162	6	1	10
				DCAGO

Curly Tail Casement Stay

Curly tail casement stay for traditional wooden casement windows. Supplied with two pins.



Antique Black

Technical Data			
Size L (mm)	252		
Casement Stay Back Plate Size L x W (mm)	51 x 18		
Pin Back Plate Size L x W (mm)	48 x 20		
Rec. Screw Ø (mm)	3.5		
Rec. Screw Gauge (Imp.)	6		

Product Code			Pack	Carton
Antique Black	Length (mm)	Length (inch)	Qty	Qty (packs)
BAG	- FIXINGS	INCLUD	ED	
949002	252	10	1	5

Casement Stay (900A)

Casement stay 900A pattern, suitable for traditional wooden casement windows.



Technical Data			
Size L (mm)	252		
Casement Stay Back Plate Size L x W (mm)	40 x 15		
Thickness (mm)	1		
Offset Pin Back Plate Size L x W (mm)	40 x 15		
Centre Pin Back Plate Size L x W (mm)	40 x 15		
Rec. Screw Ø (mm)	3.5		
Rec. Screw Gauge (Imp.)	6		

Epoxy Black	et Code Brown	Length (mm)	Length (inch)	Qty	Carton Qty (packs)
	BAG - FIX	INGS IN	ICLUDE	D	
949437	949855	252	10	1	10 WHW02

Narrow Style Lever Handles

A pair of narrow style handles . Available in three styles, lock, latch and bathroom.

- · Made from steel
- · Sprung handles



Technical Data		
Size L x W (mm)	155 x 37	
Centres (mm)	57	
Max Door Thickness (mm)	44	

Product Code		Dook	Carton
Antique Black	Туре	Qty	Qty (packs)
вох	- FIXINGS INCLUI	DED	
200966	Lock	1	10
200314	Latch	1	10
200787	Bathroom	1	10 BSA09

Traditional Lever Handles

A pair of traditional style handles . Available in three styles, lock, latch and bathroom.

- · Made from steel
- · Sprung handles

Product Code



Technical Data	
Size L x W (mm)	155 x 54
Centres (mm)	57
Max Door Thickness (mm)	44

Antique Black	Туре	Qty	Carton Qty (packs)
ВС	OX - FIXINGS INCLUDE	D	
200898	Lock	1	10
200232	Latch	1	10
200776	Bathroom	1	10

Fleur De Lys Ornate **Lever Handles**

A pair of Fleur De Lys ornate handles, for use with mortice sashlock. Ávailable in three styles, lock, latch and bathroom.

- Made from steel
- Sprung handles



Technical Data	
Size L x W (mm)	195 x 55
Centres (mm)	57
Max Door Thickness (mm)	44

Product Code		DI.	0
Antique Black	Туре	Qty	Carton Qty (packs)
BOX	- FIXINGS INCLUI	DED	
200420	Lock	1	10
200953	Latch	1	10
200007	Bathroom	1	10
			BSA09





Internal Door Latch Packs



Victorian Scroll

Victorian Scroll Internal Door Latch Pack includes a pair of latch handles, a tubular latch and a pair of steel butt hinges in a matching finish.



Technical Data			
Handle: Backplate Size L x W (mm)	114 x 42		
Latch: Size (mm)	64 Case / 45 Backet		
Hinge: Size L x W (mm)	76 x 50		
Hinge Type	1838		
Hinge: Max. Door Weight (kg)	20		

Product Code

Polished Chrome	Satin Chrome	Matt Black	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
	BOX - F	IXINGS II	NCLUDI	ED	
200003	200753	200818	88	1	30
1	BLISTER	- FIXINGS	INCLU	DED	
200627	200723	200009	88	1	4 BSA10

Edleston Lever On Rose

Edleston Internal Door Latch Pack includes a pair of handles, a tubular latch and a pair of ball bearing hinges in a matching finish.



Technical Data					
Handle: Rose Ø (mm) 51					
Latch: Size (mm)	64 Case / 45 Backet				
Hinge: Size L x W (mm)	76 x 50				
Hinge Type	Ball Bearing				
Hinge: Max. Door Weight (kg)	40				

Chrome

BSA10

Product Code

Polished Chrome	Satin Chrome	Matt Black	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
	BOX - F	IXINGS II	NCLUD	ED	
200403	200352	200080	113	1	30

Victorian Straight

Victorian Straight Internal Latch Pack includes a pair of latch handles, a tubular latch and a pair of steel butt hinges in a matching finish.



Technical Data				
Handle: Backplate Size L x W (mm)	114 x 42			
Latch: Size (mm)	64 Case / 45 Backet			
Hinge: Size L x W (mm)	76 x 50			
Hinge Type	1838			
Hinge: Max. Door Weight (kg)	20			

Product Code

Polished Chrome	Satin Chrome	Matt Black	Handle Length (mm)	Qty	Carton Qty (packs)
	BOX - FIXINGS INCLUDED				
200246	200368	200952	90	1	30
	BLISTER	- FIXINGS	INCLU	DED	
200085	200041	200638	90	1	4 BSA10

Radmore Lever On Rose

Radmore Internal Door Latch Pack includes a pair of handles, a tubular latch and a pair of ball bearing hinges in a matching finish.



Technical Data					
Handle: Rose Ø (mm)	51				
Latch: Size (mm)	64 Case / 45 Backet				
Hinge: Size L x W (mm)	76 x 50				
Hinge Type	Ball Bearing				
Hinge: Max. Door Weight (kg)	40				

Product Code

Polished Chrome	Satin Chrome	Matt Black	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)		
	BOX - FIXINGS INCLUDED						
200699	200544	200836	106	1	30 BSA10		

Zeta

Zeta Internal Latch Pack includes a pair of latch handles, a tubular latch and a pair of steel butt hinges in a matching finish.



Technical Data						
Handle: Backplate Size L x W (mm)	175 x 45					
Latch: Size (mm)	64 Case / 45 Backet					
Hinge: Size L x W (mm)	76 x 50					
Hinge Type	1838					
Hinge: Max. Door Weight (kg)	20					

Product Code

Polished Chrome	Satin Chrome	Matt Black	Handle Length (mm)	Pack Qty (pack)	Qty
	BOX - F	IXINGS	NCLUDI	ED	
200853	200159	200397	113	1	30 BSA10

Shavington Lever On Rose

Shavington Internal Door Latch Pack includes a pair of handles, a tubular latch and a pair of ball bearing hinges in a matching finish.



Technical Data					
Handle: Rose Ø (mm) 51					
Latch: Size (mm)	64 Case / 45 Backet				
Hinge: Size L x W (mm)	76 x 50				
Hinge Type	Ball Bearing				
Hinge: Max. Door Weight (kg)	40				

Product Code

Polished / Satin Chrome	Handle Length (mm)	Qty	Carton Qty (packs)
BOX -	FIXINGS INCLUD	ED	
200657	117	1	30

BSA10





Lever Door Handle Range





Victorian Scroll

Victorian scroll lever handles, for use on doors in conjunction with a tubular latch, a mortice sashlock or a mortice bathroom lock



Technical Data					
Туре	Latch	Lock & Bathroom			
Handle: Backplate Size L x W (mm)	114 x 42	152 x 42			
Handle: Length (mm)		88			
Latch: Size (mm)	64 Case / 45 Backet				

Product Code

Polished Chrome	Satin Chrome	Matt Black	Handle Type	Pack Qty (pack)	Carton Qty (packs)
	BLISTER	- FIXING	S INCLU	DED	
200520	200323	200785	Latch	1 Pair	4
200962	200355	200788	Bathroom	1 Pair	4
200034	200748	200161	Lock	1 Pair	4
					BSA09

Edleston Lever On Rose

A contemporary designed lever with an arc and twist, easy to grip.





Chrome





Polished / Satin Chrome Chrome

Technical Data				
Handle: Rose Ø (mm)	51			
Handle: Length (mm)	113			
Latch: Size (mm)	64 Case / 45 Backet			

Product Code

Polished Chrome	Satin Chrome	Polished /Satin Chrome	Matt Black	Pack Qty (pack)	Carton Qty (packs)
		BLISTE	R		
200559	200809	200010	200751	1 Pair	4 BSA09

Victorian Straight

Victorian straight lever handles, for use on doors in conjunction with a tubular latch, a mortice sashlock or a mortice bathroom lock.



Technical Data					
Туре	Latch	Lock & Bathroom			
Handle: Backplate Size L x W (mm)	114 x 42	152 x 43			
Handle: Length (mm)	90				
Latch: Size (mm) 64 Case / 45 Backe		e / 45 Backet			

Product Code

Polished Chrome	Satin Chrome	Matt Black	Handle Type	Qty	Carton Qty (packs)
	BLISTER	- FIXING	S INCLU	DED	
200845	200102	200682	Latch	1 Pair	4
200392	200639	200247	Bathroom	1 Pair	4
200075	200927	200054	Lock	1 Pair	4
					BSA09

Radmore Lever On Rose

A sleek styled lever with straight lines.







Satin Chrome

Technical Data				
Handle: Rose Ø (mm)	51			
Handle: Length (mm)	106			
Latch: Size (mm)	64 Case / 45 Backet			

	Pack	Carton		
Polished Chrome	Satin Matt Chrome Black		Qty	Qty (packs)
200318	200507	200942	1 Pair	4

Zeta lever latch handles, for use on doors in conjunction with a tubular latch, a mortice sashlock or a mortice bathroom lock.



Technical Data					
Туре	Latch, Lock & Bathroom				
Handle: Backplate Size L x W (mm)	175 x 45				
Handle: Length (mm)	113				
Latch: Size (mm)	64 Case / 45 Backet				

Product Code

Polished Chrome	Satin Chrome	Matt Black	Handle Type	Pack Qty (pack)	Carton Qty (packs)
1	BLISTER	- FIXING	SINCLU	DED	
200757	200834	200060	Latch	1 Pair	4
200855	200738	200335	Bathroom	1 Pair	4
200004	200048	200771	Lock	1 Pair	4
					BSA09

Shavington Lever On Rose

Modern styling with an oval appearance with soft curve





Black

Technical Data				
Handle: Rose Ø (mm)	51			
Handle: Length (mm)	117			
Latch: Size (mm)	64 Case / 45 Backet			

Product Code		Dook	Cartor
Polished / Satin Chrome	Matt Black	Qty (pack)	Qty
	BLISTER		
200006	200100	1 Pair	4
			BSA09

Timeo

NEW

Bathroom Thumb Turn And Release

NEW

Bathroom turn and release, for use on internal bathroom/WC doors in conjunction with a mortice bathroom lock or mortice deadbolt



Product Code

Polished Chrome	Satin Chrome	Polished /Satin Chrome	Matt Black	Rose Ø (mm)	Pack Qty (pack)	Carton Qty (packs)
BLISTER PACK - FIXINGS INCLUDED						
200117	200172	200334	200850	51	1 Pair	5

Standard & Euro Profile Escutcheon



Standard profile escutcheon, for use with traditional mortice sashlocks.

Standard



Euro profile escutcheon for use with Euro profile cylinders.

Product Code

	Polished Chrome	Satin Chrome	Polished /Satin Chrome	Matt Black	Rose Ø (mm)	Qty	Carton Qty (packs)
			STAN	IDARD			
		BLISTER	PACK - F	IXINGS II	NCLU	DED	
	200876	200573	200002	200941	51	1 Pair	5
			EU	JRO			
BLISTER PACK - FIXINGS INCLUDED							
	200050	200725	200424	200000	E4	1 Dair	

Door Latches & Catches

Economy Tubular Latch

Electro Brass



A simple yet reliable latch for use in domestic applications along with sprung door handles.

• Made from

- · Bolt through
- steel
- Fixed forend

Pack Carton

Product Code

Electro Brass	Nickel	DxHxW (mm)	Backset (mm)			Qty (pcs)	Qty (packs)		
BAG - FIXINGS INCLUDED									
675646	675460	67 x 20 x 15	45	59 x 27	67 Case / 45 Backset	1	10		
675001	675647	79.5 x 20 x 15	57.5	59 x 27	79.5 Case / 57.5 Backset	1	10		
							MRL04		

Faceplate

Architectural Tubular Latch

Case

A heavy duty architectural pattern tubular latch for use in high use domestic and commercial applications. The latch features a heavy duty spring mechanism and be used with sprung and unsprung door handles. Includes dust box.



- Includes both electro brass and satin nickel changeable faceplates
- Bolt through
- Suitable for 30 & 60 minute fire doors





Product Code											
Electro Brass & Satin Nickel	Case DxHxW (mm)	Backset (mm)	Faceplate H x W (mm)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)					
	TIMPAC - FIXINGS INCLUDED										
675264P	64 x 22.5 x 15	45	60 x 25	64 Case / 45 Backset	1	10					
675815P	78 x 22.5 x 15	57	60 x 25	78 Case / 57 Backset	1	10					
675673P	103 x 22.5 x 15	82.5	60 x 25	103 Case / 82.5 Backset	1	10					
675015P	128 x 22.5 x 15	107.5	60 x 25	128 Case / 107.5 Backset	1	10					
		BAG - F	IXINGS IN	CLUDED							
675264	64 x 22.5 x 15	45	60 x 25	64 Case / 45 Backset	1	10					
675815	78 x 22.5 x 15	57	60 x 25	78 Case / 57 Backset	1	10					
675673	103 x 22.5 x 15	82.5	60 x 25	103 Case / 82.5 Backset	1	10					
675015	128 x 22.5 x 15	107.5	60 x 25	128 Case / 107.5 Backset	1	10 MPL 04					

Tubular Latch

Electro Brass



A medium duty tubular latch suitable for use in domestic and commercial applications. The latch should be used with sprung door furniture. Includes dust box.

- Bolt through
- Suitable for 30 & 60 minute fire doors





Product Code

Electro Brass	Satin Nickel	Case DxHxW (mm)	Backset (mm)	Faceplate H x W (mm)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
		TIME	PAC - FIX	INGS INC	LUDED		
675303P	675900P	67 x 21 x 15	45	58 x 27	67 Case / 45 Backset	1	10
675555P	675783P	76 x 21 x 15	57	58 x 27	76 Case / 57 Backset	1	10
		BA	G - FIXIN	IGS INCL	UDED		
675303	675900	67 x 21 x 15	45	58 x 27	67 Case / 45 Backset	1	10
675555	675783	76 x 21 x 15	57	58 x 27	76 Case / 57 Backset	1	10

Architectural Tubular Deadbolt



A heavy duty architectural pattern tubular deadbolt for use in high use domestic and commercial applications. The deadbolt is to be used in conjunction with a bathroom turn that has a 5mm spindle. Includes dust box

· Includes both electro brass and satin nickel changeable faceplates

Deals Carter

Bolt through

Product Code

Electro Brass Case Backset Faceplate Size QI & Satin Nickel DxHxW (mm) (mm) HxW (mm) (mm) (pc		Qty (packs)							
TIMPAC - FIXINGS INCLUDED									
675999P 65.5 x 22.5 x 15 45 60 x 25 65.5 Case / 45 Backset 1	1	10							
675606P 78 x 22.5 x 15 57 60 x 25 78 Case / 57 Backset 1	1	10							
675481P 103.5 x 22.5 x 15 82.5 60 x 25 103.5 Case / 82.5 Backset 1	1	10							
675198P 129 x 22.5 x 15 108 60 x 25 129 Case / 108 Backset 1	1	10							
BAG - FIXINGS INCLUDED									
675999 65.5 x 22.5 x 15 45 60 x 25 65.5 Case / 45 Backset 1	1	10							
675606 78 x 22.5 x 15 57 60 x 25 78 Case / 57 Backset 1	1	10							
675481 103.5 x 22.5 x 15 82.5 60 x 25 103.5 Case / 82.5 Backset 1	1	10							
675198 129 x 22.5 x 15 108 60 x 25 129 Case / 108 Backset 1	1	10 MRL04							



Door Locks



5 Lever British Standard Locks

A high security mortice lock for use in interior and exterior doors in commercial and domestic environments. Rigorously tested to BS 3621:2007 which is a common requirement of building and contents insurance policies.

Sashlock Satin Stainless Steel











Deadlock

The heavy duty spring mechanism makes this lock ideal for sprung and unsprung door handles.

Draduot Codo



Electro Brass

Technical Data								
Туре	Sast	nlock	Deadlock					
Size (mm)	66/45	78/57	66/45	78/57				
Case D x H x W (mm)	66 x 110 x 18	78 x 110 x 18	66 x 80 x 18	78 x 80 x 18				
Backset (mm)	45	57	45	57				
Faceplate H x W (mm)	155 x 25	155 x 25	125 x 25	125 x 25				
Centres (mm)	57	57	57	57				

Product	Code			Carton			
Satin	Electro	Size	Pack Qty	Qty			
Stainless Steel	Brass	(mm)	(pcs)	(packs)			
		` '	(1)	(1)			
		SASHLOCK					
		BOX - FIXINGS INCLUDED					
675065	675333	66 Case / 45 Backset	1	10			
675846	675514	78 Case / 57 Backset	1	10			
		DEADLOCK					
BOX - FIXINGS INCLUDED							
675444	675953	66 Case / 45 Backset	1	10			
675220	675157	78 Case / 57 Backset	1	10 MRL05			

5 Lever British Standard Sashlock Rebate Kit

To be used in conjunction with our 5 Lever British Standard Sashlock. Typically used on a pair of rebated doors to offset the lock and keep faceplates.



3 Lever Locks

A medium security sashlock that is ideal for use in domestic and commercial applications

Sashlock

Satin Nickel

Deadlock Satin Nickel

• Made from steel · Tested to BS EN 12209





Features a medium duty spring mechanism and is recommended to be used with sprung door handles.

Decident Ocal



Electro Brass

Technical Data								
Туре	Sasl	nlock	Deadlock					
Size (mm)	65/45	78/58	65/45	78/58				
Case D x H x W (mm)	65 x 102 x 14	78 x 110 x 18	65 x 70 x 14	78 x 70 x 14				
Backset (mm)	45	58	45	58				
Faceplate H x W (mm)	153 x 22	153 x 22	120 x 22	120 x 22				
Centres (mm)	57	57	-	-				
Key Length	Standard	Standard	-	-				

Produ	ct Code		Pack	Carton		
Satin	Electro	Size	Qty	Qty		
Nickel	Brass	(mm)	(pcs)	(packs)		
	SASHLOCK					
	SAS	HLOCK - BOX - FIXINGS INCLUDED				
675321	675987	65 Case / 45 Backset	1	10		
675014	675456	78 Case / 58 Backset	1	10		
		DEADLOCK				
	DLOCK - BOX - FIXINGS INCLUDED					
675751	675951	65 Case / 45 Backset	1	10		
675943	675357	78 Case / 58 Backset	1	10 MRL01		

3 Lever Sashlock Rebate Kit

To be used in conjunction with our 3 lever sashlock. Typically used on a pair of rebated doors to offset the lock and keep faceplates.







Electro

Product Code To Suit Pack Carton Satin Electro Door Rebate Qty Nickel Brass (mm) (pcs) (packs)

675369 675258 13 Satin Nickel



Euro Profile Locks

 $Ideal \,for\,medium\,to\,high\,security\,doors\,in\,domestic\,and\,commercial\,applications.$ Features a heavy duty spring and can be used in conjunction with a Euro profile

Sashlock

Satin Nickel



Features a heavy duty spring and can be used with both sprung and unsprung door handles

Deadlock Satin Nickel Made from steel

· Tested to





Dack Carton

Technical Data						
Туре	Sast	nlock	Dead	llock		
Size (mm)	66/45	78/56	66 / 45	78/56		
Case D x H x W (mm)	66 x 110 x 15.5	78 x 110 x 15.5	66 x 80 x 15.5	78 x 80 x 15.5		
Backset (mm)	45	56	45	56		
Faceplate H x W (mm)	155 x 25	155 x 25	125 x 25	125 x 25		
Centres (mm)	47.5	47.5	-	-		

Product Code

Satin Nickel	Size (mm)	Qty (pcs)	Qty (packs)
	SASHLOCK - BOX - FIXINGS INCLUDED		
675020	66 Case / 45 Backset	1	10
675852	78 Case / 56 Backset	1	10
	DEADLOCK - BOX - FIXINGS INCLUDED		
675513	66 Case / 45 Backset	1	10
675955	78 Case / 56 Backset	1	10
			MRL03

Bathroom Locks

A medium duty bathroom lock that is ideal for use in domestic and commercial

The lock features a medium duty spring and is recommended to be used with sprung door handles. The deadbolt is operated by a turn with a 5mm spindle.

Satin Nickel





BS EN 12209



Technical Data						
Size (mm)	65/45	78/57				
Case D x H x W (mm)	65 x 102 x 14	78 x 102 x 14				
Backset (mm)	45	57				
Faceplate H x W (mm)	152 x 22	152 x 22				
Centres (mm)	57	57				



Satin Nickel	Electro Brass	Size (mm)	Qty	Carton Qty (packs)
	BOX - F	IXINGS INCLUDE	ED	
675359	675861	65 Case / 45 Backset	1	10
675222	675248	78 Case / 57 Backset	1	10
				MADLOO

Specialist 3 Lever Sashlocks

Narrow Backset

3 lever sashlock with a 50mm depth ideal for narrow style glazed doors.

Made from steel



Extra Long Keys

3 lever sashlock with a 64mm depth. Supplied with 2 extra long keys.

· Made from steel



Technical Data						
Size (mm)	51/31	65/45				
Case D x H x W (mm)	51 x 106 x 14	65 x 102 x 14				
Backset (mm)	31	45				
Faceplate H x W (mm)	152 x 22	152 x 24				
Centres (mm)	57	57				
Key Length	Standard	Extra Long				

	Dack	Carton
Size	Qty	Qty
(mm)	(pcs)	(packs)
HLOCK NARROW BACKSET - BAG - FIXINGS INC	LUDED	
51 Case / 31 Backset	1	10
SHLOCK EXTRA LONG KEYS - BAG - FIXINGS INC	LUDED	
65 Case / 45 Backset	1	10
		MRL01
	(mm) HLOCK NARROW BACKSET - BAG - FIXINGS INC 51 Case / 31 Backset HLOCK EXTRA LONG KEYS - BAG - FIXINGS INC	(mm) (pcs) HLOCK NARROW BACKSET - BAG - FIXINGS INCLUDED 51 Case / 31 Backset 1 HLOCK EXTRA LONG KEYS - BAG - FIXINGS INCLUDED

3 Lever Narrow Backset Sashlock Rebate Kit

To be used in conjunction with our 50mm, 3 lever sashlock. Typically used on a pair of rebated doors to offset the lock and keep faceplates.

· Made from steel



Satin Nickel • Only for use with 675546 (50mm Narrow Backset 3 Lever Sashlock)

Electro Brass

Product Code	To Suit	Deal	Carton
Satin	Door Rebate	Qtv	Qtv
Nickel	(mm)		(packs)
I	BAG - FIXINGS INCLUDE	D	" /
675010	13	1	20



Door Bolts

Straight Barrel Bolt

Ideal for securing flush fitting doors in a closed position.

• Made from solid brass











Product Code		
lichad	Dolick	

110000	ot oode		Size	Bolt	Pack	Carton
Polished Brass	Polished Chrome	Satin Chrome	LxW (mm)	Throw (mm)	Qty (pcs)	Qty (packs)
		TIMPAC	- FIXINGS INCLUDED			
200945P	200225P	200856P	75 x 25	15	1	10
200328P	200943P	200379P	100 x 25	20	1	10
200496P	200114P	200164P	150 x 25	22	1	10
		BAG -	EXCLUDES FIXINGS			
200945	200225	200856	75 x 25	15	1	10
200328	200943	200379	100 x 25	20	1	10
200496	200114	200164	150 x 25	22	1	10 BSA02

Contract Flat Section Bolt

A decorative bolt for securing flush mounted doors Commonly fitted to French doors.

· Made from solid brass





Polished

Chrome

Polished

Brass





Product Code	
--------------	--

Produc	cicode		Size	Bolt	Pack	Carton
Polished	Polished	Satin	LxW	Throw	Qty	Qty
Brass	Chrome	Chrome	(mm)	(mm)	(pcs)	(packs)
			. ,	()	(600)	(paono)
		TIMPAC	: - FIXINGS INCLUDED			
200336P	200779P	200522P	110 x 25	20	1	10
200852P	200633P	200176P	135 x 30	24	1	10
200136P	200364P	200961P	210 x 35	35	1	10
		BAG -	EXCLUDES FIXINGS			
200336	200779	200522	110 x 25	20	1	10
200852	200633	200176	135 x 30	24	1	10
200136	200364	200961	210 x 35	35	1	5 -
						BSA02

Lever Action Flush Bolt

Lever action flush bolts are morticed into the face or leading edge of the door providing a flush door surface finish. They are commonly fitted to double doors to secure the slave door leaf in place.

• Made from solid brass



Satin Chrome	

Produc	Product Code Size		Bolt	Pack	Carton		
Polished Brass	Polished Chrome	Satin Chrome	LxW (mm)	Throw (mm)	Qty (pcs)	Qty (packs)	
		TIMPAC	- FIXINGS INCL	UDED			
200393P	200195P	200285P	150 x 19	15	1	10	
200643P	200477P	200648P	200 x 19	15	1	10	
	BAG - EXCLUDES FIXINGS						
200393	200195	200285	150 x 19	15	1	5	
200643	200477	200648	200 x 19	15	1	5 BSA02	

Necked Barrel Bolt

Ideal for securing recessed fitted doors in a closed position.

• Made from solid brass



Polished Chrome







Polished Brass

roduct C	ode
----------	-----

11000	ot oodo		Size	Bolt	Pack	Carton
Polished Brass	Polished Chrome	Satin Chrome	LxW (mm)	Throw (mm)	Qty (pcs)	Qty (packs)
5.400	011101110	011101110	(11111)	()	(poo)	(paono)
		TIMPAC	C - FIXINGS INCLUDED			
200764P	200694P	200367P	75 x 25	12	1	10
200321P	200996P	200158P	100 x 25	16	1	10
200200P	200555P	200645P	150 x 25	20	1	10
		BAG -	EXCLUDES FIXINGS			
200764	200694	200367	75 x 25	12	1	10
200321	200996	200158	100 x 25	16	1	10
200200	200555	200645	150 x 25	20	1	10
						BSA02

Architectural Flat Section Bolt

A high quality designer bolt commonly used for securing French doors. The bolt comes supplied with all three keeps required for flush and recessed mounted doors.







Polished Chrome



Chrome

Product Code

Polished Brass	Polished Chrome	Satin Chrome	Size L x W (mm)	Bolt Throw (mm)	Pack Qty (pcs)	Carton Qty (packs)
		TIMPAC	- FIXINGS INCLU	JDED		
200236P	200777P	200464P	100 x 35	25	1	10
200369P	200625P	200222P	150 x 35	25	1	10
200854P	200191P	200946P	210 x 35	25	1	10
		BAG -	EXCLUDES FIXIN	NGS		
200236	200777	200464	100 x 35	25	1	5
200369	200625	200222	150 x 35	25	1	5
200854	200191	200946	210 x 35	25	1	5
						BSA02

Indicator Bolt



- Ideal for bathroom and cubicle doors
- Indicator to show vacant or engaged External coin release facility
- Max door thickness 50mm



Polished Chrome



Rolt

Polished Brass

Pack Carton

Product Code	
Frouuci Cou c	

Electro Brass	Polished Chrome	Satin Chrome	Size (mm)	Throw (mm)	Qty (pcs)	Qty (packs)
		TIMPA	C - FIXINGS INCL	UDED		
200112P	200045P	200320P	66	21	1	10
		BAG	- EXCLUDES FIXI	NGS		
200112	200045	200320	66	21	1	40 BSA02



Door & Window Security

Door Rack Bolt

An ideal way to increase security on timber doors. Morticed into the door and operated by a spline /rack bolt key that throws the bolt into the frame. For optimum security its recommended that the bolts are fitted to the top and the bottom of the door.





Product Code



RSA02

Each pack contains 2 bolts & 1 key





BAG: 200333

Electro Brass	Polished Chrome	Satin Chrome	White	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	TIMPA	C - FIXIN	IGS INC	LUDE)	
200020P	200951P	200789P	200456P	60	2	10
	BAG	- EXCLU	DES FIX	INGS		
200020	200951	200789	200456	60	2	50

Polished

Brass

Hinge Bolt

Hinge bolts provide additional security for outward opening doors that have exposed hinge knuckles. They prevent the door being removed from the frame in the event of the hinge knuckle being attacked by interlocking the door into the frame

Size (mm)





Bolt Diam	12.5			
Length (m	nm)	48		
Produc	t Code		Pack	Carton
Electro Brass	Zinc	Size (mm)	Qty	Qty (packs)
7	ГІМРАС	- FIXINGS INCL	.UDED	
200606P	200999P	48	2	10
	BAG - I	EXCLUDES FIXI	NGS	
200606	200999	48	2	50 BSA07

Technical Data

Door Chains

Door Chain



Security Door Chain



When engaged door chains reduce the opening angle of the door enabling the occupant to identify and speak to the caller before the door is released and restrain against a forced attack.

Produc	ct Code			Dook	Carton		
	Polished Chrome	Satin Chrome	Length (mm)	Qty	Qty		
		DOOR C	HAIN				
	BAG - EXCLUDES FIXINGS						

200485 200654 10 SECURITY DOOR CHAIN **TIMPAC - FIXINGS INCLUDED** 200987P 200015P 200471P 10

10

BAG - EXCLUDES FIXINGS 200987 200015 200471

Window Rack Bolt

An ideal way to increase security on timber windows. Morticed into the window and operated by a spline / rack bolt key that throws the bolt into the frame. For optimum security it is recommended that the bolts are fitted to the top and the bottom of the window.



Technical Data				
Size (mm)	42/21			
Case D x Ø (mm)	42 x 16			
Backset (mm)	21			
Bolt Throw (mm)	11			
Bolt Dia. (mm)	13			

Each pack contains

2 bolts & 1 key Product Code Pack Carton

Keys - Pack of 2	Electro Brass	Polished Chrome	Satin Chrome	White	Size (mm)	Qty (pcs)	Qty (packs)
0		TIM	PAC - FI	XINGS II	NCLUDE)	
Product Codes:	949101P	949951P	949456P	949789P	42	2	10
TIMPAC: 200333P		BA	G - EXC	LUDES	FIXINGS		
BAG: 200333	949101	949951	949456	949789	42	2	50 WHW01

Product Code

Cabin Hook

Spare Rack Bolt



Ideal for retaining doors in an open position in domestic and light commercial applications. This cabin hook features knuckled connecting joints for quiet operation.

Æ	w	١,
ы	ap.	ı,
П	III D	/
_	-	

olished Chrome



Produc	Pack	Carton			
Polished Brass	Polished Chrome	Satin Chrome	Length (mm)	Qty (pcs)	Qty
	TIMPAC -	FIXINGS	INCLU	DED	
200495P	200111P	200123P	75	1	10
200665P	200759P	200749P	100	1	10
200436P	200221P	200385P	150	1	10
	BAG - E	XCLUDE	S FIXING	GS	
200495	200111	200123	75	1	10
200665	200759	200749	100	1	10
200436	200221	200385	150	1	10
					BCVU3

Door Restrictor



When engaged door restrictors reduce the opening of the door enabling the occupant to identify and speak to the caller before the door is released and restrain against a forced attack. They are easier to operate and quieter than a standard door chain.





Electro Brass	Polished Chrome	Satin Chrome	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)		
BAG - EXCLUDES FIXINGS							
200741	200258	200963	107	1	10 BSA05		

duat Cada

Furniture Fixings



Bales Catch

Used for securing internal doors that require just a push/pull handle. Adjustable roller to adjust the closing tension of the door. Supplied with matching strike plate in electro brass



Technical Data						
Size (mm)		20				
Case D x Ø (mr	n)	20 x 21				
Faceplate H x V	/ (mm)	57 x 23				
Product Code Pack Carton						
TIMPAC - EXCLUDES FIXINGS						
BC19P	20	2 5				

Adjustable Roller Catch

Used for securing internal doors that require just a push/pull handle. Adjustable roller to adjust the closing tension of the door. Supplied with matching strike plate in electro brass or nickel plated finishes.



Technical Data						
Size (mm)				39		
Case D x Ø (mn	n)		39 x 19			
Faceplate H x W (mm)				59 x 23	.5	
Product Code				Deel	0	
Electro Brass	Nickel	Siz (mr		Qty (pcs)	Carton Qty (packs)	
TIMPAC - EXCLUDES FIXI						
ARCBRASSP	ARCNICKELP	39	9	1	5 BSA08	

Magnetic Catch

A surface mounted light duty magnetic catch for securing cupboard or cabinet doors.



Product Code)		Deal	Conton
White	Size (mm)	Strength (kg)	Qty	Carton Qty (packs)
Т	MPAC - EXC	CLUDES FIXI	NGS	
MC4P	40 x 22	4.0	2	5
MC6P	58 x 22	6.0	2	5

Double Ball Catch

Product Code

BSA08

A solid brass push fit catch for securing cupboard or cabinet doors.



Brass	Chrome	(mm)	(pcs)	(packs)
TIM	PAC - EXCLUD	ES FIXII	NGS	
DBC40BRASSP	DBC40CHROMEP	43	2	5
DBC50BRASSP	DBC50CHROMEP	50	2	5
				BSA08

Double Roller Catch



A surface mounted push fit catch for securing cupboard or cabinet doors.

Product Code			
Zinc	Size (mm)	Qty	Carton Qty (packs)
TI	MPAC - EXCLUDES FIXI	NGS	
DRP	28 x 32	2	5 BSA08

Modesty Block

A single piece block for joint fixing of cabinet panels or similar at 90°.

- Size 34 x 13 x 13mm
- Screw Hole Ø 4.8mm



Produ	Product Code		
White	Brown	Qty (pcs)	Qty (packs)
TIMBAG	TIMBAG - EXCLUDE		
MBWHITEB	MBBROWNB	65	5
			BAG34
TIMPAC	- EXCLUDE	S FIX	INGS
MBWHITEP	MBBROWNP	10	5

Knock Down Block

Used for the assembly of boards at 90°. Secured with a bolt into the thread of the second block which draws the two fittings together.

• Size - 35 x 25 x 12mm

BSA08

• Screw Hole Ø - 4.9mm



Produ	Pack	Cartor	
White	Brown	Qty (pcs)	Qty (packs
TIMPAC	- EXCLUD	ES FIX	INGS
KDWHITEP	KDBROWNP	4	5

Dummy Draw Connector

Used for the semi-permanent fixing of dummy draw fronts to kitchen carcasses. The design allows for some adjustment during fitting to ensure a flush finish.

• Screw Hole Ø - 3.5mm



Product Code	Pack	Carton
White	Qty (pcs)	Qty (packs)
TIMPAC - EXCLUDE	S FIX	INGS
DDCP	2	10 BSA08

Dual Direction Panel Connector

Two piece clip used for flush semi-permanent fixing of panels or dummy drawer fronts. The dual direction design allows fixing onto the base by clipping straight on or at a right angle.

• Screw Hole Ø - 3.5mm



Product Code	Pack	Carton		
White	Qty (pcs)	Qty (packs)		
TIMBAC - EVOLUDES EIVINGS				

DDPCP 2 10



Jointing Biscuits, Plates & Braces

Rigid Joint

Suitable for fixing boards together at right angles.

• Screw Hole Ø - 4.5mm



Product Code		Pack	Carton
White	Size (mm)	Qty (pcs)	Qty (packs)
	TIMPAC		
WRJP	32 x 17 x 17	10	10

Hinge Hole Cover Cap



Designed to cover unwanted and unsightly holes in all types of kitchen, bedroom and bathroom furniture. To suit a standard 35mm diameter hinge hole.

Product Code	Ø (mm)	Qty	Carton Qty (packs)
	TIMBAC	}	
35HHCCP	35	4	10 RSADR

Plates and Braces















Qty	Pallet Qty (packs)					
BOX						
20	680					
14	560					
TIMPAC						
5	-					
5	-					
	Qty (packs) 20 14					

Tee Plate					
BOX					
76TPL	76 x 76 x 16 x 16	2.0	25	28	1680
TIMPAC					
76TPLP	76 x 76 x 16 x 16	2.0	2	5	-

Stretcher Plate							
BOX							
38SPL	38 x 25 x 29	1.8	100	7	350		
	TIMPAC						
38SPLP	38 x 25 x 29	1.8	4	5	-		

Corner Plate					
BOX					
50CPL	50 x 50 x 13	1.5	50	20	840
75CPL	75 x 75 x 16	1.5	50	12	480
TIMPAC					
50CPLP	50 x 50 x 13	1.5	4	5	-
75CPLP	75 x 75 x 16	1.5	4	5	-

Angled Brace					
BOX					
19ABR	19 x 19 x 19	1.0	1,000	5	200
TIMPAC					
19ABRP	19 x 19 x 19	1.0	10	5	-

Corner Brace							
	BOX						
25CBR	25 x 25 x 16	1.6	50	44	792		
38CBR	38 x 38 x 16	1.6	50	30	1080		
50CBR	50 x 50 x 16	1.6	50	20	840		
65CBR	65 x 65 x 16	1.7	50	12	600		
75CBR	75 x 75 x 16	1.7	50	10	500		
100CBR	100 x 100 x 22	2.3	25	10	400		
	TIM	IPAC					
25CBRP	25 x 25 x 16	1.6	4	5	-		
38CBRP	38 x 38 x 16	1.6	4	5	-		
50CBRP	50 x 50 x 16	1.6	4	5	-		
65CBRP	65 x 65 x 16	1.7	4	5	-		
75CBRP	75 x 75 x 16	1.7	4	5	-		
100CBRP	100 x 100 x 22	2.3	2	5	-		
					22101		

Wooden Jointing Biscuit



Used for precise edge jointing of timber. The compressed beech wood expands when used with glue for a secure joint.

• FSC Certified • Thickness - 4mm

50

Product Code	Size	Thick. (mm)	Qty (pcs)	Qty (packs)
	В	ULK BO	Х	
270185	No.0	8 - 12	1000	10
270228	No.10	13-18	1000	10
270673	No.20	19+	1000	10
	1	ΓΙΜΒΑG	i	
270364	No.0	8 - 12	100	100
270851	No 10	13-18	100	50

Wooden Dowel

Used for accurate, reinforced timber and cabinet jointing. Tapered ends for easier application. Fluted shank for good glue distribution along the entire length and to eliminate trapped air.

•FSC Certified

Product Code	ØxL (mm)	Pack Qty (pcs)	Carton Qty (packs)
•	TIMBAG	i	
270491	6 x 30	100	200
270566	8 x 40	100	100
270287	10 x 40	100	100
	TIMPAC		
WDOWEL630P	6 x 30	25	10
WDOWEL640P	6 x 40	15	10
WDOWEL830P	8 x 30	15	10
WDOWEL840P	8 x 40	10	10
			00400

Plastic Cabinet Connector Bolt

270227 No.20 19+ 100

For joining cabinets and kitchen units together.



Product Code	Length (mm)	Qty	Carton Qty (packs)
	PACK		
28PCCBP	28	4	10

Worktop Connector

Provides a concealed and strong Joint for worktops eliminating the need for surface mounted joining strips. Frequently used in pairs. Brackets require 35mm jig.



		_	
Product Code	Ø (mm)	Qty	Carton Qty (packs)
	PACK		
WC6150	M6 x 150	6	24



Door Stops & Hooks

Projection Door Stop

Fits to walls and skirting boards and will prevent damage to walls from door handles. The rubber tip prevents damage to the door. High quality plated finishes





Chrome

Produc	ct Code		Pack	Carton			
Polished Chrome	Satin Chrome	Polished Brass	Size (mm)	Qty	Qty (packs)		
	TIMPAC - FIXINGS INCLUDED						
00624P	200888P	200302P	70	1	10		
BAG - EXCLUDES FIXINGS							
200624	200888	200302	70	1	10		

Oval Door Stop

A floor mounted stop that can be mounted at any point of the door opening. The rubber buffer prevents damage to doors. High quality plated finishes.



Product Code

Satin

Chrome

200775P

200775

Polished

Chrome

200090P

200090



Size

(mm) (pcs)

Satin Chrome

Pack Carton

Qty Qty

Polished Brass

(packs)

10

10

Cylinder Door Stop

A floor mounted stop that can be positioned at any point of the door opening. Concealed fixing for added aesthetics. The rubber buffer prevents damage to doors. High quality plated finishes.



Chrome

Satin

Polished Brass

r roduct code			Size	Pack	Carton
Polished Chrome	Satin Chrome	Polished Brass	Ø (mm)	Qty	Qty (packs)
	TIMPAC -	- FIXINGS	INCLU	DED	
200975P	200049P	200668P	41	1	10
BAG - EXCLUDES FIXINGS					
200975	200049	200668	41	1	10 BSA01

PVC Door Stop

A floor mounted door stop used to prevent doors from damaging walls.





Product Code		ct Code	Size Ø x H	Pack Qtv	Carton Qtv
	Black	White	(mm)		(packs)
		TIMPAC			
	DSBLACKP	DSWHITEP	32 x 21	1	10 BSA01

Spring Door Stop

A wall or skirting board mounted door stop used to prevent doors from damaging walls.

Polished

Brass

TIMPAC - FIXINGS INCLUDED 200330P

BAG - EXCLUDES FIXINGS


200330



Electro Brass	Nickel	(mm)	(pcs)	(packs)			
TIMPAC							
SSBRASSP	SSNICKELP	78 x 24	2	5 BSA01			

PVC Door Wedge

A triangular shaped wedge used to temporarily stop doors from closing.



Door Hooks

Single Robe Hook

Commonly fitted to doors or walls for hanging hats, coats or bathrobes







Satin Chrome

Polished **Brass**

Product Code				
dichod	Satin			

Polished Chrome	Satin Chrome	Polished Brass	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)		
	TIMPAC - FIXINGS INCLUDED						
200994P	200347P	200064P	44 x 18	1	10		
BAG - EXCLUDES FIXINGS							
200994	200347	200064	44 x 18	1	10 RSA04		

Double Robe Hook

Commonly fitted to doors or walls for hanging hats, coats or bathrobes.





Satin Chrome



Polished Brass

Po Ch

2

Produc	ct Code			Dook	Carton Qty (packs)		
olished hrome	Satin Chrome	Polished Brass	Size (mm)	Qty			
TIMPAC - FIXINGS INCLUDED							

TIMPAC - FIXINGS INCLUDED						
200611P	200207P	200808P	47 x 24	1	10	
BAG - EXCLUDES FIXINGS						
200611	200207	200808	47 x 24	1	10	
					BSA04	

Hat & Coat Hook



	TIME	FIVINIOS	INICH LU				
lished rrome	Satin Chrome	Polished Brass	Size (mm)				
Product Code							

	TIMPAC	- FIXINGS	INCLUD	ED			
00674P	200553P	200257P	125 x 32	1	10		
BAG - EXCLUDES FIXINGS							
00674	200553	200257	125 x 32	1	10		

BSA04 267

Pack Carton

(pcs) (packs)

Qty



Hanging Rails & Systems



Round Wardrobe Rail



For wardrobes or shopfitting applications. Ideal for many domestic and light commercial applications



Produc	ct Code	Size	Pack	
Polished Chrome	White	ØxL (mm)	Qty (pcs)	MOQ (pcs)
		BAG		
204121	204111	25 x 1219	1	10
204182	204122	25 x 1829	1	10
204250	204133	25 x 2500	1	10 CBH01

Round End Socket



End support for tube in wardrobes and other shopfitting applications.



Product Code			To Suit	Pack	Carton
Polished Chrome	White	Туре	Tube Ø (mm)	Qty (pcs)	Qty (packs)
1	IMPAC -	FIXINGS	INCLU	DED	
204025P	204144P	Standard	25	2	10
204005P	-	Locking	25	2	10
	D				
204025	204144	Standard	25	2	150
204005	-	Locking	25	2	150 CBH01

Round Brackets



End support for tube being suspended within a wardrobe or other shopfitting applications.

Mid support for longer lengths of tube in wardrobes and other shopfitting applications.



White

Product Code			To Suit	Pack	Carton
Polished Chrome	White	Туре	Tube Ø (mm)	Qty (pcs)	Qty (packs)
	TIMPAC -	FIXINGS	INCLU	DED	
204125P	204155P	End	25	2	10
204105P	204166P	Centre	25	1	10
	BAG - F	IXINGS	NCLUDE	D	
204125	204155	End	25	2	150
204105	204166	Centre	25	1	150 CBH01

Oval Wardrobe Rail



For wardrobes or shopfitting applications. Ideal for many domestic and light commercial applications.

Polished Chrome	Size H x W x L (mm)	Pack Qty (pcs)	MOQ (pcs)
	BAG		
204312	30 x 15 x 1219	1	10
204318	30 x 15 x 1829	1	10
204325	30 x 15 x 2500	1	10 CBH01

Oval End Socket



End support for tube in wardrobes and other shopfitting applications. Open top allowing the tube to be removed without unscrewing the socket.

	Product Code	To Suit Tube	Pack	Carton				
	Polished Chrome	HxW (mm)	Qty (pcs)	Qty (packs)				
TIMPAC - FIXINGS INCLUDED								
	204315P	30 x 15	2	10				
		BAG - FIXINGS INCLUD	ED					
	204315	30 x 15	2	500 CBH01				

Oval Bracket



Mid support for longer lengths of tube in wardrobes and other shopfitting applications. Prevents the tube from bending or breaking.

Product Code	To Suit Tube	Pack	Carton
Polished Chrome	HxW (mm)	Qty (pcs)	Qty (packs)
TI	MPAC - FIXINGS INCLU	DED	
204015P	30 x 15	1	10
	BAG - FIXINGS INCLUD	ED	
204015	30 v 15	1	500

Steel Handrail Bracket

Ideal for securing timber handrails to the wall.



Zinc





Produc	ct Code			Pack	Carton
Zinc	Epoxy White	Epoxy Black	Projection (mm)	Qty (pcs)	Qty (packs)

	TIMPAC	- FIXIN	IGS INCLU	DED	
712331P	712893P	712146P	63	2	10
	BAG -	FIXING	S INCLUD	ED	
712331	712893	712146	63	1	10
					SNB03

Zinc Handrail Bracket

Ideal for securing timber handrails to the wall. High quality plated finishes for a decorative feature.



Brass



Polished Chrome

Satin Chrome

Produc	t Code			Pack	Carton
Electro Brass	Polished Chrome		Projection (mm)		Qty
	TIMPAC	- FIXING	GS INCLUI	DED	

Brass	Chrome	Unrome	()	(600)	(paono)						
TIMPAC - FIXINGS INCLUDED											
712964P	712700P	712327P	64	1	10						
	BAG -	FIXINGS	INCLUDE	D							
712964	712700	712327	64	1	10 SNB03						

Satin Anodised Aluminium Handrail Bracket

Ideal for securing timber handrails to the wall



Product Code Pack Carton Satin Anodised Projection Qty (mm) (pack) (packs) **TIMPAC - FIXINGS INCLUDED** 725079 63 5 **BAG - FIXINGS INCLUDED** 725079BX 10 63 SNB03



Storage & Shelving



Twin Slot Shelving

Twin Slot Upright

Twin slot uprights feature bracket receiving slots at 32mm increments to allow for shelving to be positioned at varying distances apart as required.



Technical Data										
Length (mm)	425	710	996	1218	1598	1979	2391			
Fixing Hole Qty	2	3		4		6				
Rec. Screw Ø (mm)		5.0								
Rec. Screw G (Imp.)		10								

Product Code	Length (mm)	WxD (mm)	Pack Qty (pcs)	Carton Qty (packs)
	ВС	ΟX		
712500	425	25 x 16	10	20
712412	710	25 x 16	10	20
712325	996	25 x 16	10	20
712785	1218	25 x 16	10	20
712963	1598	25 x 16	10	20
712111	1979	25 x 16	10	20
712357	2391	25 x 16	10	20
				CNIDO4

Twin Slot Shelf Bracket

Used in conjunction with uprights. Available in varying lengths to suit the depth of shelf required. Max weight loadings are shown but consideration should also be given to the wall structure, types of fixing, shelving types and distances between brackets.



Technical Data										
Length (mm)	126	177	227	280	335	382	484			
Shelf Depth (mm)	120	170	220	270	320	370	470			
Max. Rec. Load (kg)	153	110	86	72	61	59	81			
Fixing Hole Qty				2						
Rec. Screw Ø (mm)		5.0								
Rec. Screw G (Imp.)		10								

Product Code	Length (mm)	DxW (mm)	Pack Qty (pcs)	MOQ Qty (pcs)	Carton Qty (packs)
		EACH			
712159	126	49.0 x 13.5	1	10	50
712028	177	49.0 x 13.5	1	10	50
712987	227	49.0 x 13.5	1	10	50
712321	280	49.0 x 13.5	1	10	50
712654	335	49.0 x 13.5	1	10	50
712147	382	49.0 x 13.5	1	10	50
712258	484	81.5 x 13.5	1	10	30

London Pattern Shelf Bracket



London pattern shelf brackets offer a quick and economic way to create shelving.

Technical Data									
Length (mm)	125	200	250	300	350				
Max. Rec. Load (kg)	51	40	36	28	21				
Fixing Hole Qty	6								
Rec. Screw Ø (mm)	4.0								
Rec. Screw Gauge (Imp.) 8									

Product Code	Length (mm)	Depth (mm)	Pack Qty (pcs)	MOQ Qty (pcs)	Carton Qty (packs)
		EACH			
712523	125	100	1	20	200
712849	200	150	1	20	200
712511	250	200	1	20	100
712607	300	250	1	20	100
712415	350	300	1	20	60 SNB02

Twin Slot Shelf End



Made from sheet metal and are designed to clip directly into the wall upright. They provide additional support and a barrier to prevent items from falling off the shelf end. The shelf end can be fixed to the underside of the shelf for added support.

Technical Data									
Length (mm)	150	200	250	300					
Fixing Hole Qty	3								
Rec. Screw Ø (mm)	4.0								
Rec. Screw Gauge (imp.)	8								

Product Code			Qty (pairs)	Qty (packs)					
PAIR									
712300	150	152 x 25	1	10					
712012	200	152 x 25	1	10					
712101	250	152 x 25	1	10					
712761	300	152 x 25	1	10					
				SNR01					

Twin Slot Flexible Bookend



Flexible bookends locate directly into the twins slots of the upright and help to prevent items from falling off the shelf end.

Product Code	Length (mm)	Pack Qty (pairs)	Box Qty (packs)	Carton Qty (packs)					
PAIR									
712369	200	1	20	60					

Mitred Shelf Bracket



Mitred brackets are a quick and economic way to create shelving. They feature steel reinforcements at the mitred joint of the bracket to give added strength and durability.

Technical Data								
Length (mm)	200	250	300	350				
Max. Rec. Load (kg)	102	68	60	45				
Fixing Hole Qty		(3					
Rec. Screw Ø (mm)		5	.0					
Rec. Screw Gauge (Imp.)	10							

Product Code			Length Depth Qty		Pack Qty (pcs)	Box Qty (pcs)	Carton Qty (packs)
		EACH					
712273	200	200	1	10	40		
712901	250	250	1	10	40		
712005	300	300	1	10	40		
712557	350	350	1	10	40		
					SNR02		

TIMEO Padlocks



Brass Padlock



Shackle SR WR Pack Carton Product Size Ø From From Qty Code (mm) (mm) 1-10 1-5 Keys (pcs) (packs)

PACK								
Solid Brass								
Open Shackle								
P30	30	5.2	3	4	3	1	12	
P40	40	6.3	5	4	3	1	12	
P40X2	40	6.3	5	4	3	2	4	
P50	50	8.1	6	4	3	1	6	
P60	60	9.5	7	4	3	1	6	
		Lo	ng Sl	nackle	е			
P40L	40	6.3	4	4	3	1	12	
P50L	50	8.1	5	4	3	1	6	
	Op	en Sha	ckle	- Key	ed Ali	ke		
P40KA	40	6.3	5	4	4	4	4	
SR-SECURI	TY RATING	6 / WR-WEAT	THER RAT	ING			PAD01	

Combination Padlock

A kev-less solution commonly used on luggage, tool boxes and storage lockers.

Security Rating





PACK									
Solid Brass									
CP21	21	3.1	1	2	3	1	12		
CP28	28	5	2	2	4	1	12		
CP38	38	6	3	2	4	1	6		
SR-SECUR	SR-SECURITY RATING / WR-WEATHER RATING PAD02								

Stainless Steel Padlock


A medium to high security stainless steel padlock designed to handle extreme weather conditions. The shrouded shackle ensures maximum resistance against cutting and prying

Weather









PACK										
Stainless Steel										
SS50SS 50 8 6 5 3 1 6										
SR-SECURIT	SR-SECURITY RATING / WR-WEATHER RATING PAD07									

Laminated Padlock



SR WR Carton Product Size Ø From From Qty Qtv Code (mm) (mm) 1-10 1-5 Keys (pcs) (packs)

Laminated								
Open Shackle								
LSP40	40	6.1	5	2	3	1	12	
LSP50	50	8.8	6	2	3	1	6	
		Lo	ng Sh	nackle	е			
LSP40L	40	6.1	4	2	3	1	12	
LSP50L	50	8.8	5	2	3	1	6	

Weatherproof Padlock


A laminated padlock with a durable vinyl cover to enhance corrosion resistance and improve weatherproofing

Security Rating









Oouc	(111111)	(111111)	1-10	1-0	itoys	(pos)	(packs)				
	PACK										
Laminated with Cover											
WP40	40	8	5	4	3	1	12				
SR-SECURITY RATING / WR-WEATHER RATING											

Brass Rectangular Padlock

A high security padlock used for securing chain, shuttering and catches where there is a risk of cropping, hacksaw or

Security Weather Rating Rating 8

hammer attacks.

Product Size



	Code	(mm)	(mm)	1-10	1-5	Keys	(pcs)	(packs)
	PACK							
Solid Brass								
	RP75 75 11.7 8 4 3 1							
	SR-SECURITY RATING / WR-WEATHER RATING							

Armoured Rectangular Padlock

A durable medium to high security padlock used for securing chain, shuttering and catches where there is a risk of cropping or hacksaw attacks

Security Weather Rating Rating



Shackle SR WR Pack Carton Product Size From From Qty Code (mm) (mm) 1-10 1-5 Keys (pcs) (packs)

Solid Brass ARP90 90 12 4 9 SR-SECURITY RATING / WR-WEATHER RATING

Disc Padlock

A corrosion resistant high security padlock used for securing chain and catches where there is a risk of cropping attacks.

Security Weather Rating Rating





Shackle SR Carton Product Size Ø From From Code (mm) (mm) 1-10 1-5 Keys (pcs) (packs)

	()	(,			,-	(1)	(1)		
PACK									
Stainless Steel									
DP70	70	9	8	5	3	1	10		
R-SECURITY RATING / WR-WEATHER RATING PADO:									



Chains & Cables





Cable Lock



Protective vinyl coating to enhance corrosion resistance and scratch prevention. Four dial combination, gives multiple locking option.

Product Code	Length (m)	Cable Ø (mm)	Dials	Qty	Carton Qty (packs)				
EACH									
CL1000	1	8	4	1	10 CHA01				

Security Chain & Padlock



A hardened steel security chain with a laminated padlock. The anti-crop square links are covered with an anti-scratch nylon protective sleeve. The padlock has a durable vinyl cover to enhance corrosion resistance and improve weatherproofing.

Product Code	Length (m)	Shackle Ø (mm)	Padlock Size (mm)	Qty	Carton Qty (packs)				
EACH									
SCWP	1	8	40	1	10 CHA01				

Looped Cable



A weather resistant, braided steel security cable for increased strength and flexibility. Protective viryl coating to enhance corrosion resistance and scratch prevention.

Product Code	Length (m)	Cable Ø (mm)	Qty	Carton Qty (packs)					
EACH									
LC1800	1.8	10	1	10					
LC3000	3	15	1	5					
				CHA01					

Security Chain



A hardened steel security chain with anti-crop square links, covered with an anti-scratch nylon protective sleeve.

Product Code	Length (m)	Shackle Ø (mm)	Qty	Carton Qty (packs)					
EACH									
SC1000	1	8	1	5					
SC1500	1.5	8	1	4					
SC2000	2	8	1	6					
				CHA01					

Key Storage & Accessories





Key Safe

Convenient and secure storage of keys. Solid and reinforced aluminium door with concealed combination dial for improved weather resistance. Provides secure and convenient key storage for care workers, cleaners, tradesmen and access to holiday homes



Product Code	Size L x W x D (mm)	Dials	Qty	Carton Qty (packs)				
PACK								
KEYSAFE	120 x 85 x 40	4	1	6 PADOS				

Key Cabinet

Provides safe and easy storage of multiple keys. Steel body with 20 hooks and a changeable 3 digit combination dial. Please note, key tags are for illustration purposes only.



Product Code	Size LxWxD (mm)	Dials	Hooks	Qty	Carton Qty (packs)				
вох									
20KEYCAB	200 x 160 x 75	3	20	1	20				

Key Accessories



Key Tags

Tidy labelling and coding of keys.



Key CapsConvenient coding of keys for quick

identification.

Product Code	Description	Qty	Carton Qty (packs)
	PACK		
KEYTAGP	Coloured Key Tags	6	10
KEYCAPP	Coloured Key Caps	10	10
			PAD08





OF LOCKMAKING EXCELLENCE

Squire has been at the forefront of international lock making for over 240 years. As an eighth generation independent family-owned lock manufacturer, Squire continues its tradition of offering high-quality, performance-led products.

WHICH CATEGORY TO CHOOSE?

WORK

Use: trade use, toolbox, container, commercial vehicle, outbuilding / warehouse, security gate garage forecourt

HOME

Use: all-round home use, garage, shed, front gate, storage

LEISURE

Use: out and about, recreational gear, suitcase, caravan / camping, bbq, sport locker, marine



SQUIRE QUALITY AND STANDARDS







Official Police Security Initiative



Raising Standards Safety Assured



CEN approved







Squire products are covered by a variety of industry accreditations. Much of the Squire cycle range and certain padlocks are Sold Secure approved meaning that they have been independently attack tested.

Sold Secure products are also supported by Secured by Design which was initiated by the British Police Force.

Squire have a number of Stronghold® products that achieve LPCB (Loss Prevention Certification Board) approval which is the UK's most stringent approval body and many other padlocks within the Stronghold range meet the CENEN 12320 Standard.

SQUIRE 'Stronghold®' Extra High Security Padlocks



Stronghold® Key Padlocks

WORK

A premium range of super-tough, high security padlocks that are approved by independent accreditation bodies Sold Secure and Secured by Design. Made in Britain, these padlocks come in a variety of body widths and shackle versions.

- Extremely corrosion resistant lock
- Hardened boron alloy steel shackle
- · Anti-corrosion storm proof cover
- Electrophoretic anti-corrosion finish
- · Keyhole cover for protection inside the lock
- Anti-drill protection



Open Shackle

Closed Shackle

Long Shackle

Pack





Size



Product Code	Size (mm)	W x D (mm)	Ø (mm)	Clearance WxH (mm)		LPCB Rating	CEN Rating	Keys	Qty (pcs)	
	PACK									
	Open Shackle									
SQR701789	50	50 x 26	10.0	22 x 26	6 pin	SR2	CEN 4	2	1	
SQR701426	50	50 x 26	10.0	22 x 26	5 pin	-	CEN 3	2	1	
SQR701025	65	65 x 31.8	12.7	29.5 x 29	6 pin	-	CEN 5	2	1	
SQR701963	80	80 x 40	16.0	32 x 32	6 pin	SR3	CEN 6	2	1	
			Lo	ng Shack	le					
SQR701456	50	50 x 65	10.0	22 x 65	6 pin	-	CEN 4	2	1	
SQR701682	50	50 x 26	10.0	22 x 65	5 pin	-	CEN 3	2	1	
			Clo	sed Shacl	kle					
SQR701325	50	50 x 26	10.0	16 x 16	6 pin	SR2	CEN 4	2	1	
SQR701123	50	50 x 26	10.0	16 x 16	5 pin	-	CEN 3	2	1	
SQR701741	65	65 x 31.8	12.7	19 x 19	6 pin	-	CEN 6	2	1	
									SQU01	

Shackle Shackle

Marine - Stronghold® Key Padlock

WORK

- Extremely corrosion resistant lock
- Stainless steel shackle
- Anti-corrosion storm proof cover
- · Keyhole cover for protection inside the lock
- · Anti-drill protection



Open Shackle

Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	CEN Rating	Keys	Pack Qty (pcs)			
PACK											
Open Shackle											
SQR701351	50	50 x 26	10.0	22 x 26	5 pin	CEN 3	2	1			
								001104			

Stronghold® Container Lock

WORK

Pack

Part of a premium range of super-tough, high security padlocks that are approved by independent accreditation bodies Sold Secure and Secured by Design.





- · Hardened boron alloy steel shackle
- Hardened steel lock body
- · Electrophoretic anti-corrosion finish

Size

- Rekeyable 6 pin tumbler lock
- · Anti-bump, anti-pick, highly attack resistant

Product Code	Size (mm)	W x D (mm)	Ø (mm)	Clearance WxH (mm)	Cylinder Type	CEN Rating	Keys	Qty (pcs)	
			P	ACK					
Closed Shackle									
SQR701267	75	80 x 26	12.0	27 x 14	6 pin	CEN 4	2	1	
								SQU01	

Shackle

Shackle

Stronghold® Combination Padlocks **WORK**

A premium range of high performance combination padlocks. Unique in design, these combination locks are manufactured to the highest standards for quality

SQR701843 offers a 11mm rotating hardened steel shackle for extra resistance to attack, solid lock body, 4 wheels offering 10,000 possible combinations and a special pull button mechanism.

SQR701961 / SQR701027 offer a 12.7mm rotating hardened steel shackle for extra resistance to attack, solid lock body and 5 wheels offering 100,000 possible combinations.





4 Dial (SQR701843)



5 Dial (SQR701961)



Wide Clearance 5 Dial (SQR701027)

- · Rotating hardened boron allov steel shackle for extra resistance to attack
- Special pull button mechanism





Product Code	Size (mm)	W x D (mm)	Ø (mm)	Clearance WxH (mm)	No. Of Dials	Qty (pcs)				
PACK										
Closed Shackle										
SQR701843	65	65 x 19	11.0	20 x 15	4	1				
SQR701961	75	75 x 19	12.7	20 x 15	5	1				
SQR701027	85	85 x 19	12.7	37 x 17	5	1				
						SQU05				



SQUIRE Warehouse Lock & Disc Ranges

Armoured Brass Block Locks

WORK

Warehouse locks designed for securing commercial applications these padlocks are made from a solid brass lock body protected by armoured steel for ultraresistance to attack.

- Hardened steel rotating shackle to resist sawing
- 5 pin tumbler lock mechanism



Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	Keys	Pack Qty (pcs)		
PACK									
	Open Shackle								
SQR701384	60	60 x 25	10.0	22 x 12	5 pin	3	1		
SQR701014	80	80 x 30	11.0	29 x 15	5 pin	3	1 SQU02		

Disc Style Padlock

WORK

Stainless Steel lock body with closed shackle design offers high level security for domestic and commercial applications. Offering a 9.5mm hardened steel shackle, hardened steel anti-drill plate and 5 pin tumbler lock mechanism

- · 9.5mm hardened steel shackle
- · Hardened steel anti-drill plate
- 5 pin tumbler lock mechanism
- · Also available keyed alike



	INEVV							
	Product Code	Size (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	Keys	Pack Qty (pcs)	
				PACK				
			Clos	ed Shackle				
	SQR701003	70	9.5	17 x 17.5	5 pin	2	1	
				BOX				
Closed Shackle - Keyed Alike								
	SQR701049	70	9.5	17 x 17.5	5 pin	2	1	
							COLION	

SQUIRE 'Vulcan™' Tough Performance Locks

Vulcan™ Key Padlocks

HOME

A mighty tough range of high performance locks. These uniquely designed key operated padlocks with extra tough boron steel shackles offer a medium to high level of security. Available in open, closed and long shackle







Open Shackle

Long Shackle Closed Shackle

- Hardened boron alloy steel shackle
- · Steel body with die cast satin chrome body cover
- 4 pin tumbler lock mechanism



Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	Keys	Pack Qty (pcs)
			PACK				
			Open Sha	ckle			
SQR701153	40	44 x 27	7.0	19 x 18	4 pin	2	1
SQR701016	45	48 x 28	8.0	20.5 x 19	4 pin	2	1
SQR701913	50	55 x 33	9.5	22 x 23.5	4 pin	2	1
			Long Shad	ckle			
SQR701882	40	44 x 27	7.0	19 x 63	4 pin	2	1
SQR701405	50	55 x 33	9.5	23.5 x 63	4 pin	2	1
		(Closed Sha	ickle			
SQR701111	45	48 x 28	8.0	14 x 15.2	4 pin	2	1
SQR701355	50	55 x 33	9.5	16 x 19	4 pin	2	1
							SQU04

Vulcan™ Combination Padlocks

HOME

Named after Vulcan, the ancient Roman god of fire and metalworking, this mighty tough range of combination

padlocks takes some beating. Easy to use in 4 and 5-wheel versions, the Vulcan padlocks are fully recodable and offer up to 100,000 combinations.





Open Shackle

Closed Shackle Long Shackle

- Hardened boron steel shackle with satin chrome finish
- · Double locking & fully recodable
- Satin chrome die cast alloy body
- · Push button opening
- · New patented design



Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	No. Of Dials	Pack Qty (pcs)
		P.A	CK			
		Open	Shackle			
SQR701701	40	40 x 22	6.0	17 x 20	4	1
SQR701368	50	50 x 26	8.0	22.6 x 26	4	1
SQR701756	60	60 x 33	10.0	28 x 34	5	1
		Long S	Shackle			
SQR701537	40	40 x 22	6.0	17 x 63	4	1
SQR701157	50	50 x 26	8.0	22.6 x 63	4	1
SQR701010	60	60 x 33	10.0	28 x 63	5	1
		Closed	Shackle			
SQR701001	40	40 x 22	6.0	13 x 17	4	1
SQR701999	60	60 x 33	10.0	22 x 29	5	1 SQU04

SQUIRE 'Stronglock™'

Stronglock™ Key Padlocks

HOME

A medium-duty range of laminated double deadlocking padlocks for home use. Featuring a hardened steel shackle and laminated steel padlock body with anti-corrosion finish. Available in open, closed and long shackle versions.







Open Shackle

Long Shackle Closed Shackle

- · Hardened steel shackle
- · Double deadlocking, ball locking, spring locking
- · Covered steel padlock body with anti-corrosion finish gives corrosion resistance
- 4 pin tumbler lock mechanism gives over 1,000 key differs
- · Medium duty security
- · Also available keyed alike



,	Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	Keys	Pack Qty (pcs)
				PACK				
			C	pen Shac	kle			
	SQR701352	40	38 x 23	7	16 x 17	4 pin	2	1
	SQR701020	45	44 x 24	8	20 x 20	4 pin	2	1
	SQR701855	50	54 x 29	9	24 x 24	4 pin	2	1
	Long Shackle							
	SQR701552	40	38 x 23	7	16 x 39	4 pin	2	1
	SQR701008	40	38 x 23	7	16 x 64.8	4 pin	2	1
				BLISTER	}			
		Ope	n Shackle	- Twin Pa	ck - Keyed	Alike		
	SQR701291	40	38 x 23	7	16 x 17	4 pin	4	2
				BOX				
			Open SI	nackle - K	eyed Alike			
	SQR701532	50	54 x 29	9	24 x 24	4 pin	2	1
								SQU09

Stronglock™ Key Padlock Including Chain



- 305mm chain included
- · Hardened steel shackle
- · Double deadlocking, ball locking, spring locking
- Covered steel padlock body with anti-corrosion finish gives corrosion resistance
- 4 pin tumbler lock mechanism gives over 1,000 key differs
- Medium duty security

Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	Keys	Pack Qty (pcs)
			PACK				
	Open Sh	nackle - V	Vith 305m	nm Chain in	cluded		
SQR701683	40	38 x 23	7	16 x 17	4 pin	2	1
							SQU09

SQUIRE 'Lion' Solid Brass

'Lion' Range - Solid Brass Padlocks

HOME

Premium grade, solid brass padlocks offering an optimal level of security for indoor or outdoor use at home. Iconic double locking Lion padlocks with hardened steel shackles are available in a range of body widths from 30mm and include long shackle and keyed alike

- Offers a superior level of security for indoor or outdoor use at home
- · Hardened steel shackle
- · Double locking
- · Solid brass
- lock body • Pin tumbler lock mechanism
- Also available keyed alike





Shackle



Open Shackle Size

Long Shackle

Shackle

Long Shackle (SQR701023)

Product Code	Size (mm)	WxD (mm)	Ø (mm)	Clearance WxH (mm)	Cylinder Type	Keys	Qty (pcs)					
			PACK				,					
Open Shackle												
SQR701437	30	31.5 x 13	5.5	16.5 x 19.5	4 pin	2	1					
SQR701113	40	39.5 x 14	6.0	22.5 x 21.1	4 pin	2	1					
SQR701754	50	51 x 15.5	8.8	28 x 30	4 pin	2	1					
SQR701307	60	60 x 18.6	9.5	33.5 x 35.5	4 pin	2	1					
Long Shackle												
SQR701722	40	39.5 x 14	6.0	22.5 x 64	4 pin	2	1					
SQR701023	40	39.5 x 14	6.0	22.2 x 100	4 pin	2	1					
SQR701004	50	51 x 15.5	8.8	28 x 65	4 pin	2	1					
			BLISTE	R								
Open Shackle - Twin Pack - Keyed Alike												
SQR701808	40	39.5 x 14	6.0	22.5 x 21.1	4 pin	4	2					
SQR701048	50	51 x 15.5	8.8	28 x 30	4 pin	4	2					
BOX												

Open Shackle - Keyed Alike

6.0

8.8

Marine Grade - 'Lion' Range

39.5 x 14

51 x 15.5

LEISURE

SQU08

· Offers a superior level of security for indoor or outdoor use at home

40

50

- Marine grade stainless steel shackle
- Double locking

SQR701898

SQR701246

- Solid brass lock body
- Pin tumbler lock mechanism



22.5 x 21.1

28 x 30

4 pin

4 pin



Open Shackle

Long Shackle

Product Code	Size (mm)	W x D (mm)	Ø (mm)	Clearance WxH (mm)	Cylinder Type	Keys	Qty (pcs)
			PACK				
		C	pen Shac	kle			
SQR701482	30	31.5 x 13	5.5	16.5 x 19.5	4 pin	2	1
SQR701997	40	39.5 x 14	6.5	22.5 x 22	5 pin	2	1
SQR701689	50	51 x 15.5	8.8	28 x 30	5 pin	2	1
		L	ong Shac	kle 💮			
SQR701401	40	39.5 x 14	6.5	22.5 x 63	5 pin	2	1
							SQU08



SQUIRE 'CP Range'

CP Range Combination Padlocks

HOME

Squire's best-selling, heavy-duty range of recodable combination padlocks. Unique in design, these combination locks are manufactured to the highest standards for quality performance. Easy to use, they are fully recodable and can be coded alike so that one code opens several locks.

- Hardened steel shackle
- Double locking & fully recodable
- Die cast alloy body cover
- Push button opening
- New patented design







Pack

Open Shackle Size

Long Shackle Closed Shackle

Shackle

Product Code	Size (mm)	W x D (mm)	Ø (mm)	Clearance WxH (mm)	No. Of Dials	Qty (pcs)					
			PACK								
Open Shackle											
SQR701367	40	40 x 22	6.0	17 x 20	4	1					
SQR701320	50	50 x 26	8.0	22.6 x 26	4	1					
SQR701623	60	60 x 33	10.0	28 x 34	5	1					
Long Shackle											
SQR701043	40	40 x 22	6.0	17 x 63	4	1					
SQR701841	50	50 x 26	8.0	22.6 x 38.1	4	1					
SQR701992	50	50 x 26	8.0	22.6 x 63.5	4	1					
SQR701730	50	50 x 26	8.0	22.6 x 100	4	1					
SQR701915	60	60 x 33	10.0	28 x 63	5	1					
		Clos	ed Shackle								
SQR701825	40	40 x 22	6.0	13 x 17	4	1					
SQR701061	50	50 x 26	8.0	16 x 22	4	1					
SQR701744	60	60 x 33	10.0	22 x 29	5	1					

Shackle

Marine - CP Combination Padlocks LEISURE

- · Rustproof stainless steel shackle and die cast alloy body
- · 4 wheels offering 10,000 possible combinations
- Double locking & fully recodable push button opening
- · New patented design







Pack

Open Shackle

Shackle

Long Shackle

Shackle

Product Code		Size (mm)			Clearance WxH (mm)	No. Of Dials	Qty (pcs)
			P.	ACK			
SQR	SQR701361	40	40 x 22	6	17 x 20	4	1
	SQR701002	50	50 x 26	8	22.6 x 26	4	1
			Long	Shackle			
SQR701807	SQR701807	7 40 40 x 22	40 x 22	6	17 x 63	4	1
SQR701444		50	50 x 26	8	22.6 x 63	4	1
							COLINE

Size

Defender - Combination Padlock

HOME

A small combination padlock, ideal for suitcases and school or gym lockers. Featuring a small 20mm lock body and 3 wheel recodable combination.



- 3 wheel combination
- 20mm body
- Recodable
- Solid steel open shackle
- 1,000 possible combinations

Size Shackle Shackle Product Size WxD Ø Clearance No. Of Qty WxH (mm) Dials Code (mm) (mm) (mm) (pcs)

Open Shackle SQR701801 20 20 x 10 3.1 9 x 22

SQUIRE Harsh **Environment Padlocks**

All Terrain Padlocks

HOME

All terrain padlocks comprise of a brass body with stainless steel shackle encased within a protective sleeve for optimal resistance to corrosion.

- All weather, protective body cover for extra resistance to the environment
- Rustproof stainless steel shackle
- Solid brass lock body
- · Pin tumbler cylinder





Open Shackle

Shackle

Product Code	Size (mm)	WxD (mm)	Ø (mm)	Clearance WxH (mm)	Cylinder Type	Keys	Qty (pcs)				
PACK											
Open Shackle											
SQR701447	40	44 x 20	6.0	22 x 20	5 pin	2	1				
SQR701073	50	58 x 25	8.8	28 x 29	5 pin	2	1 SQU06				

Shackle

Old English Padlocks

HOME

Pack

Pack

Traditional style Old English galvanised steel 4 lever padlocks.

- Featuring a steel shackle and 4-lever lock mechanism
- · Key-hole cover for all-weather protection
- · Ideal for all outdoor environments





Product Code	Size (mm)	WxD (mm)	Ø (mm)	Clearance WxH (mm)	Cylinder Type	Keys	Qty (pcs)
			PACK				
		0	pen Shac	kle			
SQR701943	40	51 x 16.5	8.0	18 x 18	4 Lever	2	1
SQR701170	60	64 x 19.7	10.0	21 x 21	4 Lever	2	1 SQU07



SQUIRE Hasps & Staples

Hasps & Staples

Squire's wide range of hasp and staples are designed to deliver an extra level of security. Ideal for securing external storage facilities and sheds.

The SQR701615 hasp and staple fits 13mm shackle padlocks and comes with Sold Secure and Secured by Design approval for new home requirements.







SQR701615

- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double doors



SQR701445



SQR701060



SQR701533

Product Code	Size (mm)	Size L x W (mm)	Staple Clearance (mm)	CEN Rating	Pack Qty (pcs)
		PACK			
		Hasps & Stap	oles		
SQR701615	231	231 x 76	13	CEN 4	1
SQR701445	216	216 x 54.2	25	-	1
SQR701060	152	152 x 44	12.5	-	1
	Hasp	& Staple - Inter	grated Lock		
SQR701533	152	152 x 44	-	-	1
					SQU11

SQUIRE Locking Bolts

Keybolt™ Weatherproof Locking Bolt

All weather, key-operated locking bolt. Allows secure entry to sheds, cupboards, storage areas, cabinets and lockers. Four lever lock mechanism for high pick resistance. Security screws included.

- Steel lock body and bolt encased in a weatherproof cover
- Steel components
- · 4 lever lock mechanism
- Interior and exterior use



Product Code	Size (mm)	Size L x W (mm)	Lock Type	Keys	Pack Qty (pcs)
		PACK			
SQR701883	113	113 x 68	4 Lever	2	1 SQU15

Combi-Bolt® Recodable Locking Bolts

Recodable die cast combination bolts. Allows convenient keyless and one handed entry to sheds, cupboards, storage areas, cabinets and lockers.

- Die cast lock body
- One handed operation
- · Security screws included
- High pick resistance
- Replaces a padlock and hasp & staple



Product Code	Size (mm)	Size L x W (mm)	No. Of Dials	Pack Qty (pcs)
		PACK		
SQR701118	92	92 x 35	3	1
SQR701070	120	120 x 50	4	1
SQR701799	150	150 x 60	5	1



SQUIRE Chains

Stronghold® High Security Chains

High security hardened alloy steel chains that have achieved the Sold Secure Rating. This ultra-tough chain provides motorcycle and scooter owners with a range of security solutions.

• Hardened alloy steel chain covered with Squire blue sleeves





Ø 16mm

	Product Code	Link Ø(mm)	Length (mm)	Sold Secure Level	Qty (pcs)
PACK					
			Motorcycle		
SC	QR701358	16	1500	Gold (Motorcycle)	1
			Bicycle		
SC	QR701917	8	1200	Silver (Bicycle)	1
SC	QR701410	10	1200	Gold (Bicycle)	1 SQU12

Hardened Steel Chain



A hardened steel chain covered with Squire grey sleeve.

Product Code	Link Ø (mm)	Length (mm)	Pack Qty (pcs)
	PACK		
SQR701030	8	1200	1 SQU12

SQUIRE Anchors

Ground Anchors

Sold Secure Diamond single bridge ground anchors approved for motorcycles. Supplied with security fixings and with a blue powder coated finish.





• Single bridge anchor

Pack

- Fully case hardened product to RC 60 spec. Solid construction
- Supplied with four security fixing bolts, steel ball inserts
- Blue powder coated finish

Product Code	Size (mm)	Size L x W (mm)	Clearance (mm)	To Suit Chain Ø up to (mm)	Sold Secure Level	Pack Qty (pcs)
PACK						
SQR701134	160	160 x 120	65 x 60	19	Gold (Motorcycle) & Diamond (Bicycle)	1
SQR701162	200	200 x 150	73 x 76	22	Diamond (Motorcycle)	1
						SQU13

Wall Anchors

Hardened steel wall anchors for internal and external use.

- 5mm hardened steel construction
- Powder coated
- Easy to fit
- Supplied with security fittings





Product Code	Size (mm)	Size L x W (mm)	Clearance (mm)	To Suit Chain Ø up to (mm)	Pack Qty (pcs)
		PACK			
SQR701924	219	48 x 219	37 x 31	8	1
SQR701735	283	77 x 283	58 x 43	10	1
					SQU13

SQUIREKey Safes

KeyKeep™ 2 - Push Button Key Safe

Durable die cast construction and weather resistant cover designed to with stand attack. $\label{eq:construction}$

The 12 button recodable combination lock has 4000 possible combinations. You can revoke access at any point by changing the code.

Chosen code can be any number of digits, from a 1-12 digit code.







- Easy to recode
- Discrete appearance, dark colour does not attract attention
- · Automatic reset feature for extra security
- Attaches easily to any flat surface. Comes with 4 fixing bolts

Product Code	LxWxD (mm)	LxWxD (mm)	Qty (pcs)
	PACK		
SQR701414	121 x 78 x 57	85 x 68 x 13	1 SQU16

KeyKeep[™] 1 - Combination Key Safe





Durable construction, four wheel recodable combination key safe. · Powder coated finish

Internal Size Pack

- Durable construction
- Four wheel recodable combination lock
- Weather resistant cover
- Easy to fit

Product Code	Size L x W x D (mm)	Pack Qty (pcs)
	PACK	
SQR701667	120 x 85 x 35	1

SQUIRE Garage Security

Garage Door Protector

Effective and Sold Secure approved, extra security for garage doors. Simple ground fitting in front of garage door. Tilt action arm locks into place to prevent garage door from being opened. Once opened, drive straight over, no removal needed.





SQR701600

320

320 x 100 Bronze (Domestic)





Gate & Fence Hardware

Gate Hardware

Locks & Handles	281-282
Latches & Catches	283-284
Bolts	285-288
Hasps & Staples	289-290
Exterior Gate & Door Hinges	291-294
Gate Kits	295

Field Gate Hardware

Field Gate Hooks & Eyes	296
Field Gate Hinge Sets	297-298
Field Gate Catches	299
Throw-Over Loops	300
Field Gate Wheels	300

Fence Hardware

Fence Post Supports	301-302
Fencing Accessories	303
Chains & Accessories	304-305

Locks & Handles



Long Throw Locks - Single



Technical Data			
Size (mm)	50	70	
Max. Door Thickness (mm)	50	70	
Keep Size L x W (mm)	125 x 28		
Lock Case Size L x W (mm)	106 x 70		
Cylinder Ø (mm)	26		
No. of Screw Holes	8		
Screw Ø (mm) 5.0		.0	

An ideal high security lock for gates where key access from the outside is required. The lock can be opened from the inside without the use of a key providing quick and easy access.

The lock features a cylinder barrel of either 50 or 70mm in length, suitable for either 50mm or 70mm gate thicknesses. Supplied with a brass

escutcheon for a clean flush finish around the lock cylinder or alternatively a rim lock escutcheon handle can be used (sold separately).

- · Supplied with 3 keys
- · Fixings included

Produc Epoxy Black	Size (mm)	Qty	Carton Qty (packs)
BOX			
GLS50	50	1	25
GLS70	70	1	20
			GAH01

Long Throw Locks - Double



An ideal high security
lock for gates where
key access from the
outside and inside is
required.

The lock features a cylinder barrel of either 50 or 70mm in length, suitable for either 50mm or 70mm gate thicknesses.

Supplied with a brass escutcheon for a clean flush finish around the lock cylinder or alternatively a rim lock escutcheon handle can be used (sold separately)

- · Supplied with 3 keys
- Fixings included

Technical Data			
Size (mm)	50	70	
Max. Door Thickness (mm)	50	70	
Keep Size L x W (mm)	LxW(mm) 125x28		
Lock Case Size L x W (mm)	106 x 70		
Cylinder Ø (mm)	26		
No. of Screw Holes	8		
Screw Ø (mm) 5.0		.0	

Epoxy Black	Size (mm)	Qty	Carton Qty (packs)
	BO	X	
GLD50	50	1	25
GLD70	70	1	20
			GAH01

Escutcheon Handle



A high quality pull handle to suit the extended throw locks. The pull handle fits over the rim cylinder of the lock to provide a clean finish to the cylinder hole.



	Produc	ct Code		Pack	Carton
	Epoxy Black	Polished Chrome	Size (mm)	Qty (pcs)	Qty (packs)
		BAG -	EXCLUDES FIXINGS		
	RLEH8BB	RLEH8CB	200	1	100 GAB03
TIMBAG - FIXINGS INCLUDED					
	427258	427336	200	1	10

Hot Bed Handle



A durable and hard wearing handle for gates and shed doors.

Technical Data			
Size (mm)	150	175	
Length (mm)	150	175	
Length (inch)	6	7	
No. of Screw Holes 4			
Rec. Screw Ø (mm) 4.0			

Product Cod Epoxy Black	Size (mm)	Qty	Carton Qty (packs)
	BAG - EXCLUDES FIXI	NGS	
HBH6B	150	1	160
HBH7B	175	1	160
			GAB05
Т	IMBAG - FIXINGS INCL	UDED	
HBH6BP	150	1	20
HBH7BP	175	1	20

rimeo

Rim Locks

Rim Dead Lock - 106 x 74



An ideal medium security lock for shed and internal

It is reversible for both left and right hand hung doors and is key operational from both sides

· Supplied with 2 keys.

Technical Data		
Size (mm)	106 x 74	
Lock Case Size LxW (mm)	106 x 74	
Keep Size L x W (mm)	75 x 23	
Lock Follower Backset (mm)	43	
Bolt Throw (mm)	13.5	
No. of Screw Holes	5	
Rec. Screw Ø (mm)	4.0	

Epoxy Black	Size (mm)	Pack Carton Qty Qty (pcs) (packs)
	BAG	
RDLB	106 x 74	1 10 GAB03
	TIMBAG	
427124	106 x 74	1 5
		GAP02

Rim Sash Lock Fluted - 156 x 106



An ideal medium security lock for sheds and internal doors

It is reversible for both left and right hand hung doors and is key operation from both sides


 Use with rim knob sets to operate the latch

• Supplied with 2 keys.

Technical Data		
Size (mm)	156 x 106	
Lock Case Size L x W (mm)	156 x 106	
Keep Size L x W (mm)	92 x 24	
Lock Follower Backset (mm)	43	
Latch Follower Backset (mm)	105	
Bolt Throw (mm)	13.5	
No. of Screw Holes	6	
Rec. Screw Ø (mm)	4.0	

Product Code Epoxy Black	Size (mm)	Qty	Carton Qty (packs)
	BAG		
RSLFB	156 x 106	1	10 GAB03
	TIMBAG		
427148	156 x 106	1	5
			GAP02

Rim Sash Locks - 143 x 83



Reverse Plate- RSLRPB

An ideal medium security lock for shed and internal doors.

It is reversible for both left and right hand hung doors and is key operational from both sides. Use with rim knob sets to operate the latch.

 $\bullet \ \mathsf{Supplied} \ \mathsf{with} \ \mathsf{keep} \ \mathsf{for} \ \mathsf{both} \ \mathsf{inward} \ \mathsf{and} \ \mathsf{outward}$ opening doors and 2 keys.

Technical Data	
Size (mm)	143 x 83
Lock Case Size LxW (mm)	143 x 83
Keep Size L x W (mm)	75 x 23
Lock Follower Backset (mm)	43
Latch Follower Backset (mm)	105
Bolt Throw (mm)	13.5
No. of Screw Holes	5
Rec. Screw Ø (mm)	4.0

Product Code Epoxy Black	Opening Type	Size (mm)	Includes Fixings	Pack Qty (pcs)	Carton Qty (packs)
		BAG			
RSLB	Inward	143 x 83	No	1	10
RSLRB	Outward	143 x 83	Yes	1	10
RSLRPB	Outward	74 x 22	Yes	1	20 GAB03
		TIMBA	G		
427695	Inward	143 x 83	Yes	1	5
					CADOO

Press Lock



A low security lock commonly fitted to shed and green house doors which is surface mounted for quick and easy installation. The lock bolt engages on or into the door frame and does not require a keep.

 \bullet Supplied with 1 key. Additional spare keys are available as one key fits all locks. *PL3LKB supplied with 2 extra long keys.

Technical Data						
Size (mm)	76	100	125			
Lock Case Size LxW (mm)	100 x 76	100 x 100	100 x 125			
Lock Follower Backset (mm)	40	52	64			
Bolt Throw (mm)		15				
No. of Screw Holes	4					
Rec. Screw Ø (mm)		4.0				

Product	Code Size	Size	Kev	مماريطمم		Carton
Epoxy Black	(inch)	(mm)	Length	Includes Fixings		Qty (packs)
			BAG			
PL3BB	3	76	Standard	No	1	100
PL3LKB	3	76	Extra Long*	Yes	1	50
PL4BB	4	100	Standard	No	1	80
PL5BB	5	125	Standard	No	1	50
						GAB04
			TIMBAG			
427111	3	76	Standard	Yes	1	10
427754	4	100	Standard	Yes	1	10

Plastic Rim / Mortice **Knob Set**





Ideal for use on shed doors and gates. Can be used with rim or mortice locks.

two escutcheon plates to cover keyhole cut outs.

Technical Data				
Size (mm)	One Size			
Knob Ø (mm)	50			
Rose Ø (mm)	56			
Escutcheon Ø (mm)	33			
Spindle Length (mm)	115			
No. of Screw Holes	12			
Rec. Screw Ø (mm)	4.0			

Product Code Epoxy Black		Pack Qty (pcs)	Carton Qty (packs)
	BAG		
RPKSB		1	50 GAB03
	TIMBAG		
427212		1	5

Press Lock Spare Keys (x5)



Spare keys that will operate all press locks

Product Code		Pack Qty (pcs)	Carton Qty (packs)
	BAG		
SPAREPLK		5	50
			CAROA





Latches & Catches



Suffolk Latches

External handle allows gate to be opened from the outside.



Technical Data						
Туре	Medium	Heavy				
Backplate Size (mm)	205 x 45	219 x 50				
Bar Length (mm)	203	203				
Catch Projection (mm)	80	110				
Max. Gate Thickness (mm)	50	75				
No. of Screw Holes - CSK/Pan	12	14				
Screw Ø (mm)	4.0	4.0				

	Product Co	de		Backplate Size	Pack	Carton	
Epoxy Black	Zinc	Hot Dipped Galvanised	Туре	LxW (mm)	Qty (pcs)	Qty (packs)	
		BAG - EX	XCLUDES FIXING	SS			
SLMBB	SLMZB	SLMGB	Medium	205 x 45	1	40	
523369	-	523585	Heavy	219 x 50	1	30	
						LCB01	
	TIMBAG - FIXINGS INCLUDED						
SLMBP	SLMZP	SLMGP	Medium	205 x 45	1	5 LCP01	

Ring Gate Latch

Smooth

Twisted



For use on light domestic gates. External handle allows the gate to be opened from the outside

The twisted pattern ring handle adds a decorative feature.


Technical Data					
Size (mm)	150				
Bar Length (mm)	150				
Backplate Size L x W (mm)	70 x 70				
Spindle Length (mm)	100				
Max. Gate Thickness (mm)	75				
No. of Screw Holes - Pan	12				
Screw Ø (mm)	4.0				

Product Code Pack Carton Size Qty Qty Hot Dipped Size Zinc Туре (mm) (inch) (pcs) (packs) **BAG - EXCLUDES FIXINGS** RGI 6RR RGI 67B RGI 6GB Smooth 150 20 TRGL6BB TRGL6GB Twisted 150 30 LCB02 **TIMBAG - FIXINGS INCLUDED** RGL6BP RGL 6ZP RGL 6GP 8 Smooth 150 6 TRGL6GP Twisted TRGL6BP 150 6 8

Automatic Gate Catches

Automatic Gate Catch -50mm

Automatically latches when the gate is shut and are pad-lockable for added security. Ideal for use in light domestic applications.



Heavy Automatic Gate Catch*-50mm

Automatically latches when the gate is shut and are pad-lockable for added security. Ideal for use in heavy domestic, commercial and agricultural applications.



Product Code						Carton
Epoxy Black	Zinc	Hot Dipped Galvanised	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
	BAG ·	- EXCLUD	ES FIX	(ING	5	
AGLMBB	AGLMZB	AGLMGB	50	2	1	100
-	-	AGLHGB*	50	2	1	60
						LCB03
	TIMBA	G - FIXING	SINC	LUD	ED	
AGLMBP	AGLMZP	AGLMGP	50	2	1	10
-	-	AGLHGP*	50	2	1	10
						LCP03

* Heavy Automatic Gate Catch

Kick Over Stable Latch



Kick over stable latches are ideal for stables and agricultural applications where a hands free operation is required.

Technical Data	
Size (mm)	240
Bar Length (mm)	240
Backplate Size L x W (mm)	110 x 45
Seat Brackets Size L x W (mm)	45 x 170
Seat Brackets Backplate Size L x W (mm)	45 x 80
Catch Projection (mm)	140
No. of Screw Holes - Countersunk / Pan	12
Screw Ø (mm)	5.0

Product Code			Pack	Carton
Hot Dipped Galvanised	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
AIT.	1BAG - FIXIN	GS INCLU	DED	

KOSLG 240 10 9 1/2 FGC01

No. of Screw Holes - CSK / Pan

Screw Ø (mm)





4.0

6

4.0

LCP02



Cabin Hook Cast Iron



Ideal for retaining doors and gates in an open position in heavy domestic and agricultural applications. Made from cast iron for added strength and durability.

Technical Data				
Size (mm)	75 - 300			
Backplate Size L x W (mm)	45 x 45			
No. of Screw Holes	4			
Screw Ø (mm)	4.0			

Proc	luct Code			Pack	Carton
Epoxy Black	Hot Dipped Galvanised	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
	BAG - EXCLUDES FIXINGS				
523467	523656	75	3	1	200
523258	523219	100	4	1	200
523963	523953	150	6	1	150
523458	523632	200	8	1	100
523957	523454	250	10	1	50
523326	523565	300	12	1	50
					LCB05
	TIMBAG - FI	XINGS	INCLUI	DED	
527115	527568	75	3	1	10
527225	527541	100	4	1	10
527998	527114	150	6	1	10
527651	527554	200	8	1	10
527478	527665	250	10	1	10 LCP05

Turn Button Cast Iron



Turn buttons are used for holding flush fitting doors and gates closed. Use a 4.0 x 30mm screw to attach to door/gate

LCP06

	Product C	ode			Pack	Carton
Epoxy Black	Zinc	Hot Dipped Galvanised	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
	BAG	- EXCLUE	DES FI	XING	S	
TB2BB	-	TB2GB	50	2	1	600
-	TB2ZB	-	52	2	20	20
-	TB25ZB	-	67	2 1/2	20	20 LCB06
	TIMBA	G - FIXING	GS IN	CLUD	ED	
TR2RP	_	TROOP	50	2	2	20

Cabin Hook Wire Pattern



Ideal for retaining doors and gates in an open position in light domestic applications.



Technical Data				
Size (mm)	100-300			
Backplate Size L x W (mm)	40 x 40			
No. of Screw Holes	8			
Screw Ø (mm)	4.0			

Size

(mm)

Pack Carton Size Qty Qty (inch) (pcs) (packs)

Product Code

Zinc

Diack		. ,	(- /	(1)	(1/
	BAG - EX	CLUDES	FIXING	iS	
WCH4BB	WCH4ZB	100	4	1	200
WCH6BB	WCH6ZB	150	6	1	160
WCH8BB	WCH8ZB	200	8	1	120
WCH10BB	WCH10ZB	250	10	1	120
WCH12BB	WCH12ZB	300	12	1	100 LCB05
1	ΓIMBAG - F	IXINGS	NCLUE	DED	
WCH4BP	WCH4ZP	100	4	1	10
WCH6BP	WCH6ZP	150	6	1	10
WCH8BP	WCH8ZP	200	8	1	10
					LCP05

Gate Spring



Gate springs provide automatic closure for single action gates.

The spring tension is adjustable for increasing or decreasing the gate closing force.

Technical Data						
Size (mm) 200 250						
Spring Length (mm)	141	191				
Backplate Size (mm)	30 x 30	30 x 30				
No. of Screw Holes	4	4				
Screw Ø (mm)	4.0	4.0				

Produ Epoxy Black	ct Code Zinc	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
	BAG - EX	CLUDES	FIXING	GS	
GS8BB	GS8ZB	200	8	1	80
GS10BB	GS10ZB	250	10	1	80
					LCB04
-	ΓΙΜΒΑG - F	IXINGS	INCLU	DED	
GS8BP	GS8ZP	200	8	1	15
GS10BP	GS10ZP	250	10	1	10
					LCP04











Bolts

Brenton Padbolt

Brenton padbolts are used for securing flush mounted gates and shed doors in domestic and light commercial applications. They are pad-lockable and fixed with carriage bolts for added security.

Technical Data							
Bolt Length (mm)	102	100	150	200			
Bolt Ø (mm)	12	12	12	12			
Bolt Throw (mm)	12	30	45	45			
Plate Size (mm)	120 x 45	130 x 45	180 x 45	225 x 45			
Staple Keep Size L x W (mm)	83 x 23	56 x 33	56 x 33	56 x 33			
Max. Padlock Shackle Ø (mm)	10	10	10	10			
No. of Carriage Bolt Holes	4	4	4	4			
Carriage Bolt Ø (mm)	M6	M6	M6	M6			
No. of Screw Holes	6	6	6	6			
ScrewØ (mm)	4.0	4.0	4.0	4.0			

Product Code		Bolt	Bolt	Pack	Carton	
Epoxy Black	Zinc	Hot Dipped Galvanised	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
BAG - EXCLUDES FIXINGS						
BP4BB	BP4ZB	BP4GB	100	4	1	80
BP6BB	BP6ZB	BP6GB	150	6	1	60
BP8BB	BP8ZB	BP8GB	200	8	1	40 BTB01
		TIMBAG - FIX	XINGS INCLU	JDED		
BP4BP	BP4ZP	BP4GP	100	4	1	10
BP6BP	BP6ZP	BP6GP	150	6	1	10
BP8BP	BP8ZP	BP8GP	200	8	1	10
						BTP01

BRENTON PADBOLT - ELONGATED KEEP						
BAG - EXCLUDES FIXINGS						
-	282004	-	102	4	1	5
						BTB01

Oval Padbolt

Oval padbolts are ideal for securing flush fitting narrow stile gates and doors in domestic and light commercial applications. They are pad-lockable and fixed with carriage bolts for added security.



Technical Data					
Bolt Length (mm)	100				
Bolt Ø (mm)	12				
Bolt Throw (mm)	40				
Plate Size L x W (mm)	55 x 100				
Staple Keep Size L x W (mm)	73 x 24				
Max. Padlock Shackle Ø (mm)	10				
No. of Carriage Bolt Holes	4				
Carriage Bolt Ø (mm)	M6				

	Product Co	ode	Bolt	Bolt	Pack	Carton
Epoxy Black	Zinc	Hot Dipped Galvanised	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
	BAG - EXCLUDES FIXINGS					
OP4BB	OP4ZB	OP4GB	100	4	1	60 BTB03
TIMBAG - FIXINGS INCLUDED						
OP4BP	OP4ZP	OP4GP	100	4	1	10
						RTP03

Heavy Brenton Padbolt

Heavy brenton padbolts are used for securing flush mounted gates and shed doors in heavy domestic, commercial and agricultural applications. They are pad-lockable and fixed with carriage bolts for added security.

Technical Data							
Bolt Length (mm) 150 200 250 300							
Bolt Ø (mm)	16	16	16	16			
Bolt Throw (mm)	50	50	50	50			
Plate Size (mm)	170 x 60	220 x 60	270 x 60	320 x 60			
Staple Keep Size L x W (mm)	60 x 40	60 x 40	60 x 40	60 x 40			
Max. Padlock Shackle Ø (mm)	14	14	14	14			
No. of Carriage Bolt Holes	4	4	4	4			
Carriage Bolt Ø (mm)	M6	M6	M6	M6			
No. of Screw Holes	6	6	6	6			
Screw Ø (mm)	4.0	4.0	4.0	4.0			

Product Code	Bolt	Bolt	Pack	Carton
Hot Dipped Galvanised	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
	BAG - EXCL	LUDES FIXINGS		
282656	150	6	1	40
282219	200	8	1	35
282953	250	10	1	25
282632	300	12	1	20
				BTB01
	TIMBAG - FIX	(INGS INCLUDED		
287258	150	6	1	10
287456	200	8	1	10
287658	250	10	1	10
287477	300	12	1	10
				BTP01

Slide Action Padbolt



Slide action padbolts are ideal for securing flush fitting gates and doors in domestic and light commercial applications when the bolt is exposed externally. They are padlockable and fixed with eight carriage bolts to prevent the bolt being wrenched from the door.

Technical Data				
Bolt Length (mm)	185			
Bolt Ø (mm)	9			
Bolt Throw (mm)	60			
Plate Size L x W (mm)	105 x 72			
Staple Keep Size L x W (mm)	76 x 25			
Max. Padlock Shackle Ø (mm)	8			
No. of Carriage Bolt Holes	8			
Carriage Bolt Ø (mm)	M6			

Produ	ct Code	Bolt	Bolt	Pack	Carton
Epoxy Black	Zinc	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
		BAG - EXCLUDES	FIXINGS		
282456	282789	185	7 5/16	1	80 BTB04
		TIMBAG - FIXINGS I	NCLUDED		
287114	287585	185	7 5/16	1	10
					BTP04



Necked Tower Bolt



Necked tower bolts are used for securing recessed fitting gates and shed doors in a closed position.

Technical Data							
Bolt Length (mm) 100 150 200							
Bolt Ø (mm)	10	10	11				
Bolt Throw (mm)	40	40	50				
Plate Size L x W (mm)	118 x 38	165 x 38	225 x 45				
Flat Keep Size L x W (mm)	43 x 27	43 x 27	43 x 27				
Flat Keep Hole Size (mm)	12	12	12				
No. of Screw Holes	8	10	10				
Screw Ø (mm)	4.0	4.0	4.0				

Product Code		Bolt	Bolt	Pack	Carton	
Epoxy Black	Hot Dipped Galvanised	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)	
		BAG - EXCLUDES F	IXINGS			
TBN4BB	TBN4GB	100	4	1	120	
TBN6BB	TBN6GB	150	6	1	100	
TBN8BB	TBN8GB	200	8	1	40 BTB02	
	TIMBAG - FIXINGS INCLUDED					
TBN4BP	TBN4GP	100	4	1	15	
TBN6BP	TBN6GP	150	6	1	15	
TBN8BP	TBN8GP	200	8	1	15	
					BTP02	

Straight Tower Bolt



Straight tower bolts are used for securing flush fitting gates and shed doors in a closed position.

Technical Data							
Bolt Length (mm) 75 100 150 200 250							
Bolt Ø (mm)	10	10	10	12	12		
Bolt Throw (mm)	20	25	25	35	35		
Plate Size L x W (mm)	95 x 38	118 x 38	165 x 38	225 x 45	276 x 45		
Staple Keep Size L x W (mm)	39 x 25	39 x 25	46 x 33	46 x 33	46 x 33		
No. of Screw Holes	6	8	10	10	10		
Screw Ø (mm)	4.0	4.0	4.0	4.0	4.0		

	Product Cod	de	Bolt	Bolt	Pack	Carton
Epoxy Black	Zinc	Hot Dipped Galvanised	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
		BAG - EXC	LUDES FIXIN	GS		
TBS3BB	TBS3ZB	TBS3GB	75	3	1	100
TBS4BB	TBS4ZB	TBS4GB	100	4	1	120
TBS6BB	TBS6ZB	TBS6GB	150	6	1	100
TBS8BB	TBS8ZB	TBS8GB	200	8	1	40
TBS10BB	TBS10ZB	TBS10GB	250	10	1	40 BTB02
		TIMBAG - FI	XINGS INCLU	JDED		
TBS3BP	TBS3ZP	TBS3GP	75	3	1	15
TBS4BP	TBS4ZP	TBS4GP	100	4	1	15
TBS6BP	TBS6ZP	TBS6GP	150	6	1	15
TBS8BP	TBS8ZP	TBS8GP	200	8	1	15
TBS10BP	TBS10ZP	TBS10GP	250	10	1	15
						BTP02

Heavy Cross Pattern Door Bolt



Heavy cross pattern bolts are typically used for securing large garage $\,$ doors and gates in industrial and agricultural applications. They are extremely strong, pad-lockable and fixed with carriage bolts for high security.

Technical Data						
Bolt Length (mm)	300	450	600			
Bolt Ø (mm)	16	16	16			
Bolt Throw (mm)	70	150	190			
Plate Size L x W (mm)	316 x 64	465 x 64	600 x 64			
Staple Keep Size L x W (mm)	95 x 64	145 x 64	145 x 64			
Staple Plate Size L x W (mm)	65 x 55	65 x 55	65 x 55			
Max. Padlock Shackle Ø (mm)	16	16	16			
No. of Carriage Bolt Holes	6	6	6			
Carriage Bolt Ø (mm)	M8	M8	M8			
No. of Screw Holes	14	14	14			
Screw Ø (mm)	5.0	5.0	5.0			

Product Code	Bolt	Bolt	Pack	Carton		
Hot Dipped Galvanised	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)		
	BAG - EXCLUDES FIXINGS					
282639	300	12	1	2		
282264	450	18	1	2		
282852	600	24	1	2		

Spring Loaded Animal Bolt



Ideal for securing flush mounted stable doors and gates in a close position. They are spring loaded to prevent animals working the bolt loose and escaping. Our animal bolts come supplied with a staple keep.

Technical Data					
Bolt Length (mm)	143	225	242		
Bolt Ø (mm)	10	12	16		
Bolt Throw (mm)	40	65	65		
Plate Size L x W (mm)	70 x 40	118 x 40	130 x 50		
Staple Plate Size L x W (mm)	50 x 50	50 x 50	65 x 55		
No. of Screw Holes	8	8	8		
Screw Ø (mm)	5.0	5.0	5.0		

Product Code Hot Dipped Galvanised	Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
	BAG - EXCL	UDES FIXINGS		
282454	143	5%	1	20
282565	225	9	1	20
282417	242	9 ½	1	20 BTB06
	TIMBAG - FIX	INGS INCLUDED		
287878	143	5%	1	5
287663	225	9	1	5









Monkey Tail Bolt



Monkey tail bolts are ideal for securing the top and / or bottom of gates and doors. They feature an extended length handle for ease of operation and $remain\ closed\ under\ tension.\ Supplied\ with\ a\ flat$ plate keep and staple keep for fitting in either flush frame mounting, recess frame mounting or floor mounting applications.

Technical Data				
Bolt Length (mm)	300	450		
Square Bolt (mm)	16 x 16	16 x 16		
Bolt Throw (mm)	70	70		
Plate Size L x W (mm)	200 x 50	250 x 50		
Staple Keep Size L x W (mm)	51 x 31	51 x 31		
Flat Keep Size L x W (mm)	49 x 49	49 x 49		
Flat Keep Hole Size L x W (mm)	16 x 16	16 x 16		
No. of Screw Holes	10	10		
Screw Ø (mm)	4.0	4.0		

Prod	uct Code	Bolt	Bolt	Pack	Carton
Epoxy Black	Hot Dipped Galvanised	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
		BAG - EXCLUDES F	IXINGS		
MBS12BB	MBS12GB	300	12	1	20
MBS18BB	MBS18GB	450	18	1	20
					BTB08
	•	TIMBAG - FIXINGS IN	ICLUDED		
MBS12BP	MBS12GP	300	12	1	15
MBS18BP	MBS18GP	450	18	1	15
					BTP07

Bow Handle Bolt



Bow handle bolts are ideal for securing the top and/or bottom of gates and doors. They feature an extended length bow shaped handle for ease of operation and remain closed under tension.

	lechnical Data				
	Bolt Length (mm)	300	450		
	Square Bolt (mm)	16 x 16	16 x 16		
	Bolt Throw (mm)	70	70		
	Plate Size L x W (mm)	180 x 50	220 x 50		
	Staple Keep Size L x W (mm)	51 x 31	51 x 31		
	Flat Keep Size L x W (mm)	49 x 49	49 x 49		
	Flat Keep Hole Size L x W (mm)	16 x 16	16 x 16		
	No. of Screw Holes	10	10		
	Screw Ø (mm)	4.0	4.0		

Prod	uct Code	Bolt	Bolt	Pack	Carton
Epoxy Black	Hot Dipped Galvanised	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
		BAG - EXCLUDES F	IXINGS		
282582	282998	300	12	1	24
282951	282114	450	18	1	12
					BTB08
	•	TIMBAG - FIXINGS IN	ICLUDED		
287665	287771	300	12	1	5
287332	287117	450	18	1	5
					BTP07

Spring Chain Bolt

Spring garage chain bolts are ideal for securing the top of garage doors or gates. The bolt remains closed under spring tension and features a 450mm long pull chain for easy operation to release the bolt.



Technical Data			
Chain Length (mm)	450		
Bolt Throw (mm)	30		
Plate Size L x W (mm)	188 x 56		
Flat Keep Size L x W (mm)	63 x 51		
Flat Keep Hole Size LxW (mm)	18 x 18		
Square Bolt (mm)	16 x 16		
No. of Screw Holes	8		
Screw Ø (mm)	4.0		

Produ	ict Code	Chain	Chain	Pack	Carton
Epoxy Black	Zinc	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
		TIMBAG - FIXINGS II	NCLUDED		
CB18BB	CB18ZB	450	18	1	30 BTB06
		TIMBAG - FIXINGS II	NCLUDED		
CB18BP	CB18ZP	450	18	1	10
					BTP05

Foot Bolt



Garage foot bolts are used for securing the bottom of garage doors and gates. They are foot operated making them ideal for environments where a hands free operation is needed.

Technical Data			
Bolt Length (mm)	200		
Square Bolt (mm)	16 x 16		
Bolt Throw (mm)	30		
Plate Size L x W (mm)	188 x 52		
Flat Keep Size L x W (mm)	49 x 49		
Flat Keep Hole Size L x W (mm)	18 x 18		
No. of Screw Holes	8		
Screw Ø (mm)	4.0		

Produ Epoxy Black	ct Code Zinc	Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
	TIMBAG - FIXINGS INCLUDED				
GFB8BB	GFB8ZB	200	8	1	30 BTB07
TIMBAG - FIXINGS INCLUDED					
GFB8BP	GFB8ZP	200	8	1	8 BTP06





Cane Bolt



Ideal for lightweight gates, garages and shed doors in light domestic applications. Supplied with socket bolt keep.

Technical Data Bolt Length (mm) 300 Bolt Ø (mm) 12 Plate Size L x W (mm) 75 x 40 Socket Keep Size Ø (mm) No. of Screw Holes Screw Ø (mm) 4.0

Product Code Epoxy Black	Bolt Length (mm)	Bolt Length (inch)	Qty	Carton Qty (packs)	
-	BAG - EXCLU	IDES FIXIN	GS		
282159	300	12	1	10 BTB08	
TIMBAG - FIXINGS INCLUDED					

12

Garage Drop Down Bolt



Ideal for securing the bottom of gates and doors in domestic and industrial applications. Extended bolt length for ease of operation and an adjustable bolt throw by moving the keep position.

Technical Data						
Bolt Length (mm) 300 450						
Bolt Ø (mm)	14	14				
Handle Plate Size LxW (mm)	45 x 88	45 x 88				
Keep Plate Size LxW (mm)	45 x 64	45 x 64				
Flat Plate Size L x W (mm)	60 x 29	60 x 29				
Flat Keep Hole Ø (mm)	20	20				
Socket Keep Size Ø x L (mm)	19 x 50	19 x 50				
No. of Screw Holes	16	20				
Screw Ø (mm)	4.0	4.0				

Product Code		Bolt	Bolt	Pack	Carton	
Epoxy Black	Hot Dipped Galvanised		Dipped Length Length (mm) (inch)			Qty (packs)
	BAG - EXC	LUDES	FIXING	S		
DDB12BB	DDB12GB	300	12	1	20	
DDB18BB	DDB18GB	450	18	1	16	
					BTB08	
•	TIMBAG - FI	XINGS II	NCLUD	ED		
DDB12BP	DDB12GP	300	12	1	15	
DDB18BP	DDB18GP	450	18	1	15	

Heavy Locking Drop Down Bolt



Ideal for securing the bottom of gates and doors in commercial and industrial applications

The bolts are padlockable and fixed with carriage bolts for added security. Extended bolt length for ease of operation and an adjustable bolt throw by moving the keep position.

Technical Data			
Bolt Length (mm)	450		
Bolt Ø (mm)	14		
Plate Size L x W (mm)	95 x 64		
Flat Keep Size L x W (mm)	45 x 64		
Flat Plate Size LxW (mm)	60 x 29		
Flat Keep Hole Ø (mm)	20		
Socket Keep Size Ø x L (mm)	19 x 50		
Staple Keep Plate Size L x W (mm)	50 x 50		
Max. Padlock Shackle Ø (mm)	16		
No. of Carriage Bolt Holes	4		
Carriage Bolt Ø (mm)	M6		
No. of Screw Holes	16		
Screw Ø (mm)	4.0		

Product Code	Bolt	Bolt	Pack	Carton
Hot Dipped Galvanised	Length (mm)	Length (inch)	Qty (pcs)	Qty (packs)
TIM	BAG - FIXIN	NGS INCL	JDED	
LDDB18GP	450	18	1	10 BTP07

Garage Door Holders

300

287254

Junior Garage Door Holder Wide Lintel 375mm



For holding garage and barn doors in an open position

Angle of opening can be varied by adjusting the distance of the lintel bracket from the hinge edge Automatically engages when the door is opened and released by pulling the cord.

Ideal for applications where the door cannot be propped open or hands free operation is needed.

- · Mounts to the underside of the lintel and requires minimum lintel width of 60mm
- For doors below 900mm wide

Product Code

Epoxy Black	Туре	Lintel Type	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
	В	AG - EXCLUDI	ES FIXINGS			
523114	Junior	Wide	375	15	1	20
523417	Senior	Wide	600	24	1	20
523998	Senior	Narrow	600	24	1	20 GAB07

Senior Garage Door Holder Wide Lintel 600mm



For holding garage and barn doors in an open position. Angle of opening can be varied by adjusting the distance of the lintel bracket from the hinge edge. Automatically engages when the door is opened and released by pulling the cord. Ideal for applications where the door cannot be propped open or hands free operation is needed.

- · Mounts to the underside of the lintel and requires minimum lintel width of 60mm
- For doors over 900mm wide

Senior Garage Door Holder Narrow Lintel 600mm



For holding garage and barn doors in an open position. Angle of opening can be varied by adjusting the distance of the lintel bracket from the hinge edge. Automatically engages when the door is opened and released by pulling the cord. Ideal for applications where the door cannot be propped open or hands free operation is needed.

- Mounts to the side of the lintel and requires minimum lintel width of 60mm
- For doors over 900mm wide

Technical Data					
Product Code	523114	523417	523998		
Size (mm)	375	600	600		
To Suit Lintel Type	Wide	Wide	Narrow		
Lintel Fixing Plate Size W x L (mm)	45 x 80	45 x 80	44 x 58		
Door Fixing Plate Size L x W (mm)	58 x 21	47 x 58	47 x 58		
Cord Length (mm)	1020	1020	660		
No. of Screw Holes	8	8	8		
Screw Ø (mm)	4.0	4.0	4.0		









Hasps & Staples

Wire Pattern Hasp & Staple



A low security lightweight hasp and staple for sheds and toolboxes in light domestic applications.

Technical Data					
Size (mm)	75	100	150		
Fixing Plate Size L x W (mm)	35 x 30	40 x 35	57 x 45		
Hasp Plate Size L x W (mm)	45 x 12	65 x 12	100 x 16		
Staple Plate Size L x W (mm)	25 x 25	25 x 30	45 x 35		
Max. Padlock Shackle Ø (mm)	6.0	6.0	6.0		
No. of Screw Holes - Countersunk	7	7	8		
Screw Ø (mm)	3.5	3.5	3.5		

Produ	ct Code			Pack	Carton
Epoxy Black	Zinc	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
		BAG - EXCLUDES FIX	KINGS		
WHS3BB	WHS3ZB	75	3	1	500
WHS4BB	WHS4ZB	100	4	1	400
WHS6BB	WHS6ZB	150	6	1	200 HSB01
		TIMBAG - FIXINGS INC	CLUDED		
WHS4BP	WHS4ZP	100	4	1	10
WHS6BP	WHS6ZP	150	6	1	10 HSP01

Safety Pattern Hasp & Staple

A low security hasp and staple for light domestic gates and shed doors.



Technical Data				
Size (mm)	75	115	150	
Fixing Plate Size L x W (mm)	30 x 40	40 x 40	58 x 40	
Hasp Plate Size L x W (mm)	75 x 39	115 x 39	150 x 38	
Staple Plate Size L x W (mm)	40 x 40	40 x 40	40 x 40	
Max. Padlock Shackle Ø (mm)	10.0	10.0	10.0	
No. of Screw Holes - Countersunk	6	8	8	
Screw Ø (mm)	4.0	4.0	4.0	

	ct Code	Size	Size	Pack Qty	Carton
Epoxy Black	Zinc	(mm)	(inch)	(pcs)	Qty (packs)
		BAG - EXCLUDES F	IXINGS		
HS3BB	HS3ZB	75	3	1	160
HS4BB	HS4ZB	115	41/2	1	100
HS6BB	HS6ZB	150	6	1	120 HSB02
	T	IMBAG - FIXINGS IN	CLUDED		
HS3BP	HS3ZP	75	3	1	15
HS4BP	HS4ZP	115	41/2	1	15
HS6BP	HS6ZP	150	6	1	5



Hybrid Hasp & Staple



Hybrid Hasp & Staple for uneven surfaces to be used with a padlock. For internal & external use.

Technical Data				
Size (mm)	125			
Size (IIIII)	123			
Fixing Plate Size L x W (mm)	30 x 25			
Hasp Plate Size L x W (mm)	100 x 30			
Staple Plate Size L x W (mm)	25 x 20			
Max. Padlock Shackle Ø (mm)	9.5			
No. of Screw Holes - Countersunk	7			
Screw Ø (mm)	3.0			

Product Code Zinc	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
ZIIIG	(11111)	(IIICII)	(pcs)	(packs)
	BAG - EXCLUE	DES FIXINGS		
472393	125	5	1	200 HSB07

Hinged Hasp & Staple

Single



Double



Hinged flexible hasp and staple for use around corners, angles and uneven surfaces where doors do not sit flush with frames.

Technical Data					
Size (mm)	160	200			
Fixing Plate Size L x W (mm)	45 x 40	45 x 40			
Single Hasp Plate Size L1 x L2 x W (mm)	88 x 69 x 46	-			
Double Hasp Plate Size L1 x L2 x L3 x W (mm)	-	88 x 45 x 69 x 46			
Staple Plate Size L x W (mm)	42 x 44	42 x 44			
Max. Padlock Shackle Ø (mm)	13	13			
No. of Screw Holes	8	8			
Screw Ø (mm)	4.0	4.0			

Product Code		Size	Size	Pack	Carton		
Zinc	Туре	(mm)	(inch)	Qty (pcs)	Qty (packs)		
	BLISTER PACK - FIXINGS INCLUDED						
PHS160	Single	160	6	1	48		
PHS200	Double	200	8	1	48		
					HSP07		



Heavy Secure Bolt On Hasp & Staple



A high security, heavy duty hasp and staple for sheds, gates and doors in heavy domestic, commercial and agricultural applications. Bolt fixed for additional security.

Technical Data						
Size (mm)	200	250				
Fixing Plate Size L x W (mm)	105 x 55	158 x 55				
Hasp Plate Size L x W (mm)	92 x 55	92 x 55				
Staple Plate Size L x W (mm)	65 x 55	65 x 55				
Max. Padlock Shackle Ø (mm)	15	15				
No. of Carriage Bolt Holes	1	1				
Carriage Bolt Ø (mm)	M12	M12				
No. of Screw Holes - Countersunk	8	8				
Screw Ø (mm)	5.0	5.0				

11000	ici oodc			Pack	Carton
Epoxy	Hot Dipped	Size	Size	Qty	Qty
Black	Galvanised	(mm)	(inch)	(pcs)	(packs)
Didoit		· · · · · ·	_`	- ,	. ,
	BAG - EX	CLUDES	FIXING	S	
BHS8BB	BHS8GB	200	8	1	30
BHS10BB	BHS10GB	250	10	1	30
					HSB03
	TIMBAG - F	IXINGS	NCLUE	ED	
BHS8BP	BHS8GP	200	8	1	8
BHS10BP	BHS10GP	250	10	1	8

Product Code

Heavy Vertical Bolt On Hasp & Staple



A high security, heavy duty hasp and staple for sheds, gates and doors in heavy domestic, commercial and agricultural applications. The vertical pattern fixing plate makes this ideal for fitting to a narrow stile door or frame. Bolt fixed for additional security.

Technical Data				
Size (mm)	150			
Fixing Plate Size L x W (mm)	50 x 150			
Hasp Plate Size L x W (mm)	92 x 55			
Staple Plate Size L x W (mm)	65 x 55			
Max. Padlock Shackle Ø (mm)	15			
No. of Carriage Bolt Holes	2			
Carriage Bolt Ø (mm)	M12			
No. of Screw Holes - Countersunk	8			
Screw Ø (mm)	5.0			

Prodi Epoxy Black	Hot Dipped Galvanised	Size (mm)	Size (inch)	Qty	Carton Qty (packs)
	BAG - EXC	CLUDES	FIXING	iS	
VHS6BB	VHS6GB	150	6	1	30 HSB05
	TIMBAG - F	IXINGS I	NCLUE	ED	
VHS6BP	VHS6GP	150	6	1	8
					HSP05

Heavy Swivel Pattern Hasp & Staple



A high security, heavy duty hasp and staple for sheds, gates and doors in heavy domestic, commercial and agricultural applications. The swivel pattern hasp and staple is commonly fitted to double doors as the hasp drops away and allows the slave leaf to open independently.

Technical Data				
Size (mm)	200			
Fixing Plate Size L x W (mm)	55 x 103			
Hasp Plate Size L x W (mm)	92 x 55			
Staple Plate Size L x W (mm)	65 x 55			
Max. Padlock Shackle Ø (mm)	15			
No. of Screw Holes - Countersunk	8			
Screw Ø (mm)	5.0			

Produ	Product Code			Pack	Carton
Epoxy Black	Hot Dipped Galvanised	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
	BAG - EX	CLUDES	FIXING	iS	
SHS8BB	SHS8GB	200	8	1	20 HSB04
	TIMBAG - F	IXINGS II	NCLUE	ED	
SHS8BP	SHS8GP	200	8	1	10
					HSP04

Heavy Padlock Protection Bar


HSP03



Technical Data						
Size (mm)	185					
Fixing Plate Size L x W (mm)	67 x 56					
Hasp Plate Size L x W (mm)	185 x 65					
Staple Plate Size L x W (mm)	76 x 56					
Max. Padlock Shackle Ø (mm)	12					
No. of Carriage Bolt Holes	8					
Carriage Bolt Ø (mm)	M6					

A high security, heavy duty hasp and staple for sheds, gates and doors in heavy domestic, commercial and agricultural applications. The hasp features a strong cast iron housing to cover and protect the padlock from hammer and cutter attack. Bolt fixed for additional security.

Product Code	To Suit			Pack	Carton
Hot Dipped Galvanised	Opening Side	Size (mm)	Size (inch)	Qty (pcs)	Qty (packs)
В	AG - EXCI	UDES	FIXING	SS	
472582	Left	185	7 1/2	1	20
472951	Right	185	7 1/2	1	20
					HSB06
TIM	1BAG - FIX	(INGS II	NCLUE	DED	
478225	Left	185	7 1/2	1	5
478741	Right	185	7 1/2	1	5
					HSP06









Exterior Gate & Door Hinges



Light Tee Hinge



Ideal for lightweight low use gates, sheds and animal hutches.

Technical Data								
Band Length (mm) 100 150 200 250 300								
Thickness (mm)	1.5	1.5	1.5	1.5	1.5			
Knuckle Ø (mm)	7.5	7.5	7.5	7.5	7.5			
Leaf Size L x W (mm)	72 x 20	72 x 20	80 x 20	80 x 20	90 x 20			
Max. Gate Weight (kg)	5	5	10	10	10			
No. of Screw Holes (Pair)	12	14	14	14	14			
Screw Ø (mm)	3.5	3.5	3.5	3.5	3.5			

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Produ	ct Code	Band	Band	To Suit	Pack	Carton		
Epoxy Black	Zinc	Length (mm)	Length (inch)	Gate Width (mm)	Qty (pcs)	Qty (packs)		
BAG								
LTH4BB	LTH4ZB	100	4	200 - 300	1 Pair	200 Pairs		
LTH6BB	LTH6ZB	150	6	300 - 450	1 Pair	120 Pairs		
LTH8BB	LTH8ZB	200	8	400 - 600	1 Pair	100 Pairs		
LTH10BB	LTH10ZB	250	10	500 - 750	1 Pair	100 Pairs		
442268	442214	300	12	600 - 900	1 Pair	50 Pairs		
						HGB01		
	Т	IMBAG - FIX	INGS INCL	.UDED				
LTH4B	LTH4Z	100	4	200 - 300	1 Pair	10 Pairs		
LTH6B	LTH6Z	150	6	300 - 450	1 Pair	10 Pairs		
LTH8B	LTH8Z	200	8	400 - 600	1 Pair	10 Pairs		
LTH10B	LTH10Z	250	10	500 - 750	1 Pair	10 Pairs		
LTH12B	LTH12Z	300	12	600 - 900	1 Pair	10 Pairs		
						HGP01		

Medium Tee Hinge



Technical Data									
Band Length (mm)	250	300	350	375	400	450			
Band Thickness (mm)	1.8	2.0	2.0	2.0	2.2	2.2			
Knuckle Ø (mm)	8.5	9.5	9.5	9.5	11.5	11.5			
Leaf Size L x W (mm)	90 x 25	100 x 25	115 x 25	115 x 25	128 x 30	140 x 30			
Max. Gate Weight (kg)	30	30	30	40	40	40			
No. of Screw Holes (Pair)	14	14	14	16	18	18			
Screw Ø (mm)	4.0	4.0	4.0	4.0	5.0	5.0			

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

	Product Code	е	Band	Band	To Suit	Pack	Carton
Epoxy Black	Zinc	Hot Dipped Galvanised	Length (mm)	Length (inch)	Gate Width (mm)	Qty (pcs)	Qty (packs)
			BAG				
MTH10BB	MTH10ZB	MTH10GB	250	10	500 - 750	1 Pair	40 Pairs
MTH12BB	MTH12ZB	MTH12GB	300	12	600 - 900	1 Pair	40 Pairs
MTH14BB	MTH14ZB	MTH14GB	350	14	700 - 1050	1 Pair	30 Pairs
MTH15BB	MTH15ZB	MTH15GB	375	15	750 - 1125	1 Pair	30 Pairs
MTH16BB	MTH16ZB	MTH16GB	400	16	800 - 1200	1 Pair	20 Pairs
MTH18BB	MTH18ZB	MTH18GB	450	18	900 - 1350	1 Pair	20 Pairs
							HGB02
		TIMBAG - F	IXINGS	NCLUDE	D		
MTH10B	MTH10Z	MTH10G	250	10	500 - 750	1 Pair	10 Pairs
MTH12B	MTH12Z	MTH12G	300	12	600 - 900	1 Pair	10 Pairs
MTH14B	MTH14Z	MTH14G	350	14	700 - 1050	1 Pair	8 Pairs
MTH15B	MTH15Z	MTH15G	375	15	750 - 1125	1 Pair	10 Pairs
MTH16B	MTH16Z	MTH16G	400	16	800 - 1200	1 Pair	8 Pairs
MTH18B	MTH18Z	MTH18G	450	18	900 - 1350	1 Pair	6 Pairs
							HGP02

Gate Range Available in TIMPAC

- Bigger Label
- Colour Coded
- Tamper Proof
- Waterproof
- More Information













Strong Tee Hinge

Product Code



Technical Data									
Band Length (mm)	250	300	350	400	450	600			
Band Thickness (mm)	2.3	2.3	2.3	2.8	2.8	2.8			
Knuckle Ø (mm)	12.0	12.0	12.0	14.0	14.0	14.0			
Leaf Size L x W (mm)	100 x 20	115 x 30	127 x 30	140 x 30	150 x 30	166 x 40			
Max. Gate Weight (kg)	40	40	60	60	80	80			
No. of Screw Holes (Pair)	14	18	18	18	18	20			
Screw Ø (mm)	4.0	4.0	4.0	4.0	5.0	5.0			

Band

To Suit

Pack

Carton

 ${\hbox{\tt Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.}}$ Band

Epoxy Black	Hot Dipped Galvanised	Length (mm)	Length (inch)	Gate Width (mm)	Qty (pcs)	Qty (packs)				
BAG										
STH10BB	STH10GB	250	10	500 - 750	1 Pair	40 Pairs				
STH12BB	STH12GB	300	12	600 - 900	1 Pair	30 Pairs				
STH14BB	STH14GB	350	14	700 - 1050	1 Pair	20 Pairs				
STH16BB	STH16GB	400	16	800 - 1200	1 Pair	20 Pairs				
STH18BB	STH18GB	450	18	900 - 1350	1 Pair	20 Pairs				
STH24BB	STH24GB	600	24	1200 - 1800	1 Pair	10 Pairs				
						HGB03				
	TII	MBAG - FIX	INGS INCL	.UDED						
STH10B	STH10G	250	10	500 - 750	1 Pair	6 Pairs				
STH12B	STH12G	300	12	600 - 900	1 Pair	6 Pairs				
STH14B	STH14G	350	14	700 - 1050	1 Pair	6 Pairs				
STH16B	STH16G	400	16	800 - 1200	1 Pair	8 Pairs				
STH18B	STH18G	450	18	900 - 1350	1 Pair	6 Pairs				
STH24B	STH24G	600	24	1200 - 1800	1 Pair	4 Pairs				
						HGP03				

Scotch Tee Hinge



Ideal for heavy weight high use gates and shed doors in domestic, commercial and agricultural applications.

Technical Data										
Band Length (mm)	100	150	200	250	300	355	400	450	500	600
Thickness (mm)	2.2	2.2	2.2	2.2	2.8	3.0	3.0	3.0	3.0	3.0
Knuckle Ø (mm)	11	12	12	12	12	16	16	16	16	16
Leaf Size L (mm)	90	90	100	100	145	145	175	175	175	175
Leaf Size W (mm)	30	30	30	30	40	40	55	55	55	55
Max. Gate Weight (kg)	10	25	40	50	60	80	80	100	100	100
No. of Screw Holes (Pair)	12	12	12	12	12	16	16	16	16	16
Screw Ø (mm)	4.0	4.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Product Code	Band	Band	To Suit	Pack	Carton
Hot Dipped	Length	Length	Gate Width	Qty	Qty
Galvanised	(mm)	(inch)	(mm)	(pcs)	(packs)
		BAG			
442270	100	4	200 - 300	1 Pair	50 Pairs
442159	150	6	300 - 450	1 Pair	50 Pairs
442241	200	8	400 - 600	1 Pair	40 Pairs
442657	250	10	500 - 750	1 Pair	30 Pairs
442225	300	12	600 - 900	1 Pair	25 Pairs
442678	350	14	700 - 1050	1 Pair	10 Pairs
442336	400	16	800 - 1200	1 Pair	10 Pairs
442784	450	18	900 - 1350	1 Pair	10 Pairs
442114	500	20	1000 - 1500	1 Pair	8 Pairs
442878	600	24	1200 - 1800	1 Pair	8 Pairs
					HGB04
	TIMB	AG - FIXINGS	INCLUDED		
447558	100	4	200 - 300	1 Pair	10 Pairs
447254	150	6	300 - 450	1 Pair	10 Pairs
447232	200	8	400 - 600	1 Pair	10 Pairs
447778	250	10	500 - 750	1 Pair	10 Pairs
447669	300	12	600 - 900	1 Pair	10 Pairs
447552	350	14	700 - 1050	1 Pair	8 Pairs
447154	400	16	800 - 1200	1 Pair	8 Pairs
447785	450	18	900 - 1350	1 Pair	4 Pairs
447336	500	20	1000 - 1500	1 Pair	4 Pairs
447123	600	24	1200 - 1800	1 Pair	4 Pairs
					HGP04

Medium Strap Hinge



Techr	ical Data	
Band Length (mm)	150	200
Thickness (mm)	2.0	2.0
Overall Length (mm)	300	400
Knuckle Ø (mm)	10.0	10.0
To Suit Gate Width (mm)	300 - 450	400 - 600
Max. Gate Weight (kg)	20	20
No. of Screw Holes (Pair)	12	16
Screw@(mm)	4.0	4.0

(packs)
60 Pairs
60 Pairs



Heavy Reversible Hinge



Heavy reversible hinges are ideal for flush mounted heavy gates, garage and stable doors in domestic, commercial and agricultural applications. The pins of the hinges mount into the hinge cups and prevent gates or doors from being

Technical Data											
Band Length (mm)	250	300	350	400	450	500	600	750	900	1050	1200
Band Thickness (mm)	4.8	4.8	4.8	4.8	4.8	4.8	5.6	5.6	5.6	5.6	5.6
Band Width (mm)	40	40	40	40	50	50	50	50	50	50	50
Pin Ø (mm)	12	12	12	12	16	16	16	19	19	19	19
Pin Ø (inch)	1/2	1/2	1/2	1/2	5/8	5/8	5/8	3/4	3/4	3/4	3/4
No. of Bolt Holes (Pair)	2	2	2	2	2	2	2	2	2	2	2
Carriage Bolt Ø (mm)	M10	M10									
No. of Screw Holes (Pair)	22	22	22	26	26	26	26	26	30	30	30
Screw Ø (mm)	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0

 ${\hbox{Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.}}$

Produ	Product Code		Band	To Suit	Pack	Carton				
Epoxy Black	Hot Dipped Galvanised	Length (mm)	Length (inch)	Gate Width (mm)	Qty (pcs)	Qty (packs)				
TIMBAG - FIXINGS INCLUDED										
HRH250B	HRH250G	250	10	500 - 750	1 Pair	5 Pairs				
HRH300B	HRH300G	300	12	600 - 900	1 Pair	5 Pairs				
HRH350B	HRH350G	350	14	700 - 1050	1 Pair	5 Pairs				
HRH400B	HRH400G	400	16	800 - 1200	1 Pair	5 Pairs				
HRH450B	HRH450G	450	18	900 - 1350	1 Pair	5 Pairs				
HRH500B	HRH500G	500	20	1000 - 1500	1 Pair	5 Pairs				
HRH600B	HRH600G	600	24	1200 - 1800	1 Pair	5 Pairs				
HRH750B	HRH750G	750	30	1500 - 2250	1 Pair	5 Pairs				
HRH900B	HRH900G	900	36	1800 - 2700	1 Pair	5 Pairs				
HRH1050B	HRH1050G	1050	42	2100-3150	1 Pair	2 Pairs				
HRH1200B	HRH1200G	1200	48	2400 - 3600	1 Pair	2 Pairs FGP02				

Adjustable Band & Hook on Plate



Adjustable hook and band hinges are for hanging doors or gates flush with the frame or post. They are ideal for heavy weight, high use doors, gates, garages and stables in domestic, commercial and agricultural applications. They feature an adjustable eye bolt to allow for gate alignment whilst being fitted or at a later stage if any movement occurs.

Technical Data									
Band Length (mm)	350	450	600	750	900	1200			
Band Thickness (mm)	5.0	5.0	5.0	5.0	5.0	5.0			
Band Width (mm)	50	50	50	60	60	70			
Pin Ø (mm)	19	19	19	19	19	19			
Pin Ø (inch)	3/4	3/4	3/4	3/4	3/4	3/4			
Hook Plate L x W (mm)	160 x 50	160 x 50	200 x 60	200 x 60	200 x 60	200 x 60			
No. of Bolt Holes (Pair)	2	2	2	2	2	2			
Carriage Bolt Ø (mm)	M10	M10	M10	M10	M10	M10			
No. of Screw Holes (Pair)	12	14	14	14	18	20			
Screw Ø (mm)	6.0	6.0	6.0	6.0	6.0	6.0			

 ${\hbox{\tt Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.}}$

Produ	uct Code	Band	Band	To Suit	Pack	Carton
Epoxy Black	Hot Dipped Galvanised	Length (mm)	Length (inch)	Gate Width (mm)	Qty (pcs)	Qty (packs)
	TI	MBAG - FIXIN	IGS INCLU	IDED		
ABH350B	ABH350G	350	14	700 - 1050	1 Pair	4 Pairs
ABH450B	ABH450G	450	18	600 - 900	1 Pair	4 Pairs
ABH600B	ABH600G	600	24	1200 - 1800	1 Pair	4 Pairs
ABH750B	ABH750G	750	30	1500 - 2250	1 Pair	4 Pairs
ABH900B	ABH900G	900	36	1800 - 2700	1 Pair	4 Pairs
ABH1200B	ABH1200G	1200	48	2400 - 3600	1 Pair	2 Pairs
						FGH02

Hook on Rectangular Plate



Spare hook on plate for hook and band hinges

Technical Data							
Pin Ø (mm)	12	16	19				
Pin Ø (inch)	1/2	5/8	3/4				
No. of Screw Holes (Pair)	8	8	8				
Screw Ø (mm)	6.0	6.0	6.0				

Product Code			Hook Plate	To Suit	Pack	Carton	
Hot Dipped Galvanised	Pin Ø (mm)	Pin Ø (inch)	LxW (mm)	Band Size (mm)	Qty	Qty (packs)	
TIMBAG - FIXINGS INCLUDED							
HRP12G	12	1/2	115 x 40	250 - 400	1 Pair	20 Pairs	

HRP16G 16 % 160 x 50 450 - 600 1 Pair 20 Pairs HRP19G 200 x 75 750 - 900 1 Pair 10 Pairs 19

Gate Hooks to Build



Gate hooks to build are used for embedding in between layers of the post brickwork and can be used with straight and cranked hook and band hinges.

Product Code					To Suit	Deal	0
Hot Dipped Galvanised	Pin Ø (mm)	Pin Ø (inch)	Length (mm)	To Suit Brickwork	Band Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
		TIMBA	G - FIXIN	IGS INCLUI	DED		
GHBSB12G	12	1/2	60	Single	250 - 400	1 Pair	10 Pairs
GHBDB12G	12	1/2	180	Double	250 - 400	1 Pair	10 Pairs
GHBSB16G	16	5/8	65	Single	450 - 600	1 Pair	10 Pairs
GHBDB16G	16	5/8	180	Double	450 - 600	1 Pair	10 Pairs
GHBSB19G	19	3/4	65	Single	750 - 900	1 Pair	10 Pairs
GHBDB19G	19	3/4	180	Double	750 - 900	1 Pair	10 Pairs
							FGH04



Straight Band & Hook on Plate



The straight pattern hook and band hinges are for hanging the door or gate in front of the frame or post. They are ideal for heavy weight, high use doors,

gates, garages and stables in domestic and agricultural applications. Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.



Technical Data									
Band Length (mm)	250	300	350	400	450	500	600	750	900
Band Thickness (mm)	4.8	4.8	4.8	4.8	4.8	4.8	5.4	5.4	5.4
Band Width (mm)	40	40	40	40	50	50	50	50	50
Pin Ø (mm)	12	12	12	12	16	16	16	19	19
Pin Ø (inch)	1/2	1/2	1/2	1/2	5/8	5/8	5/8	3/4	3/4
Hook Plate L(mm)	115	115	115	115	160	160	160	200	200
Hook Plate W (mm)	40	40	40	40	50	50	50	75	75
No. of Bolt Holes (Pair)	2	2	2	2	2	2	2	2	2
Carriage Bolt Ø (mm)	M10								
No. of Screw Holes (Pair)	12	12	12	14	14	14	14	14	16
Screw Ø (mm)	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Prod	uct Code	Band	Band	To Suit	Pack	Carton
Epoxy Black	Hot Dipped Galvanised	Length (mm)	Length (inch)	Gate Width (mm)	Qty (pcs)	Qty (packs)
	TI	MBAG - FIXI	NGS INCL	UDED		
HBS250B	HBS250G	250	10	500 - 750	1 Pair	5 Pairs
HBS300B	HBS300G	300	12	600 - 900	1 Pair	5 Pairs
HBS350B	HBS350G	350	14	700 - 1050	1 Pair	5 Pairs
HBS400B	HBS400G	400	16	800 - 1200	1 Pair	5 Pairs
HBS450B	HBS450G	450	18	900 - 1350	1 Pair	5 Pairs
HBS500B	HBS500G	500	20	1000 - 1500	1 Pair	5 Pairs
HBS600B	HBS600G	600	24	1200 - 1800	1 Pair	5 Pairs
HBS750B	HBS750G	750	30	1500 - 2250	1 Pair	5 Pairs
HBS900B	HBS900G	900	36	1800 - 2700	1 Pair	5 Pairs FGH03

Cranked Band & Hook on Plate



The cranked pattern hook and band hinges are for hanging the door or gate flush with the frame or post. They are ideal for heavy weight, high use doors,

gates, garages and stables in domestic and agricultural applications. Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.

.



Technical Data									
Band Length (mm)	250	300	350	400	450	500	600	750	900
Band Thickness (mm)	4.8	4.8	4.8	4.8	4.8	4.8	5.4	5.4	5.4
Band Width (mm)	40	40	40	40	50	50	50	50	50
Pin Ø (mm)	12	12	12	12	16	16	16	19	19
Pin Ø (inch)	1/2	1/2	1/2	1/2	5/8	5/8	5/8	3/4	3/4
Hook Plate L (mm)	115	115	115	115	160	160	160	200	200
Hook Plate W (mm)	40	40	40	40	50	50	50	75	75
No. of Bolt Holes (Pair)	2	2	2	2	2	2	2	2	2
Carriage Bolt Ø (mm)	M10								
No. of Screw Holes (Pair)	12	12	12	14	14	14	14	14	16
Screw Ø (mm)	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Produ	uct Code	Band	Band	To Suit	Pack	Carton
Epoxy Black	Hot Dipped Galvanised	Length (mm)	Length (inch)	Gate Width (mm)	Qty (pcs)	Qty (packs)
	TI	MBAG - FIXII	NGS INCL	UDED		
HBC250B	HBC250G	250	10	500 - 750	1 Pair	5 Pairs
HBC300B	HBC300G	300	12	600 - 900	1 Pair	5 Pairs
HBC350B	HBC350G	350	14	700 - 1050	1 Pair	5 Pairs
HBC400B	HBC400G	400	16	800 - 1200	1 Pair	5 Pairs
HBC450B	HBC450G	450	18	900 - 1350	1 Pair	5 Pairs
HBC500B	HBC500G	500	20	1000 - 1500	1 Pair	5 Pairs
HBC600B	HBC600G	600	24	1200 - 1800	1 Pair	5 Pairs
HBC750B	HBC750G	750	30	1500 - 2250	1 Pair	5 Pairs
HBC900B	HBC900G	900	36	1800 - 2700	1 Pair	5 Pairs FGH02

Curved Rail Hinge Set

Curved rail hinge sets are ideal for flush mounted fully framed gates with a curved top ledge. Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate



Technical Data					
Top Band Length (mm)	300				
Band Width	40				
Band Thickness (mm)	4.8				
Pin Ø (mm)	12				
Pin Ø (inch)	1/2				
Hook Plate L x W (mm)	160 x 50				
No. of Bolt Holes (Pair)	2				
Carriage Bolt Ø (mm)	M10				
No. of Screw Holes (Pair)	13				
ScrewØ (mm)	6.0				

Product Code		Top Band	Top Band	Bottom Band	Pack	Carton
Hot Dipped Galvanised	Hand	Length (mm)	Length (inch)	Length (mm)	Qty (pcs)	Qty (packs)
		B	AG			
CRHLG	Left	300	12	200	1 Pair	5 Pairs
CRHRG	Right	300	12	200	1 Pair	5 Pairs
						HCR05





Gate Kits

Pedestrian Gate Kit



A complete gate kit for medium weight gates in domestic applications. Automatic gate latch is padlockable for additional security.

Kit Contents Medium Tee **Automatic Gate** Hinges Latch Size (mm) 350 50 Qty (pcs)

Fitting Information						
To Suit Gate	700 - 1050					
Max. Gate Weight (kg)	30					
Max. Padlock Shackle Ø (mm)	7					

Fixings Information							
No. of Pan Screws	6						
Pan Screw Size (mm)	4.0 x 30						
No. of Countersunk Screws	18						
Countersunk Screw Size (mm)	4 0 x 30						

Product Code To Suit Pack Carton Qty Qty (pcs) (packs) Gate Zinc (mm) TIMBAG - FIXINGS INCLUDED 427741 427562 700 - 1050 1 GAP05

Side Gate Kit - Ring Latch



A complete gate kit for medium weight gates in domestic applications. Brenton padbolt is padlockable and bolt fixed for additional security.

	Kit Cont	ents	
	Medium Tee Hinges	Ring Gate Latch	Brenton Padbolt
Size (mm)	450	150	150
Qty (pcs)	2	1	1

Fitting Information				
To Suit Gate	900 - 1350			
Max. Gate Weight (kg)	40			
Max. Padlock Shackle Ø (mm)	10			

Fixings Information				
No. of Carriage Bolts 4				
Carriage Bolt Size (mm)	M6 x 50			
No. of Pan Screws	20			
Pan Screw Size (mm)	4.0 x 30			
No. of Countersunk Screws	20			
Countersunk Screw Size (mm)	5.0 x 30			

	Product C	ode	To Suit	Pack	Carton
Epoxy Black	Zinc	Hot Dipped Galvanised	Gate (mm)	Qty (pcs)	Qty (packs)
	TIMBA	G - FIXINGS	INCLUD	ED	
427548	427546	427357	900 - 1350	1	5

Side Gate Kit - Suffolk Latch



A complete gate kit for medium weight gates in domestic applications. Brenton padbolt is padlockable and bolt fixed for additional security.

Kit Contents				
	Medium Tee Hinges	Suffolk Latch	Brenton Padbolt	
Size	450	185	150	
Qty	2	1	1	

Fitting Information				
To Suit Gate	900 - 1350			
Max. Gate Weight (kg)	40			
Max. Gate Thickness (mm)	50			
Max. Padlock Shackle Ø (mm)	10			

Fixings Information				
No. of Carriage Bolts	4			
Carriage Bolt Size (mm)	M6 x 50			
No. of Pan Screws	20			
Pan Screw Size (mm)	4.0 x 30			
No. of Countersunk Screws	20			
Countersunk Screw Size (mm)	5.0 x 30			

Product Code			To Suit	Pack	Carton
Epoxy Black	Zinc	Hot Dipped Galvanised	Gate (mm)	Qty (pcs)	Qty (packs)
	TIMBA	G - FIXINGS	INCLUD	ED	
427215	427998	427635	900 - 1350	1	5

GAP06



Field Gate Hooks & Eyes



Gate & Post Fittings

Gate Hook to Drive



A heavy duty hook for knocking into a timber post and to be used with field gate bands or hook and band hinges. Barbed to prevent the hook from working loose.

Product Code	Size			Pack	Carton
Hot Dipped Galvanised	LxW (mm)	Pin Ø (inch)	Pin Ø (mm)	Qty (pcs)	Qty (packs)
BA	G - NO FIX	INGS F	REQUII	RED	
GHD19GEA	215 x 19	3/4	19	1	10
GHD22GEA	215 x 22	7/8	22	1	10
					FGH04

Gate Hook to Bolt



Heavy duty hook to bolt to suit 4" to 10" timber posts and to be used with field gate bands or hook and band hinges. Supplied with square plate washer and hex nuts.

Product Code	Size	Pin Ø	Pin Ø	Pack	Carton
Hot Dipped Galvanised	ØxL (mm)	(inch)	(mm)	Qty (pcs)	Qty (packs)
BAG - NO FIXINGS REQUIRED					
GHB19325GEA	M20 x 325	3/4	19	1	10
GHB22325G	M22 x 325	7/8	22	2	10
					FOLIO 4

Hook on Square Plate



No. of Coach Screws

A heavy duty hook on plate to suit field gate bands. Enables the gate to be lifted off for maintenance purposes. Alternatively, mounting upside down will prevent the gate from being lifted off preventing unwanted access.

8

110.010000110010110					
Coach Screw Ø (mm)				11	
Product Code	Size			Pack	Carton
Hot Dipped	LxW	Pin Ø	Pin Ø	Qty	Qty
Galvanised	(mm)	(Inch)	(111111)	(pcs)	(packs)
		BAG			
HSP19GEA	100 x 100	3/4	19	1	10

Technical Data

Adjustable Gate Eye



Ideal for use in hanging timber or metal gates and to be used in conjunction with gate hook with matching pin diameter.

	2
Medical	N.

Product Code			Nut Socket	To Suit	Pack	Carton
Hot Dipped Galvanised	Zinc	ØxL (mm)	Size (mm)	Pin Ø (inch/mm)	Qty (pcs)	Qty (packs)
		BAG - NO FIXING	S REQUIRED			
AGE12100GEA	AGE12100Z	M12 x 100	19	1/2" / 12	1	10
AGE16100GEA	AGE16100Z	M16 x 100	24	5/6" / 16	1	10
AGE19100GEA	AGE19100Z	M19 x 100	30	3/4" / 19	1	10
AGE19150GEA	AGE19150Z	M19 x 150	30	3/4" / 19	1	10
AGE19200GEA	AGE19200Z	M19 x 200	30	3/4" / 19	1	10
AGE19250GEA	-	M19 x 250	30	3/4" / 19	1	10
AGE22150GEA	-	M22 x 150	34	½"/22	1	10
AGE22200GEA	-	M22 x 200	34	½"/22	1	10
AGE22250GEA	-	M22 x 250	34	7⁄8"/22	1	10
						FGH04

Adjustable Bottom Gate Fitting



The adjustable bottom band allows for adjustment and easy alignment of the gate after fitting and is to be used with a 19mm diameter gate hook.

Technical Data	
Gate Eye Size Ø x L (mm)	M19 x 250
Heel Clip Size L x W x D (mm)	86 x 50 x 32
To Suit Gate Thickness (mm)	75
To Suit Gate Thickness (inch)	3



Product Code		Nut Socket	To Suit Pin Ø	Pack	Carton
Hot Dipped Galvanised	ØxL (mm)	Size (mm)	(inch / mm)	Qty (pcs)	Qty (packs)
BA	G - NO F	XINGS	REQUI	RED	
AGF19GEA	M19 x 250	30	3/4" / 19	1	10

Gate & Post Fittings To Weld

Gate Hook to Weld



Designed for welding onto a flat metal post and used in conjunction with gate eyes or hook and band hinges.

			LxW	Centre Pin Projection (mm)	Qty	Qty
	BAG ·	- NO F	IXING	S REQUIR	ED	
GHW12S	1/2	12	45 x 38	26	2	10

Coue	(IIIGII)	(111111)	(111111)	(111111)	(pcs)	(packs)
	BAG -	NO F	IXINGS	REQUIR	ED	
GHW12S	1/2	12	45 x 38	26	2	10
GHW16S	5/8	16	63 x 47	38	2	10
GHW19S	3/4	19	63 x 50	38	2	10
GHW22S	7/8	22	63 x 50	38	2	10
						FGH04

Gate Eye to Weld



Designed for welding to a flat metal post or gate and used with gate hook.

Product Code	To Suit Pin Ø (inch)	To Suit Pin Ø (mm)	Base Plate L x W (mm)	Pack Qty (pcs)	Carton Qty (packs)
	BAG - N	O FIXIN	GS REQUII	RED	
GEW12S	1/2	12	45 x 38	2	10
GEW16S	5/8	16	63 x 47	2	10
GEW19S	3/4	19	63 x 50	2	10
GEW22S	7/8	22	63 x 50	2	10
					FGH04



Field Gate Hinge Sets

Standard Double Strap Hinge Set



Ideal for use on field gates and driveway gates that are to be hung on timber posts. The hinge set provides exceptional support to the gate as the top band and bottom strap wrap around the gate and are fixed with cup square bolts to firmly secure in place.

The hook to bolt features a 9mm drilled hole for R clips or linch pins (not included) to be fitted to prevent the gate being lifted off. The hooks to drive are barbed to prevent the gate from working loose.

Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.

Contents:

- 1 x Top Strap
- 1 x Bottom Strap
- 1 x Hook to Drive
- 1 x Hook to Bolt
- $M10 \times 95 mm$ Galvanised Cup Square Bolts M10 Hex Nuts & Washers
- 6.0 x 40mm Exterior Woodscrews

Double Strap Hinge Set with Hook on Plate



Ideal for use on field gates and driveway gates that are to be hung on timber, concrete or masonry posts.

The hinge set provides exceptional support to the gate as the top band and bottom strap wrap around the gate and are fixed with cup square bolts to firmly secure in place.

Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.

Contents:

- 1 x Top Strap
- 1 x Bottom Strap
- 2 x Hook on Plates
- $M10 \times 95 mm$ Galvanised Cup Square Bolts
- M10 Hex Nuts & Washers M10 x 65mm Galvanised
- Coach Screws 6.0 x 40mm Exterior
- Woodscrews

Field Gate Information					
To Suit Gate Width	3 - 4ft / 900 - 1200mm	4 - 9ft / 1200 - 2700mm	9 - 12ft / 2700 - 3600mm		
To Suit Gate Thickness	3"/75mm	3"/75mm	3"/75mm		

Product Dimensions						
Top Strap Length	12"/300mm	18" / 450mm	24"/600mm			
	6"/150mm	6" / 150mm	6"/150mm			
Hook To Bolt Øx Length (mm)	M20 x 350	M20 x 350	M20 x 350			
Hook To Drive Length (mm)	215	215	215			
Pin Ø	3/4" / 19mm	3/4" / 19mm	3/4" / 19mm			

Fixing	gs Information	1	
No. of Carriage Bolts	3	4	4
Carriage Bolt Ø (mm)	M10	M10	M10

Product Code	Top Strap	Top Strap	To Suit	To Suit	Pack	Carton		
Hot Dipped Galvanised	Length (inch)	Length (mm)	Gate Width (ft)	Gate Width (mm)	Qty (pcs)	Qty (packs)		
	BAG - FIXINGS INCLUDED							
SFH300G	12	300	3-4	900 - 1200	1	4		
SFH450G	18	450	4-9	1200 - 2700	1	4		
SFH600G	24	600	9 - 12	2700 - 3600	1	4 FGS01		

Field Gate Information						
To Suit Gate Width	3 - 4ft / 900 - 1200mm	4-9ft/ 1200-2700mm	9 - 12ft / 2700 - 3600mm			
To Suit Gate Thickness	3"/75mm	3"/75mm	3"/75mm			

Product Dimensions						
12"/300mm	18"/450mm	24"/600mm				
6"/150mm	6" / 150mm	6" / 150mm				
100 x 100	100 x 100	100 x 100				
3/4" / 19mm	3/4" / 19mm	3/4" / 19mm				
	12"/300mm 6"/150mm 100 x 100	12"/300mm 18"/450mm 6"/150mm 6"/150mm 100 x 100 100 x 100				

Fixings Information					
8	8	8			
M10	M10	M10			
3	4	4			
M10	M10	M10			
	8 M10 3	8 8 M10 M10 3 4			

Product Code	Top Strap	Top Strap	To Suit	To Suit	Pack	Carton
Hot Dipped Galvanised	Length (inch)	Length (mm)	Gate Width (ft)	Gate Width (mm)	Qty (pcs)	Qty (packs)
		BAG - FIXIN	GS INCLUDE	D		
DSFH300G	12	300	3-4	900 - 1200	1	4
DSFH450G	18	450	4-9	1200 - 2700	1	4
DSFH600G	24	600	9-12	2700 - 3600	1	4







Adjustable Hinge Set



Ideal for use on field gates and driveway gates that are to be hung on timber posts. The hinge set provides exceptional support to the gate as the top band wraps around the gate and is fixed with cup square bolts to firmly secure in place. The bottom fitting clamps around the heel of the gate and is adjustable to allow for easy gate alignment after fitting. This is particularly useful when hanging pairs of gates. The hook to bolt features a 9mm drilled hole for R clips or linch pins (not included) to be fitted to prevent the gate being lifted off. The hooks to drive are barbed to prevent the gate from working loose. Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate

Contents

- 1 x Top Strap 1 x Adjustable Bottom Fitting
- 1 x Gate Hook to Drive
- 1 x Hook to Bolt
- M10 x 95 Galvanised Cup Square Bolts M10 Hex Nuts & Washers

Adjustable Hinge Set with Hook on Plate



Ideal for use on field gates and driveway gates that are to be hung on timber, concrete or masonry posts

The hinge set provides exceptional support to the gate as the top band wraps around the gate and are fixed with cup square bolts to firmly secure in place. The bottom fitting clamps around the heel of the gate and is adjustable to allow for easy gate alignment after fitting.

Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.

Contents:

- 1 x Top Strap
- 1 x Adjustable Bottom Gate Fitting
- 2 x Hook on Plates M10 x 95 Galvanised
- Cup Square Bolts M10 Hex Nuts &
- Washers
- M10 x 65mm Galvanised Coach Screws

Field Gate Information						
To Suit Gate Width 3 - 4ft / 4 - 9ft / 9 - 2700-mm 2700 - 2700-mm						
To Suit Gate Thickness	3"/75mm	3"/75mm	3"/75mm			

Product Dimensions						
Top Strap Length	12"/300mm	18" / 450mm	24"/600mm			
Strap Thickness	6mm	6mm	6mm			
Hook To Bolt Øx Length (mm)	M20 x 350	M20 x 350	M20 x 350			
Gate Eye Size Ø x Length (mm)	M19 x 250	M19 x 250	M19 x 250			
Heel Clip Size Length x Width x Depth (mm)	86 x 50 x 32	86 x 50 x 32	86 x 50 x 32			
Hook to Drive Size (mm)	215 x 22	215 x 22	215 x 22			
Pin Ø	3/4" / 19mm	3/4" / 19mm	3/4" / 19mm			

Fixings Information						
No. of Carriage Bolts	2	3	3			
Carriage Bolt Ø (mm)	M10	M10	M10			

Product Code	Top Strap	Top Strap	To Suit	To Suit	Pack	Carton
Hot Dipped Galvanised	Length (inch)	Length (mm)	Gate Width (ft)	Gate Width (mm)	Qty (pcs)	Qty (packs)
		BAG-FIXIN	IGS INCLUDE	D		
AFH300G	12	300	3-4	900 - 1200	1	4
AFH450G	18	450	4-9	1200 - 2700	1	4
AFH600G	24	600	9 - 12	2700 - 3600	1	4 FGS01

Field Gate Information					
To Suit Gate Width	3 - 4ft / 900 - 1200mm	4-9ft/ 1200-2700mm	9 - 12ft / 2700 - 3600mm		
To Suit Gate Thickness	3"/75mm	3"/75mm	3"/75mm		

Product Dimensions						
Top Strap Length	12"/300mm	18" / 450mm	24"/600mm			
Strap Thickness	6mm	6mm	6mm			
Hook on Plate Length x Width (mm)	100 x 100	100 x 100	100 x 100			
Gate Eye Size Ø x Length (mm)	M19 x 250	M19 x 250	M19 x 250			
Heel Clip Size Length x Width x Depth (mm)	86 x 50 x 32	86 x 50 x 32	86 x 50 x 32			
PinØ	3/4" / 19mm	3/4" / 19mm	3/4" / 19mm			

Product Dimensions						
No. of Coach Screws	8	8	8			
Coach Screws Ø (mm)	M10	M10	M10			
No. of Carriage Bolts	2	3	3			
Carriage Bolt Ø (mm) M10 M10 M10						

Product Code	Top Strap	Top Strap	To Suit	To Suit	Pack	Carton
Hot Dipped Galvanised	Length (inch)	Length (mm)	Gate Width (ft)	Gate Width (mm)	Qty (pcs)	Qty (packs)
		BAG - FIXIN	GS INCLUDE	D		
AFHP300G	12	300	3-4	900 - 1200	1	4
AFHP450G	18	450	4-9	1200 - 2700	1	4
AFHP600G	24	600	9 - 12	2700 - 3600	1	4 FGH01

Field Gate Catches



Field Gate Spring Fastener **Set with Staple Catch**



Contents: 1 x Spring Latch 1 x Arm Holding Gate Bracket 1 x Hammer-In Latch Retainer Exterior Woodscrews

A heavy duty catch for field gates with a high frequency of use. The gate locates behind the peg of the double leg catch automatically when closed.

The catch requires an in front of post gate mounting.



Technical Data					
Size (mm)	610				
Overall Length (mm)	610				
Handle Length (mm)	310				
Spring Keep L x W x H (mm)	250 x 75 x 25				
Staple Catch L x W (mm)	180 x 80				

Product Code Hot Dipped Galvanised	Size (mm)	Qty	Carton Qty (packs)
В	AG - FIXINGS INCLUD	ED	
SFF610G	610	1	

Field Gate Hunting Type Lift **Catch with Cranked Striker**



Contents: 1 x Hunting Type Catch 1 x Spike Peg with Washer and Nut Coach Screws

A heavy duty catch that is ideal for field and equestrian gates. An elongated handle allows gates to be used by horse riders without the need to dismount. The latch automatically engages when the gate is closed and is pad-lockable for additional security. The catch requires an

Catch Projection (mm)

Handle Length (mm) Strike Peg Øx L (mm)

HLC425G



BAG - FIXINGS INCLUDED						
Hot Dipped Galvanised	(Qty (pcs)	Qty (packs)			
Product Code	Size	Pack	Carton			
Strike Peg Ø x L (mm)			x 150			

425

120 300

Field Gate Self Locking **Catch with Cranked Striker**



Contents: 1 x Self Locking Catch 1 x Spike Peg with Washer and Nut

Coach Screws

A heavy duty gate catch that is ideal for field and driveway gates. The latch automatically engages when the gate is closed and is pad-lockable for additional security. The catch requires an in front of post gate mounting.



Technical Data				
Size (mm)	120			
Catch Projection (mm)	120			
Backplate L x W (mm)	150 x 30			
Strike Peg Ø x L (mm)	12 x 150			

Product C Hot Dipp Galvanis	ed	Size (mm)	Qty	Carton Qty (packs)
	BA	AG - FIXINGS INCLUDI	ED	
SLCG		120	1	
				FGC01



Throw-Over Loops



Throw-Over Gate Loop



Ideal for securing pairs of gates in a closed position.

Product Code			lo Suit Gate	Pack	Cantan	
Hot Dipped Galvanised	Length (mm)	Thickness (mm)	Thickness (mm)	Qty	Carton Qty (packs)	
BAG - FIXINGS INCLUDED						
TGL150G	150	6	75	1	10	
TGL350G	350	6	75	1	10	
					COLIO4	

Throw-Over Gate Loop with Lifting Handle



Ideal for securing pairs of gates in a closed position. Features a loop handle for ease of operation. particularly from the saddle of a horse.

300

Product Code			To Suit	D I.	0		
Hot Dipped Galvanised	Length (mm)	Thickness (mm)	Gate Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)		
	BAG - NO FIXINGS REQUIRED						
TGLH350G	350	6	75	1	10		
TGLH450G	450	6	75	1	10		
					FGH01		

Throw-Over Locking Gate Loop



Ideal for securing pairs of gates in a closed position. Features a locking hasp and staple to prevent risk of animal / equipment theft or unwanted access.

Product Code			Staple	To Suit	Max.	Deal	0
Hot Dipped Galvanised	Length (mm)	Thickness (mm)	Plate Size (mm	Gate Thickness (mm)	Padlock Shackle Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
		BAG - NO	FIXINGS	REQUIRED)		
TLGL450G	450	6	65 x 65	75	12	1	10 FGH01

Field Gate Wheels

Light Duty Spring Loaded Field Gate Wheel



A light duty spring loaded gate wheel that is ideal for domestic and light commercial applications. Provides support at the leading edge of gates and doors and self adjusts to overcome sloping or uneven groundwork.

Product Code	1 41-		Carton		
Zinc	Length (mm)	Qty (pcs)	Qty (packs)		
BAG - FIXINGS INCLUDED					
GW10ZB	270	1	10		
			GAB06		

Technical Data	
Length (mm)	270
Wheel Ø (mm)	100
Backplate Length x Width (mm)	100 x 25
Max. Gate Weight (kg)	50
Max. Spring Compression (mm)	40

Heavy Duty Spring Loaded Field Gate Wheel



A heavy duty spring loaded gate wheel that is ideal for agricultural and heavy commercial applications. This wheel provides support at the leading edge of gates and doors and self adjusts to overcome sloping or uneven groundwork.



Technical Data					
Length (mm)	370				
Wheel Ø (mm)	102				
Backplate Length x Width (mm)	165 x 50				
Max. Gate Weight (kg)	135				
Max. Spring Compression (mm)	50				

Product Code Epoxy Black	Length (mm)	Qty	Carton Qty (packs)
BAG - FI	XINGS IN	CLUDI	ED
GW14BB	370	1	5 GAB06



Fence Post Supports



Drive in Post Spikes

Drive in post spikes are a quick and easy way to erect fencing and garden posts as they require no digging or concreting into place, saving time and money. They feature a 4 fin steel spike to ensure a solid, permanent, wind resistant fit Available in a red oxide powder coat to blend in with the fencing and provides medium rust protection or hot dip galvanised for maximum rust protection. Both options can be over painted

For 4ft fencing use a 600mm spike, for 6ft fencing use a 750mm spike.

Quick Fit Bolt Secure Both these systems prevents against post rot and decay as it will hold the base of the post above ground level. **Driving Tool**

Carriage bolts tighten and clamp the post firmly to prevent any post movement, as well as allowing for over / under sized post tolerance. Allows for removal of the post at a later stage if required.

The quick fit version features inverted $\dot{\rm fins}$ inside the post holder section that will hold the post in a vice like grip. The system prevents against post rot and decay as it will hold the base of the post above ground level.

Technical Data									
To Suit Post Size (mm)	50 x 50	70 x 70	75 x	75	90 x 90	100	x 100		
To Suit Post Size (inch)	2 x 2	23/4 x 23/4	3x3 31/2		31/2 x 31/2	4x4			
Spike Length (mm)	450	600	600	750	600	600	750		
Spike Length (inch)	18	24	24	30	24	24	30		
Post Holder Length (mm)	150	150	150		150	15	50		
Total Length (mm)	600	750	750	900	750	750	900		

Product	Code	To Suit	Cmiles	Deal	Carton	Pallet	
Oxide Red Powder Coated	Hot Dipped Galvanised	Post Size (mm)	Spike Length (mm)	Pack Qty (pcs)	Qty	Qty (packs)	
BOLT SECURE - EACH							
PSB50450	PSB50450G	50 x 50	450	1	10	330	
PSB70600	-	70×70	600	1	10	180	
PSB75600	PSB75600G	75 x 75	600	1	10	180	
PSB75750	PSB75750G	75 x 75	750	1	8	144	
PSB90600	-	90 x 90	600	1	8	128	
PSB100600	PSB100600G	100 x 100	600	1	8	112	
PSB100750	PSB100750G	100 x 100	750	1	6	84	
	Q	UICK FIT - EA	CH				
PSQ75600	PSQ75600G	75 x 75	600	1	10	120	
PSQ75750	PSQ75750G	75×75	750	1	10	200	
PSQ100600	PSQ100600G	100 x 100	600	1	8	128	
PSQ100750	PSQ100750G	100 x 100	750	1	6	144	
DRIVING TOOL - EACH							
DT75	-	75 x 75	-	1	10	450	
DT100	-	100 x 100	-	1	10	360 FCA01	

Bolt Down Shoes

Bolt down fence post shoes are a quick and easy way to erect fencing and garden posts as they require no digging or concreting into place, saving time and money. Designed to be fixed down onto an existing concrete base or wall and are perfect for patio fencing, decking, pergolas or car ports.

Bolt Secure

- Bolts secure and clamp the post firmly in place
- · Bolts allow for post removal at a later stage
- · Prevents against post rot and decay as it holds the base of the post above ground level
- · Can be over painted



Quick Fit

- · Inverted fins hold the post in a vice like grip
- Prevents against post rot and decay as it holds the base of the post above ground level
- · Can be over painted



Flush Fit - Bolt Secure

- · Designed to be fixed down onto an existing concrete base or wall where the post needs to be fitted flush
- Bolts secure and clamp the post firmly in place
- · Bolts allow for post removal at a later stage
- · Prevents against post rot and decay
- · Can be over painted



Technical Data								
To Suit Post Size (mm) 50 to 90 100 x 100 150 x 15								
Post Holder Length (mm)		150						
Base Plate Size (mm)	150 x 150	180 x 180	225 x 225					
No. of Fixing Holes		4						
Fixing Hole Size (mm)		11.0						

Product Code		T- 0-4	To Suit	D. d.	1400	D-II-4
Oxide Red Powder Coated	Hot Dipped Galvanised	To Suit Post Size (mm)	Post Size (inch)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
	ВО	LT SECURE- E	ACH			
BDB50	BDB50G	50 x 50	2x2	1	10	120
BDB70	-	70 x 70	23/4 x 23/4	1	10	120
BDB75	BDB75G	75 x 75	3x3	1	10	480
BDB90	-	90 x 90	31/2 x 31/2	1	10	120
BDB100	BDB100G	100 x 100	4 x 4	1	10	180
BDB150	BDB150G	150 x 150	6 x 6	1	6	144
	Q	UICK FIT - EA	CH			
BDQ75	BDQ75G	75 x 75	3x3	1	10	480
BDQ100	BDQ100G	100 x 100	4 x 4	1	10	180
	FLUSH FI	T - BOLT SEC	JRE - EACH	ı		
FBDB75	FBDB75G	75 x 75	3x3	1	10	600
FBDB100	FBDB100G	100 x 100	4 x 4	1	10	240
						FCA02







Concrete in Shoe - Bolt Secure

Designed to be set into concrete.



- Fins hold the support firmly in the concrete
- Bolts secure and clamp the post firmly in place
- Bolts allow for post removal at a later
- Prevents against post rot and decay as it holds the base of the post above ground
- · Can be over painted

Technical Data							
To Suit Post Size (mm)	75 x 75	100 x 100					
Spike Length (mm)	200	200					
Post Holder Length (mm)	150	150					
Total Length (mm)	350	350					

Product Code		To Suit	To Suit	Pack	MOQ	Pallet		
Oxide Red Powder Coated	Hot Dipped Galvanised	Post Size (mm)	Post Size (inch)	Qty (pcs)	Qty (packs)	Qty (packs)		
EACH								
CSB75	CSB75G	75 x 75	3x3	1	10	300		
CSB100	CSB100G	100 x 100	4 x 4	1	10	160		
						CA02		

Repair Spike - Bolt Secure

Designed for the repair and replacement of rotten or damaged fence posts that have been concreted in.



- · The spike drives down between the existing wood post and concrete to leave a solid base for installation of a new post
- · Bolts secure and clamp the post firmly in place
- · Bolts allow for post removal at a later
- Prevents against post rot and decay as it holds the base of the post above ground level
- Can be over painted

Technical Data							
To Suit Post Size (mm)	75 x 75	100 x 100					
Spike Length (mm)	300	300					
Post Holder Length (mm)	150	150					
Total Length (mm)	450	450					

Product Code		To Suit	To Suit	Pack	MOQ	Pallet
Oxide Red Powder Coated	Hot Dipped Galvanised	Post Size (mm)	Post Size (inch)	Qty (pcs)	Qty (packs)	Qty (packs)
		EACH				
RS75	RS75G	75 x 75	3x3	1	10	100
RS100	RS100G	100 x 100	4 x 4	1	10	80
						FCA03

Post Extenders

Quick Fit



- Raise the height of fence posts by up to 1m
- Fins hold each post in a vice like grip
- · Can be painted over to match with a different fence colour

Product Code	To Suit	To Suit		Pack	MOQ	Pallet			
Oxide Red Powder Coated	Post Size (mm)	Post Size (inch)	Length (mm)	Qty (pcs)	Qty (packs)	Qty (packs)			
EACH									
PEX75	75 x 75	3x3	180	1	10	360			
PEX100	100 x 100	4x4	180	1	10	320			
						CA02			

Universal



- Raise the height of fence posts by up to 1.2m
- x12 4.0mm screw holes

Product Code	Size	Thirtenan	Pack	MOQ	Pallet
Galvanised	LxWxW (mm)	Thickness (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
		EACH			
UPE180	180 x 60 x 60	2.0	1	25	2200
					FCA04

Fence Post Caps

Pyramid Post Cap

- Perfect decorative finish to the top of fence post
- · Protects the top of the fence post from weather damage
- Can be painted over to match with a different fence colour



Product Code		To Suit	To Suit	Pack	Carton	Pallet		
Oxide Red Powder Coated	Epoxy Black	Zinc	Post Size (mm)	Post Size (inch)	Qty (pcs)	Qty (packs)	Qty (packs)	
EACH								
FPC50	FPC50B	FPC50G	50 x 50	2 x 2	1	25	5400	
FPC75	FPC75B	FPC75G	75 x 75	3x3	1	25	3000	
FPC100	FPC100B	FPC100G	100 x 100	4 x 4	1	25	4000	

Ball Post Cap

- Perfect decorative finish to the top of fence post
- · Protects the top of the fence post from weather damage
- · Can be painted over to match with a different fence colour



Product Code			To Suit	To Suit	Pack	Carton	Pallet		
Oxide Red Powder Coated	Epoxy Black	Zinc	Post Size (mm)	Post Size (inch)	Qty (pcs)	Qty (packs)	Qty (packs)		
EACH									
BPC50	BPC50B	BPC50G	50 x 50	2 x 2	1	45	2700		
BPC75	BPC75B	BPC75G	75 x 75	3x3	1	30	1080		
BPC100	BPC100B	BPC100G	100 x 100	4 x 4	1	24	960		
							FCA05		



Fencing Accessories



Arris Rail Mortice Bracket



Galvanised									
Product Lx Code (m	W Thickness		Qty (packs)	Qty (packs)					

Deals MOO Ballan

Galvanised									
EACH									
ARBM200	200 x 62	1.5	1	25	1200 FCA06				

Arris Rail Bracket



• x10 5.0mm screw holes

Pack MOQ

Pallet

Code	(mm)	(mm)	(pcs)	(packs)	(packs)
		Galvanise	d		
		EACH			
ARS225	225 x 65	0.75	1	25	2800
ARS300	300 x 65	0.75	1	25	2100
					FCA06

Thickness Qty

Arris Rail Support Bracket



For fitting arris rails to timber posts when building feather edge fencing or to repair a wooden arris rail to an existing post.

• x4 4.0mm screw holes

Product LxWxW Thickness Qty Qty Qty Qty (mm) (mm) (pairs) (packs) (packs)

	G	alvanis	ed				
	EACH						
ARBS	90 x 60 x 60	2.0	1	25	2000 FCA06		

Knee Rail Support Bracket



Size

Designed for securing rails onto birds mouth posts.

MOQ Pallet

Pack

Product Code	LxW (mm)	(pcs)	(packs)	(packs)		
Galvanised						
	EAC	H				
KRS46	250 x 46	1	50	300		
KRS90	250 x 90	1	50	300 FCA06		

Gravel Board Clip



GB25

GB50

150 x 25 x 30

150 x 50 x 30

A quick and easy way to attach timber gravel boards to timber fence posts.

• x2 5.5mm screw holes

Product Code	Size LxWxD (mm)	Thickness (mm)		Qty	Qty
Code	` '	Galvanise	. ,	(packs)	(hacks
		FACH	u		

1.5

1.5

Twin Pin Gravel Board Clip



Suitable for fitting concrete gravel boards to concrete posts. The backplate mounts to the gravel board and the two pins locate into the post.

25

25

3750

1925

Product LxW Thickness Ø Qty Qty Qty Code (mm) (mm) (mm) (pcs) (packs) (packs)

		Galv	ranised	ı		
		E	ACH			
GB2P	150 x 50	4	10	1	25	2400

Panel Clip



A quick and easy way to secure fence panels and trellis to timber, these can also be plugged and screwed into masonry.

• x4 5.0mm screwholes

10000

FCA06

Product Code	LxWxD (mm)	Thickness (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
		Galvanise	d		
		EACH			
PC44	50 x 44 x 25	1.0	1	100	11200

Z Clip



50 x 50 x 25

For attaching trellis or timber fence panels to posts.

• x4 4.0mm screw holes

Product Code	Size L x W x D (mm)	Thickness (mm)	Qty	Carton Qty (packs)				
	Galvanised							
	EACH							
ZC60	60 x 56 x 15	1.5	100	100 FCA06				


Panel Security Bracket



Designed for securing fence panels to 4" concrete posts and helps prevent unwanted removal or theft of fence panels. • x2 5.0mm screw holes

Product Code	Size LxW (mm)	Thickness (mm)	Qty (pcs)	Qty (packs)	Qty (packs)
		Galvanise	d		
		EACH			
PSB233	233 x 40	1.5	1	50	2700 FCA06

Border Roll Pin





Chains & Accessories



Bow Shackle



Ideal for connecting lenaths of chain or fixing to anchor points



	Shackle		Inner Link	Safe Working	Pack	Carton
Product		L	W	Load		Qty
Code	(mm)	(mm)	(mm)	(kg)	(pcs)	(packs)

Code	(mm)	(mm)	(mm)	(kg)	(pcs)	(packs
	Ho	t Dipp	ed Ga	lvanise	d	
	BAG	- EXC	LUDES	S FIXIN	GS	
5BSB	5	19	15	80	20	25
6BSB	6	24	18	100	20	17
8BSB	8	32	24	200	20	10
						GAB02
	TIMBA	AG - FI	XINGS	INCLU	DED	
5BSP	5	20	10	80	5	15
6BSP	6	24	12	100	5	15
8BSP	8	32	16	200	5	15
L=LENGTH	W=WIDTH					GAP09

Quick Repair Link



Ideal for connecting lengths of chain or repairing broken chain links.

		Inner	Inner	Safe		
	Shackle	Link	Link	Working	Pack	Carton
Product	Ø	L	W	Load	Qty	Qty
Code	(mm)	(mm)	(mm)	(kg)	(pcs)	(packs)

Zinc							
	BAG - EXCLUDES FIXINGS						
5QLB	5	51	23	50	10	44	
6QLB	6	58	27	85	10	30	
8QLB	8	74	34	150	5	32	
						GAB02	
	TIMBAG - FIXINGS INCLUDED						

TIMBAG - FIXINGS INCLUDED								
5QLP	5	51	23	50	5	15		
6QLP	6	58	27	85	5	15		
8QLP	8	74	34	150	5	15		
L=LENGTH	W=WIDTH					GAP02		

Carbine Hook



Shackle

6CHP

8CHP

Spring loaded hook ideal for connecting lengths of chain or attaching to anchor points.

Pack Carton

15

15

5 15

Product Code	Ø (mm)	Working Load (kg)	Qty (pcs)	Qty (packs)
		Zinc		
	BAG - EX	CLUDES FIXING	GS	
5CHB	5	45	10	50
6CHB	6	75	10	30
8CHB	8	125	10	16
				GAB02
	TIMBAG - I	FIXINGS INCLU	DED	
5CHP	5	45	5	15

Safe

75

125

Dee Shackle



Ideal for connecting lengths of chain or fixing to anchor points.

Inner Inner Safe Shackle Link Link Working Pack Carton Product Qty Qty (pcs) (packs) W Load (mm) (mm) (mm) Code (kg)

BAG - EXCLUDES FIXINGS						
5DSB	5	20	10	80	20	25
6DSB	6	24	12	100	20	17
8DSB	8	32	16	200	20	10
						GAB02
	TIMBA	G - FI	XINGS	INCLU	DED	
5DSP	5	20	10	80	5	15
6DSP	6	24	12	100	5	15
8DSP	8	32	16	200	5	15
L=LENGTH	W=WIDTH					GAP03

Hook on Plate



Ideal as an anchor point using chain, rope or wire.

GAP07

15

GAP07

Product Code	Plate Size L x W (mm)	Hook Projection (mm)	Screw Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
	Hot	Dipped Ga	lvanise	d	
	BAG -	EXCLUDE	S FIXING	GS	
HP2GB	50 x 50	73	6.0	1	160
					GAB02
	TIMBAG	- FIXINGS	INCLU	DED	
HP2GP	50 x 50	73	6.0	1	10

Ring on Plate

Ideal as an anchor point using chain, rope or wire.





Product Code	Plate Size L x W (mm)	Ring Ø (mm)	Screw Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)			
	Hot Di	pped Ga	Ilvanise	i				
	BAG - EXCLUDES FIXINGS							
RP2GB	50 x 50	65	6.0	1	160			
					GAB02			

	TIMBAG -	FIXING	S INCLUI	DED	
RP2GP	50 x 50	65	6.0	1	

Staple on Plate



50 x 50 28 Ideal as an anchor point using chain, rope or wire.

	Plate		Inner	Screw		
	Size	Staple	Staple	Hole	Pack	Carton
Product	LxW	Proj.	Width	Ø	Qty	Qty
Code	(mm)	(mm)	(mm)	(mm)	(pcs)	(packs)

Hot Dipped Galvanised						
BAG - EXCLUDES FIXINGS						
SP2GB	50 x 50	28	15	6.0	1	160
						GAB02
TIMBAG - FIXINGS INCLUDED						

6.0

L=LENGTH W=WIDTH

SP2GP



Welded Link Chains

NEW SIZES



 $Welded \ link \ chain \ is \ ideal \ for \ securing \ farm \ gates \ and \ machinery \ among \ a \ variety \ of \ other \ and \ machinery \ among \ a \ variety \ of \ other \ and \ machinery \ among \ a \ variety \ of \ other \ and \ and$ uses. Not suitable for overhead lifting, load binding or towing.



	Product Code	Length (m)	Shackle Ø (mm)	Link L (mm)	Link W (mm)	Working Load (kg)	Pack Qty (pcs)	Carton Qty (packs)
			Hot Di	pped G	alvanise	d		
				EACH	1			
	432HDGC	3.0	4	32	8	80	1	20
	642HDGC	2.0	6	42	12	160	1	15
	852HDGC	1.5	8	52	16	320	1	10
	432HDGC10	10.0	4	32	8	80	1	6
	521HDGC10	10.0	5	21	10	125	1	4
	642HDGC10	10.0	6	42	12	160	1	3
				Zinc				
				BOX				
	326BZPC10	10.0	3	26	8	40	1	8
Ī	L=LENGTH W=WI	DTH						GAP08

Single Link Jack Chain

Ideal for the hanging of light fittings, pictures, mirrors, signs and hanging flower baskets. Zinc plated for improved resistance to corrosion.



Product Code	Length (m)	Shackle Ø (mm)	Safe Working Load (kg)	Qty	Carton Qty (packs)			
		Zind	:					
	BOX							
427487	10	3	7.5	1	12 GAP08			

Wire Ropes

NEW

Pack Carton

Wire rope with 7x7 construction and zinc plating for corrosion resistance. Good degree of flexibility and ideal for stay wires, fencing, hanging signs, garage doors and catenary wire.



Product Code	Length (m)	Ø (mm)	Qty (pcs)	Qty (packs)				
	Zir	nc						
	BOX							
427506	30	2	1	20				
427333	20	3	1	25				
427004	10	4	1	20				
				GAP11				

Shackle

Wire Rope Grips

NEW



Wire rope grips used for the formation of an eye or loop at the end of a wire rope. Zinc plated for improved resistance to corrosion.

Product Code	To Suit Rope Size (mm)	Qty	Carton Qty (packs)
	Zinc		
	BOX		
427819	3	20	50 CAR11

Wire Rope Thimbles



Wire rope thimbles are used to protect the eyes of cable and rope slings from abrasion by providing a solid steel barrier between the cable strands and other rigging fittings used in the connection. Zinc plated for improved resistance to corrosion.

Product Code	To Suit Rope Size (mm)	Qty	Carton Qty (packs)
	Zinc		
	BOX		
427110	4	20	50 GAP11



A	
Abrasive Brushes	138
Access Panel	
Accident Book	
Acetoxy Silicone	
Adaptor for Rebar Cutter Heads	114
Adhesives	189
Adhesive Hook	64
Adhesive Residue Remover Adhesive Trowel - Square Notch	
Adjustable Band & Hook on Plate	
Adjustable Bottom Gate Fitting	
Adjustable Gate Eye	
Adjustable Hinge Set Adjustable Roller Catch	
Adjustable WC/Bidet Fixing Kit	
Adjustable Wrench	
Admixture	
Airbrick	
Air & Gas Leak Detector	
All Purpose Filler	
All Terrain Padlocks	276
Aluminium Hawk	
Aluminium Nails	
Angle Bracket	
Angled Brad Nails 102,	
Angle Grinder Wire Brush	
Animal Bolt	
Anti-Bacterial Hand Soap	
Anti-Draught Ventilator	
Anti-Seize Lubricant	
Anti-Spatter	200
Applicator Guns Foil & Cartridge Gun	172
Professional Sealant Gun	
PU Foam Gun 173,	
Resin Gun	
Sealant Gun	
Applique Drop Down Seal	
Arris Rail Bracket	
Auger Bits Automatic Gate Catch	
Aviation Snips	
Axes	
В	
Bales Catch	265
Bandings	
Barbed Staple	
Bar Clamp Barrettine	163
	205
Danish Oil	
Decking Oil - All In One	
Decking Oil - Anti-Slip Log Cabin & Decking Treatment	
Paint Panther Paint & Varnish Remover	
Polyurethane Varnish	204
Raw Linseed Oil	
Teak Oil Timber Cut End Preserver	
Traditional Floor Wax	
Universal Preserver	
Wood Preserver	
Wood Protective Treatment	
Wood Reviver Woodworm Killer	
Quick Drying Floor Varnish	
Yacht Varnish	204
Barrier Fencing	
Basin Fixing Kits Bath Plug & Chain	
Bathroom Lock	262
Bathroom & Sanitary Silicone	192

Bathroom Thumb Turn & Release	
Batteries	
Baypole ScrewBeanie	
Beeswax Stick	
Belt	
Bevel Brush	
Bidet/Pan Fixing Kit	
Blackjax Screw Blades	26
Circular Saw Blade	129
Multi-Tool Blade	133
Reciprocating Saw Blade	132
Blow-Out Pump	
Blue Polypropylene Rope	
Bodywarmers Bolsters & Chisels	
Bolt Croppers	
Bolt Down Shoe	
Bolts	
Architectural Flat Section Bolt	
Barrel Bolt	
Carriage Bolts	
Contract Flat Section Bolt	
Door Rack Bolt	
Eye Bolt	
Hinge Bolt	
Hook Bolt	
Indicator Bolt	
Lever Action Flush Bolt	
Multi-Fix Masonry Bolt	
Necked Barrel Bolt Throughbolt	
Window Rack Bolt	
Bomber Jacket	
Bonded Abrasives	
Bonding Agent	
Border Roll Pin	
Bow Handle	
Bow Handle Bolt Bow Shackle	
Box Spirit Levels	
Bradawl	
Brad Nails	
Brad Point Wood Bit	117
Brass Screw	
Brass Threaded Screw Cap	
Brenton Padbolt	
Brick Hammer Brick Jointers	
Bricklaying & Tiling Accessories	
Adhesive Trowel - Square Notch	151
Brick Jointers	151
Grouting Float	151
Plasterers Jab Saw	153
Radius Edging Trowel	151
Bricklaying TrowelsBrick, Masonry & Patio Cleaner	
Brick Reinforcement Coil	
Bright Nails	
Briwax Finishing Wax	
Broaching Cutters & Pilot Pins	
Brushes & Rollers	175
Builders Bulk Bags	
Builders Line	
Builders Sheet Builders Tape	
Builders Wipes	
Bungee Cord	
Button Socket Screw	
С	
C2 Twin-Cut Premium Screws	
C2 Clamp-Fix	11
C2 Deck-Fix	
C2 Exterior Strong-Fix	12
C2 Floor-Fix	13
C2 Strong-Fix	
C2 Tongue-Fix	13

Cabinet Connector Bolt	
Cabin Hook	264, 284
Cable Clip	67,77
Cable Lock	271
Cables	
Cable Ties	
Cable Tray Bolt	
Cable & Wire Cutters	
Calcium, Lime & Rust Stain Remover	20
Cam Buckle Tie Down Strap	220
Cane Bolt	
Capping Nails	
Cap Socket Screw	
Carbine Hook	
Carcass Screw	
Carpenters Kit	
Carpenters Pencil	
Carriage Bolts	
Carriage Bolts & Nuts	51
Casement Stay	
Catches	
Caulk	
Caulk Gun98,	
Cavity Anchor	
Cavity Anchor Setting Tool	8
Cavity Fixings	0
Hammer-In Fixing	84
Metal Cavity Anchor	
Metal Cavity Anchor Setting Tool	8
Metal Speed Plugs with Screw	
Mixed Tray	
Nylon Speed Plug	
Cavity Sleeves	
Cavity Wall Tie	
Cavity Wall Weep Vent	239
Ceiling Anchor	8
Ceiling Angle Bracket	
Cement Board Screw	37
Centrefeed Rolls	184
Chain Bolt	287
Chain Carbine Hook	304
Chain Lubricant	198
Chain Quick Repair Link	
Chains271, 2	278, 305
Single Link Jack Chain	
Welded Link Chain	30
Chainsaw Oil	
Chain Shackle	
Chalk Powder	
Chemical Anchor Stud	
Chemical Resin	
Chucks & Accessories	139
Cill Screw	
Circular Saw Blade	129
Citrus Cleaner & Degreaser	207
Clad Pin	
Clamps	
Bar Clamp	16
F & G Clamp	
Heavy Duty & Quick Change Bar Clamp	
Spring Clamp Set	
Quick Corner Clamp Set	
Classic Screws	
Classic Hinge Screw	10
Classic Multi-Purpose Screw	
Classic Multi-Purpose Screw (Collated)	
Classic Multi-Purpose Screw (Collated)	
Cleaners	
Brick, Masonry & Patio Cleaner	
Calcium, Lime & Rust Stain Remover	
Citrus Cleaner & Degreaser	
Exterior Multi-Purpose Cleaner	
Exterior Wood Cleaner	
Glass Cleaner	
Grout Cleaner	
Heavy Duty Cleaner & Degreaser	
Paint Brush Cleaner	
Path, Patio & Driveway Cleaner	
Path, Patio & Driveway Sealer	206



D1/0 01	
PVCu Cleaner	207
Clear Adhesive & Sealant	
Clear Instant Grab Adhesive 1	
Cling Sheet 1	
Clipdriver Tool	
Clipped Head Nails (Collated)1	01
Clips & Pins	66
Cloakroom Basin Fixing Kit	68
Clout Nails 1	80
Coach Screws	
Coach Screw - Exterior	33
Coach Screw & Nylon Plug	
Coach Screw - Zinc	
Coarse Thread Drywall Screw	
Collated Nails	
Collated Screws	00
Decking Screw	20
Drywall Screw	
Flooring Screw	
Self-Drilling Screw	
Woodscrew	
Combination Pliers	
Combination Square 1	
Concrete Anchor	
Concrete Bolt	
Concrete Fixing	
Concrete In Shoe 3	
Cone Cutter 1	20
Connector Plate	233
Contact Adhesive 1	89
Contractors 3L Lock Door Pack	
Contractors Lever Handles	
Contractors Paint Brushes	
Contractors Roller, Frame & Tray Set	
Copper Adaptor	
	98
Copper Clout Nails	
Copper Loose Nails	
Copper Roofing Accessories	
Cordless Nail Gun Cleaner	
COREFIX	
Corner Brace	
Corner Plate	
Countersink 1	
Coupler	
Coveralls	224
Cover Caps	
Brass Threaded Screw Cap	27
Hex Head Cover Cap	45
Hinged Screw Cap	28
Hinge Hole Cover Cap 2	266
Plastic Cover Cap for Metal Insulation Fixing	87
Self-Adhesive Cover Cap	28
Two Piece Screw Cap	
Covered Escutcheon	
Cowl	
Cramp	
Cranked Band & Hook on Plate	
Crimped Steel Wire Brushes	
Cross Pein Hammer	
Crown / Coronet Hinges	
	20
Cup Grinding Wheel	
Cup Hooks	65
Curly Tail Casement Fastener	65 256
Curly Tail Casement Fastener	65 256 64
Cup Hooks	65 256 64 294
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1	65 256 64 294 07
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1	65 256 64 294 07
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1	65 256 64 294 07
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1 Cutters	65 256 64 294 07
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1 Cutters	65 256 64 294 07
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1 Cutters	65 256 64 294 107 107 110
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1 Cutters 1 End Cutters 1	65 64 294 107 107 110
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1 Cutters 1 End Cutters 1 Side Cutters 1	65 256 64 294 107 107 110
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1 Cutters 1 End Cutters 1 Side Cutters 1 Cutting & Tapping Lubricant 1 Cylinder Door Pulls 2	65 256 64 294 107 107 110
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1 Cutters 1 End Cutters 1 Side Cutters 1 Cutting & Tapping Lubricant 1 Cylinder Door Pulls 2	65 256 64 294 107 107 110 157 156 198 253
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1 Cutters 1 End Cutters 1 Side Cutters 1 Cutting & Tapping Lubricant 1 Cylinder Door Pulls 2 D 2 Damp Proofing 2	65 256 64 294 07 10 57 56 98 253
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curred Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1 Cutters 1 End Cutters 1 Side Cutters 1 Cutting & Tapping Lubricant 1 Cylinder Door Pulls 2 D 2 Damp Proofing 2 Danish Oil 2	65 256 64 294 07 07 10 57 56 98 253
Cup Hooks 2 Curly Tail Casement Fastener 2 Curtain Hook 2 Curved Rail Hinge 2 Cut Clasp Nails 1 Cut Flooring Brad Nails 1 Cut Tack 1 Cutters 1 End Cutters 1 Side Cutters 1 Cutting & Tapping Lubricant 1 Cylinder Door Pulls 2 D 2 Damp Proofing 2	65 256 64 294 07 07 10 57 56 98 253

Decking Oil - All In One	
Decking Oil - Anti-Slip	
Decking Screw	. 30 181
Dee Shackle	
Degreaser	200
Delta Sanding Pad	
Dense Board Drywall Screw Detail Sanding Sheet	
Diamond Blades	125
Diamond Core Bit	126
Diamond Drill Bit	115
Diamond Wheels	
Disposable PU Ear Plugs Divergent Point Staples	
Door Bolts	
Door Catches	
Door Chains	
Door Handles	
Door Hooks Double Robe Hook	
Hat & Coat Hook	
Single Robe Hook	
Door Latches	
Door Locks	
Door Restrictor	
Door Stops	
Door Wedge	
Double Ball Catch	
Double Ended Impact Driver Bits	
Double Phosphor Bronze Washered Hinge Double Quick Lock Pipe Clip	
Double Roller Catch	
Double Strap Hinge Set	
Dowel	
Dowty Type Washer	
Drainage Weep	
Drill Vent	
Drill Wire Brush	138
Drive in Post Spike	301
Drive In Post Spike Driving Tool	
Driver Bits	
Drive Screw Nails	
Drop Down Garage Bolt	
Drop In Anchor	
Drop In Anchor Setting Tool	
Dry Diamond Cores	
Drylining Disc	
Drywall Adhesive Fill & Fix Expanding PU Foam	
Drywall Bracket	
Drywall Screw (Collated)	0-3/ 20
D Shaped Cabinet Handle	
D Shaped Pull Handle On Rose	
Dual Direction Panel Connector	
Dummy Draw Connector	
Dust Sheets	179
E	
Ear Defenders	
Ear Plugs	
Elasticated Waist Trousers	
Electrical Tape	187
Electricians Scissors	
Element Screw	
ELH Clout Nails	
End Cutters	
End Plugs	
End Socket	268
Energiser Batteries	
Engine Oil EPDM Washer	
Escutcheons	
	201

Euro Profile Sashlock	
Expanding PU Foam	214
Expanding PU Foam Applicator Gun	194
Expanding PU Foam Cleaner	
Express Nail	
Exterior Carriage Bolts, Nuts & Washers	
Exterior Coach Screw External Cowl	
External Wood Adhesive	
Exterior Wood Cleaner	
Extra Tough Builders Wipes	
Eye Bolt Eye Care	
Eye Protection	
Overspecs	
Premium Safety Glasses	
Premium & Sports Style Safety Glasses	
Safety GlassesSafety Goggles	
Slimfit Safety Glasses	
EZ Joist Clip	
F	
Face Shield	219
F Clamp	163
Fence Panel Clip	303
Fence Post Cap	
Ball Post Cap	
Pyramid Post Cap Fence Post Shoe	
Fence Post Spike	
Fibre Cement Board Screw	
Field Gate Catches	
Field Gate Hinge Sets	
Field Gate Hooks & Eyes Field Gate Wheels	
File Cleaning Brush	
Files	
Filler Hardener	196
Fillers	
Fine Surface Filler 181,	195
Fine Surface Filler	195 . 38
Fine Surface Filler	195 . 38 . 36 254
Fine Surface Filler	195 . 38 . 36 254 103
Fine Surface Filler	195 . 38 . 36 254 103 201
Fine Surface Filler	195 . 38 . 36 254 103 201 197
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 244 227
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 244 227 193
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 244 227 193
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 244 227 193 192
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 224 227 193 192
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 244 227 193 192 100 -102 103
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 224 227 193 192 100 -102 103 225
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 224 227 193 192 100 -102 103 225 104
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 244 227 193 192 100 -102 103 225 104 103
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 244 227 193 192 100 -102 103 225 104 103 235
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 224 227 193 192 100 -102 103 225 104 103 235 234 . 86
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 224 227 193 192 100 -102 103 225 104 103 235 234 . 86 138
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 224 227 193 192 100 -102 103 225 104 103 235 234 . 86 138 233
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 224 227 193 192 100 -102 103 225 104 103 235 234 . 86 138 233 . 67
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 224 227 193 192 100 -102 235 234 . 86 138 233 . 67 117
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 224 193 192 100 .102 103 225 104 103 235 234 . 86 . 138 233 . 67 117 123 215
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 224 227 193 192 100 -102 103 235 234 . 86 138 233 . 67 117 123 215 213
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 244 227 193 192 100 -102 103 235 234 . 86 138 233 . 67 117 117 123 215 215 213
Fine Surface Filler	195 . 38 . 36 254 103 201 197 194 227 193 192 100 -102 103 225 104 103 235 . 67 117 123 257 257
Fine Surface Filler	195 . 38 . 36 254 100 197 194 244 227 193 192 100 102 103 225 234 . 86 138 235 215 215 215 217 269 . 74
Fine Surface Filler	195 .38 .36 254 103 197 194 244 227 193 192 100 -102 103 225 104 103 235 234 .86 138 233 -67 117 123 257 257 269 -74 107
Fine Surface Filler	195 . 38 . 36 . 254 103 201 197 194 244 247 219 192 100 102 103 235 104 103 235 234 86 138 233 . 67 117 225 257 269 27 27 27 27 27 27 27 27 27 27 27 27 27
Fine Surface Filler	195 . 38 . 36 . 36 . 103 201 197 194 4227 193 192 100 . 102 103 225 104 103 235 234 . 86 . 117 123 215 213 215 217 217 217 218 219 219 219 219 219 219 219 219 219 219
Fine Surface Filler	195 . 38 . 36 . 36 . 102 . 102 . 103 . 225 . 234 . 86 . 86 . 257 . 257 . 257 . 257 . 269 . 74 . 107 . 13 . 39 . 301 . 252



Foam Applicator Gun	173	Claw Hammer	145	Rising Butt Hinge	
Foam Mini Roller Sleeve Refills	176	Cross Pein Hammer	145	Security Hinge	248
Foil Applicator Gun Nozzle	172	Lump Hammer	146	Solid Drawn Hinge	248
Foil & Cartridge Applicator Gun		Sledgehammer		Spear Hinges	
Folding Utility Knife		Hammer Bits		Stormproof Hinge	
Foot Bolt		Hammer Fixing		Twin Ball Bearing Hinge	
Forged Eye & Shield		Hammer-In Fixing			
		ě .		Unequal Hinges	
Forged Hook & Shield		Hammer Tacker		Washered Hinge	
Form A Washer		Hand Brush		Hinge Screw	
Form B Washer	61	Hand Cleaner	226	Hip Iron	234
Form C Washer	61	Hand Cream	226	Hit & Miss Vent	241
Frame Fixing	88	Handles		Hi-Vis Clothing	214-215
Framing Anchor	233	Contractors Handles	255	Hole Cleaning Brushes	
Framing & Carpenter's Square		Edleston Handles		Hole Cleaning Pump	
Framing Nailer Fuel Cell		Fleur De Lys Ornate Lever Handles		Holesaw & Accessories	
		•			
Full Sanding Sheet	130	Fleur De Lys Pull Handles		Hoodies	
G		Narrow Style Lever Handles		Hook Bolt	
Galvanised Nails	75 107 100	Radmore Handles		Hook & Loop Strap	
	-, -	Shavington Handles	258-259	Hook on Plate	304
Galvanising Paint		Traditional Lever Handles	257	Hook on Rectangular Plate	293
Garage Drop Down Bolt		Victorian Scroll Handles		Hook on Square Plate	
Gate Bottom Fitting	296	Victorian Straight Handles		Hooks	
Gate Catch	283	Zeta Handles		Adhesive Hook	64
Gate Eye	296				
Gate Handle		Handrail Bracket		Curtain Hook	
Gate Hinge		Hand Riveter	,	Mixed Tray	
· ·		Hand Sanitiser		Screw Eye	
Gate Hook		Hand Saws	152	Screw Hook	
Gate Hook to Drive		Hand Soap	226	Vine Eye	65
Gate Kit		Handy Hook	66	Hooks (Fieldgate)	
Gate Knob	282	Hanging Rail		Horseshoe Shims	
Gate Latch	283	Hard Wax Oil		Hose Clips	
Gate Lock	281				,
Gate & Post Fittings To Weld		Hasp & Staple		Hot Bed Handle	
Gate Spring		Hat & Coat Hooks		Housing & Screws	
		Heavy Brenton Padbolt	285	HSS Drill Bits	118-120, 122-123
Gate Wheel		Heavy Cross Pattern Door Bolt	286	Hunting Type Lift Catch	299
Gauging Trowel		Heavy Duty Cleaner & Degreaser		Hybrid Hasp & Staple	289
G Clamp		Heavy Duty Stapler			
General Purpose Brushes	176	Heavy Duty Staples	,	I	
General Purpose Pliers Set	156	Heavy Locking Drop Down Bolt		Impact Driver Bit Adaptors	141
Glass Cleaner				Impact Driver Bit Holders	
Glass Drill Bit		Heavy Secure Bolt on Hasp & Staple		Impact Driver Bits & Sets	
Glasses		Heavy Swivel Pattern Hasp & Staple		Impact HSS Drill Bits	
		Heavy Vertical Bolt on Hasp & Staple	290	•	
Overspecs		Helical Bar	234	Impact Sockets	
Premium & Sports Style Safety Glasse		Helical Flat Roof Fixing	234	Industry Pack	
Safety Glasses	218	Herringbone Joist Strut		Instant Bond Mitre Kit	189
Slimfit Safety Glasses	217	Hex Connector Nut		Instant Contact Adhesive	189
Glass & Tile Scraper	171	Hex Dome Nut		Instant Grab Adhesive	191
Glazing Shovel	171	Hex Full Nut		Instant Paintable Caulk	182
Gloves				Insulation Disc	
Aqua Thermal Grip Gloves		Hex Head Cover Cap		Insulation Fixing	
·		Hex Key	161		
Durable Grip Gloves		Hex Serrated Flange Nut	59	Insulation Retaining Disc	
Eco-Grip Gloves		High Temperature Paint	201	Insulation Tape	
High Cut Gloves		Hinge Cutter	117	Internal D3 Wood Adhesive	
Impact Cut Gloves	221	Hinged Hasp & Staple	289	Internal Door Latch Packs	
Light Grip Gloves	221	Hinged Pipe Clips		Contractors	255
Medium Cut Gloves	221	Hinged Screw Cap		Edleston Lever On Rose	258
Nitrile Gloves		Hinge Hole Cover Cap		Radmore Lever On Rose	258
PVC Gauntlets		3	∠00	Shavington Lever On Rose	
PVC Grip Gloves		Hinges - External		Victorian Scroll	
Secure Grip Gloves		Band & Hook on Plate		Victorian Straight	
		Curved Rail Hinge Set	294	o o	
Toughlight Grip Gloves		Field Gate Hinge Sets	297-298	Zeta	
Warm Grip Gloves		Gate Kits		Internal Grille Vent	
Waterproof Grip Gloves	223	Reversible Hinge		Intumescent & Acoustic Acrylic S	
Goggles	219	Strap Hinge		Intumescent Fire & Smoke Seals.	244
Grab Adhesive	191			Intumescent Hinge Pad	244
Grab Packs		Tee Hinge	291	Intumescent Pipe Collars	
Gravel Board Clip		Hinges - Internal		Intumescent Pipe Wraps	
Grease Remover		Backflap Hinge		Intumescent Seals	
		Ball Bearing Stormproof Hinge			
Greases		Butterfly Hinges	256	Invisiweep Wall Weep	
Grille Vent		Butt Hinge		Ironmongery Screws	26
Grip & Fill - Solvent Free		Counter Flap Hinge		J	
Grout Cleaner	207	Crown / Coronet Hinges		-	
Grouting Float				Jack Chain	
		Fire Door Hinges		Jagged Plasterboard Nails	
Н		Flush Hinge		Jigsaw Blades	130
Half Zip Overhead Fleeces	211	Hurlinge Hinge		Jobber Drill Bits & Sets	
HallClip Lead Flashing Fixing Clips		Lift Off Hinge		Jointing Biscuit	
HallHook Slate Roof Repair Hook		Parliament Hinge	251	Jointing Knife	
Hammers	110	Performance Raced Hinge			
	4.40	Piano Hinge		Joist Hanger	
Brick Hammer	140			Jubilee Clips, Packs & Kits	13-14



Jubilee Dispencers	73-74	Metal Cavity Anchor Setting Tool	94	Nitrile Gloves	223
	13-14	Metal Expansion Plug		No Tag Timber Hanger	
K		Metal Framing Screw		Nozzles	
Key Cabinet		Metal Insulation Disc		Nuts	
Key Cap		Metal Insulation Fixing		Channel Nuts	60
Keyless Chuck		Metal Oval Stress Plate		Hex Connector Nut	
Keyless Chuck & SDS Plus Adaptor		Metal Paint		Hex Dome Nut	
Key Safe		Metal Speed Plug with Screw		Hex Full Nut	
Key Tag		Metolux		Hex Serrated Flange Nut	59
Kick Over Stable Latch		Metolux 1 Part Wood Filler	196	Mixed Tray	
Knee Pads		Metolux 2 Part Styrene Free Wood		Nylon Nut - Type P	
Knee Rail Support Bracket		Metolux Hardener		Nylon Nut - Type T	59
Knife		Metolux Metoset Liquid Mortar	196	Wing Nut	60
Knob		Metoset Liquid Mortar	196	Nylon Frame Fixing	88
Knock Down Block		Mickey Pin	110	Nylon Hammer Fixing	88
Knurled Brass Inset Screw Cup	27	Microfibre Cleaning Cloths	184	Nylon Plug	35, 85
L		Mineralised Methylated Spirit		Nylon Speed Plug	83
Label Remover	200	Mini Roller Frames		Nylon Stripping & Preparation Dis	ic 138
Ladder Hook	66	Mini Timber Hanger		0	
Laminated Padlock		Mirror Plate		'O' Clip Kits	7.1
Latches	260	Mirror Screw		Oil & Grease Remover	
Lazy Tongue Riveter	64, 170	Mitre Box		Oils	
Leak Detector Spray		Mitred Shelf Bracket		Oval Bracket	
Letter Plate	253	Mixed Hose Clip		Oval Door Stop	
Lever Action Flush Bolt		Mixed Pins & Nails		Oval End Socket	
Lever Door Handles	255-259	Mixed Screw Tray		Oval Grip Pull Handle	
Lifting Sling	228	Mixed Set Screws, Nuts & Washers		Oval Stress Plate	
Light Duty Stapler	105, 170	Mixed Trays		Oval Wardrobe Rail	
Light Duty Staples	105	Mixed Woodscrews		Overalls	
Lipped Drop In Anchor	94	Mixing Nozzle		Workman Overalls	
Liquid Mortar	196	Mixing Paddles		Yardsman Overalls	
Lithium Grease	199	Modesty Block		Overspecs	
LMN Silicone	192	Monkey Tail Bolt		_ '	
Locking Bolts	277	Moulding Pry Bar		Р	
Locking Pliers	157	Movement Ties & Debonding Sleeves		'P' Clip Kits	
Locks		Multiband & Multiband Handy Packs .		Packers	237
Bathroom Locks	262	Multi-Fix 9 in 1 Instant Grab Adhesive.		Padbolt	
Sashlock Rebate Kit	261	Multi-Fix Masonry Bolt		Padlock Protection Bar	290
Sashlocks		Multi-Functional Hanger		Padlocks	
Loft Access Door	241	Multi-Function Fencing Pliers		Block Lock	
Loft Door Operating Pole		Multi-Purpose Adhesive		Brass	
Log Cabin & Decking Treatment		Multi-Purpose Block Brush		Combination	
Log Roll Pin		Multi-Purpose Cleaner		Disc	
London Pattern Shelf Bracket		Multi-Purpose Lubricant		Old English	
Long Leg Timber Hanger		Multi-Purpose Masonry Bolt		Rectangular	
Long Nose Pliers		Multi-Purpose Powder Filler		Stainless Steel	
Long Throw Locks		Multi-Tool Blades & Sets		Squire Padlocks	
Looped Cable			100-10-	Weatherproof Padlock	
Loose Bolt Shield Anchor		N		Paint Kettle	
Louvre Vent		Nail In Anchor	88	Paint Mixer	-, - , -
Low Odour Turps Substitutes		Nail In Pipe Clip	72	Paint Panther Paint & Varnish Ren	
Low Odour White Spirits		Nail Plate	233	Paint Roller Extension Poles	
Lubricants		Nails		Paints	
Lump Hammer	146	Aluminium Clout Nails	109	Finishing Paint	
M		Annular Ringshank		Galvanising Paint	
Machine Screw	49. 51	Barbed Staples		Metal Paint	
Magnetic Bit Holder		Bright Nails		Primer Stain Concealing Paint	
Magnetic Catch		Clout		Stain Concealing Paint Survey & Spot Markers	
Magnetic Socket Driver		Copper	109		
Mallets		Cut Clasp		Very High Temperature Paint Paint Scuttles	
Margin Trowel Set		Cut Flooring Brads		Pan/Bidet Fixing Kit	
Marker Pen	169	Drive Screw			
Marxman Professional Marking Tool	169	Galvanised Nails		Panel Clip	
Masonry Bolster and Cold Chisel	147	Jagged Plasterboard		Panel Pin Panel Security Bracket	
Masonry Bolts		Mixed Tray		Parka Jacket	
Masonry & Concrete Screws	89-91	Oval		PASLODE	210
Masonry Drill Bit		Panel Pins		Collated Nail & Fuel Packs	104
Masonry Drill Set	123	Presser Point Staples		Fuel Cell Packs	
Masonry Fixing		Round Lost Head		Path, Patio & Driveway Cleaner	
Masonry Hanger		Round Wire		Path, Patio & Driveway Sealer	
Masonry Nails		Sheradised Nails		Pens	
Masonry Paint Brushes		Slab Nail		Pencils	
Masonry Rollers	177	Spring Head		Penny/Repair Washer	
MDPE Pipe Clip		Square Twist		Permanent Marker Pen	
Measuring Wheel		Stainless Steel Loose Nails		Piano Hinge	
Medium Tee Hinge	291	Upholstery Nails		Picture Hanging	
Mending Plate		Narrow Style Lever Handles		Pipe Clips	
Metal Cavity Anchor	83	Necked Barrel Bolt Necked Tower Bolt		Pipe Collars	
				po oonard	1 4



Pipe Fittings	
Pipe Guide	
	155
Pipe Wrench	
	108
Plastering Trowels	153
o a constant of the constant o	150
	150
Professional Plasterers Trowel	
Plasters	
Plastic Cabinet Connector Bolt	
Plastic Grille Vent	
Plastic Handle Wire Brush	
Plastic Insulation Fixing	
Plastic Plug	
Plastic Sleeve for Resin	98
Combination Pliers	156
Locking Pliers	
Long Nose Pliers	156
Multi-Function Fencing Pliers	
Water Pump Pliers	
Plug & Chain	
Pointing Trowel	
Polo Shirts	
Polyester Resin	97
Polyester Styrene Free Resin	
Polymer Headed Nails	180
Polyurethane Varnish	
Post Caps	302
Post Extenders	
Post Level	
ŭ	135 160
Preparation Disc	138
Preparation Disc	
Presser Point Staples	109 282
Presser Point Staples 108- Press Lock 2 Primer 189,2	109 282 201
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 189, 2	109 282 201 95
Presser Point Staples 108- Press Lock 2 Primer 189,2	109 282 201 95 267
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 3	109 282 201 95 267 180 179
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 2 Protective Zipper Door 3	109 282 201 95 267 180 179
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 2 Protective Zipper Door 2 Pry Bars 3	109 282 201 95 267 180 179 180 148
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 2 Protective Zipper Door 2 Pry Bars 4 Moulding Pry Bar 4	109 282 201 95 267 180 179
Presser Point Staples 108- Press Lock 2 Primer 189, Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 2 Protective Zipper Door 2 Pry Bars 3 Moulding Pry Bar 4 Utility Bar 4	109 282 201 95 267 180 179 180 148
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 9 Protective Zipper Door 9 Pry Bars 4 Moulding Pry Bar 4 Utility Bar 4 Wrecking and Pry Bar Set 4 Wrecking Bar 4	109 282 201 95 267 180 179 148 148 148
Presser Point Staples 108- Press Lock 2 Primer 189, Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 2 Protective Zipper Door 2 Pry Bars 4 Moulding Pry Bar 4 Utility Bar 4 Wrecking and Pry Bar Set 4 Wrecking Bar 2 PU Foam Apolicator Gun 173.	109 282 201 95 267 180 179 180 148 148 148 148
Presser Point Staples	109 282 201 95 267 180 179 148 148 148 148 148 148 155
Presser Point Staples 108- Press Lock 2 Primer 189, Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 2 Protective Zipper Door 2 Pry Bars 4 Moulding Pry Bar 4 Utility Bar 4 Wrecking and Pry Bar Set 4 Wrecking Bar 2 PU Foam Applicator Gun 173, Punched 1/3 Sanding Sheets 2 PU Wood Adhesive 3	109 282 201 95 267 180 179 148 148 148 148 148 148 155
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 9 Protective Zipper Door 9 Pry Bars 4 Moulding Pry Bar 4 Utility Bar 4 Wrecking and Pry Bar Set 4 Wrecking Bar 9 PU Foam Applicator Gun 173, 2 Put Wood Adhesive 9 PVA Bond 9	109 282 201 95 267 180 179 180 148 148 148 148 195 135
Presser Point Staples 108- Press Lock 2 Primer 189, Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 2 Protective Zipper Door 2 Pry Bars 4 Moulding Pry Bar 4 Utility Bar 4 Wrecking and Pry Bar Set 4 Wrecking Bar 2 PU Foam Applicator Gun 173, Punched 1/3 Sanding Sheets 2 PU Wood Adhesive 3	109 282 201 95 267 180 179 180 148 148 148 148 195 135
Presser Point Staples 108- Press Lock 2 Primer 189,2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 9 Protective Zipper Door 2 Pry Bars Moulding Pry Bar Utility Bar 4 Utility Bar 4 Wrecking and Pry Bar Set 4 Wrecking Bar 9 PU Foam Applicator Gun 173, 7 Punched 1/3 Sanding Sheets 9 PU Wood Adhesive 9 PVA Bond 9 PVCu Cleaner 2	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 207
Presser Point Staples 108- Press Lock 2 Primer 189, Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Zipper Door 2 Pry Bars 4 Moulding Pry Bar 4 Utility Bar 4 Wrecking and Pry Bar Set 4 Wrecking Bar 9 PU Foam Applicator Gun 173, Punched 1/3 Sanding Sheets 9 PU Wood Adhesive 9 PVA Bond 9 PVCu Cleaner 2	109 282 201 95 267 180 179 180 148 148 148 195 135 190 207
Presser Point Staples	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 207
Presser Point Staples 108- Press Lock 2 Primer 189,2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 1 Protective Zipper Door 2 Pry Bars 4 Moulding Pry Bar 4 Utility Bar 4 Wrecking and Pry Bar Set 4 Wrecking Bar 173, 2 Punched 1/3 Sanding Sheets 173, 2 PU Wood Adhesive 174, 3 PVA Bond 2 PVCu Cleaner 2 Quick Corner Clamp Set 2 Quick Corper Clamp Set 2 Quick Lock Pipe Clips 2 Quick Lock Spacer 3	109 282 201 95 267 180 179 180 148 148 148 148 195 195 207 163 205 71
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 7 Protective Zipper Door 7 Pry Bars Moulding Pry Bar Wrecking and Pry Bar Set 3 Wrecking Bar 3 PU Foam Applicator Gun 173, 3 Punched 1/3 Sanding Sheets 3 PU Wood Adhesive 3 PVCu Cleaner 2 Q Quick Corner Clamp Set Quick Corner Clamp Set Quick Lock Pipe Clips Quick Lock Spacer Quick Release Magnetic Bit Holder	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 207 71 71
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 9 Protective Zipper Door 9 Pry Bars Moulding Pry Bar Willty Bar 4 Wrecking and Pry Bar Set 4 Wrecking Bar 9 PU Foam Applicator Gun 173, 2 Purched 1/3 Sanding Sheets 9 PU Wood Adhesive 9 PVA Bond 9 PVCu Cleaner 2 Q Quick Corner Clamp Set 2 Quick Corner Clipor Varnish 2 Quick Lock Pipe Clips 2 Quick Release Magnetic Bit Holder 2 Quick Repair Link 5	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 207 71 71
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 7 Protective Zipper Door 7 Pry Bars Moulding Pry Bar Wrecking and Pry Bar Set 3 Wrecking Bar 4 PU Foam Applicator Gun 173, 2 PU Wood Adhesive 4 PVA Bond 4 PVCu Cleaner 2 Q Quick Corner Clamp Set 2 Quick Lock Pipe Clips 2 Quick Lock Spacer 2 Quick Release Magnetic Bit Holder 2 Quick Repair Link 6	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 71 71 142 304
Presser Point Staples	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 207 163 205 71 71 142 304
Presser Point Staples 108- Press Lock 2 Primer 189, 2 Projecting Bolt Shield Anchors 2 Projection Door Stop 2 Protective Cling Sheet 2 Protective Films 7 Protective Zipper Door 7 Pry Bars Moulding Pry Bar Wrecking and Pry Bar Set 3 Wrecking Bar 4 PU Foam Applicator Gun 173, 2 PU Wood Adhesive 4 PVA Bond 4 PVCu Cleaner 2 Q Quick Corner Clamp Set 2 Quick Lock Pipe Clips 2 Quick Lock Spacer 2 Quick Release Magnetic Bit Holder 2 Quick Repair Link 6	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 207 163 205 71 71 142 304
Presser Point Staples	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 71 71 71 71 68 68 68 151 259
Presser Point Staples	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 71 71 142 304 68 68 151 259 68
Presser Point Staples	109 282 201 95 267 180 179 180 148 148 148 148 195 135 71 71 142 205 71 71 142 868 151 259 68 167
Presser Point Staples	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 71 71 142 304 68 151 259 68 167 212
Presser Point Staples	109 282 201 95 267 180 179 180 148 148 148 148 195 135 190 189 207 163 205 71 71 142 304 68 151 259 68 167 212 25
Presser Point Staples	109 282 201 95 267 180 179 180 181 188 148 148 148 148 195 135 71 71 142 68 68 68 151 255 68 68 151 255 68 68 151 152 153 153 153 153 153 153 153 153
Presser Point Staples	109 282 201 95 267 180 148 148 148 148 148 195 195 195 195 195 195 195 195

Ratchet Strap	
ratoriot ou ap	228
Raw Linseed Oil	20
Ready Mixed Surface Filler 181	, 19
Rebar Cutter	
Rebate Kit	-262
Reciprocating Saw Blades & Set	132
Reducing Set	70
Reinforced Frame Screw 5	1-52
Reinforcement Coil	234
Repair/Penny Washer	6
Repair Spike	302
Resin	
Resin Accessories	98
Restraint Strap	232
Reversible Hinge	
Rigid Joint	266
Rim Locks	282
Rim/Mortice Knob Set	282
Ring Gate Latch	283
Ring On Plate	
Riveter	
Rivets	
Roller Catch	
Roller Plastic Trays	
Roll Forged Jobber Drill Bit 118-119	
Roll Out Dry Fix Ridge Pack	
Roof Fixing (Flat)	
Roofing Bolts	
Roof Vent	
Ropes	
Blue Polypropylene Rope	168
Blue Polypropylene Rope Wire Ropes	30
Round Brackets	268
Round Cable Clip	
Round Lost Head Nails	
Round Wire Nails	
Rubble Sacks	
S	
Safety Frame Cramp	23
Safety Glasses	-218
Safety Goggles	219
Safety Masks	220
Safety Pattern Hasp & Staple	289
Safety Signs	227
Safety Utility Knife	153
Sandbags	242
Sanding Belt	
Candina Dias	13
Sanding Disc	120
Sanding Disc	130
Sanding Sheet	136
Sanding Sheet	136 192
Sanding Sheet	136 192 26
Sanding Sheet	136 192 26 -262 152
Sanding Sheet	136 192 26 -262 152
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlocks Saws Sawtooth Hanger SBR Bond	136 192 26 -262 152 68
Sanding Sheet	136 192 26 -262 152 68
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlocks Saws Sawtooth Hanger SBR Bond	136 192 26 -262 152 68 189
Sanding Sheet. Sandpaper. Sanitary & Bathroom Silicone. Sashlock Rebate Kit Sashlocks	136 192 26 -262 152 68 14 168
Sanding Sheet	136 192 26 -262 152 69 14 169 154
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlocks Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors	136 192 26 -262 152 152 14 163 154 292
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlocks 261 Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors Scotch Tee Hinge	136 192 26 -262 152 69 144 169 154 292 27
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlocks Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scissors Scotch Tee Hinge Screw Cup.	136 192 26 152 152 189 14 165 154 292 27
Sanding Sheet. Sandpaper. Sanitary & Bathroom Silicone. Sashlock Rebate Kit. Sashlocks	136 192 26 -262 152 153 14 165 154 292 - 27 -160
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlocks Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors Scotch Tee Hinge Screw Cup Screw Cup Screw Eye	136 192 26 -262 152 153 14 165 154 292 - 27 -160
Sanding Sheet. Sandpaper. Sanitary & Bathroom Silicone Sashlock Rebate Kit. Sashlocks	136 192 26 -262 152 153 14 163 154 292 -160 160
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlocks Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors Scotch Tee Hinge Screw Cup Screw Gup Screw Hook Screws Coach Screw Coach Screw 33, 33 Collated Drywall Screw	136 192 26 -262 152 152 183 14 163 154 292 27 65 65 65 65
Sanding Sheet. Sandpaper. Sandary & Bathroom Silicone. Sashlock Rebate Kit. Sashlocks	136 192 26 -262 152 154 165 14 165 292 -160 65 6
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlocks Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors Scotch Tee Hinge Screw Cup Screw Gup Screw Hook Screws Coach Screw Coach Screw 33, 33 Collated Drywall Screw	136 192 26 -262 152 154 165 14 165 292 -160 65 6
Sanding Sheet. Sandpaper. Sandary & Bathroom Silicone. Sashlock Rebate Kit. Sashlocks	136 192 26 -262 152 154 165 154 165 154 292 -160 -160 -160 -160 -160 -160 -160 -160
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlock Rebate Kit Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors Scotch Tee Hinge Screw Cup Screw Fee Screw Hook Screw Hook Screws Coach Screw Colated Drywall Screw Ollated Screw Drywall Screw	136 192 26 -262 152 183 14 163 15- 292 27 -160 65 5, 85 36 8-39 36
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlock Rebate Kit Sawos Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors Scotch Tee Hinge Screw Cup Screw Fye Screw Hook Screws Coach Screw Collated Drywall Screw Collated Screw 3 Drywall Screw Ironmongery Screw	136 192 26 -262 152 183 14 163 154 292 27 -160 68 36 8-39 36 8-39 36 36 36 36 36 36 68
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlock Rebate Kit Sashlock Rebate Kit Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors Scotch Tee Hinge Screw Cup Screw Gup Screw Hook Screw Coach Screw Collated Drywall Screw Collated Screw 3 Drywall Screw Ironmongery Screw Machine Screw 44	136 192 26 152 152 183 14 163 152 292 -160
Sanding Sheet. Sandpaper. Sandray & Bathroom Silicone. Sashlock Rebate Kit. Sashlock Rebate Kit. Sashlock Rebate Kit. Sashlock Rebate Kit. Sashlocks	136 192 26 152 152 183 14 163 154 292 160 154 292 160 163 163 164 165 165 165 165 165 165 165 165 165 165
Sanding Sheet Sandpaper Sanitary & Bathroom Silicone Sashlock Rebate Kit Sashlocks 261 Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors Scotch Tee Hinge Screw Cup Screw Fee Screw Hook Screw Hook Coach Screw 33, 33 Collated Drywall Screw 3 Drywall Screw 3 Ironmongery Screw 4 Machine Screw 44 Metal Framing Screw 4 Mirror Screw 6	136 192 26 152 152 183 14 163 15 163 163 163 163 163 163 163 163 163 163
Sanding Sheet Sandpaper Sanidary & Bathroom Silicone Sashlock Rebate Kit Sashlock Rebate Kit 261 Saws 261 Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors Scotch Tee Hinge Screw Qup Screw Gup Screw Hook Screw Hook Screw Screw Hook Screw 33, 30 Collated Drywall Screw 30 Collated Screw 3 Drywall Screw 3 Ironmongery Screw 40 Machine Screw 40 Metal Framing Screw 9-10, 1 Rainwater Screw 9-10, 1 Rainwater Screw Self-Drilling Screw	136 192 26'-262 152 189 14' 169 15-292 26 36
Sanding Sheet. Sandpaper. Sandapaper. Sashlock Rebate Kit. Sashlocks	136 192 26 -262 152 183 144 163 154 292 -160 160
Sanding Sheet Sandpaper Sanidary & Bathroom Silicone Sashlock Rebate Kit Sashlock Rebate Kit 261 Saws 261 Saws Sawtooth Hanger SBR Bond Scaffolder's Short Impact Socket Scaffold Spirit Level Scissors Scotch Tee Hinge Screw Qup Screw Gup Screw Hook Screw Hook Screw Screw Hook Screw 33, 30 Collated Drywall Screw 30 Collated Screw 3 Drywall Screw 3 Ironmongery Screw 40 Machine Screw 40 Metal Framing Screw 9-10, 1 Rainwater Screw 9-10, 1 Rainwater Screw Self-Drilling Screw	136 192 26 -262 152 183 144 163 154 292 -160 160

Woodscrews	, 75
Scroll Necked Bolt	256
SDS Magnetic Bit Holder	
SDS Max Bit & Steels	
SDS Plus Adaptor	
SDS Plus Hammer Bits	
SDS Shank Rebar Cutter	
Sealant	192
Sealant Gun	
Sealant Profiler Set	
Sealant Remover	
Sealant Remover & Profiler Kit	
Second Fix Fuel Cell	
Security Chain	
Self-Drilling Collated Drywall Screw	38
Self-Drilling Drywall Screw	
Self-Drilling Point Cement Board Screw	
Self-Drilling Screws	
Self-Tapping Screw	
Set Screws 58	
Setting Tools	
Cavity Anchor Setting Tool	. 83
Drop In Anchors Setting Tool	. 94
Shavington Handles258-	
Sheet Cutter	
Shelf End	
Sherardised Nails	
Shield Anchor	
Shims	
Shoe Covers	
Short Impact Socket	
Short & Long Sleeve Trade T-Shirts	
Shorts	
Side CuttersSide Gate Kits	
Silicone	
Silicone Lubricant	
Single Handed Keyless Chuck	
Single Link Jack Chain	
Single Open Pipe Clip	
Single Quick Lock Pipe Clip	71
Single Robe Hook	
Sink Plug & Chain	
Skeleton Gun 98, 172,	
Slab Nails	107
Slash Point Screw	. 43
Sledgehammer	
Slide Action Padbolt	
Snap Hook	
Snap Off Utility Knife	153
Snap Off Utility Knife Blades	
Snappit Kit	
Socks	
Socket Drivers	
Socket Screw	
Softshell Jackets	
Solid Brass Screw	
Solid Brass Screw Cap/Cup	
SOLO Screws	,
SOLO Woodscrew	. 22
SOLO Woodscrew (Collated)	
Spanner	
Spear Hinges	
Specialist Window Screw	. 51
Speed Auger	116
Speed Plug	
Speed Plug with Screw	
Spirit Levels	
Sponges	
Spot Marker	
Spray Wax	
Spring Chain Bolt	
Spring Clamp Set	
Spring Door Stop	
Spring Fastener Set Spring Head Nails	
	286
-pgoudou / #ui Dolt	_00



Spring Toggles 83
Spring Washer
Square Plate Washer
Squares
Combination Square
Framing & Carpenter's Square 167
Rafter Square
Try Square
Square Twist Nails
Squire Security
Squire Anchors
Squire Chains
Squire Combination Padlocks
Squire Garage Door Protector
Squire Hasps & Staples
Squire Key Safes 279
Squire Locking Bolts 277
Squire Padlocks
Stable Latch
Stain Concealing Paint
Stainless Steel Cable Tie
Stainless Steel Loose Nails
Stainless Steel Self-Tapping Screws
Stair Protection
Standard & Euro Profile Escutcheon
Standard Timber Hanger
Staple On Plate
Stapler 105
Staples 105
Barbed Staples 108
Presser Point Staples 108-109
Steel Ruler
Steel Wire Wool
Stella-Fix 82
Step Drill
Stockinette Roll
Straight Band & Hook on Plate
Straight Barrel Bolt
Strap Hinge
Stress Plate 87
Stretcher Plate
Stripping Disc
Stripping Knife
Stronglock Key Padlocks
Strong Tee Hinge
Stubby Screwdriver Set
Styrene Free Resin
Styrene Free Wood Filler
Suffolk Latches
Sugar Soap
Support Pole
gg
Surface Screw Cup
Survey & Spot Marker
Sweatshirt
-
т
Tape Measures
Tapes
Aluminium Foil Tape
Anti-Slip Tape 188
Barrier Tape
Cloth Tape 186
Cloth Tape
Cloth Tape
Cloth Tape 186 Damp Proof Membrane Joint Tape 187 Double Sided Cloth Tape 186 Drywall Joint Tape 187
Cloth Tape
Cloth Tape 186 Damp Proof Membrane Joint Tape 187 Double Sided Cloth Tape 186 Drywall Joint Tape 187
Cloth Tape
Cloth Tape
Cloth Tape 186 Damp Proof Membrane Joint Tape 187 Double Sided Cloth Tape 186 Drywall Joint Tape 187 Extreme Temp. Aluminium Foil Tape 187 Hazard Cloth Tape 188 Hazard Tape 188 Heavy Duty Cloth Tape 186
Cloth Tape
Cloth Tape. 186 Damp Proof Membrane Joint Tape. 187 Double Sided Cloth Tape. 186 Drywall Joint Tape. 187 Extreme Temp. Aluminium Foil Tape. 188 Hazard Cloth Tape. 188 Heavy Duty Cloth Tape. 186 High Strength PVC Builders Tape. 187 High Visibility Wet Paint Tape. 188
Cloth Tape
Cloth Tape. 186 Damp Proof Membrane Joint Tape. 187 Double Sided Cloth Tape. 186 Drywall Joint Tape. 187 Extreme Temp. Aluminium Foil Tape. 188 Hazard Cloth Tape. 188 Heavy Duty Cloth Tape. 186 High Strength PVC Builders Tape. 187 High Visibility Wet Paint Tape. 188
Cloth Tape
Cloth Tape. 186 Damp Proof Membrane Joint Tape. 187 Double Sided Cloth Tape. 186 Drywall Joint Tape. 187 Extreme Temp. Aluminium Foil Tape. 187 Hazard Cloth Tape. 188 Hazard Tape. 188 Heavy Duty Cloth Tape. 186 High Strength PVC Builders Tape. 187 High Visibility Wet Paint Tape. 188 Hook and Loop Tape. 186 Masking Tape. 180, 186 Packaging Tape. 186
Cloth Tape. 186 Damp Proof Membrane Joint Tape. 187 Double Sided Cloth Tape. 186 Drywall Joint Tape. 187 Extreme Temp. Aluminium Foil Tape. 187 Hazard Cloth Tape. 188 Heavy Duty Cloth Tape. 186 High Strength PVC Builders Tape. 187 High Visibility Wet Paint Tape. 188 Hook and Loop Tape. 186 Masking Tape. 180, 186 Packaging Tape. 186 PTFE Thread Seal Tape. 187
Cloth Tape
Cloth Tape. 186 Damp Proof Membrane Joint Tape. 187 Double Sided Cloth Tape. 186 Drywall Joint Tape. 187 Extreme Temp. Aluminium Foil Tape. 187 Hazard Cloth Tape. 188 Hazard Tape. 188 Heavy Duty Cloth Tape. 186 High Strength PVC Builders Tape. 187 High Visibility Wet Paint Tape. 188 Hook and Loop Tape. 180 Masking Tape. 180 Packaging Tape. 186 PTFE Thread Seal Tape. 187 PVC Builders Tape 187 PVC Insulation Tape. 187
Cloth Tape

Underground Tape	
Tap Repair Washer45 Tarpaulin	227
TCT Hinge Cutter	
TCT Multi-Purpose Drill Bit	
Teak Oil	
Tee Hinge	
Tee PlateTelescopic Underfloor Ventilation	
Tenon Saw & Mitre Box Kit	
Tenon Saws	
Textured Heavy Duty Wipes	
Threaded Bars Thread Seal Tape	
Throughbolt	
Throw Lock	
Throw-Over Gate Loop	
Tie Down Bungee Balls	
Tie Down Clips Tie Down Strap	
Ties	
Movement Ties	235
Screw-in Frame Tie	
Timber Frame Tie Window Board Tie	
Tile Drill Bit	
Tile & Glass Scraper	
Timber Connector	
Timber Cut End Preserver	
Timber Hanger Timber Screws	
Timloc	
Internal Grille Vents	
Roof Line & Above	
Through-Wall VentilationUnderfloor Ventilation	
Weeps & Drill Vents	
Tin Snips	
Toilet Roll Holder	252
Tongue & Groove Screw	
Tool Clips	
Tool Hook	
Tower Bolt	
Tradesmans Pliers SetTradesmans Scissors	
Trade Socks	
Traditional Floor Wax	
Traditional Lever Handles	
Trousers	
Trowels149- Truss Clip	
Try Square	
Tubular Deadbolt	
Tubular Latch	
Turn Button Twin-Cut Point Cement Board Screw	
Twin Slot Shelving	
Twin-Threaded Screw & Plug	. 25
Twin-Threaded Woodscrew	
Twisted Knot Steel Wire Brushes Twisted Ring Gate Latch	
Two Piece Screw Cap	
U	
Underfloor Ventilation	240
Universal Framing Anchor	
Universal Intumescent Tubular Latch, Deadlock &	
Sashlock Kits	
Universal Preserver Unpunched 1/3 Sanding Sheet	
Unreinforced Frame Screw	
Upholstery Nail	110
Utility Bar	
Utility Hook Utility Knife & Blades	
V	.55
Vents	2/1
Ventilator	

Vertical Flange Clip	8
Very High Temperature Paint	
Vest (Hi-Vis)	
Vine Eye	
Vinylester Styrene Free Resin	
Vulcan Padlocks	. 27
W	
Wall Starter Kit	. 23
Wall Weep	. 23
Wardrobe Rail	
Washered Masonry Nails	. 11
Washers	
Dowty Type Washer	
EPDM Washer	
Form A Washers	
Form C Washer	
Mixed Tray	
Penny/Repair Washer	
Spring Washer	
Square Plate Washer	
Tap Repair Washer	
Waterbar Waterproof Lined Rain Jackets	
Waterproof Trousers	
Water Pump Pliers	
Wax Filler Stick	
WC Pan Fixing Kit	
Weather Bar Screw	
Wedge Pattern Casement Fastener	
Wedge Strip	
Welded Link Chain	
Welder's Anti-Spatter	
Wet & Dry Sanding Sheet	
Whiteboard Pen	
White Lithium Grease	. 19
Window Board Tie	
Window Screw	
Window Security	
Wing Nut	
Wing-Tip Self-Drilling Screw	
Wipes	
Wiping Rag Wire Brush	
Wire Hand Brush	
Wirehangers	
Wire Pattern Hasp & Staple	
Wire Rope	
Wire Rope Grips	
Wire Rope Thimbles	
Wire Strippers	
Wire Wool	
Wood Adhesive	. 19
Wood Bit & Wood Auger Bit	
Wood Bit Set	. 12
Wood Chisels	. 15
Wooden Dowel	. 26
Wooden Handle Wire Brush	. 17
Wooden Jointing Biscuit	
Wood Filler	
Wood Filler Hardener	
Wood Preserver	
Wood Protective Treatment	
Wood Reviver	
Woodscrews	
Woodworm Killer	
Work-Top Connector	
Wrecking and Pry Bar Set	
Wrecking Bar	
Wrenches	
***************************************	. 10
Υ	
Yacht Varnish	. 20
z	g
Z Zamac Nail In Anchor	
z	. 30



Contact Us: 0116 269 5089 sales@ottima.eu

Address: Assured Dr Thurmaston Leicester LE4 8BB

www.ottima.eu